Symphony

ACCESSORIES

2026 PRICE LIST

Version 04.20.26










table of contents

Essential Information	3
Formica laminate finishes	4
Accessories	
wire management	6
grommets	8
modesty panels	10
locks, anti-sag bars and brackets	12
credenzas	14
lectern and misc accessories	16

essential information

Minimum order / Freight charge

Orders for $5,000 or more list (contiguous U.S.): freight and minimum order charges included
Orders less than $5000 list (contiguous U.S.)
Zone 1 $200 net
Zone 2 $260 net



Special Charges
Custom metal finish: contact service@symphonytables.com for a quote

Lead Time
varies - please email service@symphonytables.com to confirm lead time

Please send purchase orders to service@symphonytables.com

Symphony Contact Information
phone 866-507-7795
fax 888-683-0007
service@symphonytables.com
www.SymphonyTables.com

Formica laminates by name
+ matching PVC edges

Formica Grade 1 Laminate Name	Laminate Number	Promoted Finish	3mm PVC edge
Black	909	58	std stock
Bleached Legno	8845	58	std stock
Blossom Cherrywood	758	58	std stock
Brite White	459	58	std stock
Chelsea Maple	9238	58	std stock
Dover White	7197	58	std stock
Fog	961	58	std stock
Folkstone	927	58	std stock
Graphite	837	58	std stock
Graystone	464	58	std stock
Natural Maple	756	58	std stock
Neutral Twill	8826	58	std stock
Pale Brushstroke	6997	58	std stock
Pecan Woodline	5883	58	std stock
Planked Coffee Oak	7413	58	std stock
Planked Raw Oak	7412	58	std stock
Planked Urban Oak	9312	58	std stock
Pumice	858	58	std stock
Sand Maple	9237	58	std stock
Select Cherry	7759	43	std stock
Storm	912	58	std stock
Thermo Walnut	6402	58	std stock
White	949	58	std stock
Wood Brushstroke	6998	58	std stock

Laminate Name	Number	Finish	edge
Aged Ash	8844	WR	std stock
Buff Elm	5793	NG	std stock
Cherry Walnut	6995	26	std stock
Millennium Oak	5887	26	std stock

Formica Grade 2 Laminate Name	Laminate Number	Promoted Finish	2mm PVC edge
Ceruse Gray Walnut	6994	26	std stock
Formal Walnut	5782	NG	std stock
Inked Oak	5792	PG	std stock
Pecan Walnut	6996	26	std stock
Scandi Rift Oak	8677	26	std stock

All laminates are subject to a waste fee based on laminate sheet size availability.

Non-promoted Formica laminate finishes have an 8 sheet minimum. In addition, all 8 sheets must be the same size.

Contact Symphony for pricing and lead time information: service@symphonytables.com.

Please note: additonal laminates and finishes may be available with additional fees and/or extended lead times. Laminates and specific finishes may be discontinued by Formica. For the most up to date information, contact your Formica representative.

Formica laminates by number
+ matching PVC edges

Formica Grade 1 Laminate Number	Promoted Finish	Laminate Name	3mm PVC edge
459	58	Brite White	std stock
464	58	Graystone	std stock
756	58	Natural Maple	std stock
758	58	Blossom Cherrywood	std stock
837	58	Graphite	std stock
858	58	Pumice	std stock
909	58	Black	std stock
912	58	Storm	std stock
927	58	Folkstone	std stock
949	58	White	std stock
961	58	Fog	std stock
5883	58	Pecan Woodline	std stock
6402	58	Thermo Walnut	std stock
6997	58	Pale Brushstroke	std stock
6998	58	Wood Brushstroke	std stock
7197	58	Dover White	std stock
7412	58	Planked Raw Oak	std stock
7413	58	Planked Coffee Oak	std stock
7759	43	Select Cherry	std stock
8826	58	Neutral Twill	std stock
8845	58	Bleached Legno	std stock
9237	58	Sand Maple	std stock
9238	58	Chelsea Maple	std stock
9312	58	Planked Urban Oak	std stock

Laminate Number	Finish	Laminate Name	edge
5793	NG	Buff Elm	std stock
5887	26	Millennium Oak	std stock
6995	26	Cherry Walnut	std stock
8844	WR	Aged Ash	std stock

Formica Grade 2 Laminate Number	Promoted Finish	Formica Grade 2 Laminate Name	2mm PVC edge
5782	NG	Formal Walnut	std stock
5792	PG	Inked Oak	std stock
6994	26	Ceruse Gray Walnut	std stock
6996	26	Pecan Walnut	std stock
8677	26	Scandi Rift Oak	std stock

All laminates are subject to a waste fee based on laminate sheet size availability.

Non-promoted Formica laminate finishes have an 8 sheet minimum. In addition, all 8 sheets must be the same size.



Contact Symphony for pricing and lead time information: service@symphonytables.com.


Please note: additonal laminates and finishes may be available with additional fees and/or extended lead times. Laminates and specific finishes may be discontinued by Formica. For the most up to date information, contact your Formica representative.

	description	model no.	list
	**Zoey wire management hole** the cord will route through the mouse hole and exit at the bottom of the column (1) 1.5" hole at the top / inside of 1 column for a single T or C type base (2) 1.5" holes at the top / inside of each column for a set of (2) T or C type bases (1) 1.25" hole at the top / inside of 1 column for Zoey TT, X, 4X, Y or YY bases (not available for adj ht bases)	 OBTWMH1Z OBTWMH2Z OBWMZCONF	 50 100 50
	**Ria / Keller wire mangement holes for one single column of a T, C, TT, or 4X base** wire management mouse holes (top & bottom) for one base Each hole is a 1.5" x 2.25" oval. Removeable grommets narrow the hole to 1.25" diameter Note that the wire management grommet cannot be made with the polished finish, specify black or white (not available for adj ht bases)	OBTWMH2RG	130
	**Ria / Keller wire management cone shaped top plate and WM hole** metal cone-shaped top plate conceals and protects center mounted power module in surface Concealed wires exit down inside the base column and out at the bottom of the base column Available for single column Ria and Keller X and Y bases Note that the cone cannot be made with the polished finish black or white paint is available for the cone with a polished base Circo in surface power unit can be used with this cone wire manager (not available for adj ht bases)	OBXWMPCC	350
	**Ria / Keller wire management box shaped top plate and WM hole** metal box-shaped top plate conceals and protects center mounted power module in surface Concealed wires exit down inside the base column and out at the bottom of the base column Available for single column Ria and Keller X and Y bases Note that the box cannot be made with the polished finish black or white paint is available for the box with a polished base Inside dimensions: 9.5" x 9.5" x 2.75"H, 1.75" access hole in top plate to column (not available for adj ht bases)	OBXWMPBB	470
	**Moto Magnetic wire manager for a square or rectengular column** standard dimensions: 17 3/4" length, 2" width, 1.06" depth large area for wire management of multiple power and cord sizes easy installation and reposition to any metal surface ** specify metal finish - not available in a polished or wrinkle finish	OBWMMM18	120
	Moto wire management holes for T, C, X, post or Moto II frame base 1.25" dia. wire management mouse holes (top & bottom) for one 2" sq base column 1.5" dia. wire management mouse holes (top & bottom) for one 3" sq base column (not available for adj ht bases or Moto Frame bases with 2.5 x 2.5 tubing)	 OBWMHMOTO OBWMHMOTO-1.5	 60 60
	Novi T or C type bases wire management holes for one single column Each hole is a 1.5" x 2.25" oval. Removeable grommets narrow the hole to 1.25" diameter Note that the wire management grommet cannot be made with the polished finish, specify black or white (not available for adj ht or polished chrome bases)	OBTWMNOVI	160
	**Nantes disc / Marius disc / Moto X / Novi X** power box mounting plate with (1) 1.25" mouse hole in the column near the bottom for the cord to exit to a wall or floor outlet away from the base -Power Box Dimensions 12" x 12", 3" high from top of the column to table top -Power Box Hole Dimensions: 2" dia. on a 3" column, 3 1/2" dia on a 4" column	OBWMPD1H	140
	**Nantes / Marius** power box mounting plate with wire management hole centered under the disc base wire management hole in the center of a Nantes / Marius disc base for floor access -3" column has a 1 7/8" dia thru hole at bottom / center -4" column has a 2 1/4" dia thru hole at the bottom / center	OBDWMPDHCHF	230


***Please note that power supply units and cords vary in size and shape. Please email service@symphonytables.com to ensure that your power supply and cord will work with the table specifications and desired wire management options.**

wire management

	description	model no.	list
	**metal snap on** (not available for adjustable ht bases) easy to attach, access, or move metal finish to match base, SPECIFY FINISH (not available in a polished or wrinkle finish) 2" round column version 3" round column version ** Can be used with any base that has a 2" or 3" round column	 AWMRM2NB AWMRM3NB	 90 100
	**universal wire manager** black (B) 26" silver (S) 26" double stick tape is used to adhere the wire manager to the base	 OBTWMUPB OBTWMUPS	 60 60
	**J channel black nylon wire manager with double stick tape** 2.5" x 1" x 71" long 2.5" x 1" x 59" long 2.5" x 1" x 47" long 2.5" x 1" x 35" long 2.5" x 1" x 23" long	 AWMJCH72 AWMJCH60 AWMJCH48 AWMJCH36 AWMJCH24	 210 170 150 110 90
	**large J channel 72" wire manager with double stick tape** Black nylon 3 1/4" x 1" x 71" long additional lengths available	AWMJP72B	250
	**Metal J-style wire manager** **Standard metal powder coat finishes** Flat Black, Furniture White, Medium Tone, and Metallic Silver (not for use with flip nest tables)	36"W x 4.93"D x 6"H AWMMJCM36 47"W x 4.93"D x 6"H AWMMJCM47 59"W x 4.93"D x 6"H AWMMJCM59 71"W x 4.93"D x 6"H AWMMJCM71	260 290 300 360
	**36" wire management basket** sturdy basket made of high quality powder coated steel, black finish 36" long x 5.75"D x 3.5"H exterior dimensions	AWMWB36B	230
	**wire clip set** perfect for single power cord or small group of data cords cables easily installed or removed without removing clip .4" wide x 1.156" long with .50" cable bundle diameter natural nylon set of (10) includes (10) wood screws to attach under surface additional sizes available	AWMCL10N	40
	**Spiral wire manager** mounted under the worksurface for wire management to the floor, easy to install for use under fixed worksurface up to 30"H	 black finish AWMVSL-BK silver finish AWMVSL-S white finish AWMVSL-W	 180 180 180
	**Spine wire manager** mounted under the worksurface for wire management to the floor, conceals wires inside easy to install, white finish, for fixed or adjustable height tables up to 51"H	 white finish AWMVSP-W	 230




description	model no.	list
nylon 2" diameter, black	OTGRD2NB	60
nylon 2" diameter, white	OTGRD2NW	60
nylon 2" diameter, silver	OTGRD2NS	60



nylon 3" diameter, black	OTGRD3NB	60
nylon 3" diameter, white	OTGRD3NW	60
nylon 3" diameter, silver	OTGRD3NS	60

Specify the grommet location on your PO, note that the above pricing is for a single (1) grommet, if you specify a grommet location that shows (2) grommets then you will need to include 2 grommets per table on your PO.
Email service@symphonytables.com for assistance.

GROMMET LOCATIONS



GFCC (1 front center)




GFLL (1 front left)




GFRR (1 front right)




GFLR (1 front left & 1 front right)




GFC2 (1 front left center & 1 front right center)



GCCC (1 center)




GFLC (1 front left center)



GFRC (1 front right center)



GCLC (1 left center)



GCLR (1 left center & 1 right center)



GCRC (1 right center)





Asti metal 3.39" x 5.68" grommet with flush hinged door		list
flush hinged door, black finish	OTGRADMB	150
flush hinged door, silver finish	OTGRADMS	150
flush hinged door, white finish	OTGRADMW	150
flush hinged door, Brushed Aluminum finish	OTGRADBA	240
flushhinged door, Stainless Steel finish	OTGRADSS	240

3" x 5.25" cut out required

Specify the grommet location on your PO, note that the above pricing is for a single (1) grommet, if you specify a grommet location that shows (2) grommets then you will need to include 2 grommets per table on your PO.
Email service@symphonytables.com for assistance.



PFCC (1 front center)



PFLL (1 front left)



PFRR (1 front right)



PFLR (1 front left & 1 front right)




PFC2 (1 front left center & 1 front right center)



PCCC (1 center)



PFLC (1 front left center)



PFRC (1 front right center)



PCLC (1 left center)



PCLR (1 left center & 1 right



PCRC (1 right center)



PC3L (1 CENTERED ON THE TOP RUNNING SHORT WAYS - 3" AWAY FROM LEFT SIDE OF TOP)



PC3R (1 CENTERED ON THE TOP RUNNING SHORT WAYS - 3" AWAY FROM RIGHT SIDE OF TOP)



PCS2 (1 LEFT CENTERED AND 1 RIGHT CENTER ON THE TOP RUNNING SHORT WAYS)




PCSL (1 CENTERED ON THE LEFT SIDE OF THE TOP RUNNING SHORT WAYS)



PCCS (1 CENTERED ON THE TOP RUNNING SHORT WAYS)



PCSR (1 CENTERED ON THE RIGHT SIDE OF THE TOP RUNNING SHORT WAYS)

material	description	width	model no.	list
laminate fixed (LX)	**8" high fixed laminate modesty panel**			
	Select laminate and edge color			
	3/8" thick particle board laminated with 0.050" thick plastic	35.5	OMLX836	240
	available with PVC or laminate edge	41.5	OMLX842	310
	Attaches with "L" bracket fixed hardware	47.5	OMLX848	320
		53.5	OMLX854	430
		59.5	OMLX860	440
		65.5	OMLX866	510
		71.5	OMLX872	520
	**laminate fixed modesty wire channel**			list
	60" x 3" x 3" black	59.5	AWMLXWC5	230
	72" x 3" x 3" black	71.5	AWMLXWC6	250
	attaches to inside of laminate modesty with factory installed double sided tape			
	additional lengths available			
perforated metal fixed (MP)	**9" high perforated metal fixed modesty panel**	width	model no.	list
	Inside metal wire raceway included			
	20 gauge fabricated steel	35.75	OMMP936	610
		47.75	OMMP948	650
	standard metal powder coat finishes (ME):	59.75	OMMP960	720
	Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze	71.75	OMMP972	840
solid metal fixed (MS)	**9" high solid metal fixed modesty panel**	width	model no.	list
	Inside metal wire raceway included	35.75	OMMS936	600
	20 gauge fabricated steel	47.75	OMMS948	640
		59.75	OMMS960	710
	standard metal powder coat finishes (ME):	71.75	OMMS972	830
	Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze			
acrylic (ACR)	**12"H clear frosted acrylic modesty panel with hanging brackets**	width	model no.	list
for fixed, flip nest and adj ht				
 	37" long x 12"H for a 48 inch long top	37	OMACR1248	420
	49" long x 12"H for a 60 inch long top	49	OMACR1260	480
	61" long x 12"H for a 48 inch long top	61	OMACR1272	560

We recommend using tops with 90 degree corners to allow the modesty to be flush with the front (PVEA for example).
For tops with radiused corners, the modesty must be positioned back from the front edge.

*** Contact customer service to ensure that any power or accessories you plan to specify will work with this modesty panel and your base selection, email service@symphonytables.com**


modesty panels

material	description	width	model no.	list
fabric hanging (FH)	**10" high fabric hanging modesty panel**			
	Black mesh fabric with black liner	35.75	OMFH1036	290
	Additional non-standard widths available up to 72" wide.	41.75	OMFH1042	300
	Steel rod frame	47.75	OMFH1048	320
	Pivot hardware allows modesty to swing & fold for easy storage	53.75	OMFH1054	330
	Hidden wire raceway on inside is secured with multiple Velcro strips.	59.75	OMFH1060	340
		65.75	OMFH1066	350
		71.75	OMFH1072	360
laminate hanging (LH)	**8" high hanging laminate modesty panel (Do not use with C bases)**	width	model no.	list
 	Select laminate and edge color			
	3/8" thick particle board laminated with 0.050" thick plastic laminate	35.5	OMLH836	450
	available with PVC or laminate edge	41.5	OMLH842	520
	attaches with Nester series hanging modesty panel bracket	47.5	OMLH848	530
		53.5	OMLH854	640
	**Do not use the laminate hanging modesty panel for Zoey or Keller flip nest	59.5	OMLH860	650
	tables over 24" deep, 24" deep tops are OK but any other size over 24"	65.5	OMLH866	720
	could result in the modesty panel hitting the legs when the table is in the	71.5	OMLH872	730
	nested position.			
*the modesty panel will flip "DOWN" (do not use with C type bases)				
laminate reverse hinge (RH)	**8" high reverse hinge laminate modesty panel**	width	model no.	list
 	**for Zoey / Keller over 24" deep or flip nest base table - the modesty panel shall flip "UP" when the table is in the nested position**	35.5	OMRH836	520
		41.5	OMRH842	590
	Select laminate and edge color	47.5	OMRH848	600
	3/8" thick particle board laminated with 0.050" thick plastic laminate	53.5	OMRH854	710
	available with PVC or laminate edge	59.5	OMRH860	720
	attaches with Reverse hinge modesty panel bracket	65.5	OMRH866	790
	For Zoey or Keller flip nest tables that are over 24" deep or ANY "C" type base flip / nest table so the modesty panel will flip up instead of down	71.5	OMRH872	800
* modesty panel will flip "UP"				
perforated metal for flip nest (PH)	**9" high perforated metal modesty panel**	width	model no.	list
 	.125 diameter holes on a 2 x 2 inch grid			
	reverse hinge modesty panel bracket			
		47-7/8	OMPH948	730
	(ME) Standard metal powder coat finishes :	59-7/8	OMPH960	780
	Flat Black (FB) or Metallic Silver (MS).	71-7/8	OMPH972	860
	**Additional powder coat metal finishes are available on orders with a quantity of 10+ modesty panels in the same size and finish			
* modesty panel will flip "UP"				

We recommend using tops with 90 degree corners to allow the modesty to be flush with the front (PVEA for example).
For tops with radiused corners, the modesty must be positioned back from the front edge.

*** Contact customer service to ensure that any power or accessories you plan to specify will work with this modesty panel and your base selection, email service@symphonytables.com**

table locks and top stiffeners

Table Locks, Plates & Brackets	description	model no.	list
	**Small Table Lock Set** 3" x 6" heavy-duty 11 gauge steel plate set includes 2 plates, 8 knobs (4 per plate), inserts for each seam plates retract and hide away when not in use Black finish	OTL2P8KB	290
	**Large Plate Lock** 4" x 12" heavy-duty 11 gauge steel plate includes 1 plate, 4 knobs, inserts for each seam one plate attaches tables up to 42" deep plates retract and hide away when not in use Black finish	OTL1P4KB	70
	**Clic Table Lock Set** twist and lock into place set includes four components (two locks) for each seam and (8) screws zinc finish 3.5" diameter	OTLCLICZ	150
	**Fixed Plate Set (set of 20 plates per box)** 3" x 6" heavy-duty 1/8" thick steel plates includes 20 plates and wood screws (no longer sold individually) Black finish	OTL2PWSB20	360

Typical Configurations



8 sets



5 sets



3 sets

	**Rectangular Tube with End Caps and screws**		
	42 inch rectangular tube (mounts under top) with end caps and screws	OTRT1E42	160
	54 inch rectangular tube (mounts under top) with end caps and screws	OTRT1E54	170
	70 inch rectangular tube (mounts under top) with end caps and screws	OTRT1E70	190
	83 inch rectangular tube (mounts under top) with end caps and screws	OTRT1E83	240

Email service@symphonytables.com to confirm that the table ganging devices, top stiffeners or brackets will fit on the top with all other components specified for the table.

top stiffeners and brackets

Table Locks, Plates & Brackets	description	model no.	list
	**Anti-sag bars**		
	37 inch anti sag bar (mounts under top) with 14 black wood screws	OTAS1E37	130
	43 inch anti sag bar (mounts under top) with 18 black wood screws	OTAS1E43	130
	49 inch anti sag bar (mounts under top) with 30 black wood screws	OTAS1E49	140
	55 inch anti sag bar (mounts under top) with 22 black wood screws	OTAS1E55	170
	61 inch anti sag bar (mounts under top) with 22 black wood screws	OTAS1E61	180
	67 inch anti sag bar (mounts under top) with 26 black wood screws	OTAS1E67	190
	73 inch anti sag bar (mounts under top) with 26 black wood screws	OTAS1E73	220
	79 inch anti sag bar (mounts under top) with 30 black wood screws	OTAS1E79	230
	85 inch anti sag bar (mounts under top) with 30 black wood screws	OTAS1E85	240
	14-guage rectangular black steel bar mounted under the top All surfaces 54" or longer include top stiffeners with the top pricing.		

Note:
The pricing listed on this page for top stiffeners includes a broken carton charge due to quantities under 10. As a result, this list price is **higher than the cost calculated when stiffeners are included with the top pricing** in the Surfaces price list.

Please **do not use the prices on this page to determine deductions** for top stiffeners on surfaces that already include them.

	Brackets hardware to attach to wall not included. Black metal finish		
	Angle Mount Bracket (1) 10 inches long, 1.5 x 1.5 inch 16 gauge formed steel.	ASANGLEMB10	70
	Cantilever Wall Mount Bracket 15.25W x 21L x 15.25H supports tops up to 30W x 36L	ASCWMB1521	330
	Cantilever Wall Mount Bracket 15.25W x 29L x 15.25H supports tops up to 36W x 48L	ASCWMB1529	340
	Cantilever Wall Mount Bracket 15.25W x 47L x 15.25H supports tops up to 36W x 60L	ASCWMB1547	360

Email service@symphonytables.com to confirm that the table ganging devices, top stiffeners or brackets will fit on the top with all other components specified for the table.

For complete credenza model number, insert laminate grade selection:
1 grade 1 laminate (HPL)
2 grade 2 laminate (HPL)

credenza	dimensions	description	model no.	grade 1 list	grade 2 list
	24 x 36 x 30H	2 door, 1 adj shelves with silver bar pulls	ASCR243630__	5,660	6,560
	24 x 36 x 36H	2 door, 1 adj shelves with silver bar pulls	ASCR243636__	5,890	6,830
	24 x 36 x 36H	2 door, 2 drawer, 2 adj shelves with silver bar pulls	ASBC243636__	6,420	7,480
	24 x 48 x 30H	4 door, 2 adj shelves with silver bar pulls	ASCR244830__	6,210	7,220
	24 x 48 x 36H	4 door, 2 adj shelves with silver bar pulls	ASCR244836__	6,460	7,520
	24 x 48 x 36H	4 door, 4 drawer, 2 adj shelves with silver bar pulls	ASBC244836__	6,990	8,160
	24 x 60 x 30H	4 door, 2 adj shelves with silver bar pulls	ASCR246030__	7,470	8,690
	24 x 60 x 36H	4 door, 2 adj shelves with silver bar pulls	ASCR246036__	7,780	9,050
	24 x 60 x 36H	4 door, 4 drawer, 2 adj shelves with silver bar pulls	ASBC246036__	8,310	9,690
	24 x 72 x 30H	4 door, 2 adj shelves with silver bar pulls	ASCR247230__	8,420	9,820
	24 x 72 x 36H	4 door, 2 adj shelves with silver bar pulls	ASCR247236__	8,770	10,250
	24 x 72 x 36H	4 door, 4 drawer, 2 adj shelves with silver bar pulls	ASBC247236__	9,480	11,090
	24 x 84 x 30H	6 door, 3 adj shelves with silver bar pulls	ASCR248430__	11,000	12,870
	24 x 84 x 36H	6 door, 3 adj shelves with silver bar pulls	ASCR248436__	11,460	13,420
	24 x 84 x 36H	6 door, 6 drawer, 3 adj shelves with silver bar pulls	ASBC248436__	12,410	14,560
	24 x 96 x 30H	6 door, 3 adj shelves with silver bar pulls	ASCR249630__	11,040	12,920
	24 x 96 x 36H	6 door, 3 adj shelves with silver bar pulls	ASCR249636__	11,500	13,470
	24 x 96 x 36H	6 door, 6 drawer, 3 adj shelves with silver bar pulls	ASBC249636__	12,450	14,610

* credenzas come with silver lock cores


Formica HPL laminate finish grades listed on page 4-5. For additional laminate grades, contact Symphony

Credenza options:


Vent with black vent grills,
model number **OACREDVENT**, $60 list per vent


Grommet for wire management on the back of the credenza,
model number **OACREDGROM**, $40 list per grommet

* touch latch hardware and soft close hinges are available with an upcharge, contact service@symphonytables.com for pricing




Credenza standard specifications






*Credenza without doors image reflects a 48 inch to 72" long version with 2 adjustable shelves


36" L credenza with 2 doors
*available in 30"H or 36"H




36" L credenza with
2 doors and 2 drawers, 36"H




48" - 72" L credenza with 4 doors
*available in 30"H or 36"H




48" - 72"L credenza with
4 doors and 4 drawers, 36"H




48" - 72" L credenza with 4 doors
*available in 30"H or 36"H




84" - 96"L credenza with
6 doors and 6 drawers, 36"H




lectern

lectern	Description	model no.	laminate grade	list
	laminate lectern	ALLS4SDC2424481	grade 1	4,660
	flat top surface	ALLS4SDC2424482	grade 2	5,360
	open shelf			
	two shelves behind locked hinded door			
	wire management holes			
	recessed black locking casters (4)			
	additional sizes, versions, options, configurations available			







Formica HPL laminate finish grades listed on page 4-5. For additional laminate grades, contact Symphony

This page was intentionally left blank.

Symphony

phone: 866-507-7795
email: service@symphonytables.com

Specifications subject to change without prior notice.
Visit symphonytables.com/resources/pricing for the most current version of the Price List.