Symphony

MOTO SERIES

2026 PRICE LIST

Version 04.20.26




table of contents

Essential Information	3
Moto Bases	
T fixed, single columr	4
double column T	5
single T and TT bases for media tables	5
nesting, single column	5
adjustable height	6
C fixed	10
nesting	10
adjustable height	11
X fixed	12
flip	12
adjustable height	13
post and frame bases	14
General Information	
Terms & Conditions	18
Table Care and Maintenance	21

essential information

Minimum order / Freight charge

Orders for $5,000 or more list (contiguous U.S.): freight and minimum order charges included
Orders less than $5000 list (contiguous U.S.)
Zone 1 $200 net
Zone 2 $260 net



Special Charges
Custom metal finish: contact service@symphonytables.com for a quote

Lead Time
varies - please email service@symphonytables.com to confirm lead time

Please send purchase orders to service@symphonytables.com

Symphony Contact Information
phone 866-507-7795
fax 888-683-0007
service@symphonytables.com
www.SymphonyTables.com

Moto bases
fixed T

base		base dim.	max top support	base set qty	base set model no.	glide/caster	list
Moto fixed T (3" column)	27.75"H	18	24 x 96	2	BTMOT24096SDGME	adj glides	780
		22	30 x 96	2	BTMOT30096SDGME	adj glides	840
		26	36 x 96	2	BTMOT36096SDGME	adj glides	890
		18	24 x 96	2	BTMOT24096SDCME	2" black locking casters	880
		22	30 x 96	2	BTMOT30096SDCME	2" black locking casters	940
		26	36 x 96	2	BTMOT36096SDCME	2" black locking casters	990
		18	24 x 96	2	BTMOT24096SDPME	2" premium locking casters	920
		22	30 x 96	2	BTMOT30096SDPME	2" premium locking casters	980
		26	36 x 96	2	BTMOT36096SDPME	2" premium locking casters	1,030
custom higher height (specify height)		18	24 x 72	2	BTMOT24072SHGME	adj glides	980
		22	30 x 72	2	BTMOT30072SHGME	adj glides	1,040
		26	36 x 72	2	BTMOT36072SHGME	adj glides	1,090
		18	24 x 72	2	BTMOT24072SHCME	2" black locking casters	1,080
		22	30 x 72	2	BTMOT30072SHCME	2" black locking casters	1,140
		26	36 x 72	2	BTMOT36072SHCME	2" black locking casters	1,190
		18	24 x 72	2	BTMOT24072SHPME	2" premium locking casters	1,120
		22	30 x 72	2	BTMOT30072SHPME	2" premium locking casters	1,180
		26	36 x 72	2	BTMOT36072SHPME	2" premium locking casters	1,230
custom lower height (specify height)		18	24 x 72	2	BTMOT24072SLGME	adj glides	980
		22	30 x 72	2	BTMOT30072SLGME	adj glides	1,040
		26	36 x 72	2	BTMOT36072SLGME	adj glides	1,090
		18	24 x 72	2	BTMOT24072SLCME	2" black locking casters	1,080
		22	30 x 72	2	BTMOT30072SLCME	2" black locking casters	1,140
		26	36 x 72	2	BTMOT36072SLCME	2" black locking casters	1,190
		18	24 x 72	2	BTMOT24072SLPME	2" premium locking casters	1,120
		22	30 x 72	2	BTMOT30072SLPME	2" premium locking casters	1,180
		26	36 x 72	2	BTMOT36072SLPME	2" premium locking casters	1,230
Moto 2 fixed T (2" column)	27.75"H	18	24 x 96	2	BTMO224096SDGME	adj glides	620
		22	30 x 96	2	BTMO230096SDGME	adj glides	640
		26	36 x 96	2	BTMO236096SDGME	adj glides	690
		18	24 x 96	2	BTMO224096SDCME	2" black locking casters	720
		22	30 x 96	2	BTMO230096SDCME	2" black locking casters	740
		26	36 x 96	2	BTMO236096SDCME	2" black locking casters	790
		18	24 x 96	2	BTMO224096SDPME	2" premium locking casters	760
		22	30 x 96	2	BTMO230096SDPME	2" premium locking casters	780
		26	36 x 96	2	BTMO236096SDPME	2" premium locking casters	830
custom higher height (specify height)		18	24 x 72	2	BTMO224072SHGME	adj glides	820
		22	30 x 72	2	BTMO230072SHGME	adj glides	840
		26	36 x 72	2	BTMO236072SHGME	adj glides	890
		18	24 x 72	2	BTMO224072SHCME	2" black locking casters	920
		22	30 x 72	2	BTMO230072SHCME	2" black locking casters	940
		26	36 x 72	2	BTMO236072SHCME	2" black locking casters	990
		18	24 x 72	2	BTMO224072SHPME	2" premium locking casters	960
		22	30 x 72	2	BTMO230072SHPME	2" premium locking casters	980
		26	36 x 72	2	BTMO236072SHPME	2" premium locking casters	1,030
custom lower height (specify height)		18	24 x 72	2	BTMO224072SLGME	adj glides	820
		22	30 x 72	2	BTMO230072SLGME	adj glides	840
		26	36 x 72	2	BTMO236072SLGME	adj glides	890
		18	24 x 72	2	BTMO224072SLCME	2" black locking casters	920
		22	30 x 72	2	BTMO230072SLCME	2" black locking casters	940
		26	36 x 72	2	BTMO236072SLCME	2" black locking casters	990
		18	24 x 72	2	BTMO224072SLPME	2" premium locking casters	960
		22	30 x 72	2	BTMO230072SLPME	2" premium locking casters	980
		26	36 x 72	2	BTMO236072SLPME	2" premium locking casters	1,030

C casters
2" black dual wheel locking

P premium casters
2" silver/black dual wheel locking

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

Note that the bases cannot be spread more than 52" apart at center.

Moto bases
double column T
flip nest T

base		base dim.	max top support	base set qty	base set model no.	glide/caster	list
Moto double column T (3" column)	27.75"H	26	36 x 96	2	BTMOT360962DGME	adj glides	1,250
		26	36 x 144	3	BTMOT361442DGME	adj glides	1,890
		32	42 x 96	2	BTMOT420962DGME	adj glides	1,330
		32	42 x 144	3	BTMOT421442DGME	adj glides	1,990
		32	42 x 192	4	BTMOT421922DGME	adj glides	2,660
		36	48 x 96	2	BTMOT480962DGME	adj glides	1,430
		36	48 x 144	3	BTMOT481442DGME	adj glides	2,130
		36	48 x 192	4	BTMOT481922DGME	adj glides	2,850
THE FOLLOWING SINGLE (1) MOTO T BASES CAN BE USED WITH A MEDIA WALL OR MEDIA BASE AND TOPS UP TO 72" LONG:							
Moto 3" single column T	27.75"H	26	36D up to 72L	1	BTMOT36000SDG	adj glides	450
custom higher height (specify height)		26	36D up to 72L	1	BTMOT36000SHG	adj glides	550
THE FOLLOWING SINGLE (1) MOTO TT BASES CAN BE USED WITH A MEDIA WALL OR MEDIA BASE AND TOPS UP TO 72" LONG:							
Moto 3" double column T	27.75"H	26	36D up to 72L	1	BTMOT360002DGME	adj glides	630
		32	42D up to 72L	1	BTMOT420002DGME	adj glides	660
		36	48D up to 72L	1	BTMOT480002DGME	adj glides	720
custom higher height (specify height)		26	36D up to 72L	1	BTMOT360002HGME	adj glides	830
		32	42D up to 72L	1	BTMOT420002HGME	adj glides	860
		36	48D up to 72L	1	BTMOT480002HGME	adj glides	920
Moto 2 flip nest with 2" column with beam		18	24 x 60	2	BTMO224060NBGME	adj glides	1,380
		22	30 x 60	2	BTMO230060NBGME	adj glides	1,390
		26	36 x 60	2	BTMO236060NBGME	adj glides	1,450
		18	24 x 66	2	BTMO224066NBGME	adj glides	1,500
		22	30 x 66	2	BTMO230066NBGME	adj glides	1,520
		26	36 x 66	2	BTMO236066NBGME	adj glides	1,570
		18	24 x 72	2	BTMO224072NBGME	adj glides	1,420
		22	30 x 72	2	BTMO230072NBGME	adj glides	1,430
		26	36 x 72	2	BTMO236072NBGME	adj glides	1,490
		18	24 x 60	2	BTMO224060NBCME	2" black locking casters	1,480
		22	30 x 60	2	BTMO230060NBCME	2" black locking casters	1,490
		26	36 x 60	2	BTMO236060NBCME	2" black locking casters	1,550
		18	24 x 66	2	BTMO224066NBCME	2" black locking casters	1,600
		22	30 x 66	2	BTMO230066NBCME	2" black locking casters	1,620
		26	36 x 66	2	BTMO236066NBCME	2" black locking casters	1,670
		18	24 x 72	2	BTMO224072NBCME	2" black locking casters	1,520
		22	30 x 72	2	BTMO230072NBCME	2" black locking casters	1,530
		26	36 x 72	2	BTMO236072NBCME	2" black locking casters	1,590
		18	24 x 60	2	BTMO224060NBPME	2" premium locking casters	1,520
		22	30 x 60	2	BTMO230060NBPME	2" premium locking casters	1,530
		26	36 x 60	2	BTMO236060NBPME	2" premium locking casters	1,590
		18	24 x 66	2	BTMO224066NBPME	2" premium locking casters	1,640
		22	30 x 66	2	BTMO230066NBPME	2" premium locking casters	1,660
		26	36 x 66	2	BTMO236066NBPME	2" premium locking casters	1,710
		18	24 x 72	2	BTMO224072NBPME	2" premium locking casters	1,560
		22	30 x 72	2	BTMO230072NBPME	2" premium locking casters	1,570
		26	36 x 72	2	BTMO236072NBPME	2" premium locking casters	1,630

C casters
2" black dual wheel locking

P premium casters
2" silver/black dual wheel locking

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

Note that the bases cannot be spread more than 52" apart at center.

* Additional beam lengths are available, contact Symphony for pricing

Moto bases

ratchet and crank adjustable height T

base	base dim.	max top support	base set qty	base set model no.	list	glides or casters
Moto (3" column)						
ratchet	18	24 x 72	2	BTMOT24072SRGME	1,170	adj glides
	22	30 x 72	2	BTMOT30072SRGME	1,190	adj glides
	26	36 x 72	2	BTMOT36072SRGME	1,230	adj glides
	18	24 x 72	2	BTMOT24072SRCME	1,270	2" black locking casters
	22	30 x 72	2	BTMOT30072SRCME	1,290	2" black locking casters
	26	36 x 72	2	BTMOT36072SRCME	1,330	2" black locking casters
	18	24 x 72	2	BTMOT24072SRPME	1,310	2" premium locking casters
	22	30 x 72	2	BTMOT30072SRPME	1,330	2" premium locking casters
	26	36 x 72	2	BTMOT36072SRPME	1,370	2" premium locking casters
extended range crank	18	24 x 72	2	BTMOT24072SCEGME	1,530	adj glides
	22	30 x 72	2	BTMOT30072SCEGME	1,540	adj glides
	26	36 x 72	2	BTMOT36072SCEGME	1,600	adj glides
	18	24 x 72	2	BTMOT24072SCECME	1,630	2" black locking casters
	22	30 x 72	2	BTMOT30072SCECME	1,640	2" black locking casters
	26	36 x 72	2	BTMOT36072SCECME	1,700	2" black locking casters
	18	24 x 72	2	BTMOT24072SCEPME	1,670	2" premium locking casters
	22	30 x 72	2	BTMOT30072SCEPME	1,680	2" premium locking casters
	26	36 x 72	2	BTMOT36072SCEPME	1,740	2" premium locking casters
middle range crank	18	24 x 72	2	BTMOT24072SCMGME	1,530	adj glides
	22	30 x 72	2	BTMOT30072SCMGME	1,540	adj glides
	26	36 x 72	2	BTMOT36072SCMGME	1,600	adj glides
	18	24 x 72	2	BTMOT24072SCMCME	1,630	2" black locking casters
	22	30 x 72	2	BTMOT30072SCMCME	1,640	2" black locking casters
	26	36 x 72	2	BTMOT36072SCMCME	1,700	2" black locking casters
	18	24 x 72	2	BTMOT24072SCMPME	1,670	2" premium locking casters
	22	30 x 72	2	BTMOT30072SCMPME	1,680	2" premium locking casters
	26	36 x 72	2	BTMOT36072SCMPME	1,740	2" premium locking casters
short range crank	18	24 x 72	2	BTMOT24072SCSGME	1,530	adj glides
	22	30 x 72	2	BTMOT30072SCSGME	1,540	adj glides
	26	36 x 72	2	BTMOT36072SCSGME	1,600	adj glides
	18	24 x 72	2	BTMOT24072SCSCME	1,630	2" black locking casters
	22	30 x 72	2	BTMOT30072SCSCME	1,640	2" black locking casters
	26	36 x 72	2	BTMOT36072SCSCME	1,700	2" black locking casters
	18	24 x 72	2	BTMOT24072SCSPME	1,670	2" premium locking casters
	22	30 x 72	2	BTMOT30072SCSPME	1,680	2" premium locking casters
	26	36 x 72	2	BTMOT36072SCSPME	1,740	2" premium locking casters





C casters
2" black dual wheel locking



P premium casters
2" silver/black dual wheel locking

Moto adjustable height- metal powder coat finishes:
Flat Black, Moto White**, and Metallic Silver

** Note that Moto White is a shade off and a little creamier than Furniture White.

Note that the bases without a beam cannot be spread more than 50" apart at center.

Contact service@symphonytables.com for complete ordering instructions. Height adjustable bases require a higher level of product understanding and installation.



R Ratchet height adjustment
base height range with glides 26" - 35.5" (9.45" range)
base height range with casters 28" - 37.5"
13 positions in 0.78 inch increments
Change positions by manually lifting the table top
Resets to lowest position when lifted to upper stop



C Crank adjustment
extended range: 26" - 43.75" (casters add 2")
middle range: 23.25" - 37" with glides (casters add 2")
short range: 19.75" - 30.5" with glides (casters add 2")
-screw thread adjustment with infinite stop positions
-adjust with manual crank handle which slides under table when not in use
-maximum lifting load 225 lbs for two columns (T base set)

Moto bases

pneumatic counter balance adjustable height T

base	base dim.	frame width	top support	base set qty	base set model no.	list	glides or casters
Moto (3" column)							
pneumatic counter balance	18	40.4	24 x 42-48	2	BTMOT24048SNGME	2,710	adj glides
	18	48.27	24 x 54	2	BTMOT24054SNGME	2,730	adj glides
	18	56.14	24 x 60	2	BTMOT24060SNGME	2,740	adj glides
	18	64.02	24 x 66	2	BTMOT24066SNGME	2,770	adj glides
	18	71.89	24 x 72	2	BTMOT24072SNGME	2,790	adj glides
	18	40.4	24 x 42-48	2	BTMOT24048SNCME	2,810	2" black locking casters
	18	48.27	24 x 54	2	BTMOT24054SNCME	2,830	2" black locking casters
	18	56.14	24 x 60	2	BTMOT24060SNCME	2,840	2" black locking casters
	18	64.02	24 x 66	2	BTMOT24066SNCME	2,870	2" black locking casters
	18	71.89	24 x 72	2	BTMOT24072SNCME	2,890	2" black locking casters
	18	40.4	24 x 42-48	2	BTMOT24048SNPME	2,850	2" premium locking casters
	18	48.27	24 x 54	2	BTMOT24054SNPME	2,870	2" premium locking casters
	18	56.14	24 x 60	2	BTMOT24060SNPME	2,880	2" premium locking casters
	18	64.02	24 x 66	2	BTMOT24066SNPME	2,910	2" premium locking casters
	18	71.89	24 x 72	2	BTMOT24072SNPME	2,930	2" premium locking casters
	22	40.4	30 x 42-48	2	BTMOT30048SNGME	2,730	adj glides
	22	48.27	30 x 54	2	BTMOT30054SNGME	2,760	adj glides
	22	56.14	30 x 60	2	BTMOT30060SNGME	2,770	adj glides
	22	64.02	30 x 66	2	BTMOT30066SNGME	2,790	adj glides
	22	71.89	30 x 72	2	BTMOT30072SNGME	2,810	adj glides
	22	40.4	30 x 42-48	2	BTMOT30048SNCME	2,830	2" black locking casters
	22	48.27	30 x 54	2	BTMOT30054SNCME	2,860	2" black locking casters
	22	56.14	30 x 60	2	BTMOT30060SNCME	2,870	2" black locking casters
	22	64.02	30 x 66	2	BTMOT30066SNCME	2,890	2" black locking casters
	22	71.89	30 x 72	2	BTMOT30072SNCME	2,910	2" black locking casters
	22	40.4	30 x 42-48	2	BTMOT30048SNPME	2,870	2" premium locking casters
	22	48.27	30 x 54	2	BTMOT30054SNPME	2,900	2" premium locking casters
	22	56.14	30 x 60	2	BTMOT30060SNPME	2,910	2" premium locking casters
	22	64.02	30 x 66	2	BTMOT30066SNPME	2,930	2" premium locking casters
	22	71.89	30 x 72	2	BTMOT30072SNPME	2,950	2" premium locking casters
	26	40.4	36 x 42-48	2	BTMOT36048SNGME	2,790	adj glides
	26	48.27	36 x 54	2	BTMOT36054SNGME	2,810	adj glides
	26	56.14	36 x 60	2	BTMOT36060SNGME	2,830	adj glides
	26	64.02	36 x 66	2	BTMOT36066SNGME	2,840	adj glides
	26	71.89	36 x 72	2	BTMOT36072SNGME	2,860	adj glides
	26	40.4	36 x 42-48	2	BTMOT36048SNCME	2,890	2" black locking casters
	26	48.27	36 x 54	2	BTMOT36054SNCME	2,910	2" black locking casters
	26	56.14	36 x 60	2	BTMOT36060SNCME	2,930	2" black locking casters
	26	64.02	36 x 66	2	BTMOT36066SNCME	2,940	2" black locking casters
	26	71.89	36 x 72	2	BTMOT36072SNCME	2,960	2" black locking casters
	26	40.4	36 x 42-48	2	BTMOT36048SNPME	2,930	2" premium locking casters
	26	48.27	36 x 54	2	BTMOT36054SNPME	2,950	2" premium locking casters
	26	56.14	36 x 60	2	BTMOT36060SNPME	2,970	2" premium locking casters
	26	64.02	36 x 66	2	BTMOT36066SNPME	2,980	2" premium locking casters
	26	71.89	36 x 72	2	BTMOT36072SNPME	3,000	2" premium locking casters





detail of the mechanism



C casters
2" black dual wheel locking



P premium casters
2" silver/black dual wheel locking

Moto adjustable height - metal powder coat finishes:
Flat Black, Moto White**, and Metallic Silver

** Note that Moto White is a shade off and a little creamier than Furniture White.

P Pneumatic counter balance
base height range with glides 26" - 45.5" (19.5" range)
base height range with casters 28" - 47.5"
-Frame widths will accomodate tops from 42" - 72" long and 24" - 36" deep. We cannot modify the frame to fit tops that are any other size due to the components used to make the pneumatic counter balance adjustable bases.
-Must specify the weight of the top and all accessories that will be used on the bases so that the lift capacity can be set properly.
Note that there is a minimum weight of 30 pounds for the counterbalance mechanism to work and a max weight of 183 lbs lift capacity for all items including the top.

Contact service@symphonytables.com for complete ordering instructions. Height adjustable bases require a higher level of product understanding and installation.

Moto bases

nesting crank adjustable height T

base	base dim.	max top support	base placement (on center) with beam	base set qty	base set model no.	list	glides or casters
Moto nesting/crank retractable handle 3" column	18	24 x 48	30" O.C.	2	BTMOT24048NCGME	2,190	adj glides
	18	24 x 54	36" O.C.	2	BTMOT24054NCGME	2,190	adj glides
	18	24 x 60	42" O.C.	2	BTMOT24060NCGME	2,190	adj glides
	18	24 x 66	48" O.C.	2	BTMOT24066NCGME	2,190	adj glides
	18	24 x 72	54" O.C.	2	BTMOT24072NCGME	2,190	adj glides
	22	30 x 48	30" O.C.	2	BTMOT30048NCGME	2,220	adj glides
	22	30 x 54	36" O.C.	2	BTMOT30054NCGME	2,220	adj glides
	22	30 x 60	42" O.C.	2	BTMOT30060NCGME	2,220	adj glides
	22	30 x 66	48" O.C.	2	BTMOT30066NCGME	2,220	adj glides
	22	30 x 72	54" O.C.	2	BTMOT30072NCGME	2,220	adj glides
* top not included	26	36 x 48	30" O.C.	2	BTMOT36048NCGME	2,240	adj glides
	26	36 x 54	36" O.C.	2	BTMOT36054NCGME	2,240	adj glides
	26	36 x 60	42" O.C.	2	BTMOT36060NCGME	2,240	adj glides
	26	36 x 66	48" O.C.	2	BTMOT36066NCGME	2,240	adj glides
	26	36 x 72	54" O.C.	2	BTMOT36072NCGME	2,240	adj glides
	18	24 x 48	30" O.C.	2	BTMOT24048NCCME	2,290	2" black locking casters
	18	24 x 54	36" O.C.	2	BTMOT24054NCCME	2,290	2" black locking casters
	18	24 x 60	42" O.C.	2	BTMOT24060NCCME	2,290	2" black locking casters
	18	24 x 66	48" O.C.	2	BTMOT24066NCCME	2,290	2" black locking casters
	18	24 x 72	54" O.C.	2	BTMOT24072NCCME	2,290	2" black locking casters
	22	30 x 48	30" O.C.	2	BTMOT30048NCCME	2,320	2" black locking casters
	22	30 x 54	36" O.C.	2	BTMOT30054NCCME	2,320	2" black locking casters
	22	30 x 60	42" O.C.	2	BTMOT30060NCCME	2,320	2" black locking casters
	22	30 x 66	48" O.C.	2	BTMOT30066NCCME	2,320	2" black locking casters
	22	30 x 72	54" O.C.	2	BTMOT30072NCCME	2,320	2" black locking casters
	26	36 x 48	30" O.C.	2	BTMOT36048NCCME	2,340	2" black locking casters
	26	36 x 54	36" O.C.	2	BTMOT36054NCCME	2,340	2" black locking casters
	26	36 x 60	42" O.C.	2	BTMOT36060NCCME	2,340	2" black locking casters
	26	36 x 66	48" O.C.	2	BTMOT36066NCCME	2,340	2" black locking casters
	26	36 x 72	54" O.C.	2	BTMOT36072NCCME	2,340	2" black locking casters
	18	24 x 48	30" O.C.	2	BTMOT24048NCPME	2,330	2" premium locking casters
	18	24 x 54	36" O.C.	2	BTMOT24054NCPME	2,330	2" premium locking casters
	18	24 x 60	42" O.C.	2	BTMOT24060NCPME	2,330	2" premium locking casters
	18	24 x 66	48" O.C.	2	BTMOT24066NCPME	2,330	2" premium locking casters
	18	24 x 72	54" O.C.	2	BTMOT24072NCPME	2,330	2" premium locking casters
	22	30 x 48	30" O.C.	2	BTMOT30072NCPME	2,360	2" premium locking casters
	22	30 x 54	36" O.C.	2	BTMOT30072NCPME	2,360	2" premium locking casters
	22	30 x 60	42" O.C.	2	BTMOT30072NCPME	2,360	2" premium locking casters
	22	30 x 66	48" O.C.	2	BTMOT30072NCPME	2,360	2" premium locking casters
	22	30 x 72	54" O.C.	2	BTMOT30072NCPME	2,360	2" premium locking casters
	26	36 x 72	30" O.C.	2	BTMOT36072NCPME	2,380	2" premium locking casters
	26	36 x 72	36" O.C.	2	BTMOT36072NCPME	2,380	2" premium locking casters
	26	36 x 72	42" O.C.	2	BTMOT36072NCPME	2,380	2" premium locking casters
	26	36 x 72	48" O.C.	2	BTMOT36072NCPME	2,380	2" premium locking casters
	26	36 x 72	54" O.C.	2	BTMOT36072NCPME	2,380	2" premium locking casters





C casters
2" black dual wheel locking



P premium casters (Moto)
2" black/silver dual wheel locking

NC nesting crank height adjustment
retractable handle
24" - 38" height range with glides
26" - 40" height range with casters
Columns inset 9" on center from edge of table top.

Moto adjustable height - metal powder coat finishes:
Flat Black, Moto White**, and Metallic Silver

** Note that Moto White is a shade off and a little creamier than Furniture White.

This page was intentionally left blank.

Moto bases
fixed and flip nest C

base	base dim.	max top support	base set qty	base set model no.	glides or casters	list
Moto fixed C (3" column)	18	24 x 96	2	BCMOT24096SDGME	adj glides	830
	22	30 x 96	2	BCMOT30096SDGME	adj glides	870
	26	36 x 96	2	BCMOT36096SDGME	adj glides	910
	18	24 x 96	2	BCMOT24096SDCME	2" black locking casters	930
	22	30 x 96	2	BCMOT30096SDCME	2" black locking casters	970
	26	36 x 96	2	BCMOT36096SDCME	2" black locking casters	1,010
	18	24 x 96	2	BCMOT24096SDPME	2" premium locking casters	970
	22	30 x 96	2	BCMOT30096SDPME	2" premium locking casters	1,010
	26	36 x 96	2	BCMOT36096SDPME	2" premium locking casters	1,050
Moto2 fixed C (2" column)	18	24 x 96	2	BCMO224096SDGME	adj glides	680
	22	30 x 96	2	BCMO230096SDGME	adj glides	720
	26	36 x 96	2	BCMO236096SDGME	adj glides	750
	18	24 x 96	2	BCMO224096SDCME	2" black locking casters	780
	22	30 x 96	2	BCMO230096SDCME	2" black locking casters	820
	26	36 x 96	2	BCMO236096SDCME	2" black locking casters	850
	18	24 x 96	2	BCMO224096SDPME	2" premium locking casters	820
	22	30 x 96	2	BCMO230096SDPME	2" premium locking casters	860
	26	36 x 96	2	BCMO236096SDPME	2" premium locking casters	890
Moto2 flip nest C w/ beam (2" column)	18	24 x 60	2	BCMO224060NBGME	adj glides	1,550
	18	24 x 66	2	BCMO224066NBGME	adj glides	1,590
	18	24 x 72	2	BCMO224072NBGME	adj glides	1,580
	22	30 x 60	2	BCMO230060NBGME	adj glides	1,580
	22	30 x 66	2	BCMO230066NBGME	adj glides	1,630
	22	30 x 72	2	BCMO230072NBGME	adj glides	1,590
	18	24 x 60	2	BCMO224060NBCME	2" black locking casters	1,650
	18	24 x 66	2	BCMO224066NBCME	2" black locking casters	1,690
	18	24 x 72	2	BCMO224072NBCME	2" black locking casters	1,680
	22	30 x 60	2	BCMO230060NBCME	2" black locking casters	1,680
	22	30 x 66	2	BCMO230066NBCME	2" black locking casters	1,730
	22	30 x 72	2	BCMO230072NBCME	2" black locking casters	1,690
	18	24 x 60	2	BCMO224060NBPME	2" premium locking casters	1,690
	18	24 x 66	2	BCMO224066NBPME	2" premium locking casters	1,730
	18	24 x 72	2	BCMO224072NBPME	2" premium locking casters	1,720
	22	30 x 60	2	BCMO230060NBPME	2" premium locking casters	1,720
	22	30 x 66	2	BCMO230066NBPME	2" premium locking casters	1,770
	22	30 x 72	2	BCMO230072NBPME	2" premium locking casters	1,730

C casters
2" black dual wheel locking

P premium casters (Moto)
2" black/silver dual wheel locking

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

Note that the bases cannot be spread more than 52" apart at center.

* Additional beam lengths are available, contact Symphony for pricing

Moto bases
crank adjustable height C

base	base dim.	max top support	base set qty	base set model no.	list	glides or casters
Moto crank C (3" column) extended range	18	24 x 72	2	BCMOT24072SCEGME	1,530	adj glides
	22	30 x 72	2	BCMOT30072SCEGME	1,540	adj glides
	26	36 x 72	2	BCMOT36072SCEGME	1,600	adj glides
	18	24 x 72	2	BCMOT24072SCECME	1,630	2" black locking casters
	22	30 x 72	2	BCMOT30072SCECME	1,640	2" black locking casters
	26	36 x 72	2	BCMOT36072SCECME	1,700	2" black locking casters
	18	24 x 72	2	BCMOT24072SCEPME	1,670	2" premium locking casters
	22	30 x 72	2	BCMOT30072SCEPME	1,680	2" premium locking casters
	26	36 x 72	2	BCMOT36072SCEPME	1,740	2" premium locking casters
middle range	18	24 x 72	2	BCMOT24072SCMGME	1,530	adj glides
	22	30 x 72	2	BCMOT30072SCMGME	1,540	adj glides
	26	36 x 72	2	BCMOT36072SCMGME	1,600	adj glides
	18	24 x 72	2	BCMOT24072SCMCME	1,630	2" black locking casters
	22	30 x 72	2	BCMOT30072SCMCME	1,640	2" black locking casters
	26	36 x 72	2	BCMOT36072SCMCME	1,700	2" black locking casters
	18	24 x 72	2	BCMOT24072SCMPME	1,670	2" premium locking casters
	22	30 x 72	2	BCMOT30072SCMPME	1,680	2" premium locking casters
	26	36 x 72	2	BCMOT36072SCMPME	1,740	2" premium locking casters
short range	18	24 x 72	2	BCMOT24072SCSGME	1,530	adj glides
	22	30 x 72	2	BCMOT30072SCSGME	1,540	adj glides
	26	36 x 72	2	BCMOT36072SCSGME	1,600	adj glides
	18	24 x 72	2	BCMOT24072SCSCME	1,630	2" black locking casters
	22	30 x 72	2	BCMOT30072SCSCME	1,640	2" black locking casters
	26	36 x 72	2	BCMOT36072SCSCME	1,700	2" black locking casters
	18	24 x 72	2	BCMOT24072SCSPME	1,670	2" premium locking casters
	22	30 x 72	2	BCMOT30072SCSPME	1,680	2" premium locking casters
	26	36 x 72	2	BCMOT36072SCSPME	1,740	2" premium locking casters

C casters
2" black dual wheel locking

P premium casters (Moto)
2" black/silver dual wheel locking

C Crank adjustment
extended range: 26" - 43.75" (casters add 2")
middle range: 23.25" - 37" with glides (casters add 2")
short range: 19.75" - 30.5" with glides (casters add 2")
-screw thread adjustment with infinite stop positions
-adjust with manual crank handle which slides under table when not in use
-maximum lifting load 225 lbs for two columns (T base set)

Moto adjustable height - metal powder coat finishes:
Flat Black, Moto White**, and Metallic Silver

** Note that Moto White is a shade off and a little creamier than Furniture White.

Moto bases

fixed and flip X

base	base dim.	max top support	base qty	base model no.	glides or casters	list
Moto fixed X 27.75"H 	22 x 22	24 x 24, 30 rd	1	BXMOT24024SDGME	adj glides	660
	26 x 26	30 x 30, 36 rd	1	BXMOT30030SDGME	adj glides	700
	32 x 32	36 x 36, 42 rd	1	BXMOT36036SDGME	adj glides	760
	36 x 36	42 x 42, 48 rd	1	BXMOT42042SDGME	adj glides	780
	22 x 22	24 x 24, 30 rd	1	BXMOT24024SDCME	2" black locking casters	760
	26 x 26	30 x 30, 36 rd	1	BXMOT30030SDCME	2" black locking casters	800
	32 x 32	36 x 36, 42 rd	1	BXMOT36036SDCME	2" black locking casters	860
	36 x 36	42 x 42, 48 rd	1	BXMOT42042SDCME	2" black locking casters	880
	22 x 22	24 x 24, 30 rd	1	BXMOT24024SDPME	2" premium locking casters	800
	26 x 26	30 x 30, 36 rd	1	BXMOT30030SDPME	2" premium locking casters	840
	32 x 32	36 x 36, 42 rd	1	BXMOT36036SDPME	2" premium locking casters	900
	36 x 36	42 x 42, 48 rd	1	BXMOT42042SDPME	2" premium locking casters	920
40.75"H	22 x 22	24 x 24, 30 rd	1	BXMOT24024SBGME	adj glides	760
	26 x 26	30 x 30, 36 rd	1	BXMOT30030SBGME	adj glides	800
	32 x 32	36 x 36, 42 rd	1	BXMOT36036SBGME	adj glides	860
	36 x 36	42 x 42, 48 rd	1	BXMOT42042SBGME	adj glides	880
	22 x 22	24 x 24, 30 rd	1	BXMOT24024SBCME	2" black locking casters	860
	26 x 26	30 x 30, 36 rd	1	BXMOT30030SBCME	2" black locking casters	900
	32 x 32	36 x 36, 42 rd	1	BXMOT36036SBCME	2" black locking casters	960
	36 x 36	42 x 42, 48 rd	1	BXMOT42042SBCME	2" black locking casters	980
	22 x 22	24 x 24, 30 rd	1	BXMOT24024SBPME	2" premium locking casters	900
	26 x 26	30 x 30, 36 rd	1	BXMOT30030SBPME	2" premium locking casters	940
	32 x 32	36 x 36, 42 rd	1	BXMOT36036SBPME	2" premium locking casters	1,000
	36 x 36	42 x 42, 48 rd	1	BXMOT42042SBPME	2" premium locking casters	1,020
custom higher height	22 x 22	24 x 24, 30 rd	1	BXMOT24024SHGME	adj glides	760
(specify height)	26 x 26	30 x 30, 36 rd	1	BXMOT30030SHGME	adj glides	800
	32 x 32	36 x 36, 42 rd	1	BXMOT36036SHGME	adj glides	860
	36 x 36	42 x 42, 48 rd	1	BXMOT42042SHGME	adj glides	880
	22 x 22	24 x 24, 30 rd	1	BXMOT24024SHCME	2" black locking casters	860
	26 x 26	30 x 30, 36 rd	1	BXMOT30030SHCME	2" black locking casters	900
	32 x 32	36 x 36, 42 rd	1	BXMOT36036SHCME	2" black locking casters	960
	36 x 36	42 x 42, 48 rd	1	BXMOT42042SHCME	2" black locking casters	980
	22 x 22	24 x 24, 30 rd	1	BXMOT24024SHPME	2" premium locking casters	900
	26 x 26	30 x 30, 36 rd	1	BXMOT30030SHPME	2" premium locking casters	940
	32 x 32	36 x 36, 42 rd	1	BXMOT36036SHPME	2" premium locking casters	1,000
	36 x 36	42 x 42, 48 rd	1	BXMOT42042SHPME	2" premium locking casters	1,020
custom lower height X	22 x 22	24 x 24, 30 rd	1	BXMOT24024SLGME	adj glides	760
(specify height)	26 x 26	30 x 30, 36 rd	1	BXMOT30030SLGME	adj glides	800
	32 x 32	36 x 36, 42 rd	1	BXMOT36036SLGME	adj glides	860
	36 x 36	42 x 42, 48 rd	1	BXMOT42042SLGME	adj glides	880
	22 x 22	24 x 24, 30 rd	1	BXMOT24024SLCME	2" black locking casters	860
	26 x 26	30 x 30, 36 rd	1	BXMOT30030SLCME	2" black locking casters	900
	32 x 32	36 x 36, 42 rd	1	BXMOT36036SLCME	2" black locking casters	960
	36 x 36	42 x 42, 48 rd	1	BXMOT42042SLCME	2" black locking casters	980
	22 x 22	24 x 24, 30 rd	1	BXMOT24024SLPME	2" premium locking casters	900
	26 x 26	30 x 30, 36 rd	1	BXMOT30030SLPME	2" premium locking casters	940
	32 x 32	36 x 36, 42 rd	1	BXMOT36036SLPME	2" premium locking casters	1,000
	36 x 36	42 x 42, 48 rd	1	BXMOT42042SLPME	2" premium locking casters	1,020
Moto flip X 	22 x 22	24 x 24, 30 rd	1	BXMOT24024FDGME	adj glides	920
	26 x 26	30 x 30, 36 rd	1	BXMOT30030FDGME	adj glides	980
	32 x 32	36 x 36, 42 rd	1	BXMOT36036FDGME	adj glides	1,020
	22 x 22	24 x 24, 30 rd	1	BXMOT24024FDCME	2" black locking casters	1,020
	26 x 26	30 x 30, 36 rd	1	BXMOT30030FDCME	2" black locking casters	1,080
	32 x 32	36 x 36, 42 rd	1	BXMOT36036FDCME	2" black locking casters	1,120
	22 x 22	24 x 24, 30 rd	1	BXMOT24024FDPME	2" premium locking casters	1,060
	26 x 26	30 x 30, 36 rd	1	BXMOT30030FDPME	2" premium locking casters	1,120
	32 x 32	36 x 36, 42 rd	1	BXMOT36036FDPME	2" premium locking casters	1,160



C casters
2" black dual wheel locking



P premium casters
2" silver/black dual wheel locking

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

Moto bases

ratchet, crank and pneumatic adjustable height X

base	base dim.	max top support	base qty	base model no.	list	glides or casters
Moto ratchet X 	22	24 x 24, 30 rd	1	BXMOT24024SRGME	960	adj glides
	26	30 x 30, 36 rd	1	BXMOT30030SRGME	1,000	adj glides
	22	24 x 24, 30 rd	1	BXMOT24024SRCME	1,060	2" black locking casters
	26	30 x 30, 36 rd	1	BXMOT30030SRCME	1,100	2" black locking casters
	22	24 x 24, 30 rd	1	BXMOT24024SRPME	1,100	2" premium locking casters
	26	30 x 30, 36 rd	1	BXMOT30030SRPME	1,140	2" premium locking casters
crank X 	22	24 x 24, 30 rd	1	BXMOT24024SCGME	1,100	adj glides
	26	30 x 30, 36 rd	1	BXMOT30030SCGME	1,160	adj glides
	22	24 x 24, 30 rd	1	BXMOT24024SCCME	1,200	2" black locking casters
	26	30 x 30, 36 rd	1	BXMOT30030SCCME	1,260	2" black locking casters
	22	24 x 24, 30 rd	1	BXMOT24024SCPME	1,240	2" premium locking casters
	26	30 x 30, 36 rd	1	BXMOT30030SCPME	1,300	2" premium locking casters
Moto pneumatic counter balance X 	22 x 22	24 x 24, 30 rd	1	BXMOT24024S__GME	1,310	adj glides
	26 x 26	30 x 30, 36 rd	1	BXMOT30030S__GME	1,350	adj glides
	32 x 32	36 x 36, 42 rd	1	BXMOT36036S__GME	1,390	adj glides
	36 x 36	42 x 42, 48 rd	1	BXMOT42042S__GME	1,430	adj glides
	22 x 22	24 x 24, 30 rd	1	BXMOT24024S__CME	1,410	2" black locking casters
	26 x 26	30 x 30, 36 rd	1	BXMOT30030S__CME	1,450	2" black locking casters
	32 x 32	36 x 36, 42 rd	1	BXMOT36036S__CME	1,490	2" black locking casters
	36 x 36	42 x 42, 48 rd	1	BXMOT42042S__CME	1,530	2" black locking casters
	22 x 22	24 x 24, 30 rd	1	BXMOT24024S__PME	1,450	2" premium locking casters
	26 x 26	30 x 30, 36 rd	1	BXMOT30030S__PME	1,490	2" premium locking casters
	32 x 32	36 x 36, 42 rd	1	BXMOT36036S__PME	1,530	2" premium locking casters
	36 x 36	42 x 42, 48 rd	1	BXMOT42042S__PME	1,570	2" premium locking casters

For complete model number- specify height range:
1. Insert adjustable height range selection:
EP extended height range (26" - 43.7" with glides or 28" - 45.7" with casters)
LP lower height range (17.5" - 27.25" with glides or 19.25" - 29.25" with casters)

Moto pneumatic counter balance flip top X 

22 x 22	24 x 24, 30 rd	1	BXMOT24024F__DGME	1,550	adj glides
26 x 26	30 x 30, 36 rd	1	BXMOT30030F__DGME	1,590	adj glides
32 x 32	36 x 36, 42 rd	1	BXMOT36036F__DGME	1,630	adj glides
22 x 22	24 x 24, 30 rd	1	BXMOT24024F__DCME	1,650	2" black locking casters
26 x 26	30 x 30, 36 rd	1	BXMOT30030F__DCME	1,690	2" black locking casters
32 x 32	36 x 36, 42 rd	1	BXMOT36036F__DCME	1,730	2" black locking casters
22 x 22	24 x 24, 30 rd	1	BXMOT24024F__DPME	1,690	2" premium locking casters
26 x 26	30 x 30, 36 rd	1	BXMOT30030F__DPME	1,730	2" premium locking casters
32 x 32	36 x 36, 42 rd	1	BXMOT36036F__DPME	1,770	2" premium locking casters

Moto adjustable height - metal powder coat finishes:
Flat Black, Moto White**, and Metallic Silver

** Note that Moto White is a shade off and a little creamier than Furniture White.



Casters (C):
2" black dual wheel locking (Moto)



Premium Casters (P):
2" silver/black dual wheel locking (Moto)

R Ratchet height adjustment (Moto)
26" - 35.5" base height range with glides
28" - 37.5" base height range with casters
13 positions in 0.78 inch increments
change positions by manually lifting the table top
resets to lowest position when lifted to upper stop

C Crank adjustment (Moto)
base height range with glides 26" - 43.75"
base height range with casters 28" - 45.75"
-screw thread adjustment with infinite stop positions
-adjust with manual crank handle which slides under table when not in use

EP Extended Pneumatic counter balance (Moto)
base height range with glides 26" - 43.7"
base height range with casters 28" - 45.7"
-Must specify the weight of the top and all accessories that will be used on the bases so that the lift capacity can be set properly - see below chart.

LP Lower Pneumatic counter balance (Moto)
base height range with glides 17.5" - 27.25
base height range with casters 19.25" - 29.25"
-Must specify the weight of the top and all accessories that will be used on the bases so that the lift capacity can be set properly - see below chart.

AVAILABLE LIFT CAPACITY

Specify	Pound Equivalent	Lift Range
150N	33 lbs.	1-44 lbs.
200N	44 lbs.	15-55 lbs.
250N	55 lbs.	26-66 lbs.
300N	66 lbs.	37-77 lbs.

Moto Post bases

2 x 2 inch square
2.75 x 2.75 inch square

base	max top support	base description	mount plate	qty	model no.	list
Moto base sets (4)						
2 x 2 inch	48 x 48, 60 rd	2" sq column x 27.75"H, adj glides	6 x 6	4	BPMOT4S02SSDGME	860
	48 x 48, 60 rd	2" sq column cust higher ht, adj glides	6 x 6	4	BPMOT4S02SSHGME	1,290
	48 x 48, 60 rd	2" sq column cust lower ht, adj glides	6 x 6	4	BPMOT4S02SSLGME	1,090
	48 x 48, 60 rd	2" sq column x 27.75"H, 2" black casters	6 x 6	4	BPMOT4S02SSDCME	960
	48 x 48, 60 rd	2" sq column cust higher ht, 2" black casters	6 x 6	4	BPMOT4S02SSHCME	1,390
	48 x 48, 60 rd	2" sq column x cust lower ht, 2" black casters	6 x 6	4	BPMOT4S02SSLCME	1,190
	48 x 48, 60 rd	2" sq column x 27.75"H, 2" silver/black casters	6 x 6	4	BPMOT4S02SSDPME	1,000
	48 x 48, 60 rd	2" sq column cust higher ht, 2" silver/black casters	6 x 6	4	BPMOT4S02SSHPME	1,430
	48 x 48, 60 rd	2" sq column cust lower ht, 2" silver/black casters	6 x 6	4	BPMOT4S02SSLPME	1,230
2.75 x 2.75 inch	48 x 48, 60 rd	2.75" sq column x 27.75"H, adj glides	8 x 8	4	BPMOT4S03SSDGME	990
	48 x 48, 60 rd	2.75" sq column cust higher ht, adj glides	8 x 8	4	BPMOT4S03SSHGME	1,520
	48 x 48, 60 rd	2.75" sq column cust lower ht, adj glides	8 x 8	4	BPMOT4S03SSLGME	1,220
	48 x 48, 60 rd	2.75" sq column x 27.75"H, 2" black casters	8 x 8	4	BPMOT4S03SSDCME	1,090
	48 x 48, 60 rd	2.75" sq column cust higher ht, 2" black casters	8 x 8	4	BPMOT4S03SSHCME	1,620
	48 x 48, 60 rd	2.75" sq column cust lower ht, 2" black casters	8 x 8	4	BPMOT4S03SSLCME	1,320
	48 x 48, 60 rd	2.75" sq column x 27.75"H, 2" silver/black casters	8 x 8	4	BPMOT4S03SSDPME	1,130
	48 x 48, 60 rd	2.75" sq column cust higher ht, 2" silver/black casters	8 x 8	4	BPMOT4S03SSHPME	1,660
	48 x 48, 60 rd	2.75" sq column cust lower ht, 2" silver/black casters	8 x 8	4	BPMOT4S03SSLPME	1,380
Moto single base (1)						
2 x 2 inch	n/a	2" sq column x 27.75"H, adj glide	6 x 6	1	BPMOT1S02SSDGME	210
	n/a	2" sq column cust higher ht, adj glide	6 x 6	1	BPMOT1S02SSHGME	320
	n/a	2" sq column cust lower ht, adj glide	6 x 6	1	BPMOT1S02SSLGME	280
	n/a	2" sq column x 27.75"H, 2" black caster	6 x 6	1	BPMOT1S02SSDCME	240
	n/a	2" sq column cust higher ht, 2" black caster	6 x 6	1	BPMOT1S02SSHCME	340
	n/a	2" sq column cust lower ht, 2" black caster	6 x 6	1	BPMOT1S02SSLCME	300
	n/a	2" sq column x 27.75"H, 2" silver/black caster	6 x 6	1	BPMOT1S02SSDPME	250
	n/a	2" sq column cust higher ht, 2" silver/black caster	6 x 6	1	BPMOT1S02SSHPME	350
	n/a	2" sq column cust lower ht, 2" silver/black caster	6 x 6	1	BPMOT1S02SSLPME	310
2.75 x 2.75 inch	n/a	2.75" sq column x 27.75"H, adj glide	8 x 8	1	BPMOT1S03SSDGME	250
	n/a	2.75" sq column cust higher ht, adj glide	8 x 8	1	BPMOT1S03SSHGME	390
	n/a	2.75" sq column cust lower ht, adj glide	8 x 8	1	BPMOT1S03SSLGME	310
	n/a	2.75" sq column x 27.75"H, 2" black casters	8 x 8	1	BPMOT1S03SSDCME	280
	n/a	2.75" sq column cust higher ht, 2" black casters	8 x 8	1	BPMOT1S03SSHCME	410
	n/a	2.75" sq column cust lower ht, 2" black casters	8 x 8	1	BPMOT1S03SSLCME	330
	n/a	2.75" sq column x 27.75"H, 2" silver/black casters	8 x 8	1	BPMOT1S03SSDPME	290
	n/a	2.75" sq column cust higher ht, 2" silver/black casters	8 x 8	1	BPMOT1S03SSHPME	420
	n/a	2.75" sq column cust lower ht, 2" silver / black casters	8 x 8	1	BPMOT1S03SSLPME	340

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

***Moto post legs need to be placed every 48"**

Corner mount plate option:
Model number **OBPPCM4V** for a set of 4 post bases - **$180 list per set**
Model number **OBPPCM1V** for (1) post base - **$40 list per base**

Wire Management hole option:
Model # **OBWMHMOTO-1.5** for1.5" dia. wire management mouse holes (top & bottom) for one 3" sq base column - **$60 list per base**
Model # **OBWMHMOTO** - for 1.25" dia. wire management mouse holes (top & bottom) for one 2" sq base column - **$60 list per base**

Moto Frame bases

no stretcher & single stretcher
2 x 2 inch tubing

For complete model number insert height selection:
SD seated height (27.75"H)
SC counter height (34.75"H)
SB bar height (40.75"H)

base	outside base dimensions	top size with 1.5" overhang on each side	model no.	seated height (27.75"H) list	counter height (34.75"H) list	bar height (40.75"H) list
Moto II Frame - no stretcher with glides						
(2 x 2 inch tubing)	21 x 57	24 x 60	BFMO224060 __ GME	1,290	1,390	1,470
	21 x 63	24 x 66	BFMO224066 __ GME	1,300	1,410	1,480
	21 x 69	24 x 72	BFMO224072 __ GME	1,320	1,430	1,500
	27 x 57	30 x 60	BFMO230060 __ GME	1,320	1,430	1,500
	27 x 63	30 x 66	BFMO230066 __ GME	1,340	1,450	1,520
	27 x 69	30 x 72	BFMO230072 __ GME	1,350	1,460	1,530
	33 x 57	36 x 60	BFMO236060 __ GME	1,360	1,460	1,530
	33 x 63	36 x 66	BFMO236066 __ GME	1,370	1,480	1,550
	33 x 69	36 x 72	BFMO236072 __ GME	1,390	1,490	1,570
Moto II Frame - no stretcher with 3.5" industrial black locking casters						
(2 x 2 inch tubing)	21 x 57	24 x 60	BFMO224060 __ CME	1,710	1,810	1,890
	21 x 63	24 x 66	BFMO224066 __ CME	1,720	1,830	1,900
	21 x 69	24 x 72	BFMO224072 __ CME	1,740	1,850	1,920
	27 x 57	30 x 60	BFMO230060 __ CME	1,740	1,850	1,920
	27 x 63	30 x 66	BFMO230066 __ CME	1,760	1,870	1,940
	27 x 69	30 x 72	BFMO230072 __ CME	1,770	1,880	1,950
	33 x 57	36 x 60	BFMO236060 __ CME	1,780	1,880	1,950
	33 x 63	36 x 66	BFMO236066 __ CME	1,790	1,900	1,970
	33 x 69	36 x 72	BFMO236072 __ CME	1,810	1,910	1,990
Moto II Frame - single stretcher with glides						
(2 x 2 inch tubing)	21 x 57	24 x 60	BFMO324060 __ GME	1,710	1,810	1,890
	21 x 63	24 x 66	BFMO324066 __ GME	1,730	1,840	1,910
	21 x 69	24 x 72	BFMO324072 __ GME	1,750	1,860	1,930
	21 x 81	24 x 84	BFMO324084 __ GME	1,940	2,040	2,120
	21 x 93	24 x 96	BFMO324096 __ GME	2,040	2,140	2,210
	27 x 57	30 x 60	BFMO330060 __ GME	1,750	1,860	1,930
	27 x 63	30 x 66	BFMO330066 __ GME	1,780	1,890	1,960
	27 x 69	30 x 72	BFMO330072 __ GME	1,790	1,900	1,970
	27 x 81	30 x 84	BFMO330084 __ GME	1,980	2,090	2,160
	27 x 93	30 x 96	BFMO330096 __ GME	2,080	2,180	2,260
	33 x 57	36 x 60	BFMO336060 __ GME	1,800	1,900	1,980
	33 x 63	36 x 66	BFMO336066 __ GME	1,820	1,930	2,000
	33 x 69	36 x 72	BFMO336072 __ GME	1,840	1,940	2,020
	33 x 81	36 x 84	BFMO336084 __ GME	2,030	2,140	2,210
	33 x 93	36 x 96	BFMO336096 __ GME	2,120	2,230	2,300
Moto II Frame - single stretcher with 3.5" industrial black locking casters						
(2 x 2 inch tubing)	21 x 57	24 x 60	BFMO324060 __ CME	2,100	2,210	2,280
	21 x 63	24 x 66	BFMO324066 __ CME	2,120	2,230	2,300
	21 x 69	24 x 72	BFMO324072 __ CME	2,150	2,250	2,320
	21 x 81	24 x 84	BFMO324084 __ CME	2,330	2,440	2,510
	21 x 93	24 x 96	BFMO324096 __ CME	2,430	2,540	2,610
	27 x 57	30 x 60	BFMO330060 __ CME	2,150	2,250	2,330
	27 x 63	30 x 66	BFMO330066 __ CME	2,170	2,280	2,350
	27 x 69	30 x 72	BFMO330072 __ CME	2,190	2,290	2,360
	27 x 81	30 x 84	BFMO330084 __ CME	2,370	2,480	2,550
	27 x 93	30 x 96	BFMO330096 __ CME	2,470	2,580	2,650
	33 x 57	36 x 60	BFMO336060 __ CME	2,190	2,300	2,370
	33 x 63	36 x 66	BFMO336066 __ CME	2,210	2,320	2,390
	33 x 69	36 x 72	BFMO336072 __ CME	2,230	2,340	2,410
	33 x 81	36 x 84	BFMO336084 __ CME	2,420	2,530	2,600
	33 x 93	36 x 96	BFMO336096 __ CME	2,510	2,620	2,690

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

Wire Management hole option:
Model number **OBWMHMOTO** for 1.25" dia. wire management holes at the top and bottom of a MotoII Frame base - **$60 list per base**



Moto magnetic wire manager:
Model number **OBWMMM18** - **$120 list per base**

Moto II Frame bases

double stretcher, 2 x 2 inch tubing

For complete model number insert height selection:
SD seated height (27.75"H)
SC counter height (34.75"H)
SB bar height (40.75"H)

base	outside base dimensions	top size with 1.5" overhang on each side	model no.	seated height (27.75"H) (**ME**) list	counter height (34.75"H) (**ME**) list	bar height (40.75"H) (**ME**) list
Moto II Frame - dual stretcher with glides						
(2 x 2 inch tubing)	39 x 57	42 x 60	BFMO342060 __ G__	2,210	2,290	2,370
	39 x 63	42 x 66	BFMO342066 __ G__	2,240	2,330	2,400
	39 x 69	42 x 72	BFMO342072 __ G__	2,290	2,370	2,450
	39 x 81	42 x 84	BFMO342084 __ G__	2,330	2,410	2,490
	39 x 93	42 x 96	BFMO342096 __ G__	2,610	2,700	2,770
	45 x 57	48 x 60	BFMO348060 __ G__	2,250	2,340	2,410
	45 x 63	48 x 66	BFMO348066 __ G__	2,280	2,360	2,440
	45 x 69	48 x 72	BFMO348072 __ G__	2,310	2,390	2,470
	45 x 81	48 x 84	BFMO348084 __ G__	2,340	2,420	2,500
	45 x 93	48 x 96	BFMO348096 __ G__	2,630	2,720	2,790
Moto III Frame - dual stretcher with 3.5" industrial black locking casters						
(2 x 2 inch tubing)	39 x 57	42 x 60	BFMO342060 __ C__	2,600	2,690	2,760
	39 x 63	42 x 66	BFMO342066 __ C__	2,640	2,720	2,800
	39 x 69	42 x 72	BFMO342072 __ C__	2,680	2,770	2,840
	39 x 81	42 x 84	BFMO342084 __ C__	2,720	2,810	2,880
	39 x 93	42 x 96	BFMO342096 __ C__	3,000	3,090	3,170
	45 x 57	48 x 60	BFMO348060 __ C__	2,640	2,730	2,810
	45 x 63	48 x 66	BFMO348066 __ C__	2,670	2,760	2,840
	45 x 69	48 x 72	BFMO348072 __ C__	2,700	2,790	2,860
	45 x 81	48 x 84	BFMO348084 __ C__	2,730	2,820	2,890
	45 x 93	48 x 96	BFMO348096 __ C__	3,020	3,110	3,180

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

Wire Management hole option:
Model number **OBWMHMOTO** for 1.25" dia. wire management holes at the top and bottom of a MotoII Frame base - **$60 list per base**



Moto magnetic wire manager:
Model number **OBWMMM18** - **$120 list per base**

This page was intentionally left blank.

Terms of Sale

All prices listed are delivered pricing to the 48 contiguous states. Orders shipped to Hawaii, Alaska, and Puerto Rico ship to the port of embarkation. Product specifications and pricing is based on the information at time of publication. Symphony reserves the right to make changes at any time without notice regarding product specifications and pricing. Terms are Net 30 from the date of shipment (net 10, 1% discount). Prices are subject to change annually for changes in accordance with state contract regulations. All customer/nonstandard products are subject to a fifty percent (50%) advance deposit. There will be a service charge of 1 1/2% per month on all invoices past due. Symphony reserves the right to use its own or commercial carriers for the "best way" to ship, at its sole discretion.

Quality Standards
Symphony Furniture products meet or exceed applicable ANSI/BIFMA durability and safety standards when properly installed with appropriate size base.

Warranty
All Symphony products are guaranteed against defect for a period of ten (10) years. Electrical items and height adjustment mechanisms are guaranteed against defect for a period of five (5) years. Symphony will replace or repair (at our discretion) without cost to our customers any item found to be defective as a result of defective material or workmanship. This excludes any item which has been abused or subjected to any use other than that which was originally intended for our product. Any repairs by our customer must receive specific written authorization from Symphony before work is initiated. This warranty is given to the initial purchaser and is valid for as long as the product is owned by the initial purchaser. The warranty, which runs from the date of manufacture, covers defects in materials and craftsmanship found during normal usage of the products during the warranty period. If a product is defective, and if written notice of the defect is given to Symphony within the warranty period, Symphony at its discretion will either repair or replace the defective product with a comparable component or product, or provide a refund of the purchase price. In no event shall liability under this warranty exceed the original purchase price. Warranty on plastic laminates is not covered by Symphony but is covered by laminate manufacturers under their specific warranty only. There are no other warranties expressed or implied. This warranty does not apply to damage caused by a carrier, alterations to the product not expressly authorized by Symphony. Symphony does not warrant the matching of color, grain, or texture except to within commercially acceptable standards. A product will not be considered defective, and Symphony will not be obligated to replace it, if that product is subject to any of Symphony's written planning, installation or user guides, and is not installed or used as recommended.
Please note that all Losa tables and conference/media tables should not be moved as a complete unit after the product has been assembled. If it is moved, then this could result in the tables being "racked" which could also disrupt the top plate and/ or cam lock routing and predrilled holes. This type of damage is not covered under warranty. In order to move a table, you must unassembled the table completely and re-assemble it in the new location.

Minimum order/Freight Charge
Zone 1 orders less than $5,000 list (U.S.) - $200 net
Zone 2 orders less than $5,000 list (U.S.) - $260 net

Sales Policy
Possession of this price list does not constitute authority to purchase and/or sell products contained herein. All orders are subject to acceptance by Symphony Furniture.

New Accounts
New accounts can only be established with:
Approval of Symphony sales representative
Valid purchase order
State Resale/Exemption Certificate or order will be charged the appropriate sales tax
Application & credit references
Payment in full (initial orders under $4,000 list) or 50% deposit in advance

terms and conditions

Taxes
Symphony requires a state Resale/Exemption Certificate on file in our main office. Sales made without a certificate will be charged the appropriate sales tax as required by law.

Freight Terms
Freight charges will be prepaid on all shipments unless special arrangements have been made. Normal delivery is dock to dock. Special requests, such as inside delivery, lift gate service; residential delivery, etc. are subject to additional charges. All accessorial charges not requested on purchase order will be the responsibility of the consignee. Symphony reserves the right to select the "best way" shipment method and means. Delivery date and times are at the discretion of the carrier within reasonable transit time unless special arrangements have been made between the customer and Symphony.

Acknowledgements
Every order is acknowledged. Orders will be manufactured and invoiced based upon the information on the acknowledgment. If there is any discrepancy, please notify Symphony immediately. Orders are accepted by Symphony per terms on the acknowledgment. All acknowledgements contain an estimated shipping date. Your order may actually ship earlier than the expected shipping date, depending on the backlog at the time. If you do not want the merchandise earlier than the specified date, please write "Do not ship for arrival before_____" on your purchase order.

Revised Orders
Orders requiring changes to the product or additional options will not incur additional costs unless orders have been processed. Orders revised after being manufactured are subject to additional charges.

Changes or Cancellations
Orders entered and acknowledged cannot be changed or cancelled without Symphony's consent. The customer is responsible for all costs incurred, and a minimum cancellation or change charge of 25% will be invoiced if an order is cancelled or changed within 15 working days of shipment. Orders for nonstandard products are not cancelable.

Shipments on Hold
Any shipment placed on hold by customer's request or due to balance owed, will be manufactured per the originally scheduled ship date. Storage charges will begin to accrue 7 days from that date. Any order held by our factory over 30 days will be billed and must be promptly paid even though shipment is held at factory at customer's request.

Special or Additional Freight Charges
Symphony Furniture reserves the right to charge the following when incurring additional freight costs. Destination changes after product has shipped - $50.00 plus $2.00/mile after the first 10 miles. Wait time for delivery of greater then two hours - $130.00/hour. Trailer drop/switch delivery - $200.00/trailer. Deliveries Friday (after 3:00pm) through Sunday or Holidays - $600.00/day. Third party to pick up freight at the terminal - $200.00.

Redelivery of Freight
When redelivery of merchandise is required because customer is not ready to accept merchandise, and no notification of this fact is given to the factory at least two weeks prior to the scheduled ship date, the actual costs for freight, restocking and re-handling, plus 5% at the order value, will be billed to the customer.

Receipt of Order
1. Carefully inspect all incoming items
2. If an item is damaged, please note the damage on the delivery receipt.
3. Immediately contact the carrier to request an inspection and their freight claim form.
4. File the freight claim form with the carrier within five days of receipt.
5. If any item is missing or is not correct, please contact Symphony immediately.

Any concealed damages or shortage not reported with 5 business days from delivery shall be the sole responsibility of the customer.

terms and conditions

Shipment Damage Claims
Legal title of merchandise passes to the buyer upon acceptance of the carrier. All merchandise is packed to comply with carrier requirements. Shipments should be carefully inspected by the consignee before acceptance and the delivery carrier should be requested to record any damage or shortage. If further damage is found after delivery, immediate inspection by the delivering carrier should be requested. Notification of concealed damages must be made to the delivering carrier within 5 days after delivery of merchandise. Carrier liability ceases after this period. Damaged freight must be kept at the point of delivery in the original packing for inspection by the carrier. Please be advised that if the carrier obtains a clear receipt for shipment, they are no longer responsible for damage or shortages. Please note that electronically signing the carrier's tablet at the time of delivery means that you are accepting the delivery and no damages are being notated. If you see anything that indicates a shipment has been tampered with or shows signs of damage, then ask the driver to report it to the freight company and take pictures.

Shipment Shortage Claims
Shortage claims reported after 10 days beyond shipment date will not be honored.

Unopened Shipment Damage Claims
Neither Symphony nor the carrier is responsible for concealed damage claims if shipments are left unopened. Notification of concealed damages must be made to the delivering carrier within 5 days after delivery of merchandise. Refusal to accept an order from the carrier does not relieve you of the responsibility for payment, and may incur additional charges.

Lost Shipments
Symphony issues a bill of lading to consignee on the date of shipment. If shipment is not received within 20 days of shipment date, notify us. Symphony and the carrier do not assume obligation for lost or damaged shipment claims after 6 months of shipping date.

Title to Merchandise
Title to merchandise shall pass to the buyer upon delivery by Symphony to the carrier. For purposes of risk or loss, all shipments are F.O.B. factory. Buyer acknowledges that once Symphony delivers the goods to the carrier, title to the goods and risk of loss will pass to the buyer. If the goods are damaged by the carrier while in transit, the buyer has the sole obligation of seeking recourse from the carrier.

Returns
Symphony will not permit return of materials without written consent if materials shipped are as acknowledged. Return shipments when accepted are subject to a re-handling/restocking charge, in accordance with the state contract after the merchandise is received and inspected. All freight or express charges must be prepaid on return shipments; otherwise, they will not be accepted. Damaged materials and all items specially built to order cannot be returned under any conditions.

Repair and Replacement
Any labor charges for correcting a manufacturing problem must be submitted and approved before correction is undertaken, if the units are under warranty. Labor charges will not be paid if the estimate was not submitted and approved prior to labor being completed.

Contact Information
Symphony Furniture, 1720 Mars Hill Road, Suite 8-287, Acworth, GA 30101, GA 30318-1732
Phone: 866.507.7795
Fax: 888.683.0007
www.Symphonytables.com
Email: service@symphonytables.com

table care and maintenance

Table Care and Maintenance

Laminate Surfaces, Vinyl & PVC edges
High-pressure laminate is durable and requires minimal maintenance. To clean the surface, use a damp cloth or sponge and a mild soap or detergent. Rinse with clean, clear water. Wipe the entire surface, moving with the pattern and follow with a clean, dry, soft cloth. When a wood edge exists, follow "Wood Edge and Veneer" instructions.

Difficult "stains" such as coffee or tea can be removed using a mild household cleaner/detergent and a soft bristle brush, repeating as necessary. If stain persists, use a paste of baking soda & water and apply with a soft bristled brush. Light scrubbing for 10-20 strokes should remove most stains (excessive scrubbing or exerting too much force may damage the surface, especially gloss finish surfaces). Any remaining stains may require the use of undiluted household bleach or nail polish remover. Apply to stain and let stand no longer than two minutes. Rinse thoroughly with warm water & wipe dry. Step may be repeated. However, prolonged exposure of bleach to surface will cause discoloration.

Abrasive pads, scouring powders or cleansers may permanently dull & scratch the surface making the laminate susceptible to staining. Harsh chemicals such as oven, toilet or drain cleaners will etch & discolor laminates. If spills of these products occur, remove immediately, rinse thoroughly, and wipe dry.

High pressure laminates have high heat resistance, however exposure to temperatures greater than 135 degrees C (275 degrees F) is not recommended. Prolonged exposure to temperatures above 65 degrees C (150 degrees F) may result in separation of the laminate from the substrate. Protect the surface from heat generating appliances by using a trivet or insulating pad.

Do not use sharp objects directly on the laminate surface. A counter saver or chopping block is recommended.

HP laminate have excellent impact resistance. However, heavy objects dropped on the surface may chip or crack the laminate.

Powder Coated Metal
Clean with a mild soap solution and rinse with clean clear water. Wipe the entire surface and follow with a clean, dry cloth to buff dry.

Chromed Metal
Clean with a wet cloth or window cleaner. For scuff marks or heavy soiling, apply a non-abrasive automotive chrome polish as directed.

Mechanical Parts
Clean any lint or debris from the moving parts of the tilt or folding mechanisms. Do not apply any lubricant.

Symphony

phone: 866-507-7795
email: service@symphonytables.com

Specifications subject to change without prior notice.
Visit symphonytables.com/resources/pricing for the most current version of the Price List.