Symphony

POWER + DATA PRICE LIST

2026 PRICE LIST

Version 03.25.26










table of contents

Essential Information	3
Power Supply Location Charts	4
Power + Data Modules	
Ariba, Asti	6
Aya	8
Beni, Beni back-to-back	10
Circo, Felino, Fyx, Gazzo	12
Kita, Kita back-to-back	14
Kita II, Kita II + Wireless, Kita II DEEP, Kita II back-to-back, Kita II DEEP back-to-back	16
Mio, Mio back-to-back	18
Neto, Ocho	20
Ovi, Palla, Pila, Power Strip	22
Versi, Zig	24
Power Snap	26

essential information

Minimum order / Freight charge

Orders for $5,000 or more list (contiguous U.S.): freight and minimum order charges included
Orders less than $5000 list (contiguous U.S.)
Zone 1 $200 net
Zone 2 $260 net



Special Charges
Custom metal finish: contact service@symphonytables.com for a quote

Lead Time
varies - please email service@symphonytables.com to confirm lead time

Please send purchase orders to service@symphonytables.com


Symphony Contact Information
phone 866-507-7795
fax 888-683-0007
service@symphonytables.com
www.SymphonyTables.com

power supply location chart
long ways on top

Our main focus is integrating technology into tables for learning and meeting environments. We invite you to email service@symphonytables.com for help with specifying your project. For the additional resources, please visit www.symphonytables.com.

Please specify the power supply location cut out on your PO:


POWER MODULE LOCATIONS FOR UNITS RUNNING LONG WAYS ON THE TOP:



PFCC (1 front center)


PFLL (1 front left)


PFRR (1 front right)



PFLR (1 front left & 1 front right)



PFC2 (1 front left center & 1 front right center)


PCCC (1 center)


PFLC (1 front left center)


PFRC (1 front right center)


PCLC (1 left center)


PCLR (1 left center & 1 right



PCRC (1 right center)

Note that power supplies cannot be placed over metal base plates, contact service@symphonytables.com to ensure that the power supply location will work with your base placement and all of the other options / accessories specified on the table.


power supply location chart
short ways on top

Please specify the power supply location cut out on your PO:


POWER MODULE LOCATIONS FOR UNITS RUNNING SHORT WAYS ON THE TOP:




PC3L (1 CENTERED ON THE TOP RUNNING SHORT WAYS - 3" AWAY FROM LEFT SIDE OF TOP)




PC3R (1 CENTERED ON THE TOP RUNNING SHORT WAYS - 3" AWAY FROM RIGHT SIDE OF TOP)


PCS2 (1 LEFT CENTERED AND 1 RIGHT CENTER ON THE TOP RUNNING SHORT WAYS)


PCSL (1 CENTERED ON THE LEFT SIDE OF THE TOP RUNNING SHORT WAYS)


PCCS (1 CENTERED ON THE TOP RUNNING SHORT WAYS)


PCSR (1 CENTERED ON THE RIGHT SIDE OF THE TOP RUNNING SHORT WAYS)


Note that power supplies cannot be placed over metal base plates, contact service@symphonytables.com to ensure that the power supply location will work with your base placement and all of the other options / accessories specified on the table.

power/data modules


Ariba in surface

module		description	# of ports	model no.	6 ft. cord list	10 ft. cord list
Ariba in surface single-sided unit		For complete model number: 1. Insert cord length selection : 06 6 ft. cord 10 10 ft. cord 2. Insert finish selection : GW - Gloss White plastic finish GB - Gloss Black plastic finish GS - Gloss Storm plastic finish				
	2 port	2 power 3"D x 4.5"W table top cut out, specify location cut out shall have 1/4" radius corners	2	OPPARI2P0A0D__ __	290	310
		1 power, 1 USB-4C 3"D x 4.5"W table top cut out, specify location cut out shall have 1/4" radius corners	2	OPPARI1P4C0D__ __	570	590
		1 power, 1 USB-A+C 3"D x 4.5"W table top cut out, specify location cut out shall have 1/4" radius corners	2	OPPARI1PAC0D__ __	440	460
		1 power, 1 dual C+A 3"D x 4.5"W table top cut out, specify location cut out shall have 1/4" radius corners	2	OPPARI1P2C1A__ __	570	590
	4 port	3 power, 1 open data 3"D x 6-15/16"W table top cut out, specify location cut out shall have 3/8" radius corners	4	OPPARI3P0A1D__ __	410	430
		3 power, 1 USB-A+C 3"D x 6-15/16"W table top cut out, specify location cut out shall have 3/8" radius corners	4	OPPARI3PAC0D__ __	560	580
		2 power, 1 USB-A+C, 1 open data 3"D x 6-15/16"W table top cut out, specify location cut out shall have 3/8" radius corners	4	OPPARI2PAC1D__ __	540	560
		2 power, 1 USB-A+C, 1 HDMI 3"D x 6-15/16"W table top cut out, specify location cut out shall have 3/8" radius corners	4	OPPARI2PAC1H__ __	600	620

Ariba 2 port in surface cut out information:



Ariba 4 port in surface cut out information:



ARIBA SERIES FINISH CODE LEGEND:


GW - Gloss White plastic finish, white cord


GB - Gloss Black plastic finish, black cord


GS - Gloss Storm plastic finish, black cord

power/data modules

Asti and Asti II in surface
Asti undermount

module	description	model no.	grommet finish	module finish	list
Asti in surface					
	2 power, 1 convenience outlet below the worksurface, 108 inch black cord 2 open data ports for RJ45 Cat 6 data (data jacks not included) 3"D x 5.25"W table top cut out size - specify placement	OPPAST2P0UDR91SB OPPAST2P0UDR91BB OPPAST2P0UDR91WW OPPAST2P0UDR91AB OPPAST2P0UDR91ST	silver black white brushed aluminum stainless steel	silver black white black black	470 470 470 560 560
	2 power, 1 USB-A+C, 1 convenience outlet below the worksurface, 108 inch black cord 2 open data ports for RJ45 Cat 6 data (data jacks not included) 3"D x 5.25"W table top cut out size - specify placement	OPPAST2PACDR91SB OPPAST2PACDR91BB OPPAST2PACDR91WW OPPAST2PACDR91AB OPPAST2PACDR91ST	silver black white brushed aluminum stainless steel	silver black white black black	670 670 670 760 760





ASTI SERIES FINISH CODE LEGEND:

SB - Silver grommet, silver module, black cord




BB - Black grommet, black module, black cord



WW - White grommet, white module, black cord



AB - Brushed Aluminum grommet, black module, black cord



ST - Stainless Steel grommet, black module, black cord

Asti undermount						
	2 power, 1 convenience outlet under surface mount power unit, 108" black cord, no cut out required	OPPASU3P0U0D9BB OPPASU3P0U0D9SB	n/a n/a	black silver	330 330

** You can daisy chain up to (4) Asti units with a 20 amp single circuit outlet

*** Ariba and Asti modules have many different configurations available within the family offering, including hardwired solutions, email service@symphonytables.com for assistance if you are looking for additional power/data/USB features for your project.

power/data modules


Aya

in surface

module	description	# of ports	model no.	6 ft. cord list	10 ft. cord list
Aya in surface - all units feature spill-proof technology that protects against electrical damage	For complete model number: 1. Insert cord length selection : 06 6 ft. cord 10 10 ft. cord 2. Insert finish selection : MS Matte Storm MW Matte White MB Matte Black				
	2 power, 1 USB A+C 2"D x 5.25"W table top cut out, specify location	3	OPPAYA2PAC0D__ __	550	570
	2 power, 1 USB-A+C, 1 open data 2"D x 6.75"W table top cut out, specify location	4	OPPAYA2PAC1D__ __	570	590
	2 power, 2 open data 2"D x 6.75"W table top cut out, specify location	4	OPPAYA2P0A2D__ __	570	590
	2 power, 1 USB-A+C, 1 HDMI 2"D x 6.75"W table top cut out, specify location	4	OPPAYA2PAC1H__ __	670	690
	2 power, 1 USB-A+C, 1 dual USB-C 45W 2"D x 6.75"W table top cut out, specify location	4	OPPAYA2PAC1C__ __	820	840
	3 power, 1 open data 2"D x 6.75"W table top cut out, specify location	4	OPPAYA3P0A1D__ __	410	430
Aya F (freestanding) 	2 power, 1 USB-A+C	3	OPPAYF2PAC0D__ __	550	570
Aya H (horizontal clamp mount) 	2 power, 1 USB-A+C	3	OPPAYH2PAC0D__ __	550	570

Aya in surface cut out information:

# of ports	"X" Dim.
4	6.75"W



AYA SERIES FINISH CODE LEGEND:



MS - Matte storm plastic faceplate, clear anodized aluminum housing, black cord



MW - Matte white plastic faceplate, clear anodized aluminum housing, white cord



MB - Matte black plastic faceplate, clear anodized aluminum housing, black cord

** Aya modules have many different configurations available within the family offering, including hardwired solutions, email service@symphonytables.com for assistance if you are looking for additional power/data/USB features for your project.

This page was intentionally left blank.

power/data modules

Beni in surface
single-sided unit

module	description	# of ports	model no.	6 ft. cord list	10 ft. cord list
Beni in surface single-sided unit	For complete model number: 1. Insert cord length selection : 06 6 ft. cord 10 10 ft. cord 2. Insert finish selection : SS - Silver anodized aluminum case finish, silver trim finish, black simplex finish, black cord SW - Silver anodized aluminum case finish, white trim finish, white simplex finish, white cord SB - Silver anodized aluminum case finish, black trim finish, black simplex finish, black cord				
	2 power 4"D x 5"W table top cut out, specify location	2	OPPBEN2P0A0D__ __	560	580
	2 power, 1 USB-A+C 4"D x 6.5"W table top cut out, specify location	3	OPPBEN2PAC0D__ __	800	820
	2 power, 1 USB-A+C, 1 dual USB-C 45w 4"D x 8"W table top cut out, specify location	4	OPPBEN2P1A1C__ __	1,020	1,040
	2 power, 1 USB-A+C, 1 HDMI 4"D x 8"W table top cut out, specify location	4	OPPBEN2P1A1H__ __	840	860
	2 power, 1 USB-A+C, 1 open data 4"D x 8"W table top cut out, specify location	4	OPPBEN2PAC1D__ __	720	740
	2 power, 2 open data ports 4"D x 8"W table top cut out, specify location	4	OPPBEN2P0A2D__ __	580	600
	2 power, 1 USB-A+C, 3 open data 4"D x 11"W table top cut out, specify location	6	OPPBEN2P1A3D__ __	880	900
	3 power, 3 open data ports 4"D x 11"W table top cut out, specify location	6	OPPBEN3P0A3D__ __	670	690

BENI SERIES FINISH CODE LEGEND:




SS - Silver anodized aluminum case finish, silver trim finish, black simplex finish, black cord

SW - Silver anodized aluminum case finish, white trim finish, white simplex finish, white cord

SB - Silver anodized aluminum case finish, black trim finish, black simplex finish, black cord

Beni in surface single-sided cut out information:

# of ports.	"X" Dim.
2	5.0"
3	6.5"
4	8.0"
6	11.0"



** Beni has many different configurations available within the family offering, including a hardwired solution, shared media solutions and upgraded equipment that will allow the units to daisy chain (for an upcharge), email service@symphonytables.com for assistance if you are looking for additional power/data/USB features for your project.


power/data modules

Beni in surface
back -to-back and side-to-side

module	description	# of ports	model no.	6 ft. cord list	10 ft. cord list
Beni in surface back-to-back unit (2 cords standard per unit)	For complete model number: 1. Insert cord length selection : 06 6 ft. cord 10 10 ft. cord 2. Insert finish selection : SS - Silver anodized aluminum case finish, silver trim finish, black simplex finish, black cord SW - Silver anodized aluminum case finish, white trim finish, white simplex finish, white cord SB - Silver anodized aluminum case finish, black trim finish, black simplex finish, black cord				
	Each side contains: 2 power, 1 USB-A+C, 1 open data total of 4 power, 2 USB-A+C, 2 open data per unit 7-11/16"D x 8"W table top cut out, specify location	8 (4/side)	OPPBEB4P2AC2D__ __	1,530	1,550
	Each side contains: 2 power, 2 open data ports total of 4 power, 4 open data ports per unit 7-11/16"D x 8"W table top cut out, specify location	8 (4/side)	OPPBEB4P0A4D__ __	1,210	1,230
	Each side contains: 2 power, 1 USB-A+C, 1 dual USB-C 45w total of 4 power, 2 USB-A+C, 2 USB-C 45w per unit 7-11/16"D x 8"W table top cut out, specify location	8 (4/side)	OPPBEB4P2AC2C__ __	2,140	2,160
	Side 1 contains: 2 power, 1 USB-A+C, 1 HDMI Side 2 contains: 2 power, 1 USB-A+C, 1 open data total of 4 power, 2 USB-A+C, 1 HDMI, 1 open data per unit 7-11/16"D x 8"W table top cut out, specify location	8 (4/side)	OPPBEB4P2AC1H1D__ __	1,630	1,650

Beni Back-To-Back cut out information:

# of ports.	"X" Dim.
8 (4 ports / side)	8"



BENI SERIES FINISH CODE LEGEND:



SS - Silver anodized aluminum case finish, silver trim finish, black simplex finish, black cord

SW - Silver anodized aluminum case finish, white trim finish, white simplex finish, white cord

SB - Silver anodized aluminum case finish, black trim finish, black simplex finish, black cord

*Beni back-to-back units are also available with a single circuit breaker cord instead of 2 cords per unit, please email service@symphonytables.com for pricing.


** Beni has many different configurations available within the family offering, including a hardwired solution, shared media solutions and upgraded equipment that will allow the units to daisy chain (for an upcharge), email service@symphonytables.com for assistance if you are looking for additional power/data/USB features for your project.

power/data modules

Circo in surface

module	description	# of ports	model no.	6 ft. cord list	10 ft. cord list
	For complete model number: 1. Insert cord length selection : 06 6 ft. cord 10 10 ft. cord 2. Insert finish selection : MF Matte Fog MS Matte Storm MW Matte White MB Matte Black				
Circo in surface					
	2 power 3" diameter cut out, specify location	2	OPPCIR2P0A0D__ __	290	310
	1 power, 1 USB-A+C 3" diameter cut out, specify location	2	OPPCIR1PAC0D__ __	430	450
Circo in surface with convenience outlet					
	2 power, 1 convenience outlet 3" diameter cut out, specify location	2	OPPCIR2P0A0D1__ __	310	330
	1 power, 1 USB-A+C, 1 convenience outlet 3" diameter cut out, specify location	2	OPPCIR1PAC0D1__ __	450	470

Circo in surface cut out information:



CIRCO SERIES FINISH CODE LEGEND:



MF - Matte Fog powdercoat finish, fog simplex finish, black cord

MS - Matte Storm powdercoat finish, storm simplex finish, black cord



MW - Matte White powdercoat finish, white simplex finish, white cord (black portion shown in image will screw in under the table top)




MB - Matte Black powdercoat finish, black simplex finish, black cord

power/data modules

Felino in surface, Fyx freestanding, Gazzo freestanding

module	description	# of ports	model no.	cord length	finish code	list
Felino in Surface						
	3 power 4.5" diameter cut out required, specify location	3	OPPFEL3P0A0D06FF	6 ft.	FF	390
			OPPFEL3P0A0D06SS	6 ft.	SS	390
			OPPFEL3P0A0D06WW	6 ft.	WW	390
			OPPFEL3P0A0D06BB	6 ft.	BB	390
			OPPFEL3P0A0D10FF	10 ft.	FF	410
			OPPFEL3P0A0D10SS	10 ft.	SS	410
			OPPFEL3P0A0D10WW	10 ft.	WW	410
			OPPFEL3P0A0D10BB	10 ft.	BB	410
	2 power, 1 USB-A+C, one blank 4.5" diameter cut out required, specify location	3	OPPFEL2PAC0D06FF	6 ft.	FF	480
			OPPFEL2PAC0D06SS	6 ft.	SS	480
			OPPFEL2PAC0D06WW	6 ft.	WW	480
			OPPFEL2PAC0D06BB	6 ft.	BB	480
			OPPFEL2PAC0D10FF	10 ft.	FF	500
			OPPFEL2PAC0D10SS	10 ft.	SS	500
			OPPFEL2PAC0D10WW	10 ft.	WW	500
			OPPFEL2PAC0D10BB	10 ft.	BB	500

Felino in surface cut out information:



FELINO SERIES FINISH CODE LEGEND:



FF - Soft touch fog plastic finish, white cord



SS - Soft touch storm plastic finish, black cord



WW - Soft touch white plastic finish, white cord



BB - Soft touch black plastic finish, black cord

Fyx Freestanding						
	6 power, 48" long unit clear anodized aluminum/white finish	6	OPPFYX6P0A0D06SW	6 ft.	SW	800
			OPPFYX6P0A0D10SW	10 ft.	SW	820
	6 power, 48" long unit clear anodized aluminum/black finish	6	OPPFYX6P0A0D06SB	6 ft.	SB	800
			OPPFYX6P0A0D10SB	10 ft.	SB	820
Gazzo Freestanding						
	2 USB-A single ports, 1 USB-C	3	OPPGAZ0P2A1CWW	n/a	WW	950
	2 USB-A single ports, 1 USB-C	3	OPPGAZ0P2A1CBB	n/a	BB	950

GAZZO SERIES FINISH CODE LEGEND:

WW - White



BB - Black


power/data modules

Kita single-sided in surface

module	description	# of ports	model no.	6 ft. cord list	10 ft. cord list
Kita in surface single-sided unit	For complete model number: 1. Insert cord length selection : 06 6 ft. cord 10 10 ft. cord 2. Insert finish selection : ST - Silver anodized aluminum case finish, storm trim and simplex finish SW - Silver anodized aluminum case finish, white trim and simplex finish SB - Silver anodized aluminum case finish, black trim and simplex finish				
	2 power, 1 USB-A+C, 1 open data port 5"D x 8"W table top cut out, specify location	4	OPPKIT2PAC1D__ __	810	830
	2 power, 1 USB-A+C, 1 HDMI 5"D x 8"W table top cut out, specify location	4	OPPKIT2PAC1H__ __	940	960
	3 power, 1 open data port 5"D x 8"W table top cut out, specify location	4	OPPKIT3P0A1D__ __	650	670
	2 power, 2 open data ports 5"D x 8"W table top cut out, specify location	4	OPPKIT2P0A2D__ __	640	660
	3 power, 3 open data ports 5"D x 11"W table top cut out, specify location	6	OPPKIT3P0A3D__ __	690	710
	2 power, 1 USB-A+C, 1 dual USB-C 45w, 2 open data ports 5"D x 11"W table top cut out, specify location	6	OPPKIT2PAC1C2D__ __	1,140	1,160

Kita SINGLE SIDED cut out information:

# of ports.	"X" Dim.
4	8"W
6	11"W



KITA SERIES FINISH CODE LEGEND:



ST - Silver anodized aluminum case finish, storm trim and simplex finish, black cord



SW - Silver anodized aluminum case finish, white trim and simplex finish, black cord



SB - Silver anodized aluminum case finish, black trim and simplex finish, black cord

** Kita has many different configurations available within the family offering, including a hardwired solution, shared media solutions and upgraded equipment that will allow the units to daisy chain (for an upcharge), email service@symphonytables.com for assistance if you are looking for additional power/data/USB features for your project.

power/data modules

Kita in surface back-to-back

module	description	# of ports	model no.	6 ft. cord list	10 ft. cord list
Kita back-to-back unit (there are 2 cords standard per unit)	For complete model number: 1. Insert cord length selection : 06 6 ft. cord 10 10 ft. cord 2. Insert finish selection : ST - Silver anodized aluminum case finish, storm trim and simplex finish SW - Silver anodized aluminum case finish, white trim and simplex finish SB - Silver anodized aluminum case finish, black trim and simplex finish				
	Each side contains: 3 power, 1 open data port Total of 6 power, 2 open data ports per unit 9-13/16"D x 8"W table top cut out	8 (4/side)	OPPKIB6P0A2D__ __	1,080	1,100
	Each side contains: 2 power, 1 USB-A+C, 1 open data port Total of 4 power, 2 USB-A+C, 2 open data ports per unit 9-13/16"D x 8"W table top cut out	8 (4/side)	OPPKIB4P2AC2D__ __	1,380	1,400
	Each side contains: 2 power, 2 open data ports Total of 4 power, 4 open data ports per unit 9-13/16"D x 8"W table top cut out	8 (4/side)	OPPKIB4P0A4D__ __	1,060	1,080
	Side 1 contains: 2 power, 1 USB-A+C, 1 open data Side 2 contains: 2 power 1 USB-A+C, 1 HDMI Total of 4 power 2 USB-A+C, 1 open data, 1 HDMI per unit 9-13/16"D x 8"W table top cut out	8 (4/side)	OPPKIB4P2AC1D1H__ __	1,530	1,550
	Each side contains: 3 power, 3 open data ports Total of 6 power, 6 open data ports per unit 9-13/16"D x 11"W table top cut out	12 (6/side)	OPPKIB6P0A6D__ __	1,180	1,200
	Each side contains: 3 power, 1 USB-A+C, 2 open data ports Total of 6 power, 2 USB-A+C, 4 open data ports per unit 9-13/16"D x 11"W table top cut out	12 (6/side)	OPPKIB6P2AC4D__ __	1,570	1,590
	Each side contains: 2 power, 1 USB-A+C, 1 dual USB-C 45W, 2 open data ports Total of 4 power, 2 USB-A+C, 2 dual USB-C 45w, 4 open data 9-13/16"D x 11"W table top cut out	12 (6/side)	OPPKIB4P2AC2C4D__ __	2,060	2,080
	Side 1 contains: 3 power, 1 USB-A+C, 2 open data ports Side 2 contains: 3 power, 1 USB-A+C, 1 open data, 1 HDMI Total of 6 power, 2 USB-A+C, 3 open data ports, 1 HDMI 9-13/16"D x 11"W table top cut out	12 (6/side)	OPPKIB6P2AC3D1H__ __	1,650	1,670

Kita Back-To-Back cut out information:

# of ports.	"X" Dim.
8 (4 ports / side)	8"W
12 (6 ports / side)	11"W



KITA SERIES FINISH CODE LEGEND:



ST - Silver anodized aluminum case finish, storm trim and simplex finish, black cord

SW - Silver anodized aluminum case finish, white trim and simplex finish, black cord

SB - Silver anodized aluminum case finish, black trim and simplex finish, black cord

*Kita back-to-back units are also available with a single circuit breaker cord instead of 2 cords per unit, please email service@symphonytables.com for pricing.

** Kita has many different configurations available within the family offering, including a hardwired solution, shared media solutions and upgraded equipment that will allow the units to daisy chain (for an upcharge), email service@symphonytables.com for assistance if you are looking for additional power/data/USB features for your project.


power/data modules

Kita II single-sided in surface

module	description	# of ports	model no.	6 ft. cord list	10 ft. cord list
Kita II in surface single-sided unit	For complete model number: 1. Insert cord length selection : 06 6 ft. cord 10 10 ft. cord 2. Insert finish selection : MB Matte Black MF Matte Fog MS Matte Storm MW Matte White SD Gloss Sand*				
	2 power, 1 USB-A+C, 1 open data port 4-7/8"D x 7-7/8"W table top cut out, specify location	4	OPPKI22PAC1D__ __	690	710
	2 power, 1 USB-A+C, 1 HDMI 4-7/8"D x 7-7/8"W table top cut out, specify location	4	OPPKI22PAC1H__ __	790	810
	2 power, USB-A+C,1 dual USB-C 45w 4-7/8"D x 7-7/8"W table top cut out, specify location	4	OPPKI22PAC1C__ __	900	920
	3 power, 1 open data 4-7/8"D x 7-7/8"W table top cut out, specify location	4	OPPKI23P0U1D__ __	490	510
	3 power, 1 USB-A+C 4-7/8"D x 7-7/8"W table top cut out, specify location	4	OPPKI23PAC0D__ __	670	690
Kita II + WIRELESS in surface single-sided unit					
	2 power, 1 USB-A+C, 1 open data, 3 Qi coils 4-7/8" x 10-7/8" table top cut out, specify location Note that the wireless unit required a total of 6 ports	6	OPPKIW2PAC1D__ __	1,400	1,420
Kita II DEEP in surface single-sided unit *Gloss Sand finish is not available for Kita II DEEP					
	2 power, 1 USB-A+C, 1 open data 4-7/8" x 7-7/8" table top cut out, specify location	4	OPPKID2PAC1D__ __	820	840
	3 power, 1 USB-A+C 4-7/8" x 7-7/8" table top cut out, specify location	4	OPPKID2PAC1D__ __	820	840
	*MacBook power brick will fit inside the unit with door closed				

Kita II, Kita II + Wireless, and Kita II DEEP cut out information:

# of ports.	"X" Dim.
4	7-7/8"W
6.	10-7/8"W



KITA II & KITA II BACK-TO-BACK SERIES FINISH CODE LEGEND:



MB - Matte Black powder coated aluminum with matte black powder coat simplexes, window frames and end caps, black faceplate, black cord.

MF - Matte Fog powder coated aluminum with matte fog powder coat simplexes, window frames and end caps, white faceplate, black cord.

MS - Matte Storm powder coated aluminum with matte storm powder coat simplexes, window frames and end caps, white faceplate, black cord.

MW - Matte White powder coated aluminum with matte white powder coat simplexes, window frames and end caps, white faceplate, black cord.

SD - Gloss Sand powder coated aluminum with matte black powder coat simplexes, window frames and end caps, white faceplate, black cord.
*Gloss Sand finish is not available on the Kita II DEEP or the Kita II DEEP back-to-back units


power/data modules

Kita II back-to-back in surface
Macht under surface mount

module	description	# of ports	model no.	6 ft. cord list	10 ft. cord list
Kita II back-to-back unit (there are 2 cords standard per unit)	For complete model number: 1. Insert cord length selection : 06 6 ft. cord 10 10 ft. cord 2. Insert finish selection : MB Matte Black MF Matte Fog MS Matte Storm MW Matte White SD Gloss Sand*				
	Each side contains: 3 power, 1 open data port Total of 6 power, 2 open data ports per unit 9-3/4"D x 7-7/8"W table top cut out	8 (4/side)	OPPK2B6P0A2D__ __	1,050	1,070
	Each side contains: 2 power, 1 USB-A+C, 1 open data port Total of 4 power, 2 USB-A+C, 2 open data ports per unit 9-3/4"D x 7-7/8"W table top cut out	8 (4/side)	OPPK2B4P2AC2D__ __	1,350	1,370
	Side 1 contains: 2 power, 1 USB-A+C, 1 HDMI Side 2 contains: 2 power, 1 USB-A+C, 1 open data port Total of 4 power, 2 USB-A+C, 1 open data, 1 HDMI per unit 9-3/4"D x 7-7/8"W table top cut out	8 (4/side)	OPPK2B4P2AC1D1H__ __	1,440	1,460
	Each side contains: 3 power, 3 open data port Total of 6 power, 6 open data ports per unit 9-3/4"D x 10-7/8"W table top cut out	12 (6/side)	OPPK2B6P0A6D__ __	1,130	1,150
	Each side contains: 3 power, 1 USB-A+C, 2 open data port Total of 6 power, 2 USB-A+C, 4 open data ports per unit 9-3/4"D x 7-7/8"W table top cut out	12 (6/side)	OPPK2B6P2AC4D__ __	1,450	1,470
Kita II DEEP back-to-back (there is 1 single cord standard per unit)					
	Each side contains: 2 power, 1 USB-A+C, 1 open data port Total of 4 power, 2 USB-A+C, 2 open data ports per unit 9-3/4"D x 7-7/8"W table top cut out *MacBook power brick will fit inside the unit with door closed	8 (4/side)	OPPK2D4P2AC2D__ __ *Gloss Sand finish is not available for Kita II DEEP	1,670	1,690
	Each side contains: 3 power, 1 USB-A+C, 1 HDMI, 1 open data port Total of 6 power, 2 USB-A+C, 2 HDMI, 2 open data ports per unit 9-3/4"D x 10-7/8"W table top cut out *MacBook power brick will fit inside the unit with door closed	12 (6/side)	OPPK2D6P2AC2H2D__ __ *Gloss Sand finish is not available for Kita II DEEP	2,110	2,130

Kita II & Kita II DEEP Back-To-Back cut out information:

# of ports.	"X" Dim.
8 (4 ports / side)	7-7/8"W
6 (6 ports / side)	10-7/8"W



KITA II & KITA II BACK-TO-BACK SERIES FINISH CODE LEGEND:




MB - Matte Black powder coated aluminum with matte black powder coat simplexes, window frames and end caps, black faceplate, black cord.

MF - Matte Fog powder coated aluminum with matte fog powder coat simplexes, window frames and end caps, white faceplate, black cord.

MS - Matte Storm powder coated aluminum with matte storm powder coat simplexes, window frames and end caps, white faceplate, black cord.

MW - Matte White powder coated aluminum with matte white powder coat simplexes, window frames and end caps, white faceplate, black cord.

SD - Gloss Sand powder coated aluminum with matte black powder coat simplexes, window frames and end caps, white faceplate, black cord.
*Gloss Sand finish is not available on the Kita II DEEP or the Kita II DEEP back-to-back units

Macht Under Surface Mount	For complete model number Insert cord length selection : 06 6 ft. cord 10 10 ft. cord			6 ft. cord list	10 ft. cord list
	6 power, black finish, circuit breaker cord, slide mount	6	OPPMAC6P0A0D__BK	300	320
	4 power, 2 open data, black finish, circuit breaker cord, slide mount	6	OPPMAC4P0A2D__BK	280	300

power/data modules
Mio single-sided in surface

module	description	# of ports	model no.	6 ft. cord list	10 ft. cord list
	For complete model number: 1. Insert cord length selection : 06 6 ft. cord 10 10 ft. cord 2. Insert finish selection : MB Matte Black MF Matte Fog MS Matte Storm MW Matte White GS Gloss SIlver SD Gloss Sand				
Mio in surface single-sided unit					
	3 power 4"D x 6.5"W table top cut out, specify location	3	OPPMIO3P0A0D__ __	450	470
	2 power, 1 USB-A+C 4"D x 6.5"W table top cut out, specify location	3	OPPMIO2PAC0D__ __	580	600
	3 power, 1 open data 4"D x 8"W table top cut out, specify location	4	OPPMIO3P0A1D__ __	460	480
	2 power, 1 USB-A+C, 1 open data 4"D x 8"W table top cut out, specify location	4	OPPMIO2PAC1D__ __	580	600
	2 power, 1 USB-A+C, 1 HDMI 4"D x 8"W table top cut out, specify location	4	OPPMIO2PAC1H__ __	700	720

MIO SERIES FINISH CODE LEGEND:



MB - Matte black powder coated aluminum with plastic black simplexes, window frames and end caps, black cord.

MF - Matte fog powder coated aluminum with plastic fog simplexes, window frames and end caps, black cord.


MS - Matte storm powder coated aluminum with plastic storm simplexes, window frames and end caps, black cord.

MW - Matte white powder coated aluminum with plastic white simplexes, window frames and end caps, black cord.

GS - Gloss Silver powder coated aluminum with plastic white simplexes, window frames and end caps, white cord.


SD - Gloss sand powder coated aluminum with plastic white simplexes, window frames and end caps, black cord

FINISH AREAS



Mio single-sided cut out information:

# of ports.	"X" Dim
2	5"
3	6.5"
4	8"



power/data modules
Mio back-to-back in surface

module	description	# of ports	model no.	6 ft. cord list	10 ft. cord list
	For complete model number: 1. Insert cord length selection : 06 6 ft. cord 10 10 ft. cord 2. Insert finish selection : MB Matte Black MF Matte Fog MS Matte Storm MW Matte White SD Gloss Sand				
Mio in surface back-to-back unit (2 cords per unit)					
	Each side contains: 3 power, 1 open data Total of 6 power, 2 open data per unit 7-11/16"D x 8"L table top cut out, specify location	8 (4/side)	OPPMIB6P0A2D__ __	920	940
	Each side contains: 2 power, 1 USB-A+C, 1 open data Total of 4 power, 2 USB-A+C, 2 open data per unit 7-11/16"D x 8"L table top cut out, specify location	8 (4/side)	OPPMIB4P2AC2D__ __	1,230	1,250
	Each side contains: 2 power, 2 open data Total of 4 power, 2 open data per unit 7-11/16"D x 8"L table top cut out, specify location	8 (4/side)	OPPMIB4P0A4D__ __	920	940
	Each side contains: 2 power, 1 USB-A+C, 1 dual charging USB-C 45w Total of 4 power, 2 USB-A+C, 2 dual USB-C 45w per unit 7-11/16"D x 8"L table top cut out, specify location	8 (4/side)	OPPMIB4P2AC2C__ __	1,830	1,850

MIO SERIES FINISH CODE LEGEND:



MB - Matte black powder coated aluminum with plastic black simplexes, window frames and end caps, black cord.


MF - Matte fog powder coated aluminum with plastic fog simplexes, window frames and end caps, black cord.

MS - Matte storm powder coated aluminum with plastic storm simplexes, window frames and end caps, black cord.

MW - Matte white powder coated aluminum with plastic white simplexes, window frames and end caps, black cord.


SD - Gloss sand powder coated aluminum with plastic white simplexes, window frames and end caps, black cord

FINISH AREAS



Mio Back-To-Back cut out information:

# of ports.	"X" Dim.
8 (4 ports / side)	8"




power/data modules

Neto clamp, in surface and under mount

module	description	# of ports	model no.	6 ft. cord list	10 ft. cord list
	For complete model number: 1. Insert cord length selection : 06 6 ft. cord 10 10 ft. cord 2. Insert finish selection : ST Storm SW White SB Black				
Neto edge mount with clamp					
	3 power	3	OPPNEE3P0A0D__ __	380	400
	2 power, 1 USB-A+C	3	OPPNEE2PAC0D__ __	510	530
	2 power, 1 dual USB-C 45w	3	OPPNEE2P0A1C__ __	640	660
Neto edge mount with clamp + wireless					
	2 power, 1 USB-A, 10W Qi wireless charging	3	OPPNEE2PQ1U__ __	770	790
Neto under mount					
	3 power	3	OPPNEU3P0A0D__ __	380	400
	2 power, 1 USB-A+C	3	OPPNEU2PAC0D__ __	510	530
	2 power, 1 dual USB-C 45w	3	OPPNEU2P0A1C__ __	640	660
Neto in surface					
	3 power 1-15/16" x 6-5/16" table top cut out, specify location	3	OPPNET3P0A0D__ __	380	400
	2 power, 1 USB-A+C 1-15/16" x 6-5/16" table top cut out, specify location	3	OPPNET2PAC0D__ __	510	530
	2 power, 1 dual USB-C 45w 1-15/16" x 6-5/16" table top cut out, specify location	3	OPPNET2P0A1C__ __	640	660

Neto in surface cut out information:

# of ports.	"X" Dim.
2	4-7/8"
3	6-5/16"



NETO FINISH CODE LEGEND:



ST - Storm molded plastic faceplate and endcaps, Silver anodized aluminum housing and mount, black cord



SW - White molded plastic faceplate and endcaps, Silver anodized aluminum housing and mount, white cord



SB - Black molded plastic faceplate and endcaps, Silver anodized aluminum housing and mount, black cord

power/data modules

Ocho

above surface clamp mount, in surface flush, in surface pop up , under surface

module	description	# of ports	model no.	6 ft. cord list	10 ft. cord list
	For complete model number: 1. Insert cord length selection : 06 6 ft. cord 10 10 ft. cord 2. Insert finish selection : B Black plastic face, black metal trim, black cord G Grey plastic face, silver metal trim, black cord S White plastic face, silver metal trim, white cord W White plastic face, white metal trim, white cord				
Ocho above surface clamp mount					
	1 power, 1 USB-A 2.4 amp, 1 USB-C 60w	2	OPPOCA1PAC__ _	490	510
	2 power, 1 USB-A 2.4 amp, 1 USB-C 60w	3	OPPOCA2PAC__ _	520	540
	3 power, 1 USB-A 2.4 amp, 1 USB-C 60w, 1 HDMI	5	OPPOCA3PACH__ _	590	610
*image shows blank insert instead of HDMI insert					
Ocho flush in surface					
	2 power, 1 USB-A 2.4 amp, 1 USB-C 60w 2.19" x 6" table top cut out, specify location	3	OPPOCF2PAC__ _	490	510
	3 power, 1 USB-A 2.4 amp, 1 USB-C 60w, 1 HDMI 2.19" x 8.5" table top cut out, specify location	5	OPPOCF3PACH__ _	560	580
*image shows blank insert instead of HDMI insert					
Ocho in surface pop-up					
	2 power 1 USB-A+C 4.746"D x 6.79"W table top cut out, specify location	3	OPPOCH2PAC__ _	570	590
Ocho under surface mount					
	2 power, 1 USB-A 2.4 amp, 1 USB-C 60w	3	OPPOCU2PAC__ _	520	540
	3 power, 1 USB-A 2.4 amp, 1 USB-C 60w, 1 HDMI	5	OPPOCU3PACH__ _	590	610
*image shows blank insert instead of HDMI insert					

OCHO SERIES FINISH CODE LEGEND:



B - Black plastic face, black metal trim, black cord



G - Grey plastic face, silver metal trim, black cord




S - White plastic face, silver metal trim, white cord




W - White plastic face, white metal trim, white cord


power/data modules

Ovi in surface

module	description	model no.	cord length	finish code	list
Ovi with convenience outlet(s) - all units feature spill-resistant technology that protects against electrical damage					
	2 power, 1 convenience outlet below the worksurface	OPPOVI2P0U91SB	9 ft.	SB	430
	2"D x 5.25"W table top cut out size - specify placement	OPPOVI2P0U91BB	9 ft.	BB	430
		OPPOVI2P0U91GW	9 ft.	GW	430
	** You can daisy chain up to (4) Ovi units with a 20 amp single circuit outlet	OPPOVI2P0U91AB	9 ft.	AB	530
	2 power, 1 USB-A+C, 2 convenience outlets below the worksurface	OPPOVI2PAC92SB	9 ft.	SB	790
	2"D x 6.75"W table top cut out size - specify placement	OPPOVI2PAC92BB	9 ft.	BB	790
		OPPOVI2PAC92GW	9 ft.	GW	790
	** You can daisy chain up to (4) Ovi units with a 20 amp single circuit outlet	OPPOVI2PAC92AB	9 ft.	AB	880



Ovi in surface cut out:



* REFERENCE THE CUT OUT SIZE UNDER EACH OVI POWER MODULE FOR THE VALUE OF "X"

OVI SERIES FINISH CODE LEGEND:

- SB - Silver powdercoat finish, black simplex finish
- BB - black powdercoat finish, black simplex finish
- GW - Gloss white powdercoat finish, white simplex finish
- AB - brushed aluminum finish, black simplex finish

power/data modules

Palla in surface, Pila freestanding, Power Strip

module	description	model no.	cord length	finish code	list
Palla					
	3 power	OPPPAL3P0A0D06SS	6 ft.	SS	250
	3" diameter table top cut out size, specify location	OPPPAL3P0A0D06WW	6 ft.	WW	250
		OPPPAL3P0A0D06BB	6 ft.	BB	250
		OPPPAL3P0A0D10SS	10 ft.	SS	270
		OPPPAL3P0A0D10WW	10 ft.	WW	270
		OPPPAL3P0A0D10BB	10 ft.	BB	270
	2 power, 1 USB-A+C	OPPPAL2PAC0D06SS	6 ft.	SS	380
	3" diameter table top cut out size, specify location	OPPPAL2PAC0D06WW	6 ft.	WW	380
		OPPPAL2PAC0D06BB	6 ft.	BB	380
		OPPPAL2PAC0D10SS	10 ft.	SS	400
		OPPPAL2PAC0D10WW	10 ft.	WW	400
		OPPPAL2PAC0D10BB	10 ft.	BB	400

PALLA SERIES FINISH CODE LEGEND:



- SS - Storm case, trim, and simplex finish, black cord
- WW - White case, trim, and simplex finish, white cord
- BB - Black case, trim, and simplex finish, black cord

Pila Freestanding					
	3 power, 2 USB-A, 1 USB-C 18W	OPPPIL3P2A1C10SS	10 ft.	SS	1,790
		OPPPIL3P2A1C10WW	10 ft.	WW	1,790
	12" diameter x 28-1/4"H	OPPPIL3P2A1C10BB	10 ft.	BB	1,790

PILA SERIES FINISH CODE LEGEND:



- SS - Storm trim in molded plastic, Storm base and neck in powder coated aluminum, black cord



- WW - White trim in molded plastic, White base and neck in powder coated aluminum, white cord



- BB - Black trim in molded plastic, Black base and neck in powder coated aluminum, black cord

Power strip (under mount)					
	6-outlet, UL tested/listed	OPPSTR6P0D06B	6 ft.	black	120
		OPPSTR6P0D15B	15 ft.	black	200
		OPPSTR6P0D06G	6 ft.	grey	120
		OPPSTR6P0D15G	15 ft.	grey	200

power/data modules

Versie undermount & Versie in surface

Zig freestanding

module	description	model no.	cord length	finish code	list
Versie under mount					
	2 power	OPPVER2P0A0D06BK	6 ft.	BK	160
		OPPVER2P0A0D10BK	10 ft.	BK	180
	1 power, 1 USB-A+C	OPPVER1PAC0D06BK	6 ft.	BK	340
		OPPVER1PAC0D10BK	10 ft.	BK	360
	1 power, 1 open data	OPPVER1P0A1D06BK	6 ft.	BK	190
		OPPVER1P0A1D10BK	10 ft.	BK	210
Versie in surface					
	2 power 2"D x 3.25"W table top cut out required, specify location	OPPVES2P0A0D06MS	6 ft.	MS	380
		OPPVES2P0A0D06MW	6 ft.	MW	380
		OPPVES2P0A0D06MB	6 ft.	MB	380
		OPPVES2P0A0D10MS	10 ft.	MS	400
		OPPVES2P0A0D10MW	10 ft.	MW	400
		OPPVES2P0A0D10MB	10 ft.	MB	400
	1 power, 1 USB-A+C 2"D x 3.25"W table top cut out required, specify location	OPPVES1PAC0D06MS	6 ft.	MS	530
		OPPVES1PAC0D06MW	6 ft.	MW	530
		OPPVES1PAC0D06MB	6 ft.	MB	530
		OPPVES1PAC0D10MS	10 ft.	MS	550
		OPPVES1PAC0D10MW	10 ft.	MW	550
		OPPVES1PAC0D10MB	10 ft.	MB	550

VERSIE IN SURFACE SERIES FINISH CODE LEGEND:



MS- Matte Storm finish, black cord



MW - Matte White finish, black cord



MB - Matte Black finish, black cord

**these finishes are not available for the Versie undermount unit

Zig freestanding					
	1 power, 1 USB-A+C	OPPZIG1PAC0D09BW	9 ft.	BW	550
		OPPZIG1PAC0D09WB	9 ft.	WB	550
		OPPZIG1PAC0D09BB	9 ft.	BB	550

ZIG SERIES FINISH CODE LEGEND:



BW - Beech wood case, White trim/simplex finish, solid dusk braided cord




WB - Walnut wood case, Black trim/simplex finish, black and white pinstripe cord



BB - Black wood case, Black trim/simplex finish, black and white pinstripe cord

This page was intentionally left blank.


description	model no.	list
72 inch hard wire infeed, flexible metal conduit	OPS06HDWFMC	170




72 inch hard wire infeed, liquid tight conduit	OPS06HDWLTC	190




72 inch straight corded infeed with straight 20 amp plug	OPS06STSTE20A	290




72 inch straight corded infeed with right angle 20 amp plug	OPS06STRAE20A	260




72 inch 90 degree infeed with straight 20 amp plug	OPS0690STE20A	370




72 inch 90 degree infeed with right angle 20 amp plug	OPS0690RAE20A	290




description	model no.	list
30 inch under surface mounted kit. 1 jumper. 1 connecting bracket. 2 duplex receptacles	OPSK30C1J2D	280




36 inch under surface mounted kit. 2 jumpers. 2 duplex receptacles	OPSK36C1J2D	290




42 inch under surface mounted kit. 2 jumpers. 2 duplex receptacles	OPSK42C1J2D	300




48 inch under surface mounted kit. 2 jumpers. 2 duplex receptacles	OPSK48C1J2D	310




60 inch under surface mounted kit. 2 jumpers. 2 duplex receptacles	OPSK60C1J2D	320



66 inch under surface mounted kit. 2 jumpers. 2 duplex receptacles	OPSK66C1J2D	330



72 inch under surface mounted kit. 2 jumpers. 2 duplex receptacles	OPSK72C1J2D	340



Symphony

phone: 866-507-7795
email: service@symphonytables.com

Specifications subject to change without prior notice.
Visit symphonytables.com/resources/pricing for the most current version of the Price List.