Symphony

SURFACES

2026 PRICE LIST

Version 03.11.26




table of contents

Essential Information	3
Formica laminate finishes	4
Surfaces	
surface and edge profile overview	6
surface shapes, dimensions, seating capacity	8
PVEA, PVRC, PVKN and PVKR round, squircle, square, rectangle	10
PVEA and PVKN 1 piece conference: rectangle, boat, oval, racetrack	14
PVEA and PVKN 2 piece conference: rectangle, boat, oval, racetrack	16
PVEA and PVKN 1 & 2 piece conference: arc trapezoid, arc rectangle	18
PVEA and PVKN media tops: half arc end, half boat, bullet, trapezoid	19
PVEA and PVKN media tops: Pic	20
PVEA quarter round, half round, crecent, trapezoid, corner-angled, corner-curved, corner-extended curved front, corner-120 degree, wedge	21
General Information	
Terms & Conditions	24
Table Care and Maintenance	27

essential information

Minimum order / Freight charge

Orders for $5,000 or more list (contiguous U.S.): freight and minimum order charges included
Orders less than $5000 list (contiguous U.S.)
Zone 1 $200 net
Zone 2 $260 net



Special Charges
Custom metal finish: contact service@symphonytables.com for a quote

Lead Time
varies - please email service@symphonytables.com to confirm lead time

Please send purchase orders to service@symphonytables.com

Symphony Contact Information
phone 866-507-7795
fax 888-683-0007
service@symphonytables.com
www.SymphonyTables.com

Formica laminates by name

Formica Grade 1 Laminate Name	Laminate Number	Promoted Finish	3mm PVC edge
Black	909	58	std stock
Bleached Legno	8845	58	std stock
Blossom Cherrywood	758	58	std stock
Brite White	459	58	std stock
Chelsea Maple	9238	58	std stock
Dover White	7197	58	std stock
Fog	961	58	std stock
Folkstone	927	58	std stock
Graphite	837	58	std stock
Graystone	464	58	std stock
Natural Maple	756	58	std stock
Neutral Twill	8826	58	std stock
Pale Brushstroke	6997	58	std stock
Pecan Woodline	5883	58	std stock
Planked Coffee Oak	7413	58	std stock
Planked Raw Oak	7412	58	std stock
Planked Urban Oak	9312	58	std stock
Prestige Walnut	6209	43	std stock
Pumice	858	58	std stock
Sand Maple	9237	58	std stock
Select Cherry	7759	43	std stock
Storm	912	58	std stock
Thermo Walnut	6402	58	std stock
White	949	58	std stock
Wood Brushstroke	6998	58	std stock

Formica Grade 2 Laminate Name	Laminate Number	Promoted Finish	2mm PVC edge
Ceruse Gray Walnut	6994	26	std stock
Formal Walnut	5782	NG	std stock
Inked Oak	5792	PG	std stock
Pecan Walnut	6996	26	std stock
Scandi Rift Oak	8677	26	std stock

Laminate Name	Number	Finish	edge
Aged Ash	8844	WR	std stock
Buff Elm	5793	NG	std stock
Cherry Walnut	6995	26	std stock
Millennium Oak	5887	26	std stock

All laminates are subject to a waste fee based on laminate sheet size availability.

Non-promoted Formica laminate finishes have an 8 sheet minimum. In addition, all 8 sheets must be the same size.

Contact Symphony for pricing and lead time information: service@symphonytables.com.

Please note: additonal laminates and finishes may be available with additional fees and/or extended lead times. Laminates and specific finishes may be discontinued by Formica. For the most up to date information, contact your Formica representative.

Formica laminates by number

Formica Grade 1 Laminate Number	Promoted Finish	Laminate Name	3mm PVC edge
459	58	Brite White	std stock
464	58	Graystone	std stock
756	58	Natural Maple	std stock
758	58	Blossom Cherrywood	std stock
837	58	Graphite	std stock
858	58	Pumice	std stock
909	58	Black	std stock
912	58	Storm	std stock
927	58	Folkstone	std stock
949	58	White	std stock
961	58	Fog	std stock
5883	58	Pecan Woodline	std stock
6209	43	Prestige Walnut	std stock
6402	58	Thermo Walnut	std stock
6997	58	Pale Brushstroke	std stock
6998	58	Wood Brushstroke	std stock
7197	58	Dover White	std stock
7412	58	Planked Raw Oak	std stock
7413	58	Planked Coffee Oak	std stock
7759	43	Select Cherry	std stock
8826	58	Neutral Twill	std stock
8845	58	Bleached Legno	std stock
9237	58	Sand Maple	std stock
9238	58	Chelsea Maple	std stock
9312	58	Planked Urban Oak	std stock

Formica Grade 2 Laminate Number	Promoted Finish	Laminate Name	3mm PVC edge
5793	NG	Buff Elm	std stock
5887	26	Millennium Oak	std stock
6995	26	Cherry Walnut	std stock
8844	WR	Aged Ash	std stock

Formica Grade 2 Laminate Number	Promoted Finish	Formica Grade 2 Laminate Name	2mm PVC edge
5782	NG	Formal Walnut	std stock
5792	PG	Inked Oak	std stock
6994	26	Ceruse Gray Walnut	std stock
6996	26	Pecan Walnut	std stock
8677	26	Scandi Rift Oak	std stock

All laminates are subject to a waste fee based on laminate sheet size availability.

Non-promoted Formica laminate finishes have an 8 sheet minimum. In addition, all 8 sheets must be the same size.

Contact Symphony for pricing and lead time information: service@symphonytables.com.

Please note: additonal laminates and finishes may be available with additional fees and/or extended lead times. Laminates and specific finishes may be discontinued by Formica. For the most up to date information, contact your Formica representative.

Standard particleboard
The standard core consists of 1 .125” thick, 45 lb. industrial grade western particleboard. This meets or exceeds requirements of ANSA A 208 1979, 1-M-3 and is TECO tested per ASTM D-1037. The core is laminated with a .040” thick high pressure laminate top, while the underside has a .035” Polybak Ultra backing sheet applied.

High Pressure Laminate (HPL) surface
Symphony produces tops with virtually any laminate.
Our graded in program features Formica laminates in grade 1 or grade 2. Waste fees may apply.

To verify pricing and lead-times, please email service@symphonytables.com for assistance.

To check availability or to order any samples please contact the laminate companies directly.

www.Formica.com	800-FORMICA
www.Nevamar.com	800-638-4380
www.Wilsonart.com	800-433-3222
www.Pionite.com	800-746-6483




PVEA eased edge band is banded with 3mm extruded synthetic PVC molding. The molding at top and bottom edges feature a slight radius, adding comfort. The 90 degree corners create a seamless table to table fit. Dimensions: 1.19" high x .0125" deep.



PVKN edge is banded with .462 high rigid 3mm extruded synthetic PVC molding. The top edge molding features a slight radius, adding comfort. The bottom of the edge features exposed MDF core sanded smooth with a wax coating, the slanted edge has a 20 degree angle. The 90 degree corners create a seamless table to table fit. Dimensions: 1.19" high x .2" deep.



PVKN-P edge is banded with .462 high rigid 3mm extruded synthetic PVC molding. The top edge molding features a slight radius, adding comfort. The bottom of the edge is painted in black or white paint, the slanted edge has a 20 degree angle. The 90 degree corners create a seamless table to table fit. Dimensions: 1.19" high x .2" deep.



.
PVC edge finishes to match Fomica laminates:

3mm PVC edges: Aged Ash, Black, Bleached Legno, Blossom Cherrywood, Brite White, Buff Elm, Chelsea Maple, Cherry Walnut, Dover White, Fog, Folkstone, Graphite, Graystone, Millennium Oak, Natural Maple, Neutral Twill, Pale Brushstroke, Pecan Woodline, Planked Coffee Oak, Planked Raw Oak, Planked Urban Oak, Prestige Walnut, Pumice, Sand Maple, Select Cherry, Storm, Thermo Walnut, White, Wood Brushstroke

2mm PVC edges: Ceruse Grey Walnut, Formal Walnut, Inked Oak, Pecan Walnut, Scandi Rift Oak

***Note that this list is subject to change at any time depending on the availability of the edge from the top plant or the edge manufacturer.**

surfaces

shapes, dimensions, weight, seating capacity

shape		A x B	seats	approximate weight (lbs)
round (RD)		24 dia.	2	18
		30 dia.	2	28
		36 dia.	3	41
		42 dia.	4	55
		48 dia.	4-5	72
		54 dia.	5	91
		60 dia.	6-7	113
square (SQ)		24 x 24	2	18
		30 x 30	2	28
		36 x 36	4	42
		42 x 42	4	55
		48 x 48	4	72
		60 x 60	6-8	113
rectangle (RE)		18 x 48	1	27
	*	18 x 60	2	34
	*	18 x 72	2	41
	*	18 x 84	2-3	48
	*	18 x 90	3	51
	*	18 x 96	3	54
		24 x 30	1	23
		24 x 36	1	27
		24 x 42	1	32
		24 x 48	1	36
	*	24 x 60	2	45
	*	24 x 66	2	50
	*	24 x 72	2	54
	*	24 x 84	2-3	63
	*	24 x 90	3	68
	*	24 x 96	3	72
		30 x 36	2	34
		30 x 42	2	40
		30 x 48	2-4	45
	**	30 x 60	4	57
	**	30 x 66	4-6	62
	**	30 x 72	6	68
	**	30 x 84	2-3	79
	**	30 x 90	3	85
	**	30 x 96	3	90
		36 x 42	2	48
		36 x 48	2-4	54
	**	36 x 60	4-6	68
	**	36 x 72	6-8	81
	**	36 x 84	6-8	95
	**	36 x 90	6-8	102
	**	36 x 96	8-10	108
	2+	36 x 120	8-10	135
	**	42 x 60	6	79
	**	42 x 72	6-8	95
	**	42 x 84	6-8	111
	**	42 x 96	8-10	126
	2+	42 x 120	8-10	158
	2+	42 x 144	10	190
	**	48 x 72	6	108
	**	48 x 84	6-8	126
	**	48 x 96	8-10	144
	2+	48 x 120	8-10	180
	2+	48 x 144	10	216
	2+	48 x 168	10	252
	**	60 x 96	8-10	180
	2+	60 x 120	10-12	225
	2+	60 x 144	10-12	270
	2+	60 x 168	12	315

shape		A x B	seats	approximate weight (lbs)
racetrack (RA).	**	36 x 72	4	81
	**	36 x 84	6	95
	**	36 x 96	6-8	108
	2+	36 x 120	8	135
	**	42 x 72	6	95
	**	42 x 96	8	126
	2+	42 x 120	8	158
	**	48 x 96	8-10	144
	2+	48 x 120	8-10	180
	2+	48 x 144	10	216
	2+	48 x 168	10	252
	**	60 x 96	8-10	180
	2+	60 x 120	10-12	225
	2+	60 x 144	10-12	270
	2+	60 x 168	12	315
boat (BO).	**	36 x 72	4	81
	**	36 x 84	6	95
	2+	36 x 96	6-8	108
	**	42 x 96	8	126
	**	48 x 96	8-10	144
	2+	48 x 120	8-10	180
	**	60 x 96	8-10	180
	2+	60 x 120	10-12	225
	2+	60 x 144	10-12	270
	2+	60 x 168	12	315
oval (OV).	**	36 x 72	4	81
	**	36 x 84	6	95
	**	36 x 96	6-8	108
	2+	36 x 120	8	135
	**	42 x 72	6	95
	**	42 x 96	8	126
	**	48 x 96	8-10	144
	2+	48 x 120	8-10	180
	2+	48 x 144	10	216
	2+	48 x 168	10	252
	**	60 x 96	8-10	180
	2+	60 x 120	10-12	225
	2+	60 x 144	10-12	270
	2+	60 x 168	12	315

*** 1 support bar included**
**** 2 support bars included**
2+ 2 piece top with bars + table lock set included

******* 120" - 144" two piece tops can be produced as one piece upon request with additional packaging and freight charges

Seating capacity is a guide only. Capacity will vary according to seating width, design and layout. Capacity based on 30" minimum width per seat and use on all potential sides.

For pricing on custom size 3mm edge (PVEA) surfaces just use next largest standard size price. For unusual shapes and other special pricing, email service@symphonytables.com for assistance.

Symphony

surfaces

additional shapes, dimensions

shape	A x B x C
quarter round (QR)	18 x 18 x 25.5
	24 x 24 x 34
	30 x 30 x 42.5
half round (HA)	18 x 36
	24 x 48
	30 x 60
crescent (CR)	18 x 36 x 51
	24 x 48 x 68
	24 x 60 x 94
	30 x 60 x 96
trapezoid (TR)	24 x 48 x 21
	30 x 60 x 26
	30 x 72 x 31
corner - angled (CA)	24 x 36
	24 x 42
	24 x 48
corner - curved (CC)	24 x 36
	24 x 42
	24 x 48

shape	A x B x C
corner - extended (CE)	24 x 60 x 36
curved front	24 x 72 x 36
	24 x 60 x 48
	24 x 72 x 48
	24 x 36 x 60
	24 x 36 x 72
	24 x 48 x 60
	24 x 48 x 72
corner - 120 degree (12)	24 x 36
	24 x 42
	24 x 48
wedge (WE)	24 x 36 x 30
	24 x 42 x 30
	24 x 48 x 30
	24 x 60 x 30
	30 x 36 x 24
	30 x 42 x 24
	30 x 48 x 24
	30 x 60 x 24

Symphony

surfaces

PVEA 3mm eased edge
round, squircle, square, and small rectangle

shape	dimension	model no.	grade 1 list	grade 2 list
round (PVEA edge)	18	SLRD18000PVEA	260	300
	20	SLRD20000PVEA	280	320
	24	SLRD24000PVEA	310	340
	30	SLRD30000PVEA	410	460
	36	SLRD36000PVEA	520	590
	42	SLRD42000PVEA	770	890
	48	SLRD48000PVEA	800	910
	54	SLRD54000PVEA	1,150	1,340
	60	SLRD60000PVEA	1,180	1,360
squircle (PVEA edge)	30 x 30	SLSC30030PVEA	410	460
	36 x 36	SLSC36036PVEA	520	590
	42 x 42	SLSC42042PVEA	770	890
	48 x 48	SLSC48048PVEA	800	910
	54 x 54	SLSC54054PVEA	1,150	1,340
	60 x 60	SLSC60060PVEA	1,180	1,360
square (PVEA edge)	18 x 18	SLSQ18018PVEA	260	300
90 degree corners	20 x 20	SLSQ20020PVEA	280	320
	24 x 24	SLSQ24024PVEA	310	340
	30 x 30	SLSQ30030PVEA	410	460
	36 x 36	SLSQ36036PVEA	520	590
	42 x 42	SLSQ42042PVEA	770	890
	48 x 48	SLSQ48048PVEA	800	910
	54 x 54	SLSQ54054PVEA	1,150	1,340
	60 x 60	SLSQ60060PVEA	1,180	1,360
square (PVRC edge)	18 x 18	SLSQ18018PVRC	280	320
3" radius corners	20 x 20	SLSQ20020PVRC	300	340
	24 x 24	SLSQ24024PVRC	330	370
	30 x 30	SLSQ30030PVRC	440	490
	36 x 36	SLSQ36036PVRC	560	640
	42 x 42	SLSQ42042PVRC	830	960
	48 x 48	SLSQ48048PVRC	850	980
	54 x 54	SLSQ54054PVRC	1,240	1,450
	60 x 60	SLSQ60060PVRC	1,270	1,470
rectangle (PVEA)	12 x 18	SLRE12018PVEA	240	280
90 degree corners	14 x 20	SLRE14020PVEA	260	300
rectangle (PVRC edge)	12 x 18	SLRE12018PVRC	260	300
3" radius corners	14 x 20	SLRE14020PVRC	280	320

Additonal edge profiles and top dimensions are available. Please contact Symphony for details.


Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.

surfaces

PVKN 3mm knife edge
round, squircle, square, and small rectangle

shape	dimension	model no. (raw MDF edge)	grade 1 list (raw MDF edge)	grade 2 list (raw MDF edge)	model no. (painted edge)	grade 1 list (black or white painted edge)	grade 2 list (black or white painted edge)
round (PVKN edge)	18	SLRD18000PVKN	350	410	SLRD18000PVKN-P	420	480
	20	SLRD20000PVKN	380	430	SLRD20000PVKN-P	460	510
	24	SLRD24000PVKN	400	450	SLRD24000PVKN-P	500	550
	30	SLRD30000PVKN	540	620	SLRD30000PVKN-P	660	740
	36	SLRD36000PVKN	690	800	SLRD36000PVKN-P	830	940
	42	SLRD42000PVKN	1,050	1,230	SLRD42000PVKN-P	1,220	1,400
	48	SLRD48000PVKN	1,080	1,250	SLRD48000PVKN-P	1,270	1,440
	54	SLRD54000PVKN	1,590	1,870	SLRD54000PVKN-P	1,800	2,080
	60	SLRD60000PVKN	1,620	1,890	SLRD60000PVKN-P	1,860	2,130
sqircle (PVKN edge)	30 x 30	SLSC30030PVKN	540	620	SLSC30030PVKN-P	660	740
	36 x 36	SLSC36036PVKN	690	800	SLSC36036PVKN-P	830	940
	42 x 42	SLSC42042PVKN	1,050	1,230	SLSC42042PVKN-P	1,220	1,400
	48 x 48	SLSC48048PVKN	1,080	1,250	SLSC48048PVKN-P	1,270	1,440
	54 x 54	SLSC54054PVKN	1,590	1,870	SLSC54054PVKN-P	1,800	2,080
	60 x 60	SLSC60060PVKN	1,620	1,890	SLSC60060PVKN-P	1,860	2,130
square (PVKN edge)	18 x 18	SLSQ18018PVKN	350	410	SLSQ18018PVKN-P	440	500
90 degree corners	20 x 20	SLSQ20020PVKN	380	430	SLSQ20020PVKN-P	480	530
	24 x 24	SLSQ24024PVKN	400	450	SLSQ24024PVKN-P	520	570
	30 x 30	SLSQ30030PVKN	540	620	SLSQ30030PVKN-P	690	770
	36 x 36	SLSQ36036PVKN	690	800	SLSQ36036PVKN-P	870	980
	42 x 42	SLSQ42042PVKN	1,050	1,230	SLSQ42042PVKN-P	1,260	1,440
	48 x 48	SLSQ48048PVKN	1,080	1,250	SLSQ48048PVKN-P	1,320	1,490
	54 x 54	SLSQ54054PVKN	1,590	1,870	SLSQ54054PVKN-P	1,860	2,140
	60 x 60	SLSQ60060PVKN	1,620	1,890	SLSQ60060PVKN-P	1,920	2,190
square (PVKR edge)	18 x 18	SLSQ18018PVKR	380	440	SLSQ18018PVKR-P	470	530
3" radius corners	20 x 20	SLSQ20020PVKR	400	470	SLSQ20020PVKR-P	500	570
	24 x 24	SLSQ24024PVKR	430	490	SLSQ24024PVKR-P	550	610
	30 x 30	SLSQ30030PVKR	580	660	SLSQ30030PVKR-P	730	810
	36 x 36	SLSQ36036PVKR	750	860	SLSQ36036PVKR-P	930	1,040
	42 x 42	SLSQ42042PVKR	1,140	1,330	SLSQ42042PVKR-P	1,350	1,540
	48 x 48	SLSQ48048PVKR	1,160	1,350	SLSQ48048PVKR-P	1,400	1,590
	54 x 54	SLSQ54054PVKR	1,730	2,030	SLSQ54054PVKR-P	2,000	2,300
	60 x 60	SLSQ60060PVKR	1,750	2,050	SLSQ60060PVKR-P	2,050	2,350
rectangle (PVKN)	12 x 18	SLRE12018PVKN	330	390	SLRE12018PVKN-P	410	470
90 degree corners	14 x 20	SLRE14020PVKN	350	410	SLRE14020PVKN-P	440	500
rectangle (PVKR edge)	12 x 18	SLRE12018PVKR	360	420	SLRE12018PVKR-P	440	500
3" radius corners	14 x 20	SLRE14020PVKR	380	440	SLRE14020PVKR-P	470	530

PVKN and PVKR edge detail:



surfaces

PVEA 3mm eased edge rectangle

shape		dimension	model no.	grade 1 list	grade 2 list
rectangle (PVEA edge) 90 degree corners		18 x 36	SLRE18036PVEA	300	360
		18 x 42	SLRE18042PVEA	350	410
		18 x 48	SLRE18048PVEA	370	430
		18 x 54	SLRE18054PVEA	530	600
	*	18 x 60	SLRE18060PVEA	540	610
	*	18 x 66	SLRE18066PVEA	580	660
	*	18 x 72	SLRE18072PVEA	600	690
	*	18 x 84	SLRE18084PVEA	750	860
	*	18 x 90	SLRE18090PVEA	790	900
	*	18 x 96	SLRE18096PVEA	800	910
		24 x 30	SLRE24030PVEA	320	370
		24 x 36	SLRE24036PVEA	340	390
		24 x 42	SLRE24042PVEA	360	420
		24 x 48	SLRE24048PVEA	390	450
		24 x 54	SLRE24054PVEA	540	620
	*	24 x 60	SLRE24060PVEA	550	620
	*	24 x 66	SLRE24066PVEA	590	670
	*	24 x 72	SLRE24072PVEA	610	700
	*	24 x 84	SLRE24084PVEA	760	870
	*	24 x 90	SLRE24090PVEA	810	920
	*	24 x 96	SLRE24096PVEA	820	930
		30 x 36	SLRE30036PVEA	420	490
		30 x 42	SLRE30042PVEA	440	510
		30 x 48	SLRE30048PVEA	470	540
		30 x 54	SLRE30054PVEA	690	780
	**	30 x 60	SLRE30060PVEA	710	800
	**	30 x 66	SLRE30066PVEA	770	870
	**	30 x 72	SLRE30072PVEA	810	910
	**	30 x 84	SLRE30084PVEA	1,110	1,260
	**	30 x 90	SLRE30090PVEA	1,140	1,280
	**	30 x 96	SLRE30096PVEA	1,150	1,300
rectangle (PVRC edge) 3" radius corners		18 x 36	SLRE18036PVRC	330	370
		18 x 42	SLRE18042PVRC	380	450
		18 x 48	SLRE18048PVRC	400	470
		18 x 54	SLRE18054PVRC	570	650
	*	18 x 60	SLRE18060PVRC	580	660
	*	18 x 66	SLRE18066PVRC	620	710
	*	18 x 72	SLRE18072PVRC	650	730
	*	18 x 84	SLRE18084PVRC	800	920
	*	18 x 90	SLRE18090PVRC	840	970
	*	18 x 96	SLRE18096PVRC	850	980
		24 x 30	SLRE24030PVRC	340	390
		24 x 36	SLRE24036PVRC	370	420
		24 x 42	SLRE24042PVRC	390	460
		24 x 48	SLRE24048PVRC	420	490
		24 x 54	SLRE24054PVRC	580	660
	*	24 x 60	SLRE24060PVRC	590	670
	*	24 x 66	SLRE24066PVRC	630	720
	*	24 x 72	SLRE24072PVRC	650	740
	*	24 x 84	SLRE24084PVRC	820	930
	*	24 x 90	SLRE24090PVRC	870	990
	*	24 x 96	SLRE24096PVRC	880	1000
		30 x 36	SLRE30036PVRC	460	530
		30 x 42	SLRE30042PVRC	480	560
		30 x 48	SLRE30048PVRC	500	590
		30 x 54	SLRE30054PVRC	740	840
	**	30 x 60	SLRE30060PVRC	750	850
	**	30 x 66	SLRE30066PVRC	820	930
	**	30 x 72	SLRE30072PVRC	860	970
	**	30 x 84	SLRE30084PVRC	1,180	1,340
	**	30 x 90	SLRE30090PVRC	1,210	1,370
	**	30 x 96	SLRE30096PVRC	1,230	1,390

Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.

* **1 support bar included** ** **2 support bars included**

Symphony

surfaces

PVKN 3mm knife edge rectangle

shape		dimension	model no. (raw MDF edge)	grade 1 list (raw MDF edge)	grade 2 list (raw MDF edge)	model no. (painted edge)	grade 1 list (black or white painted edge)	grade 2 list (black or white painted edge)
rectangle (PVKN edge) 90 degree corners		18 x 36	SLRE18036PVKN	340	400	SLRE18036PVKN-P	450	500
		18 x 42	SLRE18042PVKN	490	580	SLRE18042PVKN-P	630	710
		18 x 48	SLRE18048PVKN	520	600	SLRE18048PVKN-P	670	760
		18 x 54	SLRE18054PVKN	710	820	SLRE18054PVKN-P	880	990
	*	18 x 60	SLRE18060PVKN	720	830	SLRE18060PVKN-P	910	1,020
	*	18 x 66	SLRE18066PVKN	780	900	SLRE18066PVKN-P	990	1,110
	*	18 x 72	SLRE18072PVKN	800	920	SLRE18072PVKN-P	1,030	1,150
	*	18 x 84	SLRE18084PVKN	1,010	1,170	SLRE18084PVKN-P	1,280	1,430
	*	18 x 90	SLRE18090PVKN	1,060	1,230	SLRE18090PVKN-P	1,350	1,520
	*	18 x 96	SLRE18096PVKN	1,070	1,240	SLRE18096PVKN-P	1,380	1,540
		24 x 30	SLRE24030PVKN	430	500	SLRE24030PVKN-P	560	630
		24 x 36	SLRE24036PVKN	460	540	SLRE24036PVKN-P	620	700
		24 x 42	SLRE24042PVKN	500	590	SLRE24042PVKN-P	680	760
		24 x 48	SLRE24048PVKN	540	630	SLRE24048PVKN-P	740	830
		24 x 54	SLRE24054PVKN	720	830	SLRE24054PVKN-P	950	1,060
	*	24 x 60	SLRE24060PVKN	730	840	SLRE24060PVKN-P	980	1,100
	*	24 x 66	SLRE24066PVKN	790	910	SLRE24066PVKN-P	1,070	1,190
	*	24 x 72	SLRE24072PVKN	810	930	SLRE24072PVKN-P	1,120	1,240
	*	24 x 84	SLRE24084PVKN	1,020	1,180	SLRE24084PVKN-P	1,380	1,540
	*	24 x 90	SLRE24090PVKN	1,080	1,250	SLRE24090PVKN-P	1,470	1,630
	*	24 x 96	SLRE24096PVKN	1,090	1,260	SLRE24096PVKN-P	1,500	1,670
		30 x 36	SLRE30036PVKN	580	680	SLRE30036PVKN-P	770	870
		30 x 42	SLRE30042PVKN	610	710	SLRE30042PVKN-P	830	940
		30 x 48	SLRE30048PVKN	650	760	SLRE30048PVKN-P	900	1,010
		30 x 54	SLRE30054PVKN	910	1,040	SLRE30054PVKN-P	1,200	1,330
	**	30 x 60	SLRE30060PVKN	920	1,060	SLRE30060PVKN-P	1,240	1,380
	**	30 x 66	SLRE30066PVKN	1,000	1,150	SLRE30066PVKN-P	1,360	1,500
	**	30 x 72	SLRE30072PVKN	1,050	1,190	SLRE30072PVKN-P	1,430	1,580
	**	30 x 84	SLRE30084PVKN	1,460	1,680	SLRE30084PVKN-P	1,910	2,120
	**	30 x 90	SLRE30090PVKN	1,490	1,710	SLRE30090PVKN-P	1,970	2,190
	**	30 x 96	SLRE30096PVKN	1,500	1,720	SLRE30096PVKN-P	2,020	2,230
rectangle (PVKR edge) 3" radius corners		18 x 36	SLRE18036PVKR	370	440	SLRE18036PVKR-P	480	530
		18 x 42	SLRE18042PVKR	530	630	SLRE18042PVKR-P	670	760
		18 x 48	SLRE18048PVKR	560	660	SLRE18048PVKR-P	710	810
		18 x 54	SLRE18054PVKR	760	880	SLRE18054PVKR-P	940	1,060
	*	18 x 60	SLRE18060PVKR	770	900	SLRE18060PVKR-P	970	1,090
	*	18 x 66	SLRE18066PVKR	840	970	SLRE18066PVKR-P	1,050	1,180
	*	18 x 72	SLRE18072PVKR	860	990	SLRE18072PVKR-P	1,090	1,220
	*	18 x 84	SLRE18084PVKR	1,090	1,260	SLRE18084PVKR-P	1,350	1,530
	*	18 x 90	SLRE18090PVKR	1,140	1,330	SLRE18090PVKR-P	1,430	1,620
	*	18 x 96	SLRE18096PVKR	1,150	1,340	SLRE18096PVKR-P	1,460	1,650
		24 x 30	SLRE24030PVKR	460	540	SLRE24030PVKR-P	590	670
		24 x 36	SLRE24036PVKR	500	590	SLRE24036PVKR-P	660	740
		24 x 42	SLRE24042PVKR	540	640	SLRE24042PVKR-P	720	810
		24 x 48	SLRE24048PVKR	580	680	SLRE24048PVKR-P	790	890
		24 x 54	SLRE24054PVKR	780	900	SLRE24054PVKR-P	1,010	1,130
	*	24 x 60	SLRE24060PVKR	780	910	SLRE24060PVKR-P	1,040	1,160
	*	24 x 66	SLRE24066PVKR	850	980	SLRE24066PVKR-P	1,130	1,260
	*	24 x 72	SLRE24072PVKR	870	1,000	SLRE24072PVKR-P	1,180	1,310
	*	24 x 84	SLRE24084PVKR	1,100	1,270	SLRE24084PVKR-P	1,460	1,630
	*	24 x 90	SLRE24090PVKR	1,170	1,350	SLRE24090PVKR-P	1,550	1,740
	*	24 x 96	SLRE24096PVKR	1,180	1,360	SLRE24096PVKR-P	1,590	1,770
		30 x 36	SLRE30036PVKR	630	740	SLRE30036PVKR-P	820	930
		30 x 42	SLRE30042PVKR	660	780	SLRE30042PVKR-P	890	1,000
		30 x 48	SLRE30048PVKR	700	820	SLRE30048PVKR-P	960	1,080
		30 x 54	SLRE30054PVKR	980	1,120	SLRE30054PVKR-P	1,260	1,410
	**	30 x 60	SLRE30060PVKR	990	1,140	SLRE30060PVKR-P	1,310	1,450
	**	30 x 66	SLRE30066PVKR	1,080	1,240	SLRE30066PVKR-P	1,430	1,590
	**	30 x 72	SLRE30072PVKR	1,120	1,280	SLRE30072PVKR-P	1,500	1,660
	**	30 x 84	SLRE30084PVKR	1,570	1,810	SLRE30084PVKR-P	2,020	2,250
	**	30 x 90	SLRE30090PVKR	1,600	1,840	SLRE30090PVKR-P	2,080	2,320
	**	30 x 96	SLRE30096PVKR	1,610	1,850	SLRE30096PVKR-P	2,120	2,360

Additonal edge profiles and top dimensions are available. Please contact Symphony for details.

Symphony

surfaces

PVEA 3mm eased edge

1 piece conference tops: rectangle, boat, oval, racetrack

For complete model number:
1. insert 2 character top shape code (rectangle **RE** , boat **BO**, oval **OV**, or racetrack **RA**)
For example 36" x 42" rectangle top #SL**RE**36042PVEA



rectangle (RE) boat (BO) oval (OV) racetrack (RA)

	edge	dimension	model no.	grade 1 list	grade 2 list
	PVEA				
		36 x 42	SL_ _36042PVEA	510	590
		36 x 48	SL_ _36048PVEA	560	650
**		36 x 54	SL_ _36054PVEA	830	890
**		36 x 60	SL_ _36060PVEA	840	900
**		36 x 66	SL_ _36066PVEA	910	1,000
**		36 x 72	SL_ _36072PVEA	940	1,040
**		36 x 84	SL_ _36084PVEA	1,260	1,400
**		36 x 90	SL_ _36090PVEA	1,310	1,440
**		36 x 96	SL_ _36096PVEA	1,320	1,460
		42 x 48	SL_ _42048PVEA	710	830
**		42 x 54	SL_ _42054PVEA	870	960
**		42 x 60	SL_ _42060PVEA	1,040	1,150
**		42 x 66	SL_ _42066PVEA	1,190	1,340
**		42 x 72	SL_ _42072PVEA	1,240	1,380
**		42 x 84	SL_ _42084PVEA	1,600	1,790
**		42 x 90	SL_ _42090PVEA	1,650	1,830
**		42 x 96	SL_ _42096PVEA	1,660	1,860
**		48 x 54	SL_ _48054PVEA	1,040	1,140
**		48 x 60	SL_ _48060PVEA	1,050	1,150
**		48 x 66	SL_ _48066PVEA	1,210	1,340
**		48 x 72	SL_ _48072PVEA	1,240	1,380
**		48 x 84	SL_ _48084PVEA	1,600	1,790
**		48 x 90	SL_ _48090PVEA	1,650	1,830
**		48 x 96	SL_ _48096PVEA	1,660	1,860
**		54 x 60	SL_ _54060PVEA	1,430	1,610
**		54 x 66	SL_ _54066PVEA	1,460	1,630
**		54 x 72	SL_ _54072PVEA	1,510	1,680
**		54 x 84	SL_ _54084PVEA	1,930	2,160
**		54 x 90	SL_ _54090PVEA	2,010	2,260
**		54 x 96	SL_ _54096PVEA	2,030	2,280
**		60 x 66	SL_ _60066PVEA	1,460	1,630
**		60 x 72	SL_ _60072PVEA	1,510	1,680
**		60 x 84	SL_ _60084PVEA	1,930	2,160
**		60 x 90	SL_ _60090PVEA	2,010	2,260
**		60 x 96	SL_ _60096PVEA	2,030	2,280

Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.

**** 2 support bars included**

Radius corners available for rectangle and boat shaped tops - contact Symphony for details and pricing.

surfaces


PVKN 3mm knife edge

1 piece conference tops: rectangle, boat, oval, racetrack

For complete model number:
1. insert 2 character top shape code (rectangle **RE** , boat **BO**, oval **OV**, or racetrack **RA**)
For example 36" x 42" rectangle top #SL**RE**36042PVEA




rectangle (RE) boat (BO) oval (OV) racetrack (RA)

	edge	dimension	model no. (natural waxed MDF edge)	grade 1 list (natural waxed MDF edge)	grade 2 list (natural waxed MDF edge)	model no. (painted edge)	grade 1 list (black or white painted edge)	grade 2 list (black or white painted edge)
	PVKN							
		36 x 42	SL_ _36042PVKN	700	830	SL_ _36042PVKN-P	900	1,030
		36 x 48	SL_ _36048PVKN	780	910	SL_ _36048PVKN-P	990	1,120
**		36 x 54	SL_ _36054PVKN	1,050	1,210	SL_ _36054PVKN-P	1,280	1,440
**		36 x 60	SL_ _36060PVKN	1,060	1,220	SL_ _36060PVKN-P	1,300	1,460
**		36 x 66	SL_ _36066PVKN	1,170	1,360	SL_ _36066PVKN-P	1,430	1,620
**		36 x 72	SL_ _36072PVKN	1,210	1,400	SL_ _36072PVKN-P	1,480	1,670
**		36 x 84	SL_ _36084PVKN	1,640	1,900	SL_ _36084PVKN-P	1,940	2,200
**		36 x 90	SL_ _36090PVKN	1,680	1,940	SL_ _36090PVKN-P	2,000	2,260
**		36 x 96	SL_ _36096PVKN	1,710	1,970	SL_ _36096PVKN-P	2,040	2,300
		42 x 48	SL_ _42048PVKN	990	1,170	SL_ _42048PVKN-P	1,220	1,400
**		42 x 54	SL_ _42054PVKN	1,130	1,300	SL_ _42054PVKN-P	1,370	1,540
**		42 x 60	SL_ _42060PVKN	1,350	1,570	SL_ _42060PVKN-P	1,610	1,830
**		42 x 66	SL_ _42066PVKN	1,580	1,850	SL_ _42066PVKN-P	1,850	2,120
**		42 x 72	SL_ _42072PVKN	1,620	1,880	SL_ _42072PVKN-P	1,910	2,170
**		42 x 84	SL_ _42084PVKN	2,120	2,470	SL_ _42084PVKN-P	2,440	2,790
**		42 x 90	SL_ _42090PVKN	2,160	2,510	SL_ _42090PVKN-P	2,490	2,840
**		42 x 96	SL_ _42096PVKN	2,190	2,530	SL_ _42096PVKN-P	2,540	2,880
**		48 x 54	SL_ _48054PVKN	1,340	1,560	SL_ _48054PVKN-P	1,600	1,820
**		48 x 60	SL_ _48060PVKN	1,350	1,570	SL_ _48060PVKN-P	1,620	1,840
**		48 x 66	SL_ _48066PVKN	1,580	1,850	SL_ _48066PVKN-P	1,870	2,140
**		48 x 72	SL_ _48072PVKN	1,620	1,880	SL_ _48072PVKN-P	1,920	2,180
**		48 x 84	SL_ _48084PVKN	2,120	2,470	SL_ _48084PVKN-P	2,450	2,800
**		48 x 90	SL_ _48090PVKN	2,160	2,510	SL_ _48090PVKN-P	2,510	2,860
**		48 x 96	SL_ _48096PVKN	2,190	2,530	SL_ _48096PVKN-P	2,550	2,890
**		54 x 60	SL_ _54060PVKN	1,980	2,340	SL_ _54060PVKN-P	2,240	2,600
**		54 x 66	SL_ _54066PVKN	2,000	2,360	SL_ _54066PVKN-P	2,280	2,640
**		54 x 72	SL_ _54072PVKN	2,020	2,380	SL_ _54072PVKN-P	2,320	2,680
**		54 x 84	SL_ _54084PVKN	2,590	3,060	SL_ _54084PVKN-P	2,920	3,380
**		54 x 90	SL_ _54090PVKN	2,680	3,160	SL_ _54090PVKN-P	3,030	3,490
**		54 x 96	SL_ _54096PVKN	2,690	3,170	SL_ _54096PVKN-P	3,070	3,520
**		60 x 66	SL_ _60066PVKN	2,000	2,360	SL_ _60066PVKN-P	2,300	2,650
**		60 x 72	SL_ _60072PVKN	2,020	2,380	SL_ _60072PVKN-P	2,330	2,690
**		60 x 84	SL_ _60084PVKN	2,590	3,060	SL_ _60084PVKN-P	2,930	3,390
**		60 x 90	SL_ _60090PVKN	2,680	3,160	SL_ _60090PVKN-P	3,050	3,510
**		60 x 96	SL_ _60096PVKN	2,690	3,170	SL_ _60096PVKN-P	3,080	3,530

Formica HPL laminate finish grades listed on pages 4-5 For additional laminate grades, contact Symphony.

**** 2 support bars included**

Radius corners available for rectangle and boat shaped tops - contact Symphony for details and pricing.



surfaces

PVEA 3mm eased edge

2 piece conference tops: rectangle, boat, oval, racetrack

For complete model number:
1. insert 2 character top shape code (rectangle **RE** , boat **BO**, oval **OV**, or racetrack **RA**)
For example 36" x 42" rectangle top #SL**RE**36042PVEA



edge		dimension	model no.	PVEA grade 1 list	PVEA grade 2 list	grain match model no.	grain match grade 1 list upcharge	grain match grade 2 list upcharge
PVEA								
	2+	36 x 120	SL_ _36120PVEA	1,560	1,730	OTGRMTCH36120	270	330
	2+	36 x 144	SL_ _36144PVEA	1,770	1,950	OTGRMTCH36144	320	400
	2+	42 x 120	SL_ _42120PVEA	1,940	2,180	OTGRMTCH42120	320	390
	2+	42 x 144	SL_ _42144PVEA	2,310	2,590	OTGRMTCH42144	380	460
	2+	42 x 168	SL_ _42168PVEA	2,730	3,090	OTGRMTCH42168	440	540
	2+	42 x 192	SL_ _42192PVEA	3,120	3,540	OTGRMTCH42192	500	620
	2+	48 x 120	SL_ _48120PVEA	1,960	2,190	OTGRMTCH48120	360	440
	2+	48 x 144	SL_ _48144PVEA	2,310	2,590	OTGRMTCH48144	430	530
	2+	48 x 168	SL_ _48168PVEA	2,750	3,090	OTGRMTCH48168	500	620
	2+	48 x 192	SL_ _48192PVEA	3,140	3,540	OTGRMTCH48192	580	700
	2+	54 x 120	SL_ _54120PVEA	2,350	2,650	OTGRMTCH54120	410	500
	2+	54 x 144	SL_ _54144PVEA	2,800	3,170	OTGRMTCH54144	490	600
	2+	54 x 168	SL_ _54168PVEA	3,680	4,190	OTGRMTCH54168	570	700
	2+	54 x 192	SL_ _54192PVEA	3,770	4,290	OTGRMTCH54192	650	800
	2+	60 x 120	SL_ _60120PVEA	2,350	2,650	OTGRMTCH60120	450	550
	2+	60 x 144	SL_ _60144PVEA	2,800	3,170	OTGRMTCH60144	540	660
	2+	60 x 168	SL_ _60168PVEA	3,680	4,190	OTGRMTCH60168	630	770
	2+	60 x 192	SL_ _60192PVEA	3,770	4,290	OTGRMTCH60192	720	880


Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.

2+ 2 piece top with bars + table lock set included

Grain Match fees for 2 piece tops with a wood grain laminate
See above chart, use model number OTGRMTCH with the top depth x length-Gr1 or Gr2 - for example OTGRMTCH36120-GR1

Radius corners available for rectangle and boat shaped tops - contact Symphony for pricing.

PVKN or PVKN-P EDGE DETAIL (pricing on opposite page)



PVKN EXPOSED MDF CORE SANDED SMOOTH WITH A WAX COATING
PVKN-P PAINTED KNIFE EDGE - SPECIFY BLACK OR WHITE PAINT

surfaces

PVKN 3mm knife edge

1 piece conference tops: rectangle, boat, oval, racetrack

For complete model number:
1. insert 2 character top shape code (rectangle **RE** , boat **BO**, oval **OV**, or racetrack **RA**)
For example 36" x 42" rectangle top #SL**RE**36042PVEA



edge		dimension	model no. (natural waxed MDF edge)	grade 1 list (natural waxed MDF edge)	grade 2 list (natural waxed MDF edge)	grain match model no.	grain match grade 1 list upcharge	grain match grade 2 list upcharge
PVKN (natural waxed MDF)								
	**2+**	36 x 120	SL_ _36120PVKN	2,040	2,370	OTGRMTCH36120	270	330
	2+	36 x 144	SL_ _36144PVKN	2,300	2,670	OTGRMTCH36144	320	400
	2+	42 x 120	SL_ _42120PVKN	2,570	3,010	OTGRMTCH42120	320	390
	2+	42 x 144	SL_ _42144PVKN	3,090	3,610	OTGRMTCH42144	380	460
	2+	42 x 168	SL_ _42168PVKN	3,670	4,270	OTGRMTCH42168	440	540
	2+	42 x 192	SL_ _42192PVKN	4,190	4,890	OTGRMTCH42192	500	620
	2+	48 x 120	SL_ _48120PVKN	2,570	3,010	OTGRMTCH48120	360	440
	2+	48 x 144	SL_ _48144PVKN	3,090	3,610	OTGRMTCH48144	430	530
	2+	48 x 168	SL_ _48168PVKN	3,670	4,270	OTGRMTCH48168	500	620
	2+	48 x 192	SL_ _48192PVKN	4,190	4,890	OTGRMTCH48192	580	700
	2+	54 x 120	SL_ _54120PVKN	3,230	3,830	OTGRMTCH54120	410	500
	2+	54 x 144	SL_ _54144PVKN	3,850	4,560	OTGRMTCH54144	490	600
	2+	54 x 168	SL_ _54168PVKN	5,090	6,040	OTGRMTCH54168	570	700
	2+	54 x 192	SL_ _54192PVKN	5,110	6,060	OTGRMTCH54192	650	800
	2+	60 x 120	SL_ _60120PVKN	3,230	3,830	OTGRMTCH60120	450	550
	2+	60 x 144	SL_ _60144PVKN	3,850	4,560	OTGRMTCH60144	540	660
	2+	60 x 168	SL_ _60168PVKN	5,090	6,040	OTGRMTCH60168	630	770
	2+	60 x 192	SL_ _60192PVKN	5,110	6,060	OTGRMTCH60192	720	880

edge		dimension	model no. (painted edge)	grade 1 list (painted edge)	grade 2 list (painted edge)	grain match model no.	grain match grade 1 list upcharge	grain match grade 2 list upcharge
PVKN-P (painted)								
	**2+**	36 x 120	SL_ _36120PVKN-P	2,430	2,760	OTGRMTCH36120	270	330
	2+	36 x 144	SL_ _36144PVKN-P	2,750	3,120	OTGRMTCH36144	320	400
	2+	42 x 120	SL_ _42120PVKN-P	2,980	3,420	OTGRMTCH42120	320	390
	2+	42 x 144	SL_ _42144PVKN-P	3,560	4,080	OTGRMTCH42144	380	460
	2+	42 x 168	SL_ _42168PVKN-P	4,200	4,800	OTGRMTCH42168	440	540
	2+	42 x 192	SL_ _42192PVKN-P	4,780	5,480	OTGRMTCH42192	500	620
	2+	48 x 120	SL_ _48120PVKN-P	2,990	3,430	OTGRMTCH48120	360	440
	2+	48 x 144	SL_ _48144PVKN-P	3,570	4,090	OTGRMTCH48144	430	530
	2+	48 x 168	SL_ _48168PVKN-P	4,210	4,810	OTGRMTCH48168	500	620
	2+	48 x 192	SL_ _48192PVKN-P	4,800	5,500	OTGRMTCH48192	580	700
	2+	54 x 120	SL_ _54120PVKN-P	3,640	4,230	OTGRMTCH54120	410	500
	2+	54 x 144	SL_ _54144PVKN-P	4,310	5,030	OTGRMTCH54144	490	600
	2+	54 x 168	SL_ _54168PVKN-P	5,600	6,560	OTGRMTCH54168	570	700
	2+	54 x 192	SL_ _54192PVKN-P	5,730	6,640	OTGRMTCH54192	650	800
	2+	60 x 120	SL_ _60120PVKN-P	3,650	4,250	OTGRMTCH60120	450	550
	2+	60 x 144	SL_ _60144PVKN-P	4,330	5,040	OTGRMTCH60144	540	660
	2+	60 x 168	SL_ _60168PVKN-P	5,620	6,570	OTGRMTCH60168	630	770
	2+	60 x 192	SL_ _60192PVKN-P	5,750	6,650	OTGRMTCH60192	720	880

Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.

2+ 2 piece top with bars + table lock set included

Grain Match fees for 2 piece tops with a wood grain laminate
See above chart, use model number OTGRMTCH with the top depth x length-Gr1 or Gr2 - for example OTGRMTCH36120-GR1

Radius corners available for rectangle and boat shaped tops - contact Symphony for pricing.

PVEA 3mm eased edge & PVKN 3mm knife edge
arc trapezoid, arc rectangle


For complete model number insert 2 character edge code: (PV<u>EA</u> for eased or PV<u>KN</u> for knife edge)

shape	dimension	model no.	PVEA grade 1 list	PVEA grade 2 list	PVKN grade 1 list	PVKN grade 2 list	PVKN-P grade 1 list	PVKN-P grade 2 list	grain match model no.	grain match grade 1 list upcharge	grain match grade 2 list upcharge
arc trapezoid											
**	60 x 96	SLAT60096PV_ _	2,230	2,510	2,960	3,450	3,350	3,830	-	-	-
2+	60 x 120	SLAT60120PV_ _	2,590	2,920	3,530	4,180	3,950	4,600	OTGRMTCH60120	450	550
2+	60 x 144	SLAT60144PV_ _	3,080	3,490	4,210	4,990	4,680	5,470	OTGRMTCH60144	540	660
2+	60 x 168	SLAT60168PV_ _	4,050	4,610	5,560	6,610	6,090	7,140	OTGRMTCH60168	630	770
2+	60 x 192	SLAT60192PV_ _	4,150	4,720	5,620	6,630	6,260	7,220	OTGRMTCH60192	720	880
arc rectangle											
**	42 x 72	SLAR42072PV_ _	1,360	1,520	1,780	2,080	2,070	2,360	-	-	-
**	42 x 84	SLAR42084PV_ _	1,760	1,970	2,330	2,720	2,650	3,040	-	-	-
**	42 x 90	SLAR42090PV_ _	1,820	2,010	2,380	2,760	2,710	3,090	-	-	-
**	42 x 96	SLAR42096PV_ _	1,830	2,050	2,410	2,780	2,760	3,130	-	-	-
2+	42 x 120	SLAR42120PV_ _	2,130	2,400	2,830	3,350	3,240	3,730	OTGRMTCH42120	320	390
2+	42 x 144	SLAR42144PV_ _	2,540	2,850	3,400	4,000	3,870	4,440	OTGRMTCH42144	380	460
2+	42 x 168	SLAR42168PV_ _	3,000	3,400	4,040	4,700	4,570	5,230	OTGRMTCH42168	440	540
2+	42 x 192	SLAR42192PV_ _	3,430	3,890	4,610	5,380	5,200	5,970	OTGRMTCH42192	500	620
**	48 x 72	SLAR48072PV_ _	1,360	1,520	1,780	2,080	2,080	2,370	-	-	-
**	48 x 84	SLAR48084PV_ _	1,760	1,970	2,330	2,720	2,660	3,050	-	-	-
**	48 x 90	SLAR48090PV_ _	1,820	2,010	2,380	2,760	2,730	3,110	-	-	-
**	48 x 96	SLAR48096PV_ _	1,830	2,050	2,410	2,780	2,770	3,140	-	-	-
2+	48 x 120	SLAR48120PV_ _	2,160	2,410	2,830	3,350	3,250	3,740	OTGRMTCH48120	360	440
2+	48 x 144	SLAR48144PV_ _	2,540	2,850	3,400	4,000	3,880	4,450	OTGRMTCH48144	430	530
2+	48 x 168	SLAR48168PV_ _	3,030	3,400	4,040	4,700	4,580	5,240	OTGRMTCH48168	500	620
2+	48 x 192	SLAR48192PV_ _	3,450	3,890	4,610	5,380	5,220	5,990	OTGRMTCH48192	580	700
**	54 x 72	SLAR54072PV_ _	1,660	1,850	2,200	2,600	2,510	2,890	-	-	-
**	54 x 84	SLAR54084PV_ _	2,120	2,380	2,820	3,330	3,170	3,660	-	-	-
**	54 x 90	SLAR54090PV_ _	2,210	2,490	2,940	3,440	3,300	3,780	-	-	-
**	54 x 96	SLAR54096PV_ _	2,230	2,510	2,960	3,450	3,340	3,820	-	-	-
2+	54 x 120	SLAR54120PV_ _	2,590	2,920	3,530	4,180	3,940	4,590	OTGRMTCH54120	410	500
2+	54 x 144	SLAR54144PV_ _	3,080	3,490	4,210	4,990	4,670	5,450	OTGRMTCH54144	490	600
2+	54 x 168	SLAR54168PV_ _	4,050	4,610	5,560	6,610	6,080	7,130	OTGRMTCH54168	570	700
2+	54 x 192	SLAR54192PV_ _	4,150	4,720	5,620	6,630	6,240	7,210	OTGRMTCH54192	650	800
**	60 x 72	SLAR60072PV_ _	1,660	1,850	2,200	2,600	2,530	2,910	-	-	-
**	60 x 84	SLAR60084PV_ _	2,120	2,380	2,820	3,330	3,180	3,670	-	-	-
**	60 x 90	SLAR60090PV_ _	2,210	2,490	2,940	3,440	3,320	3,790	-	-	-
**	60 x 96	SLAR60096PV_ _	2,230	2,510	2,960	3,450	3,350	3,830	-	-	-
2+	60 x 120	SLAR60120PV_ _	2,590	2,920	3,530	4,180	3,970	4,600	OTGRMTCH60120	450	550
2+	60 x 144	SLAR60144PV_ _	3,080	3,490	4,210	4,990	4,700	5,470	OTGRMTCH60144	540	660
2+	60 x 168	SLAR60168PV_ _	4,050	4,610	5,560	6,610	6,110	7,140	OTGRMTCH60168	630	770
2+	60 x 192	SLAR60192PV_ _	4,150	4,720	5,620	6,630	6,260	7,220	OTGRMTCH60192	720	880

Formica HPL laminate finish grades listed on pages 4-5.
For additional laminate grades, contact Symphony.

**** 2 support bars included**
2+ 2 piece top with bars + table lock set included

<u>Grain Match fees for 2 piece tops with a wood grain laminate</u>
See above chart, use model number OTGRMTCH with the top depth x length-Gr1 or Gr2 - for example OTGRMTCH36120-GR1



PVKN EXPOSED MDF CORE SANDED SMOOTH WITH A WAX COATING

PVKN-P PAINTED KNIFE EDGE - SPECIFY BLACK OR WHITE PAINT

PVEA 3mm eased edge & PVKN 3mm knife edge
half arced rectangle, half boat, trapezoid media, bullet media

For complete model number:
1. insert 2 character top shape code (half arced rectangle <u>HR</u> , half boat <u>HB</u>, trapezoid media <u>TM</u>, or bullet media <u>BM</u>)
2. insert 2 character edge shape code (PV<u>EA</u> eased or PV<u>KN</u> knife)
For example 48" x 72" trapezoid media top #SL<u>TM</u>48072PV<u>EA</u>




half arced rectangle (<u>HR</u>) half boat (<u>HB</u>) trapezoid media (<u>TM</u>) bullet media (<u>BM</u>)

	dimension	model no.	PVEA grade 1 list	PVEA grade 2 list	PVKN grade 1 list	PVKN grade 2 list	PVKN-P grade 1 list	PVKN-P grade 2 list	grain match model no.	grain match grade 1 list upcharge	grain match grade 2 list upcharge
**	36 x 72	SL _ _36072PV_ _	1,030	1,140	1,330	1,540	1,600	1,810	-	-	-
**	36 x 84	SL _ _36084PV_ _	1,390	1,540	1,800	2,090	2,100	2,390	-	-	-
**	36 x 90	SL _ _36090PV_ _	1,440	1,580	1,850	2,130	2,170	2,450	-	-	-
**	36 x 96	SL _ _36096PV_ _	1,450	1,610	1,880	2,170	2,210	2,500	-	-	-
2+	36 x 120	SL _ _36120PV_ _	1,720	1,900	2,240	2,610	2,630	3,000	OTGRMTCH36120	270	330
2+	36 x 144	SL _ _36144PV_ _	1,950	2,150	2,530	2,940	2,980	3,390	OTGRMTCH36144	320	400
**	42 x 72	SL _ _42072PV_ _	1,360	1,520	1,780	2,080	2,070	2,360	-	-	-
**	42 x 84	SL _ _42084PV_ _	1,760	1,970	2,330	2,720	2,650	3,040	-	-	-
**	42 x 90	SL _ _42090PV_ _	1,820	2,010	2,380	2,760	2,710	3,090	-	-	-
**	42 x 96	SL _ _42096PV_ _	1,830	2,050	2,410	2,780	2,760	3,130	-	-	-
2+	42 x 120	SL _ _42120PV_ _	2,130	2,400	2,830	3,350	3,240	3,730	OTGRMTCH42120	320	390
2+	42 x 144	SL _ _42144PV_ _	2,540	2,850	3,400	4,000	3,870	4,440	OTGRMTCH42144	380	460
2+	42 x 168	SL _ _42168PV_ _	3,000	3,400	4,040	4,700	4,570	5,230	OTGRMTCH42168	440	540
2+	42 x 192	SL _ _42192PV_ _	3,430	3,890	4,610	5,380	5,200	5,970	OTGRMTCH42192	500	620
**	48 x 72	SL _ _48072PV_ _	1,360	1,520	1,780	2,080	2,080	2,370	-	-	-
**	48 x 84	SL _ _48084PV_ _	1,760	1,970	2,330	2,720	2,660	3,050	-	-	-
**	48 x 90	SL _ _48090PV_ _	1,820	2,010	2,380	2,760	2,730	3,110	-	-	-
**	48 x 96	SL _ _48096PV_ _	1,830	2,050	2,410	2,780	2,770	3,140	-	-	-
2+	48 x 120	SL _ _48120PV_ _	2,160	2,410	2,830	3,350	3,250	3,740	OTGRMTCH48120	360	440
2+	48 x 144	SL _ _48144PV_ _	2,540	2,850	3,400	4,000	3,880	4,450	OTGRMTCH48144	430	530
2+	48 x 168	SL _ _48168PV_ _	3,030	3,400	4,040	4,700	4,580	5,240	OTGRMTCH48168	500	620
2+	48 x 192	SL _ _48192PV_ _	3,450	3,890	4,610	5,380	5,220	5,990	OTGRMTCH48192	580	700
**	54 x 72	SL _ _54072PV_ _	1,660	1,850	2,200	2,600	2,510	2,890	-	-	-
**	54 x 84	SL _ _54084PV_ _	2,120	2,380	2,820	3,330	3,170	3,660	-	-	-
**	54 x 90	SL _ _54090PV_ _	2,210	2,490	2,940	3,440	3,300	3,780	-	-	-
**	54 x 96	SL _ _54096PV_ _	2,230	2,510	2,960	3,450	3,340	3,820	-	-	-
2+	54 x 120	SL _ _54120PV_ _	2,590	2,920	3,530	4,180	3,940	4,590	OTGRMTCH54120	410	500
2+	54 x 144	SL _ _54144PV_ _	3,080	3,490	4,210	4,990	4,670	5,450	OTGRMTCH54144	490	600
2+	54 x 168	SL _ _54168PV_ _	4,050	4,610	5,560	6,610	6,080	7,130	OTGRMTCH54168	570	700
2+	54 x 192	SL _ _54192PV_ _	4,150	4,720	5,620	6,630	6,240	7,210	OTGRMTCH54192	650	800
**	60 x 72	SL _ _60072PV_ _	1,660	1,850	2,200	2,600	2,530	2,910	-	-	-
**	60 x 84	SL _ _60084PV_ _	2,120	2,380	2,820	3,330	3,180	3,670	-	-	-
**	60 x 90	SL _ _60090PV_ _	2,210	2,490	2,940	3,440	3,320	3,790	-	-	-
**	60 x 96	SL _ _60096PV_ _	2,230	2,510	2,960	3,450	3,350	3,830	-	-	-
2+	60 x 120	SL _ _60120PV_ _	2,590	2,920	3,530	4,180	3,970	4,600	OTGRMTCH60120	450	550
2+	60 x 144	SL _ _60144PV_ _	3,080	3,490	4,210	4,990	4,700	5,470	OTGRMTCH60144	540	660
2+	60 x 168	SL _ _60168PV_ _	4,050	4,610	5,560	6,610	6,110	7,140	OTGRMTCH60168	630	770
2+	60 x 192	SL _ _60192PV_ _	4,150	4,720	5,620	6,630	6,260	7,220	OTGRMTCH60192	720	880

Formica HPL laminate finish grades listed on pages 4-5.
For additional laminate grades, contact Symphony.

**** 2 support bars included**
2+ 2 piece top with bars + table lock set included

<u>Grain Match fees for 2 piece tops with a wood grain laminate</u>
See above chart, use model number OTGRMTCH with the top depth x length-Gr1 or Gr2 - for example OTGRMTCH36120-GR1



PVKN EXPOSED MDF CORE SANDED SMOOTH WITH A WAX COATING


PVKN-P PAINTED KNIFE EDGE - SPECIFY BLACK OR WHITE PAINT

surfaces

PVEA 3mm eased edge & PVKN 3mm knife edge

Pic

shape		dimension	model no.	PVEA grade 1 list	PVEA grade 2 list	PVKN grade 1 list	PVKN grade 2 list	PVKN-P grade 1 list	PVKN-P grade 2 list	grain match model no.	grain match grade 1 list upcharge	grain match grade 2 list upcharge
Pic	**	48 x 72	SLPI48072PV _ _	1,360	1,520	1,780	2,080	2,080	2,370	-	-	-
	**	48 x 96	SLPI48096PV _ _	1,830	2,050	2,410	2,780	2,770	3,140	-	-	-
	**	60 x 156	SLPI60156PV _ _	4,050	4,610	5,560	6,610	6,110	7,140	OTGRMTCH60168	630	770



Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.

**** 2 support bars included** **2+ 2 piece top with bars + table lock set included**

surfaces

PVEA 3mm eased edge additional shapes

shape		dimensions	model no.	PVEA grade 1 list	PVEA grade 2 list
quarter round		18 x 18	SLQR18018PVEA	190	220
		24 x 24	SLQR24024PVEA	310	350
		30 x 30	SLQR30030PVEA	440	510
half round		18 x 36	SLHA18036PVEA	300	350
		24 x 48	SLHA24048PVEA	480	560
	*	30 x 60	SLHA30060PVEA	770	890
crescent		18 x 36	SLCR18036PVEA	340	390
		24 x 48	SLCR24048PVEA	570	650
	*	24 x 60	SLCR24060PVEA	760	850
	*	30 x 60	SLCR30060PVEA	870	980
trapezoid		24 x 48	SLTR24048PVEA	480	560
	*	30 x 60	SLTR30060PVEA	770	890
	*	30 x 72	SLTR30072PVEA	930	1,080
corner - angled front		24 x 36	SLCA24036PVEA	520	600
		24 x 42	SLCA24042PVEA	740	870
		24 x 48	SLCA24048PVEA	760	890
corner - curved front		24 x 36	SLCC24036PVEA	520	600
		24 x 42	SLCC24042PVEA	740	870
		24 x 48	SLCC24048PVEA	760	890
corner - extended curved front	*	24 x 36 x 60	SLCE243660PVEA	890	1,030
	*	24 x 36 x 72	SLCE243672PVEA	1,050	1,230
	*	24 x 48 x 60	SLCE244860PVEA	1,180	1,380
	*	24 x 48 x 72	SLCE244872PVEA	1,400	1,630
	*	24 x 60 x 36	SLCE246036PVEA	890	1,030
	*	24 x 72 x 36	SLCE247236PVEA	1,050	1,230
	*	24 x 60 x 48	SLCE246048PVEA	1,180	1,380
	*	24 x 72 x 48	SLCE247248PVEA	1,400	1,630
corner - 120 degree		24 x 36	SL1224036PVEA	1,360	1,600
		24 x 42	SL1224042PVEA	1,770	2,090
		24 x 48	SL1224048PVEA	1,820	2,140
wedge		24 x 30 x 36	SLWE243036PVEA	450	530
		24 x 30 x 42	SLWE243042PVEA	590	690
		24 x 30 x 48	SLWE243048PVEA	590	690
	*	24 x 30 x 60	SLWE243060PVEA	740	850
		30 x 24 x 36	SLWE302436PVEA	450	530
		30 x 24 x 42	SLWE302442PVEA	590	690
		30 x 24 x 48	SLWE302448PVEA	590	690
	*	30 x 24 x 60	SLWE302460PVEA	740	850

Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.

*** 1 support bar included**

general information

Terms of Sale

All prices listed are delivered pricing to the 48 contiguous states. Orders shipped to Hawaii, Alaska, and Puerto Rico ship to the port of embarkation. Product specifications and pricing is based on the information at time of publication. Symphony reserves the right to make changes at any time without notice regarding product specifications and pricing. Terms are Net 30 from the date of shipment (net 10, 1% discount). Prices are subject to change annually for changes in accordance with state contract regulations. All customer/nonstandard products are subject to a fifty percent (50%) advance deposit. There will be a service charge of 1 1/2% per month on all invoices past due. Symphony reserves the right to use its own or commercial carriers for the "best way" to ship, at its sole discretion.

Quality Standards
Symphony Furniture products meet or exceed applicable ANSI/BIFMA durability and safety standards when properly installed with appropriate size base.

Warranty
All Symphony products are guaranteed against defect for a period of ten (10) years. Electrical items and height adjustment mechanisms are guaranteed against defect for a period of five (5) years. Symphony will replace or repair (at our discretion) without cost to our customers any item found to be defective as a result of defective material or workmanship. This excludes any item which has been abused or subjected to any use other than that which was originally intended for our product. Any repairs by our customer must receive specific written authorization from Symphony before work is initiated. This warranty is given to the initial purchaser and is valid for as long as the product is owned by the initial purchaser. The warranty, which runs from the date of manufacture, covers defects in materials and craftsmanship found during normal usage of the products during the warranty period. If a product is defective, and if written notice of the defect is given to Symphony within the warranty period, Symphony at its discretion will either repair or replace the defective product with a comparable component or product, or provide a refund of the purchase price. In no event shall liability under this warranty exceed the original purchase price. Warranty on plastic laminates is not covered by Symphony but is covered by laminate manufacturers under their specific warranty only. There are no other warranties expressed or implied. This warranty does not apply to damage caused by a carrier, alterations to the product not expressly authorized by Symphony. Symphony does not warrant the matching of color, grain, or texture except to within commercially acceptable standards. A product will not be considered defective, and Symphony will not be obligated to replace it, if that product is subject to any of Symphony's written planning, installation or user guides, and is not installed or used as recommended.
Please note that all Losa tables and conference/media tables should not be moved as a complete unit after the product has been assembled. If it is moved, then this could result in the tables being "racked" which could also disrupt the top plate and/ or cam lock routing and predrilled holes. This type of damage is not covered under warranty. In order to move a table, you must unassembled the table completely and re-assemble it in the new location.

Minimum order/Freight Charge
Zone 1 orders less than $5,000 list (U.S.) - $200 net
Zone 2 orders less than $5,000 list (U.S.) - $260 net

Sales Policy
Possession of this price list does not constitute authority to purchase and/or sell products contained herein. All orders are subject to acceptance by Symphony Furniture.
New Accounts
New accounts can only be established with:
Approval of Symphony sales representative
Valid purchase order
State Resale/Exemption Certificate or order will be charged the appropriate sales tax
Application & credit references
Payment in full (initial orders under $4,000 list) or 50% deposit in advance

terms and conditions

Taxes
Symphony requires a state Resale/Exemption Certificate on file in our main office. Sales made without a certificate will be charged the appropriate sales tax as required by law.

Freight Terms
Freight charges will be prepaid on all shipments unless special arrangements have been made. Normal delivery is dock to dock. Special requests, such as inside delivery, lift gate service; residential delivery, etc. are subject to additional charges. All accessorial charges not requested on purchase order will be the responsibility of the consignee. Symphony reserves the right to select the "best way" shipment method and means. Delivery date and times are at the discretion of the carrier within reasonable transit time unless special arrangements have been made between the customer and Symphony.

Acknowledgements
Every order is acknowledged. Orders will be manufactured and invoiced based upon the information on the acknowledgment. If there is any discrepancy, please notify Symphony immediately. Orders are accepted by Symphony per terms on the acknowledgment. All acknowledgements contain an estimated shipping date. Your order may actually ship earlier than the expected shipping date, depending on the backlog at the time. If you do not want the merchandise earlier than the specified date, please write "Do not ship for arrival before_____" on your purchase order.

Revised Orders
Orders requiring changes to the product or additional options will not incur additional costs unless orders have been processed. Orders revised after being manufactured are subject to additional charges.

Changes or Cancellations
Orders entered and acknowledged cannot be changed or cancelled without Symphony's consent. The customer is responsible for all costs incurred, and a minimum cancellation or change charge of 25% will be invoiced if an order is cancelled or changed within 15 working days of shipment. Orders for nonstandard products are not cancelable.

Shipments on Hold
Any shipment placed on hold by customer's request or due to balance owed, will be manufactured per the originally scheduled ship date. Storage charges will begin to accrue 7 days from that date. Any order held by our factory over 30 days will be billed and must be promptly paid even though shipment is held at factory at customer's request.

Special or Additional Freight Charges
Symphony Furniture reserves the right to charge the following when incurring additional freight costs. Destination changes after product has shipped - $50.00 plus $2.00/mile after the first 10 miles. Wait time for delivery of greater then two hours - $130.00/hour. Trailer drop/switch delivery - $200.00/trailer. Deliveries Friday (after 3:00pm) through Sunday or Holidays - $600.00/day. Third party to pick up freight at the terminal - $200.00.

Redelivery of Freight
When redelivery of merchandise is required because customer is not ready to accept merchandise, and no notification of this fact is given to the factory at least two weeks prior to the scheduled ship date, the actual costs for freight, restocking and re-handling, plus 5% at the order value, will be billed to the customer.

Receipt of Order
1. Carefully inspect all incoming items
2. If an item is damaged, please note the damage on the delivery receipt.
3. Immediately contact the carrier to request an inspection and their freight claim form.
4. File the freight claim form with the carrier within five days of receipt.
5. If any item is missing or is not correct, please contact Symphony immediately.

Any concealed damages or shortage not reported with 5 business days from delivery shall be the sole responsibility of the customer.

terms and conditions

Shipment Damage Claims
Legal title of merchandise passes to the buyer upon acceptance of the carrier. All merchandise is packed to comply with carrier requirements. Shipments should be carefully inspected by the consignee before acceptance and the delivery carrier should be requested to record any damage or shortage. If further damage is found after delivery, immediate inspection by the delivering carrier should be requested. Notification of concealed damages must be made to the delivering carrier within 5 days after delivery of merchandise. Carrier liability ceases after this period. Damaged freight must be kept at the point of delivery in the original packing for inspection by the carrier. Please be advised that if the carrier obtains a clear receipt for shipment, they are no longer responsible for damage or shortages. Please note that electronically signing the carrier's tablet at the time of delivery means that you are accepting the delivery and no damages are being notated. If you see anything that indicates a shipment has been tampered with or shows signs of damage, then ask the driver to report it to the freight company and take pictures.

Shipment Shortage Claims
Shortage claims reported after 10 days beyond shipment date will not be honored.

Unopened Shipment Damage Claims
Neither Symphony nor the carrier is responsible for concealed damage claims if shipments are left unopened. Notification of concealed damages must be made to the delivering carrier within 5 days after delivery of merchandise. Refusal to accept an order from the carrier does not relieve you of the responsibility for payment, and may incur additional charges.

Lost Shipments
Symphony issues a bill of lading to consignee on the date of shipment. If shipment is not received within 20 days of shipment date, notify us. Symphony and the carrier do not assume obligation for lost or damaged shipment claims after 6 months of shipping date.

Title to Merchandise
Title to merchandise shall pass to the buyer upon delivery by Symphony to the carrier. For purposes of risk or loss, all shipments are F.O.B. factory. Buyer acknowledges that once Symphony delivers the goods to the carrier, title to the goods and risk of loss will pass to the buyer. If the goods are damaged by the carrier while in transit, the buyer has the sole obligation of seeking recourse from the carrier.

Returns
Symphony will not permit return of materials without written consent if materials shipped are as acknowledged. Return shipments when accepted are subject to a re-handling/restocking charge, in accordance with the state contract after the merchandise is received and inspected. All freight or express charges must be prepaid on return shipments; otherwise, they will not be accepted. Damaged materials and all items specially built to order cannot be returned under any conditions.

Repair and Replacement
Any labor charges for correcting a manufacturing problem must be submitted and approved before correction is undertaken, if the units are under warranty. Labor charges will not be paid if the estimate was not submitted and approved prior to labor being completed.

Contact Information
Symphony Furniture, 1720 Mars Hill Road, Suite 8-287, Acworth, GA 30101, GA 30318-1732
Phone: 866.507.7795
Fax: 888.683.0007
www.Symphonytables.com
Email: service@symphonytables.com

table care and maintenance

Table Care and Maintenance

Laminate Surfaces, Vinyl & PVC edges
High-pressure laminate is durable and requires minimal maintenance. To clean the surface, use a damp cloth or sponge and a mild soap or detergent. Rinse with clean, clear water. Wipe the entire surface, moving with the pattern and follow with a clean, dry, soft cloth. When a wood edge exists, follow "Wood Edge and Veneer" instructions.

Difficult "stains" such as coffee or tea can be removed using a mild household cleaner/detergent and a soft bristle brush, repeating as necessary. If stain persists, use a paste of baking soda & water and apply with a soft bristled brush. Light scrubbing for 10-20 strokes should remove most stains (excessive scrubbing or exerting too much force may damage the surface, especially gloss finish surfaces). Any remaining stains may require the use of undiluted household bleach or nail polish remover. Apply to stain and let stand no longer than two minutes. Rinse thoroughly with warm water & wipe dry. Step may be repeated. However, prolonged exposure of bleach to surface will cause discoloration.

Abrasive pads, scouring powders or cleansers may permanently dull & scratch the surface making the laminate susceptible to staining. Harsh chemicals such as oven, toilet or drain cleaners will etch & discolor laminates. If spills of these products occur, remove immediately, rinse thoroughly, and wipe dry.

High pressure laminates have high heat resistance, however exposure to temperatures greater than 135 degrees C (275 degrees F) is not recommended. Prolonged exposure to temperatures above 65 degrees C (150 degrees F) may result in separation of the laminate from the substrate. Protect the surface from heat generating appliances by using a trivet or insulating pad.

Do not use sharp objects directly on the laminate surface. A counter saver or chopping block is recommended.

HP laminate have excellent impact resistance. However, heavy objects dropped on the surface may chip or crack the laminate.

Powder Coated Metal
Clean with a mild soap solution and rinse with clean clear water. Wipe the entire surface and follow with a clean, dry cloth to buff dry.

Chromed Metal
Clean with a wet cloth or window cleaner. For scuff marks or heavy soiling, apply a non-abrasive automotive chrome polish as directed.

Mechanical Parts
Clean any lint or debris from the moving parts of the tilt or folding mechanisms. Do not apply any lubricant.

Symphony

phone: 866-507-7795
email: service@symphonytables.com

Specifications subject to change without prior notice.
Visit symphonytables.com/resources/pricing for the most current version of the Price List.