


SYMPHONY®

TABLE ENVIRONMENTS

2025 COMPONENTS PRICE LIST

version #061125

table of contents

Essential Information 4
- Wilsonart laminate finishes by number 6
- Wilsonart laminate finishes by name 8
- Formica laminate finishes by number 10
- Formica laminate finishes by name 12

Tables
- Losa 14
- Sala occasional 26

Surfaces
- surface and edge profile overview 28
- surface shapes, dimensions, seating capacity 30
- PVEA, PVRC, PVKN and PVKR round, squircle, square, rectangle 32
- PVEA and PVKN 1 piece conference: rectangle, boat, oval, racetrack 36
- PVEA and PVKN 2 piece conference: rectangle, boat, oval, racetrack 38
- PVEA and PVKN 1 & 2 piece conference: arc trapezoid, arc rectangle 40
- PVEA and PVKN media tops: half arc end, half boat, bullet, trapezoid 41
- PVEA and PVKN media tops: Pic 42
- PVEA quarter round, half round, crecent, trapezoid, corner-angled, corner-curved, corner-extended curved front, corner-120 degree, wedge 43

Bases
- T fixed, single column 46
  - fixed and nesting, double column 48
  - nesting, single column 49
  - nesting adjustable height 52
  - adjustable height 54
- C fixed 60
  - nesting 62
  - adjustable height 64
- X fixed 66
  - flip 74
  - adjustable height and adjustable height flip top 76
  - four column 78
- Y fixed, flip, and adj ht 80
- personal 82
- disc fixed 90
  - adjustable height 93
- occasional 94
- conference, under table media base and media walls 96
- post and frame bases 126

Power/data + Wire Management
- power supply location chart 136
- power/data modules (in alphabetical order) 138
- wire management 158
- grommets 160
- modesty panels 162


Accessories
- locks 165
- credenzas 166
- lectern and misc accessories 168

General Information
- Terms & Conditions 172
- Table Care and Maintenance 175
- Environmental Statement & Solutions 176

essential information

Minimum order / Freight charge

Orders for $5,000 or more list (contiguous U.S.): freight and minimum order charges included
Orders less than $5000 list (contiguous U.S.)
Zone 1 $200 net
Zone 2 $260 net



Special Charges

Custom metal finish: contact service@symphonytables.com for a quote

Lead Time

varies - please email service@symphonytables.com to confirm lead time

Please send purchase orders to service@symphonytables.com

Symphony Contact Information

phone 866-507-7795
fax 888-683-0007
service@symphonytables.com
www.SymphonyTables.com

tables

surfaces

Wilsonart laminates by number
+ matching 3mm edges (PVEA + PVKN)

Lam No	Laminate Name	Laminate Finish Grade 1	2	3mm edge
1500	Grey	60		**std stock**
1530	Beige	60		*R
1570	White	60		**std stock**
1572	Antique White	60		**std stock**
1573	Frosty White	60		**std stock**
1595	Black	60		**std stock**
2932	Almond Leather	60		*R
4142	Grey Glace	60		*R
4143	Neutral Glace	60		*R
4168	Grey Pampas	60		*R
4170	Beige Pampas	60		*R
4588	Kalahari Topaz	60		*R
4621	White Nebula	60		*F
4622	Grey Nebula	60		**std stock**
4623	Graphite Nebula	60		*F
4630	Cloud Nebula	60		*R
4651	Navy Legacy	60		*R
4656	Bronze Legacy	60		*R
4667	Green Tigris	60		*R
4669	Natural Tigris	60		*R
4674	Evening Tigris	60		*F
4746	Woolamai Brush	60		n/a
4779	Pewter Brush	60		*F
4783	White Tigris	60		*R
4795	Windswept Pewter	60		*R
4796	Burnished Chestnut	60		*R
4810	Titanium EV	60		*R
4811	Silicon EV	60		*R
4814	Tungsten EV	60		*R
4820	Carbon EV	60		*F
4841	Desert Zephyr	60		*F
4842	Canyon Zephyr	60		*R
4843	Misted Zephyr	60		*R
4844	Loden Zephyr	60		*R
4845	Twilight Zephyr	60		*R
4846	Morro Zephyr	60		*F
4856	Cloud Zephyr	60		*R
4857	Shadow Zephyr	60		*R
4876	Sheer Mesh	38		*R
4877	Grey Mesh	38		**std stock**
4878	Pewter Mesh	38		*F
4879	Steel Mesh	38		*F
4880	Carbon Mesh	38		*F
4882	Oiled Soapstone	38		*F
4883	Sable Soapstone	38		*F
4886	Pearl Soapstone	38		*R
4888	Rustic Sate	38		*R

Lam No	Laminate Name	Laminate Finish Grade 1	2	3mm edge
4942	Crisp Linen	38		**std stock**
4943	Classic Linen	38		*F
4945	Organic Cotton	38		*R
4946	Natural Cotton	38		n/a
4947	Raw Cotton	38		*R
4991	Pressed Linen	38		*R
4992	Tailored Linen	38		n/a
4996	High Rise	38		*R
5015	Nordic Linen	38		*R
5016	French Linen	38		*R
5017	Washi Crystal	38		n/a
5018	Washi Pewter	38		n/a
5035	Handspun Slate	38		*R
7054	Wild Cherry	60		**std stock**
7806	Bannister Oak	60		**std stock**
7816	Solar Oak	60		**std stock**
7850	Beigewood	60		**std stock**
7909	Fusion Maple	60		**std stock**
7911	Manitoba Maple	60		*F
7921	Tuscan Walnut	38		*F
7925	Monticello Maple	38		**std stock**
7928	Castle Oak	38		*F
7929	Huntington Maple	38		**std stock**
7937	River Cherry	38		**std stock**
7938	New Age Oak	38		**std stock**
7946	Brazilwood	38		**std stock**
7953	Harvest Maple	38		**std stock**
7954	Natural Rift	38		*R
7982	Buka Bark	38		*R
7983	Boardwalk Oak	38		*R
7984	Mangalore Mango	38		**std stock**
7985	Morelia Mango	38		*R
7986	Pasadena Oak	38		*R
7987	Palisades Oak	38		*R
7990	Mission Maple	38		*R
7991	Neowalnut	38		*R
7992	Pinnacle Walnut	38		**std stock**
7993	Florence Walnut	38		*R
7994	Lowell Ash	38		*R
7995	Sterling Ash	38		*R
7996	Natural Recon	38		*R
7997	Ebony Recon	38		*F
8218	Kingswood Walnut	38		**std stock**
8219	Ivory Birch	38		**std stock**
8220	French Pear	38		*F
8221	Sap Walnut	38		**std stock**
8239	Cenizo Cherry	38		**std stock**

NOTE Wilsonart non-stocked laminate finishes have an 8-sheet minimum effective 6/1/25. In addition, all 8 sheets must be the same size.
Contact Symphony for pricing and lead time information: service@symphonytables.com
Laminates and specific finishes may be discontinued by Wilsonart. For the most up to date information, contact your Wilsonart representative.

Wilsonart 36" Round & Square Tops – Upcharge for Odd Quantities - model # OT36WAWLF
Due to Wilsonart discontinuing larger sheet sizes, the 3' x 8' sheet is now the only option available for 36" deep tops. As a result, a **$130 list upcharge** applies when an odd quantity of 36" round, squircle, or square tops is ordered in Wilsonart laminate. This upcharge offsets material waste due to sheet yield limitations.
Applies to:
• 36RD, 36SQ, and 36SC tops in Wilsonart Grade 1 and Grade 2 only
• Wilsonart laminate only
This upcharge does not apply to other sizes or laminate brands.

std stock - flex 3mm PVC edge stocked & available for any size/shape top at standard lead time

*F - Flexible PVEA 3mm PVC edge available for an upcharge and a possible extended lead time depending on top sizes and quantity
*R - Rigid PVEA 3mm PVC edge available for an upcharge and a possible extended lead time depending on top sizes and quantity - note that the rigid form prevents the use of this edge on curved or round tops

Please note that edge banding availability is subject to change.
Email service@symphonytables.com to check pricing and lead time prior to ordering for *F and *R edge banding.

surfaces
Wilsonart laminates by number
+ matching 3mm edges (PVEA + PVKN)

Lam No	Laminate Name	Laminate Finish Grade 1	2	3mm edge
8241	Norwegian Ash	38		n/a
8242	Jubilee Oak	38		n/a
10734	Limber Maple	60		**std stock**
10745	Fonthill Pear	60		**std stock**
10776	Kensington Maple	60		**std stock**
13088	Dragon Fire	60		n/a
13089	Sunny Side Up	60		n/a
13091	Nori	60		n/a
13092	Catalina	60		n/a
13096	Candy Apple	60		n/a
13102	Gumball	60		n/a
4589K	Smoky Topaz		7	*R
4830K	Satin Stainless		18	**std stock**
4860K	Silver Alchemy		7	*R
4926K	Black Alicante		7	n/a
4939K	Vapor Strandz		18	*R
4940K	Astro Strandz		18	*F
4941K	Cosmic Strandz		18	*F
7039K	Windsor Mahogany		78	**std stock**
7040K	Figured Mahogany		78	**std stock**
7110K	Montana Walnut		78	**std stock**
7122K	Empire Mahogany		7	*F
7209K	Nepal Teak		78	**std stock**
7919K	Amber Cherry		78	**std stock**
7922K	Brighton Walnut		7	**std stock**
7923K	Versailles Anigre		7	*F
7924K	Biltmore Cherry		7	**std stock**
7933K	Cafelle		7	**std stock**
7935K	Shaker Cherry		7	**std stock**
7936K	Williamsburg Cherry		7	**std stock**
7939K	Blond Echo		18	**std stock**
7941K	Tan Echo		18	**std stock**
7942K	Cocobala		7	**std stock**
7943K	Colombian Walnut		7	**std stock**
7944K	Madagascar		1	*R
7945K	Xanadu		18	*R
7947K	Rio		18	*R
7948K	Mambo		7	*F
7949K	Asian Night		18	**std stock**
7951K	Asian Sun		18	*R
7952K	Asian Sand		18	**std stock**
7957K	Zanzibar		78	**std stock**
7959K	Hampton Walnut		78	**std stock**
7960K	Studio Teak		18	**std stock**
7964K	Skyline Walnut		12	**std stock**
7965K	Walnut Heights		12	**std stock**
7966K	5th Avenue Elm		12	*R

Lam No	Laminate Name	Laminate Finish Grade 1	2	3mm edge
7967K	Park Elm		12	*R
7968K	Loft Oak		12	*R
7969K	Warehouse Oak		12	n/a
7970K	High Line		18	**std stock**
7971K	Uptown Walnut		12	*R
7973K	Old Mill Oak		12	*R
7975K	Raw Chestnut		12	n/a
7976K	White Cypress		12	*R
7977K	White Barn		12	*R
7980K	Zebrawood		18	*F
7981K	Landmark Wood		12	*R
7998K	Low Line		18	**std stock**
7999K	Field Elm		12	**std stock**
8201K	Grey Elm		12	**std stock**
D12K	Regimental Red		18	*R
D14	Port	60		*F
D25	Atlantis	60		**std stock**
D30	Natural Almond	60		**std stock**
D307	Hollyberry	60		*F
D315	Platinum	60		**std stock**
D321	Brittany Blue	60		*F
D327	Pepperdust	60		**std stock**
D354	Designer White	60		**std stock**
D379	Indigo	60		*R
D381	Fashion Grey	60		**std stock**
D388	Crystal	60		**std stock**
D403	White Sand	60		*R
D417	Lapis Blue	60		*R
D427	Linen	60		**std stock**
D431	Alabaster	60		**std stock**
D439	Wallaby	60		**std stock**
D495	Coffee Bean	60		**std stock**
D498K	Island		18	*R
D50	Khaki Brown	60		**std stock**
D501	Orange Grove	60		*R
D502K	Ocean		18	*R
D503	Cement	60		*R
D504	Fossil Shale	60		*R
D505	Midnight	60		n/a
D73	Pewter	60		*2mm available
D90	North Sea	60		**std stock**
D91	Slate Grey	60		**std stock**
D92	Dove Grey	60		**std stock**
D96	Shadow	60		**std stock**

NOTE Wilsonart non-stocked laminate finishes have an 8-sheet minimum effective 6/1/25. In addition, all 8 sheets must be the same size.
Contact Symphony for pricing and lead time information: service@symphonytables.com
Laminates and specific finishes may be discontinued by Wilsonart. For the most up to date information, contact your Wilsonart representative.

Wilsonart 36" Round & Square Tops – Upcharge for Odd Quantities - model # OT36WAWLF
Due to Wilsonart discontinuing larger sheet sizes, the 3' x 8' sheet is now the only option available for 36" deep tops. As a result, a **$130 list upcharge** applies when an odd quantity of 36" round, squircle, or square tops is ordered in Wilsonart laminate. This upcharge offsets material waste due to sheet yield limitations.
Applies to:
• 36RD, 36SQ, and 36SC tops in Wilsonart Grade 1 and Grade 2 only
• Wilsonart laminate only
This upcharge does not apply to other sizes or laminate brands.

std stock - flex 3mm PVC edge stocked & available for any size/shape top at standard lead time

*F - Flexible PVEA 3mm PVC edge available for an upcharge and a possible extended lead time depending on top sizes and quantity
*R - Rigid PVEA 3mm PVC edge available for an upcharge and a possible extended lead time depending on top sizes and quantity - note that the rigid form prevents the use of this edge on curved or round tops

Please note that edge banding availability is subject to change.
Email service@symphonytables.com to check pricing and lead time prior to ordering for *F and *R edge banding.

surfaces

Wilsonart laminates by name
+ matching 3mm edges (PVEA + PVKN)

Laminate Name	Lam No	Laminate Finish Grade 1	Laminate Finish Grade 2	3mm edge
5th Avenue Elm	7966K		12	*R
Alabaster	D431	60		**std stock**
Almond Leather	2932	60		*R
Amber Cherry	7919K		78	**std stock**
Antique White	1572	60		**std stock**
Asian Night	7949K		18	**std stock**
Asian Sand	7952K		18	**std stock**
Asian Sun	7951K		18	*R
Astro Strandz	4940K		18	*F
Atlantis	D25	60		**std stock**
Bannister Oak	7806	60		**std stock**
Beige	1530	60		*R
Beige Pampas	4170	60		*R
Beigewood	7850	60		**std stock**
Biltmore Cherry	7924K		7	**std stock**
Black	1595	60		**std stock**
Black Alicante	4926K		7	n/a
Blond Echo	7939K		18	**std stock**
Boardwalk Oak	7983	38		*R
Brazilwood	7946	38		**std stock**
Brighton Walnut	7922K		7	**std stock**
Brittany Blue	D321	60		*F
Bronze Legacy	4656	60		*R
Buka Bark	7982	38		*R
Burnished Chestnut	4796	60		*R
Cafelle	7933K		7	**std stock**
Candy Apple	13096	60		n/a
Canyon Zephyr	4842	60		*R
Carbon EV	4820	60		*F
Carbon Mesh	4880	38		*F
Castle Oak	7928	38		*F
Catalina	13092	60		n/a
Cement	D503	60		*R
Cenizo Cherry	8239	38		**std stock**
Classic Linen	4943	38		*F
Cloud Nebula	4630	60		*R
Cloud Zephyr	4856	60		*R
Cocobala	7942K		7	**std stock**
Coffee Bean	D495	60		**std stock**
Colombian Walnut	7943K		7	**std stock**
Cosmic Strandz	4941K		18	*F
Crystal	D388	60		**std stock**
Crisp Linen	4942	38		**std stock**
Desert Zephyr	4841	60		*F
Designer White	D354	60		**std stock**
Dragon Fire	13088	60		n/a
Dove Grey	D92	60		**std stock**
Ebony Recon	7997	38		*F
Empire Mahogany	7122K		7	*F
Evening Tigris	4674	60		*F
Fashion Grey	D381	60		**std stock**
Field Elm	7999K		12	**std stock**
Figured Mahogany	7040K		78	**std stock**
Florence Walnut	7993	38		*R
Fonthill Pear	10745	60		**std stock**
Fossil Shale	D504	60		*R
French Linen	5016	38		*R
French Pear	8220	38		*F
Frosty White	1573	60		**std stock**
Fusion Maple	7909	60		**std stock**
Graphite Nebula	4623	60		*F
Green Tigris	4667	60		*R
Grey	1500	60		**std stock**
Grey Elm	8201K		12	**std stock**
Grey Glace	4142	60		*R
Grey Mesh	4877	38		**std stock**
Grey Nebula	4622	60		**std stock**
Gumball	13102	60		n/a
Grey Pampas	4168	60		*R
Hampton Walnut	7959K		78	**std stock**
Handspun Slate	5035	38		*R
Harvest Maple	7953	38		**std stock**
High Line	7970K		18	**std stock**
High Rise	4996	38		*R
Hollyberry	D307	60		*F
Huntington Maple	7929	38		**std stock**
Indigo	D379	60		*R
Island	D498K		18	*R
Ivory Birch	8219	38		**std stock**
Jubilee Oak	8242	38		n/a
Kalahari Topaz	4588	60		*R
Kensington Maple	10776	60		**std stock**
Khaki Brown	D50	60		**std stock**
Kingswood Walnut	8218	38		**std stock**
Landmark Wood	7981K		12	*R
Lapis Blue	D417	60		*R
Limber Maple	10734	60		**std stock**
Linen	D427	60		**std stock**
Loden Zephyr	4844	60		*R
Loft Oak	7968K		12	*R
Low Line	7998K		18	**std stock**
Lowell Ash	7994	38		*R
Madagascar	7944K		1	*R
Mambo	7948K		7	*F

NOTE Wilsonart non-stocked laminate finishes have an 8-sheet minimum effective 6/1/25. In addition, all 8 sheets must be the same size.
Contact Symphony for pricing and lead time information: service@symphonytables.com
Laminates and specific finishes may be discontinued by Wilsonart. For the most up to date information, contact your Wilsonart representative.

Wilsonart 36" Round & Square Tops – Upcharge for Odd Quantities - model # OT36WAWLF
Due to Wilsonart discontinuing larger sheet sizes, the 3' x 8' sheet is now the only option available for 36" deep tops. As a result, a **$130 list upcharge** applies when an odd quantity of 36" round, squircle, or square tops is ordered in Wilsonart laminate. This upcharge offsets material waste due to sheet yield limitations.
Applies to:
• 36RD, 36SQ, and 36SC tops in Wilsonart Grade 1 and Grade 2 only
• Wilsonart laminate only
This upcharge does not apply to other sizes or laminate brands.

std stock - flex 3mm PVC edge stocked & available for any size/shape top at standard lead time

*F - Flexible PVEA 3mm PVC edge available for an upcharge and a possible extended lead time depending on top sizes and quantity
*R - Rigid PVEA 3mm PVC edge available for an upcharge and a possible extended lead time depending on top sizes and quantity - note that the rigid form prevents the use of this edge on curved or round tops

Please note that edge banding availability is subject to change.
Email service@symphonytables.com to check pricing and lead time prior to ordering for *F and *R edge banding.

surfaces
Wilsonart laminates by name
+ matching 3mm edges (PVEA + PVKN)

Laminate Name	Lam No	Laminate Finish Grade 1	Laminate Finish Grade 2	3mm edge
Mangalore Mango	7984	38		**std stock**
Manitoba Maple	7911	60		*F
Midnight	D505	60		n/a
Mission Maple	7990	38		*R
Misted Zephyr	4843	60		*R
Montana Walnut	7110K		78	**std stock**
Monticello Maple	7925	38		**std stock**
Morelia Mango	7985	38		*R
Morro Zephyr	4846	60		*F
Natural Almond	D30	60		**std stock**
Natural Cotton	4946	38		n/a
Natural Recon	7996	38		*R
Natural Rift	7954	38		*R
Natural Tigris	4669	60		*R
Navy Legacy	4651	60		*R
Neowalnut	7991	38		*R
Nepal Teak	7209K		78	**std stock**
Neutral Glace	4143	60		*R
New Age Oak	7938	38		**std stock**
Nordic Linen	5015	38		*R
North Sea	D90	60		**std stock**
Nori	13091	60		n/a
Norwegian Ash	8241	38		n/a
Ocean	D502K		18	*R
Oiled Soapstone	4882	38		*F
Old Mill Oak	7973K		12	*R
Orange Grove	D501	60		*R
Organic Cotton	4945	38		*R
Palisades Oak	7987	38		*R
Park Elm	7967K		12	*R
Pasadena Oak	7986	38		*R
Pearl Soapstone	4886	38		*R
Pepperdust	D327	60		**std stock**
Pewter	D73	60		*2mm available
Pewter Brush	4779	60		*F
Pewter Mesh	4878	38		*F
Pinnacle Walnut	7992	38		**std stock**
Platinum	D315	60		**std stock**
Port	D14	60		*F
Pressed Linen	4991	38		*R
Raw Chestnut	7975K		12	n/a
Raw Cotton	4947	38		*R
Regimental Red	D12K		18	*R
Rio	7947K		18	*R
River Cherry	7937	38		**std stock**
Rustic Sate	4888	38		*R
Sable Soapstone	4883	38		*F
Sap Walnut	8221	38		**std stock**
Satin Stainless	4830K		18	**std stock**
Shadow	D96	60		**std stock**
Shadow Zephyr	4857	60		*R
Shaker Cherry	7935K		7	**std stock**
Sheer Mesh	4876	38		*R
Silicon EV	4811	60		*R
Silver Alchemy	4860K		7	*R
Skyline Walnut	7964K		12	**std stock**
Slate Grey	D91	60		**std stock**
Smoky Topaz	4589K		7	*R
Solar Oak	7816	60		**std stock**
Steel Mesh	4879	38		*F
Sterling Ash	7995	38		*R
Studio Teak	7960K		18	**std stock**
Sunny Side Up	13089	60		n/a
Tailored Linen	4992	38		n/a
Tan Echo	7941K		18	**std stock**
Titanium EV	4810	60		*R
Tungsten EV	4814	60		*R
Tuscan Walnut	7921	38		*F
Twilight Zephyr	4845	60		*R
Uptown Walnut	7971K		12	*R
Vapor Strandz	4939K		18	*R
Versailles Anigre	7923K		7	*F
Wallaby	D439	60		**std stock**
Walnut Heights	7965K		12	**std stock**
Warehouse Oak	7969K		12	n/a
Washi Crystal	5017	38		n/a
Washi Pewter	5018	38		n/a
White	1570	60		**std stock**
White Barn	7977K		12	*R
White Cypress	7976K		12	*R
White Nebula	4621	60		*F
White Sand	D403	60		*R
White Tigris	4783	60		*R
Wild Cherry	7054	60		**std stock**
Williamsburg Cherry	7936K		7	**std stock**
Windsor Mahogany	7039K		78	**std stock**
Windswept Pewter	4795	60		*R
Woolamai Brush	4746	60		n/a
Xanadu	7945K		18	*R
Zanzibar	7957K		78	**std stock**
Zebrawood	7980K		18	*F

NOTE Wilsonart non-stocked laminate finishes have an 8-sheet minimum effective 6/1/25. In addition, all 8 sheets must be the same size.
Contact Symphony for pricing and lead time information: service@symphonytables.com
Laminates and specific finishes may be discontinued by Wilsonart. For the most up to date information, contact your Wilsonart representative.

Wilsonart 36" Round & Square Tops – Upcharge for Odd Quantities - model # OT36WAWLF
Due to Wilsonart discontinuing larger sheet sizes, the 3' x 8' sheet is now the only option available for 36" deep tops. As a result, a **$130 list upcharge** applies when an odd quantity of 36" round, squircle, or square tops is ordered in Wilsonart laminate. This upcharge offsets material waste due to sheet yield limitations.
Applies to:
• 36RD, 36SQ, and 36SC tops in Wilsonart Grade 1 and Grade 2 only
• Wilsonart laminate only
This upcharge does not apply to other sizes or laminate brands.

std stock - flex 3mm PVC edge stocked & available for any size/shape top at standard lead time

*F - Flexible PVEA 3mm PVC edge available for an upcharge and a possible extended lead time depending on top sizes and quantity
*R - Rigid PVEA 3mm PVC edge available for an upcharge and a possible extended lead time depending on top sizes and quantity - note that the rigid form prevents the use of this edge on curved or round tops

Please note that edge banding availability is subject to change.
Email service@symphonytables.com to check pricing and lead time prior to ordering for *F and *R edge banding.

surfaces

Formica laminates by number
+ matching 3mm edges (PVEA + PVKN)

Lam No	Laminate Name	Laminate Finish Grade 1	2	3mm edge
118	Finnish Oak		58	*F
271	Blackstone	58		n/a
299	Ebony Oxide	58		*R
346	Natural Oak		58	*F
459	Brite White	58		**std stock**
463	Sail White	58		*F
464	Graystone	58		**std stock**
503	Stone Grafix	58		**std stock**
507	Folkstone Grafix	58		**std stock**
515	Graphite Grafix	58		*F
692	Folkstone Celesta	58		*R
756	Natural Maple		58	**std stock**
758	Blossom Cherrywood		58	**std stock**
827	White Onyx		***90	N/A
837	Graphite	58		**std stock**
839	Stop Red	58		*F
845	Spectrum Red	58		*F
851	Spectrum Blue	58		*F
858	Pumice	58		**std stock**
899	Desert Beige	58		*F
902	Platinum	58		**std stock**
909	Black	58		**std stock**
912	Storm	58		**std stock**
914	Marine Blue	58		*R
918	Neutral White	58		*F
920	Almond	58		**std stock**
923	Surf	58		*F
927	Folkstone	58		**std stock**
928	Mouse	58		*F
929	Oyster Gray	58		*R
932	Antique White	58		**std stock**
933	Mission White	58		**std stock**
934	Pearl	58		*R
949	White	58		**std stock**
961	Fog	58		**std stock**
969	Navy Blue	58		*R
1097	Citadel	58		*R
1193	Gold Braze	58		*R
1196	Purple Dye	58		N/A
1198	Jadeite	58		*R
1485	Chrome Yellow	58		*R
1545	Raw Cedar		***PG	N/A
1547	Noir Cedar		***PG	N/A
2200	Dark Chocolate	58		*R
2297	Terril	58		*R
2770	Sarum Grey	58		*R
2962	Clementine	58		*R
3202	Otter	58		*R
3245	Smoke		58	N/A
3450	Mineral Jet	58		*R
3456	Mocha Travertine	58		*R
3485	Black Walnut		58	*F
3496	Belmonte Granite	58		n/a
3505	Storm Solidz	58		*R
3517	Sand Crystall	58	***90	N/A
3518	Flint Crystall	58		n/a
3522	Perlato Granite	58		N/A
3526	Travertine	58		*R
3690	Basalt Slate	58		*R
3692	Labrador Granite	58		N/A
3705	Sugar Glass	58		N/A
3706	Patine Concrete	58		N/A
3707	Patine Bronze	58		N/A
3708	Burnished Coin	58		n/a
3709	Burnished Iron	58		n/a
3710	Smoke Onyx		***43	N/A
3712	Walnut Butcherblock	58		**std stock**
4923	Cream Softwood		***NG	n/a
4924	Greige Softwood		***NG	*R
4925	Walnut Softwood		***NG	N/A
4971	Natural Gray Felt	58		N/A
4972	Yellow Felt	58		N/A
4973	Orange Felt	58		N/A
4974	Green Felt	58		*R
5323	Nocturne	58		N/A
5342	Earth	58		*R
5349	Fossil	58		*R
5487	Oiled Walnut		***26	*R
5488	Smoky Brown Pear		***26	*F
5489	Espresso Pear		***26	*F
5782	Formal Walnut		***NG	*2mm available
5783	Antique Mango		***NG	n/a
5784	Ashwood Bone		***NG	n/a
5785	Ashwood Beige		***NG	n/a
5786	Ashwood Oak		***NG	n/a
5787	Taupe Walnut		***NG	**std stock**
5788	Hazel Walnut		***NG	**std stock**
5789	Clove Spice Cherry		***43	**std stock**
5790	Nut Brown Cherry		***43	N/A
5791	Grayed Oak		***PG	*F
5792	Inked Oak		***PG	*2mm available
5793	Buff Elm		***NG	**std stock**
5794	Beige Elm		***NG	**std stock**
5795	Camel Elm		*** NG	**std stock**
5796	Graphite Elm		***NG	*R
5875	Neutral Weft	58		*R
5880	Earthen Warp	58		*R
5882	Citadel Warp	58		*R
5883	Pecan Woodline		58	**std stock**
5884	Chestnut Woodline		58	**std stock**
5886	Sorrel Cherry		***43	*F
5887	Millennium Oak	58		**std stock**
5904	Wild Cherry		***43	*F
6126	Sheer Fabric	58		*R
6127	Muslin Fabric	58		*R
6129	Gray Fabric	58		N/A
6130	Chambray Fabric	58		*R
6206	Planked Deluxe Pear		***43	*R
6208	Glamour Cherry		***43	*F
6209	Prestige Walnut		***43	**std stock**
6212	Wheat Strand	58		*F
6220	Smoke Quarstone	58	***90	N/A
6222	Brazilian Brown Granite	58		n/a
6226	Ivory Kashmire	58		*R
6280	Midnight Stone	58		*R
6306	Wenge Strand	58		*R
6307	Burnt Strand	58		*R
6314	Neo Cloud	58		N/A
6330	Air White		58	**std stock**
6362	Concrete Formwood	58		*R
6372	White Washed Birchply	58		N/A
6402	Thermo Walnut	58		**std stock**
6413	Silver Riftwood		***NG	**std stock**
6414	Black Riftwood		***NG	**std stock**

***** indicates *a 10% laminate waste fee will apply to the grade 2 price due to the limited sheet sizes available from Formica for finish codes -26, -43, -90, -NG, -PG, and -WR.***
Please note: additonal laminates and finishes may be available with additional fees and/or extended lead times. Laminates and specific finishes may be discontinued by Formica. For the most up to date information, contact your Formica representative. Contact Symphony for pricing (including waste fees where applicable) and lead time information: service@symphonytables.com

surfaces
Formica laminates by number
+ matching 3mm edges (PVEA + PVKN)

Lam No	Laminate Name	Laminate Finish Grade 1	2	3mm edge
6477	Seasoned Plank Elm		***NG	*R
6696	Carrara Bianco	58		*R
6697	Argento Romano	58		n/a
6698	Paloma Polar	58		*R
6901	Vibrant Green	58		*R
6903	Cassis	58		*R
6920	Mineral Spa	58		*R
6925	Maple Woodline		***26	*R
6932	Macchiato Walnut		***26	*F
6942	Charcoal Boomerang	58		*R
6994	Ceruse Gray Walnut		***26	*2mm available
6995	Cherry Walnut		***26	**std stock**
6996	Pecan Walnut		***26	*2mm available
6997	Pale Brushstroke	58		**std stock**
6998	Wood Brushstroke	58		**std stock**
6999	Earthenware Brushstroke	58		n/a
7012	Amber Maple	58		**std stock**
7018	Navy Grafix	58		*R
7022	Natural Canvas	58		N/A
7197	Dover White	58		**std stock**
7213	Earth Wash	58		*R
7264	Lime Stone		58	*R
7267	Concrete Stone	58		*R
7288	Ginger Root Maple		58	*F
7406	Marmara Beige	58		
7407	Marmara Gray	58		N/A
7408	Ice Onyx	58		*R
7412	Planked Raw Oak	58		**std stock**
7413	Planked Coffee Oak	58		**std stock**
7481	Natural Birch		58	*R
7494	Carrara Envision	58		*R
7708	Flax Gauze	58		*R
7732	Butterum Granite	58		n/a
7734	Jamocha Granite	58		N/A
7735	Portico Marble	58		*R
7738	Cognac Maple		58	*F
7739	Cocoa Maple		58	*F
7747	Pencil Wood		58	*R
7759	Select Cherry		***43	**std stock**
7812	MDF Solidz	58		*R
7813	Cardboard Solidz	58		*R
7872	Moonstone	58		N/A
7897	Spectrum Green	58		*R
7966	New Burgundy	58		**std stock**
8235	Solar Orange	58		N/A
8238	Blush	58		n/a
8240	Liquid Glass	58		*R
8241	Earthenware	58		*R
8243	Night Shade	58		N/A
8244	Night Forest	58		N/A
8349	Gallery Teak		58	**std stock**
8552	Black Birchply	58		*R
8576	Blond Cedar	58		*R
8589	Tula Oak		***PG	N/A
8676	Swede Rift Oak		***26	**std stock**
8677	Scandi Rift Oak		***26	*2mm available
8678	Starched Paperfold	58		N/A
8679	Origami Paperfold	58		N/A
8680	Washi Paperfold	58		N/A
8681	Cotton Cloth	58		*R
8682	Woolen Cloth	58		N/A
8683	Glass Cloth	58		*R
8684	Birchbark	58		*R
8685	Luxe Mango		***NG	
8751	Mojave	58		*R
8792	Winter Sky	58		*R
8793	Green Slate	58		*R
8795	Matrix Blue	58		*R
8796	Algae	58		*R
8822	Denim	58		*R
8824	White Drops	58	***90	*R
8826	Neutral Twill	58		**std stock**
8827	Sarum Twill	58	***90	*F
8828	Earthen Twill	58		*F
8829	Graphite Twill	58		*F
8830	Elemental Concrete	58		*R
8831	Elemental Stone	58		*R
8841	White Ash		***WR	*F
8842	Weathered Ash		***WR	*F
8843	Natural Ash		***WR	**std stock**
8844	Aged Ash		***WR	**std stock**
8845	Bleached Legno	58		**std stock**
8846	Oiled Legno	58		*F
8848	Blackened Legno	58		**std stock**
8849	Natural Teak		58	*F
8858	Just Rose	58		N/A
8865	Charcoal Cerise		58	**std stock**
8902	White Painted Wood		***NG	N/A
8905	Waxed Maple		58	*F
8906	Danish Maple		58	*R
8907	Fox Teakwood		***NG	*R
8908	Storm Teakwood		***NG	*R
8909	Cascara Teakwood		***NG	*F
8910	Raw Birchply		***NG	*F
8915	Walnut Fiberwood		***NG	*R
8916	Blackened Fiberwood		***NG	**std stock**
8918	Blackened Steel	58		*R
8919	Bronzed Steel	58		*R
8958	Bubble Art	58		*R
9012	Ebony		***26	*R
9236	Noble Mahogany		***43	**std stock**
9237	Sand Maple		58	**std stock**
9238	Chelsea Maple	58		**std stock**
9240	Cherry Heartwood		58	**std stock**
9242	Gull Grey		58	**std stock**
9243	Zen Grey		58	**std stock**
9271	Reclaimed Denim Fiber		***90	*R
9283	Walnut Riftwood		***NG	**std stock**
9285	White Twill	58		*F
9288	Kona		***43	N/A
9309	Star Dune	58		*R
9312	Planked Urban Oak	58	***NG	**std stock**
9320	Blue Felt	58		n/a
9476	White Ice Granite	58	***43	N/A
9484	Oxidized Beamwood	58	***NG	N/A
9497	Silver Quartzite	58		*R
9529	Sea Salt		***43	*R
9634	Milk		58	**std stock**
9642	Oxidized Wood		***WR	N/A
9643	Cinder Wood		***WR	*R
9684	Natural Recycled Kraft	58		**std stock**
9685	Black Recycled Kraft	58		n/a
86992	Hard Rock Maple		58	**std stock**

std stock - flex 3mm PVC edge stocked & available for any size/shape top at standard lead time
*F - Flexible PVEA 3mm PVC edge available for an upcharge and a possible extended lead time depending on top sizes and quantity
*R - Rigid PVEA 3mm PVC edge available for an upcharge and a possible extended lead time depending on top sizes and quantity - note that the rigid form prevents the use of this edge on curved or round tops
Please note that edge banding availability is subject to change.
Email service@symphonytables.com to check pricing and lead time prior to ordering for *F and *R edge banding.

surfaces

Formica laminates by name
+ matching 3mm edges (PVEA + PVKN)

Laminate Name	Lam No	Laminate Finish Grade 1	2	3mm edge
Aged Ash	8844		***WR	**std stock**
Air White	6330		58	**std stock**
Algae	8796	58		*R
Almond	920	58		**std stock**
Amber Maple	7012	58		**std stock**
Antique Mango	5783		***NG	n/a
Antique White	932	58		**std stock**
Argento Romano	6697	58		n/a
Ashwood Beige	5785		***NG	n/a
Ashwood Bone	5784		***NG	n/a
Ashwood Oak	5786		***NG	n/a
Basalt Slate	3690	58		*R
Beige Elm	5794		***NG	**std stock**
Belmonte Granite	3496	58		n/a
Birchbark	8684	58		*R
Black	909	58		**std stock**
Black Birchply	8552	58		*R
Black Recycled Kraft	9685	58		n/a
Black Riftwood	6414		***NG	**std stock**
Black Walnut	3485		58	*F
Blackened Fiberwood	8916		***NG	**std stock**
Blackened Legno	8848	58		**std stock**
Blackened Steel	8918	58		*R
Blackstone	271	58		n/a
Bleached Legno	8845	58		**std stock**
Blond Cedar	8576	58		*R
Blossom Cherrywood	758		58	**std stock**
Blue Felt	9320	58		n/a
Blush	8238	58		n/a
Brazilian Brown Granite	6222	58		n/a
Brite White	459	58		**std stock**
Bronzed Steel	8919	58		*R
Bubble Art	8958	58		*R
Buff Elm	5793		***NG	**std stock**
Burnished Coin	3708	58		n/a
Burnished Iron	3709	58		n/a
Burnt Strand	6307	58		*R
Butterum Granite	7732	58		n/a
Camel Elm	5795		*** NG	**std stock**
Cardboard Solidz	7813	58		*R
Carrara Bianco	6696	58		*R
Carrara Envision	7494	58		*R
Cascara Teakwood	8909		***NG	*F
Cassis	6903	58		*R
Ceruse Gray Walnut	6994		***26	*2mm available
Chambray Fabric	6130	58		*R
Charcoal Boomerang	6942	58		*R
Charcoal Cerise	8865		58	**std stock**
Chelsea Maple	9238	58		**std stock**
Cherry Heartwood	9240		58	**std stock**
Cherry Walnut	6995		***26	**std stock**
Chestnut Woodline	5884		58	**std stock**
Chrome Yellow	1485	58		*R
Cinder Wood	9643		***WR	*R
Citadel	1097	58		*R
Citadel Warp	5882	58		*R
Clementine	2962	58		*R
Clove Spice Cherry	5789		***43	**std stock**
Cocoa Maple	7739		58	*F
Cognac Maple	7738		58	*F
Concrete Formwood	6362	58		*R
Concrete Stone	7267	58		*R

Laminate Name	Lam No	Laminate Finish Grade 1	2	3mm edge
Cotton Cloth	8681	58		*R
Cream Softwood	4923		***NG	n/a
Danish Maple	8906		58	*R
Dark Chocolate	2200	58		*R
Denim	8822	58		*R
Desert Beige	899	58		*F
Dover White	7197	58		**std stock**
Earth	5342	58		*R
Earth Wash	7213	58		*R
Earthen Twill	8828	58		*F
Earthen Warp	5880	58		*R
Earthenware	8241	58		*R
Earthenware Brushstroke	6999	58		n/a
Ebony	9012		***26	*R
Ebony Oxide	299	58		*R
Elemental Concrete	8830	58		*R
Elemental Stone	8831	58		*R
Espresso Pear	5489		***26	*F
Finnish Oak	118		58	*F
Flax Gauze	7708	58		*R
Flint Crystall	3518	58		n/a
Fog	961	58		**std stock**
Folkstone	927	58		**std stock**
Folkstone Celesta	692	58		*R
Folkstone Grafix	507	58		**std stock**
Formal Walnut	5782		***NG	*2mm available
Fossil	5349	58		*R
Fox Teakwood	8907		***NG	*R
Gallery Teak	8349		58	**std stock**
Ginger Root Maple	7288		58	*F
Glamour Cherry	6208		***43	*F
Glass Cloth	8683	58		*R
Gold Braze	1193	58		*R
Graphite	837	58		**std stock**
Graphite Elm	5796		***NG	*R
Graphite Grafix	515	58		*F
Graphite Twill	8829	58		*F
Gray Fabric	6129	58		N/A
Grayed Oak	5791		***PG	*F
Graystone	464	58		**std stock**
Green Felt	4974	58		*R
Green Slate	8793	58		*R
Greige Softwood	4924		***NG	*R
Gull Grey	9242		58	**std stock**
Hard Rock Maple	86992		58	**std stock**
Hazel Walnut	5788		***NG	**std stock**
Ice Onyx	7408	58		*R
Inked Oak	5792		***PG	*2mm available
Ivory Kashmire	6226	58		*R
Jadeite	1198	58		*R
Jamocha Granite	7734	58		N/A
Just Rose	8858	58		N/A
Kona	9288		***43	N/A
Labrador Granite	3692	58		N/A
Lime Stone	7264		58	*R
Liquid Glass	8240	58		*R
Luxe Mango	8685		***NG	
Macchiato Walnut	6932		***26	*F
Maple Woodline	6925		***26	*R
Marine Blue	914	58		*R
Marmara Beige	7406	58		
Marmara Gray	7407	58		N/A

****** indicates a 10% laminate waste fee will apply to the grade 2 price due to the limited sheet sizes available from Formica for finish codes -26, -43, -90, -NG, -PG, and -WR.***
Please note: additonal laminates and finishes may be available with additional fees and/or extended lead times. Laminates and specific finishes may be discontinued by Formica. For the most up to date information, contact your Formica representative. Contact Symphony for pricing (including waste fees where applicable) and lead time information: service@symphonytables.com

surfaces

Formica laminates by name
+ matching 3mm edges (PVEA + PVKN)

Laminate Name	Lam No	Laminate Finish Grade 1	2	3mm edge
Matrix Blue	8795	58		*R
MDF Solidz	7812	58		*R
Midnight Stone	6280	58		*R
Milk	9634		58	**std stock**
Millennium Oak	5887	58		**std stock**
Mineral Jet	3450	58		*R
Mineral Spa	6920	58		*R
Mission White	933	58		**std stock**
Mocha Travertine	3456	58		*R
Mojave	8751	58		*R
Moonstone	7872	58		N/A
Mouse	928	58		*F
Muslin Fabric	6127	58		*R
Natural Ash	8843		***WR	**std stock**
Natural Birch	7481		58	*R
Natural Canvas	7022	58		N/A
Natural Gray Felt	4971	58		N/A
Natural Maple	756		58	**std stock**
Natural Oak	346		58	*F
Natural Recycled Kraft	9684	58		**std stock**
Natural Teak	8849		58	*F
Navy Blue	969	58		*R
Navy Grafix	7018	58		*R
Neo Cloud	6314	58		N/A
Neutral Twill	8826	58		**std stock**
Neutral Weft	5875	58		*R
Neutral White	918	58		*F
New Burgundy	7966	58		**std stock**
Night Forest	8244	58		N/A
Night Shade	8243	58		N/A
Noble Mahogany	9236		***43	**std stock**
Nocturne	5323	58		N/A
Noir Cedar	1547		***PG	N/A
Nut Brown Cherry	5790		***43	N/A
Oiled Legno	8846	58		*F
Oiled Walnut	5487		***26	*R
Orange Felt	4973	58		N/A
Origami Paperfold	8679	58		N/A
Otter	3202	58		*R
Oxidized Beamwood	9484	58	***NG	N/A
Oxidized Wood	9642		***WR	N/A
Oyster Gray	929	58		*R
Pale Brushstroke	6997	58		**std stock**
Paloma Polar	6698	58		*R
Patine Bronze	3707	58		N/A
Patine Concrete	3706	58		N/A
Pearl	934	58		*R
Pecan Walnut	6996		***26	*2mm available
Pecan Woodline	5883		58	**std stock**
Pencil Wood	7747		58	*R
Perlato Granite	3522	58		N/A
Planked Coffee Oak	7413	58		**std stock**
Planked Deluxe Pear	6206		***43	*R
Planked Raw Oak	7412	58		**std stock**
Planked Urban Oak	9312	58	***NG	**std stock**
Platinum	902	58		**std stock**
Portico Marble	7735	58		*R
Prestige Walnut	6209		***43	**std stock**
Pumice	858	58		**std stock**
Purple Dye	1196	58		N/A
Raw Birchply	8910		***NG	*F
Raw Cedar	1545		***PG	N/A

Laminate Name	Lam No	Laminate Finish Grade 1	2	3mm edge
Reclaimed Denim Fiber	9271		***90	*R
Sail White	463	58		*F
Sand Crystall	3517	58	***90	N/A
Sand Maple	9237		58	**std stock**
Sarum Grey	2770	58		*R
Sarum Twill	8827	58	***90	*F
Scandi Rift Oak	8677		***26	*2mm available
Sea Salt	9529		***43	*R
Seasoned Plank Elm	6477		***NG	*R
Select Cherry	7759		***43	**std stock**
Sheer Fabric	6126	58		*R
Silver Quartzite	9497	58		*R
Silver Riftwood	6413		***NG	**std stock**
Smoke	3245		58	N/A
Smoke Onyx	3710		***43	N/A
Smoke Quarstone	6220	58	***90	N/A
Smoky Brown Pear	5488		***26	*F
Solar Orange	8235	58		N/A
Sorrel Cherry	5886		***43	*F
Spectrum Blue	851	58		*F
Spectrum Green	7897	58		*R
Spectrum Red	845	58		*F
Star Dune	9309	58		*R
Starched Paperfold	8678	58		N/A
Stone Grafix	503	58		**std stock**
Stop Red	839	58		*F
Storm	912	58		**std stock**
Storm Solidz	3505	58		*R
Storm Teakwood	8908		***NG	*R
Sugar Glass	3705	58		N/A
Surf	923	58		*F
Swede Rift Oak	8676		***26	**std stock**
Taupe Walnut	5787		***NG	**std stock**
Terril	2297	58		*R
Thermo Walnut	6402	58		**std stock**
Travertine	3526	58		*R
Tula Oak	8589		***PG	N/A
Vibrant Green	6901	58		*R
Walnut Butcherblock	3712	58		**std stock**
Walnut Fiberwood	8915		***NG	*R
Walnut Riftwood	9283		***NG	**std stock**
Walnut Softwood	4925		***NG	N/A
Washi Paperfold	8680	58		N/A
Waxed Maple	8905		58	*F
Weathered Ash	8842		***WR	*F
Wenge Strand	6306	58		*R
Wheat Strand	6212	58		*F
White	949	58		**std stock**
White Ash	8841		***WR	*F
White Drops	8824	58	***90	*R
White Ice Granite	9476	58	***43	N/A
White Onyx	827		***90	N/A
White Painted Wood	8902		***NG	N/A
White Twill	9285	58		*F
White Washed Birchply	6372	58		N/A
Wild Cherry	5904		***43	*F
Winter Sky	8792	58		*R
Wood Brushstroke	6998	58		**std stock**
Woolen Cloth	8682	58		N/A
Yellow Felt	4972	58		N/A
Zen Grey	9243		58	**std stock**

std stock - flex 3mm PVC edge stocked & available for any size/shape top at standard lead time
*F - Flexible PVEA 3mm PVC edge available for an upcharge and a possible extended lead time depending on top sizes and quantity
*R - Rigid PVEA 3mm PVC edge available for an upcharge and a possible extended lead time depending on top sizes and quantity - note that the rigid form prevents the use of this edge on curved or round tops
Please note that edge banding availability is subject to change.
Email service@symphonytables.com to check pricing and lead time prior to ordering for *F and *R edge banding.


tables


Losa seated height
12”H stretcher(s)


For complete model number:
1. insert 2 letter stretcher option code:

XC - (1) 12" high stretcher centered under each piece of the top
XO - (1) 12" high stretcher offset under each piece of the top
**specify offset stretcher placement - 1" or 6" from approach edge of top*
2XC - (2) 12" high stretchers centered under each piece of the top
stretchers come standard 6" apart for tables that are 24", 30" or 36" deep

XC (1) 12"H stretcher centered under each piece of the top









XO (1) 12"H stretcher offset under each piece of the top.
specify 1" or 6" offset

stretcher panel 1" offset










stretcher panel 6" offset












2XC (2) 12"H stretchers centered under each piece of the top 6" apart







Losa 30"H table	dimensions	1, 2 or 3 piece top	model no.	grade 1 list	grade 2 list
	24 x 48 x 30H	1	TLLOS24048S__PV	1,950	2,220
	24 x 54 x 30H	1	TLLOS24054S__PV	2,030	2,320
	24 x 60 x 30H	1	TLLOS24060S__PV	2,030	2,320
	24 x 66 x 30H	1	TLLOS24066S__PV	2,140	2,450
	24 x 72 x 30H	1	TLLOS24072S__PV	2,140	2,450
	24 x 84 x 30H	1	TLLOS24084S__PV	2,390	2,720
	24 x 96 x 30H	1	TLLOS24096S__PV	2,500	2,850
	30 x 48 x 30H	1	TLLOS30048S__PV	2,050	2,350
	30 x 54 x 30H	1	TLLOS30054S__PV	2,150	2,450
	30 x 60 x 30H	1	TLLOS30060S__PV	2,230	2,560
	30 x 66 x 30H	1	TLLOS30066S__PV	2,310	2,650
	30 x 72 x 30H	1	TLLOS30072S__PV	2,310	2,650
	30 x 84 x 30H	1	TLLOS30084S__PV	2,570	2,940
	30 x 96 x 30H	1	TLLOS30096S__PV	2,670	3,060
	36 x 48 x 30H	1	TLLOS36048S__PV	2,170	2,460
	36 x 54 x 30H	1	TLLOS36054S__PV	2,260	2,570
	36 x 60 x 30H	1	TLLOS36060S__PV	2,350	2,670
	36 x 66 x 30H	1	TLLOS36066S__PV	2,430	2,770
	36 x 72 x 30H	1	TLLOS36072S__PV	2,620	2,980
	36 x 84 x 30H	1	TLLOS36084S__PV	2,770	3,160
	36 x 96 x 30H	1	TLLOS36096S__PV	2,860	3,260
	24 x 120 x 30H	2	TLLOS24120S__PV	3,640	4,040
	24 x 144 x 30H	2	TLLOS24144S__PV	3,840	4,290
	24 x 192 x 30H	2	TLLOS24192S__PV	4,580	5,170
	30 x 120 x 30H	2	TLLOS30120S__PV	4,060	4,500
	30 x 144 x 30H	2	TLLOS30144S__PV	4,510	4,990
	30 x 192 x 30H	2	TLLOS30192S__PV	5,310	5,960
	36 x 120 x 30H	2	TLLOS36120S__PV	4,400	4,870
	36 x 144 x 30H	2	TLLOS36144S__PV	4,800	5,300
	36 x 192 x 30H	2	TLLOS36192S__PV	5,630	6,290
	24 x 216 x 30H	3	TLLOS24216S__PV	5,510	6,170
	24 x 240 x 30H	3	TLLOS24240S__PV	5,880	6,620
	30 x 216 x 30H	3	TLLOS30216S__PV	6,040	6,770
	30 x 240 x 30H	3	TLLOS30240S__PV	6,440	7,250
	36 x 216 x 30H	3	TLLOS36216S__PV	6,370	7,110
	36 x 240 x 30H	3	TLLOS36240S__PV	6,780	7,610

Wire Management 3-sided Chase options:



Losa 3 sided laminate wire management chase with latches for 1 end panel base*
Seated height chase (6"W x 3"D x 16.56"H) model # **OBLOSWM3SCE30-6 - $330 list**
Losa 3 sided laminate wire management chase with latches for both end panel bases
Seated height chase (6"W x 3"D x 16.56"H) model # **OBLOSWM3SC2E30-6 - $660 list**
Losa 3 sided laminate wire management chase with latches for 1 middle support panel base*
Seated height chase (6"W x 3"D x 16.56"H) model # **OBLOSWM3SCM30-6 - $330 list**
**** for tables with offset stretchers, specify which panel and the placement of the wire manager (user left or right)***

Wire Management Mouse Hole options:



Losa wire management mouse hole (1) stretcher at the top / center - model # **OBOLOSWMMHS - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the top / center
model # **OBOLOSWMHPT - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the bottom / center
model # **OBOLOSWMHPB - $20 list**

Wire Management cut out options for end /middle panels:



Losa wire management notched cut out for power supply (1) stretcher at top / center
model # **OBOLOSWMNCOS - $60 list**



Losa wire management notched cut out for power supply (1) end panel or middle support panel at top / center
model # **OBOLOSWMNCOP - $60 list**



Losa wire management cut out (1) on the end panel 18" at center from the bottom center of the panel
model # **OBOLOSWMCOEP - $60 list**

******specify which panel or stretcher shall have the mouse hole or cut out on your PO***


Please contact service@symphonytables.com to make sure that your power and/or wire managment solution will work with the Losa table specification.
We are able to modify this table with a custom solution to fit your projects needs.


Formica + Wilsonart HPL laminate finish grades listed on pages 2-8. For additional laminate grades, contact Symphony.


tables

Losa seated height
12”H stretchers

Losa 30"H table	dimensions	model no.	grade 1 list	grade 2 list
1 piece top - (2) 12"H stretchers centered under the top stretchers 12" apart	42 x 48 x 30H	TLLOS42048S2XCPV	2,230	2,530
	42 x 54 x 30H	TLLOS42054S2XCPV	2,330	2,650
	42 x 60 x 30H	TLLOS42060S2XCPV	2,420	2,760
	42 x 66 x 30H	TLLOS42066S2XCPV	2,500	2,860
	42 x 72 x 30H	TLLOS42072S2XCPV	2,700	3,070
	42 x 84 x 30H	TLLOS42084S2XCPV	2,850	3,260
	42 x 96 x 30H	TLLOS42096S2XCPV	3,020	3,450
	48 x 54 x 30H	TLLOS48054S2XCPV	2,560	2,930
	48 x 60 x 30H	TLLOS48060S2XCPV	2,670	3,060
	48 x 66 x 30H	TLLOS48066S2XCPV	2,760	3,170
	48 x 72 x 30H	TLLOS48072S2XCPV	2,970	3,400
	48 x 84 x 30H	TLLOS48084S2XCPV	3,000	3,430
	48 x 96 x 30H	TLLOS48096S2XCPV	3,020	3,450
	54 x 60 x 30H	TLLOS54060S2XCPV	3,400	3,860
	54 x 66 x 30H	TLLOS54066S2XCPV	3,510	4,000
	54 x 72 x 30H	TLLOS54072S2XCPV	3,630	4,140
	54 x 84 x 30H	TLLOS54084S2XCPV	3,650	4,170
	54 x 96 x 30H	TLLOS54096S2XCPV	3,690	4,210
	60 x 66 x 30H	TLLOS60066S2XCPV	3,750	4,240
	60 x 72 x 30H	TLLOS60072S2XCPV	3,860	4,370
	60 x 84 x 30H	TLLOS60084S2XCPV	3,890	4,400
	60 x 96 x 30H	TLLOS60096S2XCPV	3,920	4,440
2 piece top - (2) 12"H stretchers centered under each piece of the top stretchers 12" apart	42 x 120 x 30H	TLLOS42120S2XCPV	4,870	5,380
	42 x 144 x 30H	TLLOS42144S2XCPV	5,350	5,910
	42 x 192 x 30H	TLLOS42192S2XCPV	6,280	7,020
	48 x 120 x 30H	TLLOS48120S2XCPV	4,870	5,380
	48 x 144 x 30H	TLLOS48144S2XCPV	5,350	5,910
	48 x 192 x 30H	TLLOS48192S2XCPV	6,390	7,140
	54 x 120 x 30H	TLLOS54120S2XCPV	5,850	6,460
	54 x 144 x 30H	TLLOS54144S2XCPV	6,140	6,810
	54 x 192 x 30H	TLLOS54192S2XCPV	7,240	8,130
	60 x 120 x 30H	TLLOS60120S2XCPV	6,080	6,690
	60 x 144 x 30H	TLLOS60144S2XCPV	6,370	7,040
	60 x 192 x 30H	TLLOS60192S2XCPV	7,470	8,360
3 piece top - (2) 12"H stretchers centered under each piece of the top stretchers 12" apart	42 x 216 x 30H	TLLOS42216S2XCPV	7,070	7,910
	42 x 240 x 30H	TLLOS42240S2XCPV	7,530	8,470
	48 x 216 x 30H	TLLOS48216S2XCPV	7,070	7,910
	48 x 240 x 30H	TLLOS48240S2XCPV	7,530	8,930
	54 x 216 x 30H	TLLOS54216S2XCPV	8,460	9,530
	54 x 240 x 30H	TLLOS54240S2XCPV	9,010	10,190
	60 x 216 x 30H	TLLOS60216S2XCPV	8,690	9,760
	60 x 240 x 30H	TLLOS60240S2XCPV	9,240	10,430







Wire Management 3-sided Chase options:



Losa 3 sided laminate wire management chase with latches for 1 end panel base
Seated height chase (12"W x 3"D x 16.56"H) model # **OBLOSWM3SCE30-12 - $330 list**
Losa 3 sided laminate wire management chase with latches for both end panel bases
Seated height chase (12"W x 3"D x 16.56"H) model # **OBLOSWM3SC2E30-12 - $660 list**
Losa 3 sided laminate wire management chase with latches for 1 middle support panel base
Seated height chase (12"W x 3"D x 16.56"H) model # **OBLOSWM3SCM30-12 - $330 list**

Wire Management Mouse Hole options:



Losa wire management mouse hole (1) stretcher at the top / center - model # **OBOLOSWMMHS - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the top / center
model # **OBOLOSWMHPT - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the bottom / center
model # **OBOLOSWMHPB - $20 list**

Wire Management cut out options for end /middle panels:



Losa wire management notched cut out for power supply (1) stretcher at top / center - model # **OBOLOSWMNCOS - $60 list**



Losa wire management notched cut out for power supply (1) end panel or middle support panel at top / center
model # **OBOLOSWMNCOP - $60 list**



Losa wire management cut out (1) on the end panel 18" at center from the bottom center of the panel
model # **OBOLOSWMCOEP - $60 list**


******specify which panel or stretcher shall have the mouse hole or cut out on your PO***


tables


Losa seated height
full height stretcher

For complete model number:
1. insert 2 letter stretcher option code:
FC - (1) full height stretcher centered under each piece of the top
FO - (1) full height stretcher offset under each piece of the top
specify offset stretcher placement - 1" or 6" from approach edge of top

FC (1) full height stretcher centered under each piece of the top









FO (1) full height stretcher offset under each piece of the top
specify 1" or 6" offset

stretcher panel 1" offset









stretcher panel 6" offset







Losa 30"H table	dimensions	1, 2 or 3 piece top	model no.	grade 1 list	grade 2 list
	24 x 48 x 30H	1	TLLOS24048S__PV	2,220	2,530
	24 x 54 x 30H	1	TLLOS24054S__PV	2,330	2,660
	24 x 60 x 30H	1	TLLOS24060S__PV	2,360	2,690
	24 x 66 x 30H	1	TLLOS24066S__PV	2,500	2,860
	24 x 72 x 30H	1	TLLOS24072S__PV	2,520	2,890
	24 x 84 x 30H	1	TLLOS24084S__PV	2,810	3,220
	24 x 96 x 30H	1	TLLOS24096S__PV	2,970	3,400
	30 x 48 x 30H	1	TLLOS30048S__PV	2,330	2,660
	30 x 54 x 30H	1	TLLOS30054S__PV	2,450	2,800
	30 x 60 x 30H	1	TLLOS30060S__PV	2,560	2,930
	30 x 66 x 30H	1	TLLOS30066S__PV	2,660	3,060
	30 x 72 x 30H	1	TLLOS30072S__PV	2,690	3,090
	30 x 84 x 30H	1	TLLOS30084S__PV	3,000	3,430
	30 x 96 x 30H	1	TLLOS30096S__PV	3,150	3,610
	36 x 48 x 30H	1	TLLOS36048S__PV	2,450	2,780
	36 x 54 x 30H	1	TLLOS36054S__PV	2,560	2,910
	36 x 60 x 30H	1	TLLOS36060S__PV	2,670	3,050
	36 x 66 x 30H	1	TLLOS36066S__PV	2,780	3,170
	36 x 72 x 30H	1	TLLOS36072S__PV	3,000	3,410
	36 x 84 x 30H	1	TLLOS36084S__PV	3,190	3,650
	36 x 96 x 30H	1	TLLOS36096S__PV	3,330	3,810
	24 x 120 x 30H	2	TLLOS24120S__PV	4,210	4,710
	24 x 144 x 30H	2	TLLOS24144S__PV	4,510	5,070
	24 x 192 x 30H	2	TLLOS24192S__PV	5,450	6,190
	30 x 120 x 30H	2	TLLOS30120S__PV	4,630	5,160
	30 x 144 x 30H	2	TLLOS30144S__PV	5,180	5,780
	30 x 192 x 30H	2	TLLOS30192S__PV	6,180	6,980
	36 x 120 x 30H	2	TLLOS36120S__PV	4,970	5,530
	36 x 144 x 30H	2	TLLOS36144S__PV	5,470	6,090
	36 x 192 x 30H	2	TLLOS36192S__PV	6,490	7,310
	24 x 216 x 30H	3	TLLOS24216S__PV	6,470	7,310
	24 x 240 x 30H	3	TLLOS24240S__PV	6,940	7,870
	30 x 216 x 30H	3	TLLOS30216S__PV	7,000	7,910
	30 x 240 x 30H	3	TLLOS30240S__PV	7,510	8,510
	36 x 216 x 30H	3	TLLOS36216S__PV	7,330	8,250
	36 x 240 x 30H	3	TLLOS36240S__PV	7,840	8,860

Wire Management Door option:



Losa wire management door with finger pull for 1 full height stretcher**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD1 - $200 list**
Losa wire management door with finger pull for 2 full height stretchers**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD2 - $400 list**
Losa wire management door with finger pull for 3 full height stretchers**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD3 - $600 list**

****specify placement and confirm which panel shall receive the door for tables with multiple stretchers***

Wire Management Mouse Hole options:



Losa wire management mouse hole (1) stretcher at the top / center - model # **OBOLOSWMMHS - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the top / center
model # **OBOLOSWMHPT - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the bottom / center
model # **OBOLOSWMHPB - $20 list**

Wire Management cut out options for end /middle panels:



Losa wire management notched cut out for power supply (1) stretcher at top / center
model # **OBOLOSWMNCOS - $60 list**



Losa wire management notched cut out for power supply (1) end panel or middle support panel at top / center
model # **OBOLOSWMNCOP - $60 list**



Losa wire management cut out (1) on the end panel 18" at center from the bottom center of the panel
model # **OBOLOSWMCOEP - $60 list**

****specify which panel or stretcher shall have the mouse hole or cut out on your PO***


Please contact service@symphonytables.com to make sure that your power and/or wire managment solution will work with the Losa table specification.
We are able to modify this table with a custom solution to fit your projects needs.


Formica + Wilsonart HPL laminate finish grades listed on pages 2-8. For additional laminate grades, contact Symphony.


tables

Losa seated height
full height stretchers

(2) full height stretchers centered under each piece of the top
stretchers 6" apart







Losa 30"H table	dimensions	1, 2 or 3 piece top	model no.	grade 1 list	grade 2 list
	24 x 48 x 30H	1	TLLOS24048S2FCPV	2,500	2,850
	24 x 54 x 30H	1	TLLOS24054S2FCPV	2,640	3,010
	24 x 60 x 30H	1	TLLOS24060S2FCPV	2,680	3,060
	24 x 66 x 30H	1	TLLOS24066S2FCPV	2,850	3,260
	24 x 72 x 30H	1	TLLOS24072S2FCPV	2,900	3,320
	24 x 84 x 30H	1	TLLOS24084S2FCPV	3,240	3,710
	24 x 96 x 30H	1	TLLOS24096S2FCPV	3,450	3,950
	30 x 48 x 30H	1	TLLOS30048S2FCPV	2,610	2,980
	30 x 54 x 30H	1	TLLOS30054S2FCPV	2,750	3,140
	30 x 60 x 30H	1	TLLOS30060S2FCPV	2,890	3,310
	30 x 66 x 30H	1	TLLOS30066S2FCPV	3,020	3,460
	30 x 72 x 30H	1	TLLOS30072S2FCPV	3,060	3,520
	30 x 84 x 30H	1	TLLOS30084S2FCPV	3,420	3,930
	30 x 96 x 30H	1	TLLOS30096S2FCPV	3,620	4,170
	36 x 48 x 30H	1	TLLOS36048S2FCPV	2,730	3,090
	36 x 54 x 30H	1	TLLOS36054S2FCPV	2,870	3,260
	36 x 60 x 30H	1	TLLOS36060S2FCPV	3,000	3,420
	36 x 66 x 30H	1	TLLOS36066S2FCPV	3,130	3,580
	36 x 72 x 30H	1	TLLOS36072S2FCPV	3,370	3,840
	36 x 84 x 30H	1	TLLOS36084S2FCPV	3,620	4,140
	36 x 96 x 30H	1	TLLOS36096S2FCPV	3,810	4,360
	24 x 120 x 30H	2	TLLOS24120S2FCPV	4,780	5,380
	24 x 144 x 30H	2	TLLOS24144S2FCPV	5,180	5,860
	24 x 192 x 30H	2	TLLOS24192S2FCPV	6,310	7,210
	30 x 120 x 30H	2	TLLOS30120S2FCPV	5,200	5,830
	30 x 144 x 30H	2	TLLOS30144S2FCPV	5,850	6,560
	30 x 192 x 30H	2	TLLOS30192S2FCPV	7,040	8,000
	36 x 120 x 30H	2	TLLOS36120S2FCPV	5,550	6,200
	36 x 144 x 30H	2	TLLOS36144S2FCPV	6,140	6,870
	36 x 192 x 30H	2	TLLOS36192S2FCPV	7,360	8,330
	24 x 216 x 30H	3	TLLOS24216S2FCPV	7,430	8,450
	24 x 240 x 30H	3	TLLOS24240S2FCPV	8,000	9,130
	30 x 216 x 30H	3	TLLOS30216S2FCPV	7,970	9,040
	30 x 240 x 30H	3	TLLOS30240S2FCPV	8,570	9,760
	36 x 216 x 30H	3	TLLOS36216S2FCPV	8,300	9,390
	36 x 240 x 30H	3	TLLOS36240S2FCPV	8,900	10,120

Wire Management Door option:



Losa wire management door with finger pull for 1 full height stretcher**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD1 - $200 list**
Losa wire management door with finger pull for 2 full height stretchers**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD2 - $400 list**
Losa wire management door with finger pull for 3 full height stretchers**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD3 - $600 list**

****specify placement and confirm which panel shall receive the door for tables with multiple stretchers***

Wire Management Mouse Hole options:



Losa wire management mouse hole (1) stretcher at the top / center - model # **OBOLOSWMMHS - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the top / center -
model # **OBOLOSWMHPT - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the bottom / center
model # **OBOLOSWMHPB - $20 list**

Wire Management cut out options for end /middle panels:



Losa wire management notched cut out for power supply (1) stretcher at top / center
model # **OBOLOSWMNCOS - $60 list**



Losa wire management notched cut out for power supply (1) end panel or middle support panel at top / center
model # **OBOLOSWMNCOP - $60 list**



Losa wire management cut out (1) on the end panel 18" at center from the bottom center of the panel
model # **OBOLOSWMCOEP - $60 list**




****specify which panel or stretcher shall have the mouse hole or cut out on your PO***

Please contact service@symphonytables.com to make sure that your power and/or wire managment solution will work with the Losa table specification.
We are able to modify this table with a custom solution to fit your projects needs.


Formica + Wilsonart HPL laminate finish grades listed on pages 2-8. For additional laminate grades, contact Symphony.

tables

Losa seated height
full height stretchers

Losa 30"H table	dimensions	model no.	grade 1 list	grade 2 list
1 piece top - (2) full height stretchers centered under the top stretchers 12" apart 	42 x 48 x 30H	TLLOS42048S2FCPV	2,790	3,170
	42 x 54 x 30H	TLLOS42054S2FCPV	2,930	3,340
	42 x 60 x 30H	TLLOS42060S2FCPV	3,070	3,500
	42 x 66 x 30H	TLLOS42066S2FCPV	3,200	3,660
	42 x 72 x 30H	TLLOS42072S2FCPV	3,450	3,940
	42 x 84 x 30H	TLLOS42084S2FCPV	3,700	4,240
	42 x 96 x 30H	TLLOS42096S2FCPV	3,970	4,560
	48 x 54 x 30H	TLLOS48054S2FCPV	3,170	3,620
	48 x 60 x 30H	TLLOS48060S2FCPV	3,320	3,800
	48 x 66 x 30H	TLLOS48066S2FCPV	3,470	3,980
	48 x 72 x 30H	TLLOS48072S2FCPV	3,720	4,270
	48 x 84 x 30H	TLLOS48084S2FCPV	3,850	4,410
	48 x 96 x 30H	TLLOS48096S2FCPV	3,970	4,560
	54 x 60 x 30H	TLLOS54060S2FCPV	4,050	4,610
	54 x 66 x 30H	TLLOS54066S2FCPV	4,220	4,810
	54 x 72 x 30H	TLLOS54072S2FCPV	4,380	5,000
	54 x 84 x 30H	TLLOS54084S2FCPV	4,500	5,160
	54 x 96 x 30H	TLLOS54096S2FCPV	4,630	5,310
	60 x 66 x 30H	TLLOS60066S2FCPV	4,450	5,040
	60 x 72 x 30H	TLLOS60072S2FCPV	4,610	5,240
	60 x 84 x 30H	TLLOS60084S2FCPV	4,740	5,390
	60 x 96 x 30H	TLLOS60096S2FCPV	4,870	5,540
2 piece top - (2) full height stretchers centered under each piece of the stretchers 12" apart 	42 x 120 x 30H	TLLOS42120S2FCPV	6,020	6,720
	42 x 144 x 30H	TLLOS42144S2FCPV	6,690	7,480
	42 x 192 x 30H	TLLOS42192S2FCPV	8,010	9,070
	48 x 120 x 30H	TLLOS48120S2FCPV	6,020	6,720
	48 x 144 x 30H	TLLOS48144S2FCPV	6,690	7,480
	48 x 192 x 30H	TLLOS48192S2FCPV	8,130	9,180
	54 x 120 x 30H	TLLOS54120S2FCPV	6,990	7,790
	54 x 144 x 30H	TLLOS54144S2FCPV	7,480	8,380
	54 x 192 x 30H	TLLOS54192S2FCPV	8,970	10,170
	60 x 120 x 30H	TLLOS60120S2FCPV	7,220	8,030
	60 x 144 x 30H	TLLOS60144S2FCPV	7,710	8,610
	60 x 192 x 30H	TLLOS60192S2FCPV	9,200	10,400
3 piece top - (2) full height stretchers centered under each piece of the stretchers 12" apart 	42 x 216 x 30H	TLLOS42216S2FCPV	9,000	10,190
	42 x 240 x 30H	TLLOS42240S2FCPV	9,660	10,980
	48 x 216 x 30H	TLLOS48216S2FCPV	9,000	10,190
	48 x 240 x 30H	TLLOS48240S2FCPV	9,660	10,980
	54 x 216 x 30H	TLLOS54216S2FCPV	10,390	11,810
	54 x 240 x 30H	TLLOS54240S2FCPV	11,140	12,710
	60 x 216 x 30H	TLLOS60216S2FCPV	10,620	12,040
	60 x 240 x 30H	TLLOS60240S2FCPV	11,370	12,940

Wire Management Door option:



Losa wire management door with finger pull for 1 full height stretcher**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD1 - $200 list**
Losa wire management door with finger pull for 2 full height stretchers**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD2 - $400 list**
Losa wire management door with finger pull for 3 full height stretchers**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD3 - $600 list**

specify placement and confirm which panel shall receive the door for tables with multiple stretchers

Wire Management Mouse Hole options:



Losa wire management mouse hole (1) stretcher at the top / center - model # **OBOLOSWMMHS - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the top / center
model # **OBOLOSWMHPT - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the bottom / center
model # **OBOLOSWMHPB - $20 list**

Wire Management cut out options for end /middle panels:



Losa wire management notched cut out for power supply (1) stretcher at top / center
model # **OBOLOSWMNCOS - $60 list**



Losa wire management notched cut out for power supply (1) end panel or middle support panel at top / center -
model # **OBOLOSWMNCOP - $60 list**



Losa wire management cut out (1) on the end panel 18" at center from the bottom center of the panel
model # **OBOLOSWMCOEP - $60 list**

specify which panel or stretcher shall have the mouse hole or cut out on your PO

Please contact service@symphonytables.com to make sure that your power and/or wire managment solution will work with the Losa table specification. We are able to modify this table with a custom solution to fit your projects needs.

Formica + Wilsonart HPL laminate finish grades listed on pages 2-8. For additional laminate grades, contact Symphony.

tables


Losa counter and bar height
12”H stretcher(s)


For complete model number:
1. insert 1 letter height code:
C - 36" counter height
B - 42" bar height

2. insert 2 letter stretcher option code:
XC - (1) 12" high stretcher centered under each piece of the top
XO - (1) 12" high stretcher offset under each piece of the top
specify offset stretcher placement - 1" or 6" from approach edge of top
2XC - (2) 12" high stretchers centered under each piece of the top
stretchers come standard 6" apart for tops that are 24", 30" or 36" deep

XC (1) 12"H stretcher centered under each piece of the top









XO (1) 12"H stretcher offset under each piece of the top. ***specify 1" or 6" offset***


stretcher panel 1" offset





stretcher panel 6" offset



2XC (2) 12"H stretchers centered under each piece of the top 6" apart








Losa table	dimensions	1, 2 or 3 piece top	model no.	grade 1 list	grade 2 list
	24 x 48	1	TLLOS24048 _ __ PV	2,080	2,370
	24 x 54	1	TLLOS24054 _ __ PV	2,170	2,480
	24 x 60	1	TLLOS24060 _ __ PV	2,170	2,480
	24 x 66	1	TLLOS24066 _ __ PV	2,290	2,630
	24 x 72	1	TLLOS24072 _ __ PV	2,290	2,630
	24 x 84	1	TLLOS24084 _ __ PV	2,550	2,910
	24 x 96	1	TLLOS24096 _ __ PV	2,670	3,060
	30 x 48	1	TLLOS30048 _ __ PV	2,250	2,590
	30 x 54	1	TLLOS30054 _ __ PV	2,360	2,710
	30 x 60	1	TLLOS30060 _ __ PV	2,360	2,710
	30 x 66	1	TLLOS30066 _ __ PV	2,490	2,870
	30 x 72	1	TLLOS30072 _ __ PV	2,490	2,870
	30 x 84	1	TLLOS30084 _ __ PV	2,760	3,170
	30 x 96	1	TLLOS30096 _ __ PV	2,870	3,300
	36 x 48	1	TLLOS36048 _ __ PV	2,310	2,630
	36 x 54	1	TLLOS36054 _ __ PV	2,410	2,750
	36 x 60	1	TLLOS36060 _ __ PV	2,510	2,860
	36 x 66	1	TLLOS36066 _ __ PV	2,590	2,970
	36 x 72	1	TLLOS36072 _ __ PV	2,800	3,190
	36 x 84	1	TLLOS36084 _ __ PV	2,960	3,390
	36 x 96	1	TLLOS36096 _ __ PV	3,060	3,510
	24 x 120	2	TLLOS24120 _ __ PV	3,850	4,290
	24 x 144	2	TLLOS24144 _ __ PV	4,070	4,560
	24 x 192	2	TLLOS24192 _ __ PV	4,880	5,530
	30 x 120	2	TLLOS30120 _ __ PV	4,280	4,760
	30 x 144	2	TLLOS30144 _ __ PV	4,750	5,280
	30 x 192	2	TLLOS30192 _ __ PV	5,640	6,350
	36 x 120	2	TLLOS36120 _ __ PV	4,630	5,140
	36 x 144	2	TLLOS36144 _ __ PV	5,050	5,600
	36 x 192	2	TLLOS36192 _ __ PV	5,960	6,690
	24 x 216	3	TLLOS24216 _ __ PV	5,850	6,580
	24 x 240	3	TLLOS24240 _ __ PV	6,250	7,070
	30 x 216	3	TLLOS30216 _ __ PV	6,410	7,210
	30 x 240	3	TLLOS30240 _ __ PV	6,850	7,740
	36 x 216	3	TLLOS36216 _ __ PV	6,740	7,570
	36 x 240	3	TLLOS36240 _ __ PV	7,200	8,110

Wire Management 3-sided Chase options:



Losa 3 sided laminate wire management chase with latches for 1 end panel base*
Counter height chase (22.56"H) model # **OBLOSWM3SCE36-6 - $350 list**
Bar height chase (28.56"H) model # **OBLOSWM3SCE42-6 - $370 list**
Losa 3 sided laminate wire management chase with latches for both end panel bases
Counter height chase (22.56"H) model # **OBLOSWM3SC2E36-6 - $700 list**
Bar height chase (28.56"H) model # **OBLOSWM3SC2E42-6 - $740 list**
Losa 3 sided laminate wire management chase with latches for 1 middle panel base*
Counter height chase (22.56"H) model # **OBLOSWM3SCM36-6 - $350 list**
Bar height chase (28.56"H) model # **OBLOSWM3SCM42-6 - $370 list**
**** for tables with offset stretchers, specify which panel and the placement of the wire manager (user left or right)***

Wire Management Mouse Hole options:



Losa wire management mouse hole (1) stretcher at the top / center - model # **OBOLOSWMMHS - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the top / center model # **OBOLOSWMHPT - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the bottom / center - model # **OBOLOSWMHPB - $20 list**

Wire Management cut out options for end /middle panels:



Losa wire management notched cut out for power supply (1) stretcher at top / center
model # **OBOLOSWMNCOS - $60 list**



Losa wire management notched cut out for power supply (1) end panel or middle support panel at top / center
model # **OBOLOSWMNCOP - $60 list**



Losa wire management cut out (1) on the end panel 18" at center from the bottom center of the panel
model # **OBOLOSWMCOEP - $60 list**

******specify which panel or stretcher shall have the mouse hole or cut out on your PO***

Please contact service@symphonytables.com to make sure that your power and/or wire managment solution will work with the Losa table specification. We are able to modify this table with a custom solution to fit your projects needs.

tables


Losa counter and bar height
12”H stretchers


For complete model number - insert 1 letter height code:
C - 36" counter height
B - 42" bar height

Formica + Wilsonart HPL laminate finish grades listed on pages 2-8. For additional laminate grades, contact Symphony.


Losa table - stretchers 12" apart	dimensions	model no.	grade 1 list	grade 2 list
1 piece top - (2) 12"H stretchers centered under the top	42 x 48	TLLOS42048 _ 2XCPV	2,380	2,710
	42 x 54	TLLOS42054 _ 2XCPV	2,480	2,840
	42 x 60	TLLOS42060 _ 2XCPV	2,580	2,960
	42 x 66	TLLOS42066 _ 2XCPV	2,680	3,070
	42 x 72	TLLOS42072 _ 2XCPV	2,880	3,290
	42 x 84	TLLOS42084 _ 2XCPV	3,050	3,490
	42 x 96	TLLOS42096 _ 2XCPV	3,240	3,720
	48 x 54	TLLOS48054 _ 2XCPV	2,480	2,840
	48 x 60	TLLOS48060 _ 2XCPV	2,580	2,960
	48 x 66	TLLOS48066 _ 2XCPV	2,680	3,070
	48 x 72	TLLOS48072 _ 2XCPV	2,880	3,290
	48 x 84	TLLOS48084 _ 2XCPV	2,900	3,320
	48 x 96	TLLOS48096 _ 2XCPV	3,240	3,720
	54 x 60	TLLOS54060 _ 2XCPV	3,630	4,140
	54 x 66	TLLOS54066 _ 2XCPV	3,760	4,300
	54 x 72	TLLOS54072 _ 2XCPV	3,880	4,440
	54 x 84	TLLOS54084 _ 2XCPV	3,910	4,480
	54 x 96	TLLOS54096 _ 2XCPV	3,950	4,520
	60 x 66	TLLOS60066 _ 2XCPV	3,990	4,530
	60 x 72	TLLOS60072 _ 2XCPV	4,110	4,680
	60 x 84	TLLOS60084 _ 2XCPV	4,140	4,710
	60 x 96	TLLOS60096 _ 2XCPV	4,180	4,760
2 piece top - (2) 12"H stretchers centered under each piece of the top	42 x 120	TLLOS42120 _ 2XCPV	5,120	5,680
	42 x 144	TLLOS42144 _ 2XCPV	5,620	6,240
	42 x 192	TLLOS42192 _ 2XCPV	6,640	7,460
	48 x 120	TLLOS48120 _ 2XCPV	5,120	5,680
	48 x 144	TLLOS48144 _ 2XCPV	5,620	6,240
	48 x 192	TLLOS48192 _ 2XCPV	6,760	7,580
	54 x 120	TLLOS54120 _ 2XCPV	6,150	6,830
	54 x 144	TLLOS54144 _ 2XCPV	6,470	7,210
	54 x 192	TLLOS54192 _ 2XCPV	7,680	8,660
	60 x 120	TLLOS60120 _ 2XCPV	6,380	7,060
	60 x 144	TLLOS60144 _ 2XCPV	6,710	7,440
	60 x 192	TLLOS60192 _ 2XCPV	7,920	8,900
3 piece top - (2) 12"H stretchers centered under each piece of the top	42 x 216	TLLOS42216 _ 2XCPV	7,480	8,400
	42 x 240	TLLOS42240 _ 2XCPV	7,990	9,020
	48 x 216	TLLOS48216 _ 2XCPV	7,480	8,400
	48 x 240	TLLOS48240 _ 2XCPV	7,990	9,020
	54 x 216	TLLOS54216 _ 2XCPV	8,990	10,170
	54 x 240	TLLOS54240 _ 2XCPV	9,600	10,900
	60 x 216	TLLOS60216 _ 2XCPV	9,230	10,400
	60 x 240	TLLOS60240 _ 2XCPV	9,830	11,130








Wire Management 3-sided Chase options:



Losa 3 sided laminate wire management chase with latches for 1 end panel base
Counter height chase (22.56"H) model # **OBLOSWM3SCE36-12 - $350 list**
Bar height chase (28.56"H) model # **OBLOSWM3SCE42-12 - $370 list**
Losa 3 sided laminate wire management chase with latches for both end panel bases
Counter height chase (22.56"H) model # **OBLOSWM3SC2E36-12 - $700 list**
Bar height chase (28.56"H) model # **OBLOSWM3SC2E42-12 - $740 list**
Losa 3 sided laminate wire management chase with latches for 1 middle panel base
Counter height chase (22.56"H) model # **OBLOSWM3SCM36-12 - $350 list**
Bar height chase (28.56"H) model # **OBLOSWM3SCM42-12 - $370 list**

Wire Management Mouse Hole options:



Losa wire management mouse hole (1) stretcher at the top / center - model # **OBOLOSWMMHS - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the top / center - model # **OBOLOSWMHPT - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the bottom / center - model # **OBOLOSWMHPB - $20 list**

Wire Management cut out options for end /middle panels:



Losa wire management notched cut out for power supply (1) stretcher at top / center model # **OBOLOSWMNCOS - $60 list**



Losa wire management notched cut out for power supply (1) end panel or middle support panel at top / center
model # **OBOLOSWMNCOP - $60 list**



Losa wire management cut out (1) on the end panel 18" at center from the bottom center of the panel
model # **OBOLOSWMCOEP - $60 list**


tables

Losa counter and bar height
full height stretcher

For complete model number:
1. insert 1 letter height code:
C - 36" counter height
B - 42" bar height

2. insert 2 letter stretcher option code:
FC - (1) full height stretcher centered under each piece of the top
FO - (1) full height stretcher offset under each piece of the top
***specify offset stretcher placement - 1" or 6" from approach edge of top**

FC (1) full height stretcher centered under each piece of the top



FO (1) full height stretcher offset under each piece of the top
specify 1" or 6" offset

modesty panel 1" offset

modesty panel 6" offset



Losa table	dimensions	1, 2 or 3 piece top	model no.	grade 1 list	grade 2 list
	24 x 48	1	TLLOS24048 _ __ PV	2,350	2,690
	24 x 54	1	TLLOS24054 _ __ PV	2,470	2,830
	24 x 60	1	TLLOS24060 _ __ PV	2,490	2,850
	24 x 66	1	TLLOS24066 _ __ PV	2,640	3,030
	24 x 72	1	TLLOS24072 _ __ PV	2,670	3,060
	24 x 84	1	TLLOS24084 _ __ PV	2,970	3,400
	24 x 96	1	TLLOS24096 _ __ PV	3,150	3,610
	30 x 48	1	TLLOS30048 _ __ PV	2,530	2,900
	30 x 54	1	TLLOS30054 _ __ PV	2,660	3,050
	30 x 60	1	TLLOS30060 _ __ PV	2,690	3,080
	30 x 66	1	TLLOS30066 _ __ PV	2,840	3,270
	30 x 72	1	TLLOS30072 _ __ PV	2,860	3,300
	30 x 84	1	TLLOS30084 _ __ PV	3,190	3,660
	30 x 96	1	TLLOS30096 _ __ PV	3,340	3,850
	36 x 48	1	TLLOS36048 _ __ PV	2,590	2,950
	36 x 54	1	TLLOS36054 _ __ PV	2,710	3,100
	36 x 60	1	TLLOS36060 _ __ PV	2,830	3,240
	36 x 66	1	TLLOS36066 _ __ PV	2,950	3,370
	36 x 72	1	TLLOS36072 _ __ PV	3,170	3,620
	36 x 84	1	TLLOS36084 _ __ PV	3,380	3,880
	36 x 96	1	TLLOS36096 _ __ PV	3,540	4,060
	24 x 120	2	TLLOS24120 _ __ PV	4,420	4,960
	24 x 144	2	TLLOS24144 _ __ PV	4,740	5,340
	24 x 192	2	TLLOS24192 _ __ PV	5,750	6,550
	30 x 120	2	TLLOS30120 _ __ PV	4,850	5,430
	30 x 144	2	TLLOS30144 _ __ PV	5,420	6,070
	30 x 192	2	TLLOS30192 _ __ PV	6,500	7,370
	36 x 120	2	TLLOS36120 _ __ PV	5,200	5,810
	36 x 144	2	TLLOS36144 _ __ PV	5,720	6,390
	36 x 192	2	TLLOS36192 PV	6,830	7,710
	24 x 216	3	TLLOS24216 _ __ PV	6,810	7,720
	24 x 240	3	TLLOS24240 _ __ PV	7,310	8,320
	30 x 216	3	TLLOS30216 _ __ PV	7,370	8,340
	30 x 240	3	TLLOS30240 PV	7,910	8,990
	36 x 216	3	TLLOS36216 _ __ PV	7,710	8,700
	36 x 240	3	TLLOS36240 _ __ PV	8,260	9,370


Wire Management Door option:



Losa wire management door with finger pull for 1 full height stretcher**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD1** - $200 list
Losa wire management door with finger pull for 2 full height stretchers**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD2** - $400 list
Losa wire management door with finger pull for 3 full height stretchers**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD3** - $600 list

***specify placement and confirm which panel shall receive the door for tables with multiple stretchers**

Wire Management Mouse Hole options:




Losa wire management mouse hole (1) stretcher at the top / center - model # **OBOLOSWMMHS - $20 list**

Losa wire management mouse hole (1) in the end panel or middle support panel at the top / center - model # **OBOLOSWMHPT - $20 list**

Losa wire management mouse hole (1) in the end panel or middle support panel at the bottom / center - model # **OBOLOSWMHPB - $20 list**

Wire Management cut out options for end /middle



Losa wire management notched cut out for power supply (1) stretcher at top / center
model # **OBOLOSWMNCOS - $60 list**

Losa wire management notched cut out for power supply (1) end panel or middle support panel at top / center
model # **OBOLOSWMNCOP - $60 list**

Losa wire management cut out (1) on the end panel 18" at center from the bottom center of the panel
model # **OBOLOSWMCOEP - $60 list**

****specify which panel or stretcher shall have the mouse hole or cut out on your PO***

Please contact service@symphonytables.com to make sure that your power and/or wire managment solution will work with the Losa table specification. We are able to modify this table with a custom solution to fit your projects needs.

Formica + Wilsonart HPL laminate finish grades listed on pages 2-8. For additional laminate grades, contact Symphony.

tables


Losa counter and bar height
full height stretchers


For complete model number - insert 1 letter height code:
C - 36" counter height
B - 42" bar height

Formica + Wilsonart HPL laminate finish grades listed on pages 6-13.
For additional laminate grades, contact Symphony.

Losa table - stretchers 12" apart	dimensions	model no.	grade 1 list	grade 2 list
1 piece top - (2) full height stretchers centered under the top stretchers 12" apart	24 x 48	TLLOS24048 _ 2FCPV	2,630	3,000
	24 x 54	TLLOS24054 _ 2FCPV	2,770	3,170
	24 x 60	TLLOS24060 _ 2FCPV	2,820	3,230
	24 x 66	TLLOS24066 _ 2FCPV	2,990	3,430
	24 x 72	TLLOS24072 _ 2FCPV	3,040	3,490
	24 x 84	TLLOS24084 _ 2FCPV	3,400	3,900
	24 x 96	TLLOS24096 _ 2FCPV	3,620	4,170
	30 x 48	TLLOS30048 _ 2FCPV	2,810	3,220
	30 x 54	TLLOS30054 _ 2FCPV	2,960	3,400
	30 x 60	TLLOS30060 _ 2FCPV	3,010	3,460
	30 x 66	TLLOS30066 _ 2FCPV	3,190	3,670
	30 x 72	TLLOS30072 _ 2FCPV	3,240	3,730
	30 x 84	TLLOS30084 _ 2FCPV	3,610	4,150
	30 x 96	TLLOS30096 _ 2FCPV	3,820	4,400
	36 x 48	TLLOS36048 _ 2FCPV	2,870	3,260
	36 x 54	TLLOS36054 _ 2FCPV	3,020	3,440
	36 x 60	TLLOS36060 _ 2FCPV	3,160	3,610
	36 x 66	TLLOS36066 _ 2FCPV	3,300	3,780
	36 x 72	TLLOS36072 _ 2FCPV	3,550	4,060
	36 x 84	TLLOS36084 _ 2FCPV	3,810	4,370
	36 x 96	TLLOS36096 _ 2FCPV	4,010	4,610
2 piece top - (2) full height stretchers centered under each piece of the stretchers 12" apart	24 x 120	TLLOS24120 _ 2FCPV	4,990	5,630
	24 x 144	TLLOS24144 _ 2FCPV	5,410	6,130
	24 x 192	TLLOS24192 _ 2FCPV	6,610	7,580
	30 x 120	TLLOS30120 _ 2FCPV	5,420	6,100
	30 x 144	TLLOS30144 _ 2FCPV	6,090	6,860
	30 x 192	TLLOS30192 _ 2FCPV	7,370	8,390
	36 x 120	TLLOS36120 _ 2FCPV	5,780	6,480
	36 x 144	TLLOS36144 _ 2FCPV	6,390	7,170
	36 x 192	TLLOS36192 _ 2FCPV	7,700	8,740
3 piece top - (2) full height stretchers centered under each piece of the stretchers 12" apart	24 x 216	TLLOS24216 _ 2FCPV	7,770	8,860
	24 x 240	TLLOS24240 _ 2FCPV	8,380	9,580
	30 x 216	TLLOS30216 _ 2FCPV	8,330	9,480
	30 x 240	TLLOS30240 _ 2FCPV	8,970	10,250
	36 x 216	TLLOS36216 _ 2FCPV	8,670	9,840
	36 x 240	TLLOS36240 _ 2FCPV	9,320	10,620








Wire Management Door option:



Losa wire management door with finger pull for 1 full height stretcher**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD1** - $200 list
Losa wire management door with finger pull for 2 full height stretchers**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD2** - $400 list
Losa wire management door with finger pull for 3 full height stretchers**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD3** - $600 list

***specify placement and confirm which panel shall receive the door for tables with multiple stretchers**

Wire Management Mouse Hole options:




Losa wire management mouse hole (1) stretcher at the top / center - model # **OBOLOSWMMHS - $20 list**

Losa wire management mouse hole (1) in the end panel or middle support panel at the top / center - model # **OBOLOSWMHPT - $20 list**

Losa wire management mouse hole (1) in the end panel or middle support panel at the bottom / center - model # **OBOLOSWMHPB - $20 list**

Wire Management cut out options for end /middle panels:



Losa wire management notched cut out for power supply (1) stretcher at top / center
model # **OBOLOSWMNCOS - $60 list**

Losa wire management notched cut out for power supply (1) end panel or middle support panel at top / center
model # **OBOLOSWMNCOP - $60 list**

Losa wire management cut out (1) on the end panel 18" at center from the bottom center of the panel
model # **OBOLOSWMCOEP - $60 list**

****specify which panel or stretcher shall have the mouse hole or cut out on your PO***

Please contact service@symphonytables.com to make sure that your power and/or wire managment solution will work with the Losa table specification. We are able to modify this table with a custom solution to fit your projects needs.

Formica + Wilsonart HPL laminate finish grades listed on pages 2-8. For additional laminate grades, contact Symphony.

tables

Losa counter and bar height full height stretchers

For complete model number - insert 1 letter height code:
C - 36" counter height
B - 42" bar height

Formica + Wilsonart HPL laminate finish grades listed on pages 2-8. For additional laminate grades, contact Symphony.

Losa table - stretchers 12" apart	dimensions	model no.	grade 1 list	grade 2 list
1 piece top - (2) full height stretchers centered under the top	42 x 48	TLLOS42048 _ 2FCPV	2,940	3,340
	42 x 54	TLLOS42054 _ 2FCPV	3,090	3,530
	42 x 60	TLLOS42060 _ 2FCPV	3,240	3,700
	42 x 66	TLLOS42066 _ 2FCPV	3,380	3,870
	42 x 72	TLLOS42072 _ 2FCPV	3,630	4,160
	42 x 84	TLLOS42084 _ 2FCPV	3,900	4,480
	42 x 96	TLLOS42096 _ 2FCPV	4,190	4,820
	48 x 54	TLLOS48054 _ 2FCPV	3,090	3,530
	48 x 60	TLLOS48060 _ 2FCPV	3,240	3,700
	48 x 66	TLLOS48066 _ 2FCPV	3,380	3,870
	48 x 72	TLLOS48072 _ 2FCPV	3,630	4,160
	48 x 84	TLLOS48084 _ 2FCPV	3,750	4,300
	48 x 96	TLLOS48096 _ 2FCPV	4,190	4,820
	54 x 60	TLLOS54060 _ 2FCPV	4,290	4,890
	54 x 66	TLLOS54066 _ 2FCPV	4,460	5,110
	54 x 72	TLLOS54072 _ 2FCPV	4,630	5,310
	54 x 84	TLLOS54084 _ 2FCPV	4,760	5,470
	54 x 96	TLLOS54096 _ 2FCPV	4,900	5,630
	60 x 66	TLLOS60066 _ 2FCPV	4,690	5,340
	60 x 72	TLLOS60072 _ 2FCPV	4,870	5,540
	60 x 84	TLLOS60084 _ 2FCPV	5,000	5,700
	60 x 96	TLLOS60096 _ 2FCPV	5,130	5,860
2 piece top - (2) full height stretchers centered under each piece of the	42 x 120	TLLOS42120 _ 2FCPV	6,270	7,020
	42 x 144	TLLOS42144 _ 2FCPV	6,960	7,810
	42 x 192	TLLOS42192 _ 2FCPV	8,380	9,510
	48 x 120	TLLOS48120 _ 2FCPV	6,270	7,020
	48 x 144	TLLOS48144 _ 2FCPV	6,960	7,810
	48 x 192	TLLOS48192 _ 2FCPV	8,490	9,620
	54 x 120	TLLOS54120 _ 2FCPV	7,300	8,160
	54 x 144	TLLOS54144 _ 2FCPV	7,810	8,780
	54 x 192	TLLOS54192 _ 2FCPV	9,410	10,710
	60 x 120	TLLOS60120 _ 2FCPV	7,530	8,390
	60 x 144	TLLOS60144 _ 2FCPV	8,050	9,020
	60 x 192	TLLOS60192 _ 2FCPV	9,650	10,940
3 piece top - (2) full height stretchers centered under each piece of the	42 x 216	TLLOS42216 _ 2FCPV	9,410	10,680
	42 x 240	TLLOS42240 _ 2FCPV	10,120	11,530
	48 x 216	TLLOS48216 _ 2FCPV	9,410	10,680
	48 x 240	TLLOS48240 _ 2FCPV	10,120	11,530
	54 x 216	TLLOS54216 _ 2FCPV	10,920	12,450
	54 x 240	TLLOS54240 _ 2FCPV	11,730	13,420
	60 x 216	TLLOS60216 _ 2FCPV	11,150	12,680
	60 x 240	TLLOS60240 _ 2FCPV	11,960	13,650


Wire Management Door option:



Losa wire management door with finger pull for 1 full height stretcher**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD1** - $200 list
Losa wire management door with finger pull for 2 full height stretchers**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD2** - $400 list
Losa wire management door with finger pull for 3 full height stretchers**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD3** - $600 list

***specify placement and confirm which panel shall receive the door for tables with multiple stretchers*

Wire Management Mouse Hole options:



Losa wire management mouse hole (1) stretcher at the top / center - model # **OBOLOSWMMHS** - $20 list



Losa wire management mouse hole (1) in the end panel or middle support panel at the top / center - model # **OBOLOSWMHPT** - $20 list



Losa wire management mouse hole (1) in the end panel or middle support panel at the bottom / center - model # **OBOLOSWMHPB** - $20 list

Wire Management cut out options for end /middle panels:



Losa wire management notched cut out for power supply (1) stretcher at top / center
model # **OBOLOSWMNCOS** - $60 list



Losa wire management notched cut out for power supply (1) end panel or middle support panel at top / center
model # **OBOLOSWMNCOP** - $60 list



Losa wire management cut out (1) on the end panel 18" at center from the bottom center of the panel
model # **OBOLOSWMCOEP - $60 list**

specify which panel or stretcher shall have the mouse hole or cut out on your PO

Please contact service@symphonytables.com to make sure that your power and/or wire managment solution will work with the Losa table specification.
We are able to modify this table with a custom solution to fit your projects needs.

tables
Sala occasional

For complete model number:
1. insert base code:
S = no plinth base
P = 3/4" plinth base

2. insert laminate grade code:
1 = grade 1 laminate
2 = grade 2 laminate

					S = no plinth base		**P** = 3/4" plinth	
shape	dimension	height	model no.		grade 1	grade 2	grade 1	grade 2
cylinder	18	15	TLSAL180015 __ G __		1,070	1,290	1,310	1,520
	24	15	TLSAL240015 __ G __		1,230	1,480	1,470	1,720
	30	15	TLSAL300015 __ G __		1,530	1,850	1,810	2,120
	36	15	TLSAL360015 __ G __		1,760	2,130	2,070	2,420
	18	20	TLSAL180020 __ G __		1,120	1,350	1,350	1,580
	24	20	TLSAL240020 __ G __		1,320	1,590	1,560	1,820
	30	20	TLSAL300020 __ G __		1,610	1,950	1,890	2,210
	36	20	TLSAL360020 __ G __		1,880	2,280	2,190	2,570
	18	24	TLSAL180024 __ G __		1,150	1,380	1,380	1,610
	24	24	TLSAL240024 __ G __		1,390	1,670	1,630	1,910
	30	24	TLSAL300024 __ G __		1,660	2,020	1,940	2,280
	36	24	TLSAL360024 __ G __		2,010	2,450	2,320	2,720
oval	20x36	15	TLSAL203615 __ G __		2,160	2,600	2,430	2,940
	22x40	15	TLSAL224015 __ G __		2,430	2,930	2,730	3,310
	24x46	15	TLSAL244615 __ G __		2,660	3,220	2,990	3,630
	20x36	20	TLSAL203620 __ G __		2,260	2,730	2,530	3,070
	22x40	20	TLSAL224020 __ G __		2,530	3,060	2,840	3,450
	24x46	20	TLSAL244620 __ G __		2,780	3,360	3,110	3,770
	20x36	24	TLSAL203624 __ G __		2,370	2,870	2,640	3,200
	22x40	24	TLSAL224024 __ G __		2,670	3,230	2,980	3,620
	24x46	24	TLSAL244624 __ G __		2,880	3,490	3,210	3,910
square corner cube	18x18	15	TLSAL181815 __ G __		1,450	1,760	1,680	2,050
	24x24	15	TLSAL242415 __ G __		1,690	2,060	1,940	2,370
	30x30	15	TLSAL303015 __ G __		1,980	2,410	2,250	2,750
	36x36	15	TLSAL363615 __ G __		2,280	2,780	2,590	3,170
	18x18	20	TLSAL181820 __ G __		1,520	1,850	1,750	2,130
	24x24	20	TLSAL242420 __ G __		1,780	2,160	2,030	2,480
	30x30	20	TLSAL303020 __ G __		2,140	2,620	2,420	2,960
	36x36	20	TLSAL363620 __ G __		2,460	3,010	2,770	3,390
	18x18	24	TLSAL181824 __ G __		1,560	1,900	1,790	2,190
	24x24	24	TLSAL242424 __ G __		1,870	2,280	2,130	2,600
	30x30	24	TLSAL303024 __ G __		2,240	2,740	2,520	3,080
	36x36	24	TLSAL363624 __ G __		2,660	3,260	2,980	3,650
square corner rectangle	24x30	15	TLSAL243015 __ G __		1,800	2,200	2,080	2,550
	24x48	15	TLSAL244815 __ G __		2,010	2,460	2,330	2,850
	24x30	20	TLSAL243020 __ G __		1,970	2,410	2,240	2,750
	24x48	20	TLSAL244820 __ G __		2,320	2,840	2,630	3,230
	24x30	24	TLSAL243024 __ G __		2,160	2,640	2,430	2,990
	24x48	24	TLSAL244824 __ G __		2,560	3,140	2,870	3,530

Formica + Wilsonart HPL laminate finish grades listed on pages 6-13. For additional laminate grades, contact Symphony.

Sala bases feature a non-adjustable plastic tack glide.

surfaces

surfaces
surface overview

Standard particleboard
The standard core consists of 1 .125" thick, 45 lb. industrial grade western particleboard. This meets or exceeds requirements of ANSA A 208 1979, 1-M-3 and is TECO tested per ASTM D-1037. The core is laminated with a .040" thick high pressure laminate top, while the underside has a .035" Polybak Ultra backing sheet applied.

High Pressure Laminate (HPL) surface
Symphony produces tops with virtually any laminate.
Most Formica and Wilsonart laminates are grade 1 or 2 (see listings). However, some Formica and Wilsonart laminates plus laminates from other suppliers can exceed grade 2 pricing plus have extended lead times.
To verify pricing and lead-times, please email service@symphonytables.com for assistance.

To check availability or to order any samples please contact the laminate companies directly.


www.Formica.com	800-FORMICA
www.Nevamar.com	800-638-4380
www.Wilsonart.com	800-433-3222
www.Pionite.com	800-746-6483

surfaces
edge profile overview




PVEA eased edge band is banded with 3mm extruded synthetic PVC molding. The molding at top and bottom edges feature a slight radius, adding comfort. The 90 degree corners create a seamless table to table fit. Dimensions: 1.19" high x .0125" deep.

PVRC eased edge band is banded with 3mm extruded synthetic PVC molding. The molding at top and bottom edges feature a slight radius, adding comfort. 3" radius corners. Dimensions: 1.19" high x 0.125" deep.



PVKN edge is banded with .462 high rigid 3mm extruded synthetic PVC molding. The top edge molding features a slight radius, adding comfort. The bottom of the edge features exposed MDF core sanded smooth with a wax coating, the slanted edge has a 20 degree angle. The 90 degree corners create a seamless table to table fit. Dimensions: 1.19" high x .2" deep.

PVKR edge is banded with .462 high rigid 3mm extruded synthetic PVC molding. The top edge molding features a slight radius, adding comfort. The bottom of the edge features exposed MDF core sanded smooth with a wax coating, the slanted edge has a 20 degree angle. 3 inch radius corners. Dimensions: 1.19". high x .2" deep



PVC edge finishes to match Wilsonart laminates:
Alabaster, Amber Cherry, Antique White, Asian Night, Asian Sand, Atlantis, Bannister Oak, Beigewood, Biltmore Cherry, Black, Blond Echo, Brazilwood, Brighton Walnut, Cafelle, Cocobala, Coffee Bean, Columbian Walnut, Designer White, Dove Grey, Ebony Recon, Empire Mahogany, Field Elm, Figured Mahogany, Fonthill Pear, Frosty White, Fusion Maple, Graphite Nebula, Grey, Grey Elm, Grey Mesh, Hampton Walnut, Harvest Maple, High Line, Huntington Maple, Kensington Maple, Khaki Brown, Limber Maple, Linen, Manitoba Maple, Montana Walnut, Monticello Maple, Natural Almond, Nepal Teak, North Sea, Pebble, Pepperdust, Pinnacle Walnut, Platinum, River Cherry, Satin Stainless, Shadow, Skyline Walnut, Slate Grey, Solar Oak, Studio Teak, Tan Echo, Wallaby, Walnut Heights, White, Wild Cherry, Williamsburg Cherry, Windsor Mahogany, Zanzibar.

PVC edge finishes to match Fomica laminates:
Almond, Amber Maple, Antique White, Black, Bleached Legno, Brite White, Dover White, Fog, Folkstone, Graphite, Graystone, Hard Rock Maple, Natural Maple, Neutral Twill, Platinum, Prestige Walnut, Pumice, Select Cherry, Stone Grafix, Storm, White

***Note that this list is subject to change at any time depending on the availability of the edge from the top plant or the edge manufacturer.**

surfaces
shapes, dimensions, weight, seating capacity

shape		A x B	seats	approximate weight (lbs)
round (RD)		24 dia.	2	18
		30 dia.	2	28
		36 dia.	3	41
		42 dia.	4	55
		48 dia.	4-5	72
		54 dia.	5	91
		60 dia.	6-7	113
square (SQ)		24 x 24	2	18
		30 x 30	2	28
		36 x 36	4	42
		42 x 42	4	55
		48 x 48	4	72
		60 x 60	6-8	113
rectangle (RE)		18 x 48	1	27
	*	18 x 60	2	34
	*	18 x 72	2	41
	*	18 x 84	2-3	48
	*	18 x 90	3	51
	*	18 x 96	3	54
		24 x 30	1	23
		24 x 36	1	27
		24 x 42	1	32
		24 x 48	1	36
	*	24 x 60	2	45
	*	24 x 66	2	50
	*	24 x 72	2	54
	*	24 x 84	2-3	63
	*	24 x 90	3	68
	*	24 x 96	3	72
		30 x 36	2	34
		30 x 42	2	40
		30 x 48	2-4	45
	**	30 x 60	4	57
	**	30 x 66	4-6	62
	**	30 x 72	6	68
	**	30 x 84	2-3	79
	**	30 x 90	3	85
	**	30 x 96	3	90
		36 x 42	2	48
		36 x 48	2-4	54
	**	36 x 60	4-6	68
	**	36 x 72	6-8	81
	**	36 x 84	6-8	95
	**	36 x 90	6-8	102
	**	36 x 96	8-10	108
	2+	36 x 120	8-10	135
	**	42 x 60	6	79
	**	42 x 72	6-8	95
	**	42 x 84	6-8	111
	**	42 x 96	8-10	126
	2+	42 x 120	8-10	158
	2+	42 x 144	10	190
	**	48 x 72	6	108
	**	48 x 84	6-8	126
	**	48 x 96	8-10	144
	2+	48 x 120	8-10	180
	2+	48 x 144	10	216
	2+	48 x 168	10	252
	**	60 x 96	8-10	180
	2+	60 x 120	10-12	225
	2+	60 x 144	10-12	270
	2+	60 x 168	12	315

shape		A x B	seats	approximate weight (lbs)
racetrack (RA).	**	36 x 72	4	81
	**	36 x 84	6	95
	**	36 x 96	6-8	108
	2+	36 x 120	8	135
	**	42 x 72	6	95
	**	42 x 96	8	126
	2+	42 x 120	8	158
	**	48 x 96	8-10	144
	2+	48 x 120	8-10	180
	2+	48 x 144	10	216
	2+	48 x 168	10	252
	**	60 x 96	8-10	180
	2+	60 x 120	10-12	225
	2+	60 x 144	10-12	270
	2+	60 x 168	12	315
boat (BO).	**	36 x 72	4	81
	**	36 x 84	6	95
	2+	36 x 96	6-8	108
	**	42 x 96	8	126
	**	48 x 96	8-10	144
	2+	48 x 120	8-10	180
	**	60 x 96	8-10	180
	2+	60 x 120	10-12	225
	2+	60 x 144	10-12	270
	2+	60 x 168	12	315
oval (OV).	**	36 x 72	4	81
	**	36 x 84	6	95
	**	36 x 96	6-8	108
	2+	36 x 120	8	135
	**	42 x 72	6	95
	**	42 x 96	8	126
	**	48 x 96	8-10	144
	2+	48 x 120	8-10	180
	2+	48 x 144	10	216
	2+	48 x 168	10	252
	**	60 x 96	8-10	180
	2+	60 x 120	10-12	225
	2+	60 x 144	10-12	270
	2+	60 x 168	12	315

*** 1 support bar included**
**** 2 support bars included**
2+ 2 piece top with bars + table lock set included

*** 120" - 144" two piece tops can be produced as one piece upon request with additional packaging and freight charges

Seating capacity is a guide only. Capacity will vary according to seating width, design and layout. Capacity based on 30" minimum width per seat and use on all potential sides.

For pricing on custom size 3mm edge (PVEA) surfaces just use next largest standard size price. For unusual shapes and other special pricing, email service@symphonytables.com for assistance.

surfaces
additional shapes, dimensions

shape	A x B x C
quarter round (QR)	18 x 18 x 25.5
	24 x 24 x 34
	30 x 30 x 42.5
half round (HA)	18 x 36
	24 x 48
	30 x 60
crescent (CR)	18 x 36 x 51
	24 x 48 x 68
	24 x 60 x 94
	30 x 60 x 96
trapezoid (TR)	24 x 48 x 21
	30 x 60 x 26
	30 x 72 x 31
corner - angled (CA)	24 x 36
	24 x 42
	24 x 48
corner - curved (CC)	24 x 36
	24 x 42
	24 x 48

shape	A x B x C
corner - extended (CE)	24 x 60 x 36
curved front	24 x 72 x 36
	24 x 60 x 48
	24 x 72 x 48
	24 x 36 x 60
	24 x 36 x 72
	24 x 48 x 60
	24 x 48 x 72
corner - 120 degree (12)	24 x 36
	24 x 42
	24 x 48
wedge (WE)	24 x 36 x 30
	24 x 42 x 30
	24 x 48 x 30
	24 x 60 x 30
	30 x 36 x 24
	30 x 42 x 24
	30 x 48 x 24
	30 x 60 x 24

surfaces

PVEA & PVRC 3mm eased edge
round, squircle, square and small rectangle

shape	dimension	model no.	grade 1 list	grade 2 list
round (PVEA edge)	18	SLRD18000PVEA	260	300
	20	SLRD20000PVEA	280	320
	24	SLRD24000PVEA	310	340
	30	SLRD30000PVEA	410	460
	36	SLRD36000PVEA	520	590
	42	SLRD42000PVEA	770	890
	48	SLRD48000PVEA	800	910
	54	SLRD54000PVEA	1,150	1,340
	60	SLRD60000PVEA	1,180	1,360
squircle (PVEA edge)	30 x 30	SLSC30030PVEA	410	460
	36 x 36	SLSC36036PVEA	520	590
	42 x 42	SLSC42042PVEA	770	890
	48 x 48	SLSC48048PVEA	800	910
	54 x 54	SLSC54054PVEA	1,150	1,340
	60 x 60	SLSC60060PVEA	1,180	1,360
square (PVEA edge) 90 degree corners	18 x 18	SLSQ18018PVEA	260	300
	20 x 20	SLSQ20020PVEA	280	320
	24 x 24	SLSQ24024PVEA	310	340
	30 x 30	SLSQ30030PVEA	410	460
	36 x 36	SLSQ36036PVEA	520	590
	42 x 42	SLSQ42042PVEA	770	890
	48 x 48	SLSQ48048PVEA	800	910
	54 x 54	SLSQ54054PVEA	1,150	1,340
	60 x 60	SLSQ60060PVEA	1,180	1,360
square (PVRC edge) 3" radius corners	18 x 18	SLSQ18018PVRC	280	320
	20 x 20	SLSQ20020PVRC	300	340
	24 x 24	SLSQ24024PVRC	330	370
	30 x 30	SLSQ30030PVRC	440	490
	36 x 36	SLSQ36036PVRC	560	640
	42 x 42	SLSQ42042PVRC	830	960
	48 x 48	SLSQ48048PVRC	850	980
	54 x 54	SLSQ54054PVRC	1,240	1,450
	60 x 60	SLSQ60060PVRC	1,270	1,470
rectangle (PVEA) 90 degree corners	12 x 18	SLRE12018PVEA	240	280
	14 x 20	SLRE14020PVEA	260	300
rectangle (PVRC edge) 3" radius corners	12 x 18	SLRE12018PVRC	260	300
	14 x 20	SLRE14020PVRC	280	320


Additonal edge profiles and top dimensions are available. Please contact Symphony for details.

Formica + Wilsonart HPL laminate finish grades listed on pages 6-13. For additional laminate grades, contact Symphony.

PVKN & PVKR 3mm knife edge
round, squircle, square and small rectangle



shape	dimension	model no. (raw MDF edge)	grade 1 list (raw MDF edge)	grade 2 list (raw MDF edge)	model no. (painted edge)	grade 1 list (black or white painted edge)	grade 2 list (black or white painted edge)
round (PVKN edge)	18	SLRD18000PVKN	350	410	SLRD18000PVKN-P	420	480
	20	SLRD20000PVKN	380	430	SLRD20000PVKN-P	460	510
	24	SLRD24000PVKN	400	450	SLRD24000PVKN-P	500	550
	30	SLRD30000PVKN	540	620	SLRD30000PVKN-P	660	740
	36	SLRD36000PVKN	690	800	SLRD36000PVKN-P	830	940
	42	SLRD42000PVKN	1,050	1,230	SLRD42000PVKN-P	1,220	1,400
	48	SLRD48000PVKN	1,080	1,250	SLRD48000PVKN-P	1,270	1,440
	54	SLRD54000PVKN	1,590	1,870	SLRD54000PVKN-P	1,800	2,080
	60	SLRD60000PVKN	1,620	1,890	SLRD60000PVKN-P	1,860	2,130
sqircle (PVKN edge)	30 x 30	SLSC30030PVKN	540	620	SLSC30030PVKN-P	660	740
	36 x 36	SLSC36036PVKN	690	800	SLSC36036PVKN-P	830	940
	42 x 42	SLSC42042PVKN	1,050	1,230	SLSC42042PVKN-P	1,220	1,400
	48 x 48	SLSC48048PVKN	1,080	1,250	SLSC48048PVKN-P	1,270	1,440
	54 x 54	SLSC54054PVKN	1,590	1,870	SLSC54054PVKN-P	1,800	2,080
	60 x 60	SLSC60060PVKN	1,620	1,890	SLSC60060PVKN-P	1,860	2,130
square (PVKN edge) 90 degree corners	18 x 18	SLSQ18018PVKN	350	410	SLSQ18018PVKN-P	440	500
	20 x 20	SLSQ20020PVKN	380	430	SLSQ20020PVKN-P	480	530
	24 x 24	SLSQ24024PVKN	400	450	SLSQ24024PVKN-P	520	570
	30 x 30	SLSQ30030PVKN	540	620	SLSQ30030PVKN-P	690	770
	36 x 36	SLSQ36036PVKN	690	800	SLSQ36036PVKN-P	870	980
	42 x 42	SLSQ42042PVKN	1,050	1,230	SLSQ42042PVKN-P	1,260	1,440
	48 x 48	SLSQ48048PVKN	1,080	1,250	SLSQ48048PVKN-P	1,320	1,490
	54 x 54	SLSQ54054PVKN	1,590	1,870	SLSQ54054PVKN-P	1,860	2,140
	60 x 60	SLSQ60060PVKN	1,620	1,890	SLSQ60060PVKN-P	1,920	2,190
square (PVKR edge) 3" radius corners	18 x 18	SLSQ18018PVKR	380	440	SLSQ18018PVKR-P	470	530
	20 x 20	SLSQ20020PVKR	400	470	SLSQ20020PVKR-P	500	570
	24 x 24	SLSQ24024PVKR	430	490	SLSQ24024PVKR-P	550	610
	30 x 30	SLSQ30030PVKR	580	660	SLSQ30030PVKR-P	730	810
	36 x 36	SLSQ36036PVKR	750	860	SLSQ36036PVKR-P	930	1,040
	42 x 42	SLSQ42042PVKR	1,140	1,330	SLSQ42042PVKR-P	1,350	1,540
	48 x 48	SLSQ48048PVKR	1,160	1,350	SLSQ48048PVKR-P	1,400	1,590
	54 x 54	SLSQ54054PVKR	1,730	2,030	SLSQ54054PVKR-P	2,000	2,300
	60 x 60	SLSQ60060PVKR	1,750	2,050	SLSQ60060PVKR-P	2,050	2,350
rectangle (PVKN) 90 degree corners	12 x 18	SLRE12018PVKN	330	390	SLRE12018PVKN-P	410	470
	14 x 20	SLRE14020PVKN	350	410	SLRE14020PVKN-P	440	500
rectangle (PVKR edge) 3" radius corners	12 x 18	SLRE12018PVKR	360	420	SLRE12018PVKR-P	440	500
	14 x 20	SLRE14020PVKR	380	440	SLRE14020PVKR-P	470	530

PVKN and PVKR edge detail:



surfaces



PVEA & PVRC 3mm eased edge rectangle

shape		dimension	model no.	grade 1 list	grade 2 list
rectangle (PVEA edge)		18 x 36	SLRE18036PVEA	300	360
90 degree corners		18 x 42	SLRE18042PVEA	350	410
		18 x 48	SLRE18048PVEA	370	430
		18 x 54	SLRE18054PVEA	530	600
	*	18 x 60	SLRE18060PVEA	540	610
	*	18 x 66	SLRE18066PVEA	580	660
	*	18 x 72	SLRE18072PVEA	600	690
	*	18 x 84	SLRE18084PVEA	750	860
	*	18 x 90	SLRE18090PVEA	790	900
	*	18 x 96	SLRE18096PVEA	800	910
		24 x 30	SLRE24030PVEA	320	370
		24 x 36	SLRE24036PVEA	340	390
		24 x 42	SLRE24042PVEA	360	420
		24 x 48	SLRE24048PVEA	390	450
		24 x 54	SLRE24054PVEA	540	620
	*	24 x 60	SLRE24060PVEA	550	620
	*	24 x 66	SLRE24066PVEA	590	670
	*	24 x 72	SLRE24072PVEA	610	700
	*	24 x 84	SLRE24084PVEA	760	870
	*	24 x 90	SLRE24090PVEA	810	920
	*	24 x 96	SLRE24096PVEA	820	930
		30 x 36	SLRE30036PVEA	420	490
		30 x 42	SLRE30042PVEA	440	510
		30 x 48	SLRE30048PVEA	470	540
		30 x 54	SLRE30054PVEA	690	780
	**	30 x 60	SLRE30060PVEA	710	800
	**	30 x 66	SLRE30066PVEA	770	870
	**	30 x 72	SLRE30072PVEA	810	910
	**	30 x 84	SLRE30084PVEA	1,110	1,260
	**	30 x 90	SLRE30090PVEA	1,140	1,280
	**	30 x 96	SLRE30096PVEA	1,150	1,300
rectangle (PVRC edge)		18 x 36	SLRE18036PVRC	330	370
3" radius corners		18 x 42	SLRE18042PVRC	380	450
		18 x 48	SLRE18048PVRC	400	470
		18 x 54	SLRE18054PVRC	570	650
	*	18 x 60	SLRE18060PVRC	580	660
	*	18 x 66	SLRE18066PVRC	620	710
	*	18 x 72	SLRE18072PVRC	650	730
	*	18 x 84	SLRE18084PVRC	800	920
	*	18 x 90	SLRE18090PVRC	840	970
	*	18 x 96	SLRE18096PVRC	850	980
		24 x 30	SLRE24030PVRC	340	390
		24 x 36	SLRE24036PVRC	370	420
		24 x 42	SLRE24042PVRC	390	460
		24 x 48	SLRE24048PVRC	420	490
		24 x 54	SLRE24054PVRC	580	660
	*	24 x 60	SLRE24060PVRC	590	670
	*	24 x 66	SLRE24066PVRC	630	720
	*	24 x 72	SLRE24072PVRC	650	740
	*	24 x 84	SLRE24084PVRC	820	930
	*	24 x 90	SLRE24090PVRC	870	990
	*	24 x 96	SLRE24096PVRC	880	1000
		30 x 36	SLRE30036PVRC	460	530
		30 x 42	SLRE30042PVRC	480	560
		30 x 48	SLRE30048PVRC	500	590
		30 x 54	SLRE30054PVRC	740	840
	**	30 x 60	SLRE30060PVRC	750	850
	**	30 x 66	SLRE30066PVRC	820	930
	**	30 x 72	SLRE30072PVRC	860	970
	**	30 x 84	SLRE30084PVRC	1,180	1,340
	**	30 x 90	SLRE30090PVRC	1,210	1,370
	**	30 x 96	SLRE30096PVRC	1,230	1,390

Formica + Wilsonart HPL laminate finish grades listed on pages 6-13. For additional laminate grades, contact Symphony.

* 1 support bar included ** 2 support bars included

PVKN & PVKR 3mm knife edge rectangle

shape		dimension	model no. (raw MDF edge)	grade 1 list (raw MDF edge)	grade 2 list (raw MDF edge)	model no. (painted edge)	grade 1 list (black or white painted edge)	grade 2 list (black or white painted edge)
rectangle (PVKN edge)		18 x 36	SLRE18036PVKN	340	400	SLRE18036PVKN-P	450	500
90 degree corners		18 x 42	SLRE18042PVKN	490	580	SLRE18042PVKN-P	630	710
		18 x 48	SLRE18048PVKN	520	600	SLRE18048PVKN-P	670	760
		18 x 54	SLRE18054PVKN	710	820	SLRE18054PVKN-P	880	990
	*	18 x 60	SLRE18060PVKN	720	830	SLRE18060PVKN-P	910	1,020
	*	18 x 66	SLRE18066PVKN	780	900	SLRE18066PVKN-P	990	1,110
	*	18 x 72	SLRE18072PVKN	800	920	SLRE18072PVKN-P	1,030	1,150
	*	18 x 84	SLRE18084PVKN	1,010	1,170	SLRE18084PVKN-P	1,280	1,430
	*	18 x 90	SLRE18090PVKN	1,060	1,230	SLRE18090PVKN-P	1,350	1,520
	*	18 x 96	SLRE18096PVKN	1,070	1,240	SLRE18096PVKN-P	1,380	1,540
		24 x 30	SLRE24030PVKN	430	500	SLRE24030PVKN-P	560	630
		24 x 36	SLRE24036PVKN	460	540	SLRE24036PVKN-P	620	700
		24 x 42	SLRE24042PVKN	500	590	SLRE24042PVKN-P	680	760
		24 x 48	SLRE24048PVKN	540	630	SLRE24048PVKN-P	740	830
		24 x 54	SLRE24054PVKN	720	830	SLRE24054PVKN-P	950	1,060
	*	24 x 60	SLRE24060PVKN	730	840	SLRE24060PVKN-P	980	1,100
	*	24 x 66	SLRE24066PVKN	790	910	SLRE24066PVKN-P	1,070	1,190
	*	24 x 72	SLRE24072PVKN	810	930	SLRE24072PVKN-P	1,120	1,240
	*	24 x 84	SLRE24084PVKN	1,020	1,180	SLRE24084PVKN-P	1,380	1,540
	*	24 x 90	SLRE24090PVKN	1,080	1,250	SLRE24090PVKN-P	1,470	1,630
	*	24 x 96	SLRE24096PVKN	1,090	1,260	SLRE24096PVKN-P	1,500	1,670
		30 x 36	SLRE30036PVKN	580	680	SLRE30036PVKN-P	770	870
		30 x 42	SLRE30042PVKN	610	710	SLRE30042PVKN-P	830	940
		30 x 48	SLRE30048PVKN	650	760	SLRE30048PVKN-P	900	1,010
		30 x 54	SLRE30054PVKN	910	1,040	SLRE30054PVKN-P	1,200	1,330
	**	30 x 60	SLRE30060PVKN	920	1,060	SLRE30060PVKN-P	1,240	1,380
	**	30 x 66	SLRE30066PVKN	1,000	1,150	SLRE30066PVKN-P	1,360	1,500
	**	30 x 72	SLRE30072PVKN	1,050	1,190	SLRE30072PVKN-P	1,430	1,580
	**	30 x 84	SLRE30084PVKN	1,460	1,680	SLRE30084PVKN-P	1,910	2,120
	**	30 x 90	SLRE30090PVKN	1,490	1,710	SLRE30090PVKN-P	1,970	2,190
	**	30 x 96	SLRE30096PVKN	1,500	1,720	SLRE30096PVKN-P	2,020	2,230
rectangle (PVKR edge)		18 x 36	SLRE18036PVKR	370	440	SLRE18036PVKR-P	480	530
3" radius corners		18 x 42	SLRE18042PVKR	530	630	SLRE18042PVKR-P	670	760
		18 x 48	SLRE18048PVKR	560	660	SLRE18048PVKR-P	710	810
		18 x 54	SLRE18054PVKR	760	880	SLRE18054PVKR-P	940	1,060
	*	18 x 60	SLRE18060PVKR	770	900	SLRE18060PVKR-P	970	1,090
	*	18 x 66	SLRE18066PVKR	840	970	SLRE18066PVKR-P	1,050	1,180
	*	18 x 72	SLRE18072PVKR	860	990	SLRE18072PVKR-P	1,090	1,220
	*	18 x 84	SLRE18084PVKR	1,090	1,260	SLRE18084PVKR-P	1,350	1,530
	*	18 x 90	SLRE18090PVKR	1,140	1,330	SLRE18090PVKR-P	1,430	1,620
	*	18 x 96	SLRE18096PVKR	1,150	1,340	SLRE18096PVKR-P	1,460	1,650
		24 x 30	SLRE24030PVKR	460	540	SLRE24030PVKR-P	590	670
		24 x 36	SLRE24036PVKR	500	590	SLRE24036PVKR-P	660	740
		24 x 42	SLRE24042PVKR	540	640	SLRE24042PVKR-P	720	810
		24 x 48	SLRE24048PVKR	580	680	SLRE24048PVKR-P	790	890
		24 x 54	SLRE24054PVKR	780	900	SLRE24054PVKR-P	1,010	1,130
	*	24 x 60	SLRE24060PVKR	780	910	SLRE24060PVKR-P	1,040	1,160
	*	24 x 66	SLRE24066PVKR	850	980	SLRE24066PVKR-P	1,130	1,260
	*	24 x 72	SLRE24072PVKR	870	1,000	SLRE24072PVKR-P	1,180	1,310
	*	24 x 84	SLRE24084PVKR	1,100	1,270	SLRE24084PVKR-P	1,460	1,630
	*	24 x 90	SLRE24090PVKR	1,170	1,350	SLRE24090PVKR-P	1,550	1,740
	*	24 x 96	SLRE24096PVKR	1,180	1,360	SLRE24096PVKR-P	1,590	1,770
		30 x 36	SLRE30036PVKR	630	740	SLRE30036PVKR-P	820	930
		30 x 42	SLRE30042PVKR	660	780	SLRE30042PVKR-P	890	1,000
		30 x 48	SLRE30048PVKR	700	820	SLRE30048PVKR-P	960	1,080
		30 x 54	SLRE30054PVKR	980	1,120	SLRE30054PVKR-P	1,260	1,410
	**	30 x 60	SLRE30060PVKR	990	1,140	SLRE30060PVKR-P	1,310	1,450
	**	30 x 66	SLRE30066PVKR	1,080	1,240	SLRE30066PVKR-P	1,430	1,590
	**	30 x 72	SLRE30072PVKR	1,120	1,280	SLRE30072PVKR-P	1,500	1,660
	**	30 x 84	SLRE30084PVKR	1,570	1,810	SLRE30084PVKR-P	2,020	2,250
	**	30 x 90	SLRE30090PVKR	1,600	1,840	SLRE30090PVKR-P	2,080	2,320
	**	30 x 96	SLRE30096PVKR	1,610	1,850	SLRE30096PVKR-P	2,120	2,360

Additonal edge profiles and top dimensions are available. Please contact Symphony for details.

surfaces


PVEA 3mm eased edge

1 piece conference: rectangle, boat, oval, racetrack

For complete model number:
1. insert 2 character top shape code (rectangle **RE** , boat **BO**, oval **OV**, or racetrack **RA**)
For example 36" x 42" rectangle top #SL**RE**36042PVEA



rectangle (RE) boat (BO) oval (OV) racetrack (RA)

	edge	dimension	model no.	grade 1 list	grade 2 list
PVEA					
		36 x 42	SL_ _36042PVEA	510	590
		36 x 48	SL_ _36048PVEA	560	650
**		36 x 54	SL_ _36054PVEA	830	890
**		36 x 60	SL_ _36060PVEA	840	900
**		36 x 66	SL_ _36066PVEA	910	1,000
**		36 x 72	SL_ _36072PVEA	940	1,040
**		36 x 84	SL_ _36084PVEA	1,260	1,400
**		36 x 90	SL_ _36090PVEA	1,310	1,440
**		36 x 96	SL_ _36096PVEA	1,320	1,460
		42 x 48	SL_ _42048PVEA	710	830
**		42 x 54	SL_ _42054PVEA	870	960
**		42 x 60	SL_ _42060PVEA	1,040	1,150
**		42 x 66	SL_ _42066PVEA	1,190	1,340
**		42 x 72	SL_ _42072PVEA	1,240	1,380
**		42 x 84	SL_ _42084PVEA	1,600	1,790
**		42 x 90	SL_ _42090PVEA	1,650	1,830
**		42 x 96	SL_ _42096PVEA	1,660	1,860
**		48 x 54	SL_ _48054PVEA	1,040	1,140
**		48 x 60	SL_ _48060PVEA	1,050	1,150
**		48 x 66	SL_ _48066PVEA	1,210	1,340
**		48 x 72	SL_ _48072PVEA	1,240	1,380
**		48 x 84	SL_ _48084PVEA	1,600	1,790
**		48 x 90	SL_ _48090PVEA	1,650	1,830
**		48 x 96	SL_ _48096PVEA	1,660	1,860
**		54 x 60	SL_ _54060PVEA	1,430	1,610
**		54 x 66	SL_ _54066PVEA	1,460	1,630
**		54 x 72	SL_ _54072PVEA	1,510	1,680
**		54 x 84	SL_ _54084PVEA	1,930	2,160
**		54 x 90	SL_ _54090PVEA	2,010	2,260
**		54 x 96	SL_ _54096PVEA	2,030	2,280
**		60 x 66	SL_ _60066PVEA	1,460	1,630
**		60 x 72	SL_ _60072PVEA	1,510	1,680
**		60 x 84	SL_ _60084PVEA	1,930	2,160
**		60 x 90	SL_ _60090PVEA	2,010	2,260
**		60 x 96	SL_ _60096PVEA	2,030	2,280

Formica + Wilsonart HPL laminate finish grades listed on pages 6-13For additional laminate grades, contact Symphony.

**** 2 support bars included**

Radius corners available for rectangle and boat shaped tops - contact Symphony for details and pricing.

surfaces

PVKN 3mm knife edge

1 piece conference: rectangle, boat, oval, racetrack

For complete model number:
1. insert 2 character top shape code (rectangle **RE** , boat **BO**, oval **OV**, or racetrack **RA**)
For example 36" x 42" rectangle top #SL**RE**36042PVEA




rectangle (RE) boat (BO) oval (OV) racetrack (RA)

	edge	dimension	model no. (natural waxed MDF edge)	grade 1 list (natural waxed MDF edge)	grade 2 list (natural waxed MDF edge)	model no. (painted edge)	grade 1 list (black or white painted edge)	grade 2 list (black or white painted edge)
PVKN								
		36 x 42	SL_ _36042PVKN	700	830	SL_ _36042PVKN-P	900	1,030
		36 x 48	SL_ _36048PVKN	780	910	SL_ _36048PVKN-P	990	1,120
**		36 x 54	SL_ _36054PVKN	1,050	1,210	SL_ _36054PVKN-P	1,280	1,440
**		36 x 60	SL_ _36060PVKN	1,060	1,220	SL_ _36060PVKN-P	1,300	1,460
**		36 x 66	SL_ _36066PVKN	1,170	1,360	SL_ _36066PVKN-P	1,430	1,620
**		36 x 72	SL_ _36072PVKN	1,210	1,400	SL_ _36072PVKN-P	1,480	1,670
**		36 x 84	SL_ _36084PVKN	1,640	1,900	SL_ _36084PVKN-P	1,940	2,200
**		36 x 90	SL_ _36090PVKN	1,680	1,940	SL_ _36090PVKN-P	2,000	2,260
**		36 x 96	SL_ _36096PVKN	1,710	1,970	SL_ _36096PVKN-P	2,040	2,300
		42 x 48	SL_ _42048PVKN	990	1,170	SL_ _42048PVKN-P	1,220	1,400
**		42 x 54	SL_ _42054PVKN	1,130	1,300	SL_ _42054PVKN-P	1,370	1,540
**		42 x 60	SL_ _42060PVKN	1,350	1,570	SL_ _42060PVKN-P	1,610	1,830
**		42 x 66	SL_ _42066PVKN	1,580	1,850	SL_ _42066PVKN-P	1,850	2,120
**		42 x 72	SL_ _42072PVKN	1,620	1,880	SL_ _42072PVKN-P	1,910	2,170
**		42 x 84	SL_ _42084PVKN	2,120	2,470	SL_ _42084PVKN-P	2,440	2,790
**		42 x 90	SL_ _42090PVKN	2,160	2,510	SL_ _42090PVKN-P	2,490	2,840
**		42 x 96	SL_ _42096PVKN	2,190	2,530	SL_ _42096PVKN-P	2,540	2,880
**		48 x 54	SL_ _48054PVKN	1,340	1,560	SL_ _48054PVKN-P	1,600	1,820
**		48 x 60	SL_ _48060PVKN	1,350	1,570	SL_ _48060PVKN-P	1,620	1,840
**		48 x 66	SL_ _48066PVKN	1,580	1,850	SL_ _48066PVKN-P	1,870	2,140
**		48 x 72	SL_ _48072PVKN	1,620	1,880	SL_ _48072PVKN-P	1,920	2,180
**		48 x 84	SL_ _48084PVKN	2,120	2,470	SL_ _48084PVKN-P	2,450	2,800
**		48 x 90	SL_ _48090PVKN	2,160	2,510	SL_ _48090PVKN-P	2,510	2,860
**		48 x 96	SL_ _48096PVKN	2,190	2,530	SL_ _48096PVKN-P	2,550	2,890
**		54 x 60	SL_ _54060PVKN	1,980	2,340	SL_ _54060PVKN-P	2,240	2,600
**		54 x 66	SL_ _54066PVKN	2,000	2,360	SL_ _54066PVKN-P	2,280	2,640
**		54 x 72	SL_ _54072PVKN	2,020	2,380	SL_ _54072PVKN-P	2,320	2,680
**		54 x 84	SL_ _54084PVKN	2,590	3,060	SL_ _54084PVKN-P	2,920	3,380
**		54 x 90	SL_ _54090PVKN	2,680	3,160	SL_ _54090PVKN-P	3,030	3,490
**		54 x 96	SL_ _54096PVKN	2,690	3,170	SL_ _54096PVKN-P	3,070	3,520
**		60 x 66	SL_ _60066PVKN	2,000	2,360	SL_ _60066PVKN-P	2,300	2,650
**		60 x 72	SL_ _60072PVKN	2,020	2,380	SL_ _60072PVKN-P	2,330	2,690
**		60 x 84	SL_ _60084PVKN	2,590	3,060	SL_ _60084PVKN-P	2,930	3,390
**		60 x 90	SL_ _60090PVKN	2,680	3,160	SL_ _60090PVKN-P	3,050	3,510
**		60 x 96	SL_ _60096PVKN	2,690	3,170	SL_ _60096PVKN-P	3,080	3,530

Formica + Wilsonart HPL laminate finish grades listed on pages 6-13 For additional laminate grades, contact Symphony.

**** 2 support bars included**

Radius corners available for rectangle and boat shaped tops - contact Symphony for details and pricing.



surfaces

PVEA 3mm eased edge

2 piece conference: rectangle, boat, oval, racetrack

For complete model number:
1. insert 2 character top shape code (rectangle **RE** , boat **BO**, oval **OV**, or racetrack **RA**)
For example 36" x 42" rectangle top #SL**RE**36042PVEA



rectangle (RE) | boat (BO) | oval (OV) | racetrack (RA)

edge		dimension	model no.	PVEA grade 1 list	PVEA grade 2 list	grain match model no.	grain match grade 1 list upcharge	grain match grade 2 list upcharge
PVEA								
	2+	36 x 120	SL_ _36120PVEA	1,560	1,730	OTGRMTCH36120	240	310
	2+	36 x 144	SL_ _36144PVEA	1,770	1,950	OTGRMTCH36144	290	380
	2+	42 x 120	SL_ _42120PVEA	1,940	2,180	OTGRMTCH42120	290	370
	2+	42 x 144	SL_ _42144PVEA	2,310	2,590	OTGRMTCH42144	340	440
	2+	42 x 168	SL_ _42168PVEA	2,730	3,090	OTGRMTCH42168	400	510
	2+	42 x 192	SL_ _42192PVEA	3,120	3,540	OTGRMTCH42192	460	590
	2+	48 x 120	SL_ _48120PVEA	1,960	2,190	OTGRMTCH48120	330	420
	2+	48 x 144	SL_ _48144PVEA	2,310	2,590	OTGRMTCH48144	390	500
	2+	48 x 168	SL_ _48168PVEA	2,750	3,090	OTGRMTCH48168	460	590
	2+	48 x 192	SL_ _48192PVEA	3,140	3,540	OTGRMTCH48192	520	670
	2+	54 x 120	SL_ _54120PVEA	2,350	2,650	OTGRMTCH54120	370	470
	2+	54 x 144	SL_ _54144PVEA	2,800	3,170	OTGRMTCH54144	440	570
	2+	54 x 168	SL_ _54168PVEA	3,680	4,190	OTGRMTCH54168	510	660
	2+	54 x 192	SL_ _54192PVEA	3,770	4,290	OTGRMTCH54192	590	750
	2+	60 x 120	SL_ _60120PVEA	2,350	2,650	OTGRMTCH60120	410	520
	2+	60 x 144	SL_ _60144PVEA	2,800	3,170	OTGRMTCH60144	490	630
	2+	60 x 168	SL_ _60168PVEA	3,680	4,190	OTGRMTCH60168	570	730
	2+	60 x 192	SL_ _60192PVEA	3,770	4,290	OTGRMTCH60192	650	840


Formica + Wilsonart HPL laminate finish grades listed on pages 6-13. For additional laminate grades, contact Symphony.

2+ 2 piece top with bars + table lock set included

Grain Match fees for 2 piece tops with a wood grain laminate
See above chart, use model number OTGRMTCH with the top depth x length-Gr1 or Gr2 - for example OTGRMTCH36120-GR1

Radius corners available for rectangle and boat shaped tops - contact Symphony for pricing.

PVKN or PVKN-P EDGE DETAIL (pricing on opposite page)



PVKN EXPOSED MDF CORE SANDED SMOOTH WITH A WAX COATING
PVKN-P PAINTED KNIFE EDGE - SPECIFY BLACK OR WHITE PAINT

surfaces

PVKN 3mm knife edge

2 piece conference: rectangle, boat, oval, racetrack

For complete model number:
1. insert 2 character top shape code (rectangle **RE** , boat **BO**, oval **OV**, or racetrack **RA**)
For example 36" x 42" rectangle top #SL**RE**36042PVEA



rectangle (RE) | boat (BO) | oval (OV) | racetrack (RA)

edge		dimension	model no. (natural waxed MDF edge)	grade 1 list (natural waxed MDF edge)	grade 2 list (natural waxed MDF edge)	grain match model no.	grain match grade 1 list upcharge	grain match grade 2 list upcharge
PVKN (natural waxed MDF)								
	2+	36 x 120	SL_ _36120PVKN	2,040	2,370	OTGRMTCH36120	240	310
	2+	36 x 144	SL_ _36144PVKN	2,300	2,670	OTGRMTCH36144	290	380
	2+	42 x 120	SL_ _42120PVKN	2,570	3,010	OTGRMTCH42120	290	370
	2+	42 x 144	SL_ _42144PVKN	3,090	3,610	OTGRMTCH42144	340	440
	2+	42 x 168	SL_ _42168PVKN	3,670	4,270	OTGRMTCH42168	400	510
	2+	42 x 192	SL_ _42192PVKN	4,190	4,890	OTGRMTCH42192	460	590
	2+	48 x 120	SL_ _48120PVKN	2,570	3,010	OTGRMTCH48120	330	420
	2+	48 x 144	SL_ _48144PVKN	3,090	3,610	OTGRMTCH48144	390	500
	2+	48 x 168	SL_ _48168PVKN	3,670	4,270	OTGRMTCH48168	460	590
	2+	48 x 192	SL_ _48192PVKN	4,190	4,890	OTGRMTCH48192	520	670
	2+	54 x 120	SL_ _54120PVKN	3,230	3,830	OTGRMTCH54120	370	470
	2+	54 x 144	SL_ _54144PVKN	3,850	4,560	OTGRMTCH54144	440	570
	2+	54 x 168	SL_ _54168PVKN	5,090	6,040	OTGRMTCH54168	510	660
	2+	54 x 192	SL_ _54192PVKN	5,110	6,060	OTGRMTCH54192	590	750
	2+	60 x 120	SL_ _60120PVKN	3,230	3,830	OTGRMTCH60120	410	520
	2+	60 x 144	SL_ _60144PVKN	3,850	4,560	OTGRMTCH60144	490	630
	2+	60 x 168	SL_ _60168PVKN	5,090	6,040	OTGRMTCH60168	570	730
	2+	60 x 192	SL_ _60192PVKN	5,110	6,060	OTGRMTCH60192	650	840

edge		dimension	model no. (painted edge)	grade 1 list (painted edge)	grade 2 list (painted edge)	grain match model no.	grain match grade 1 list upcharge	grain match grade 2 list upcharge
PVKN-P (painted)								
	2+	36 x 120	SL_ _36120PVKN-P	2,430	2,760	OTGRMTCH36120	240	310
	2+	36 x 144	SL_ _36144PVKN-P	2,750	3,120	OTGRMTCH36144	290	380
	2+	42 x 120	SL_ _42120PVKN-P	2,980	3,420	OTGRMTCH42120	290	370
	2+	42 x 144	SL_ _42144PVKN-P	3,560	4,080	OTGRMTCH42144	340	440
	2+	42 x 168	SL_ _42168PVKN-P	4,200	4,800	OTGRMTCH42168	400	510
	2+	42 x 192	SL_ _42192PVKN-P	4,780	5,480	OTGRMTCH42192	460	590
	2+	48 x 120	SL_ _48120PVKN-P	2,990	3,430	OTGRMTCH48120	330	420
	2+	48 x 144	SL_ _48144PVKN-P	3,570	4,090	OTGRMTCH48144	390	500
	2+	48 x 168	SL_ _48168PVKN-P	4,210	4,810	OTGRMTCH48168	460	590
	2+	48 x 192	SL_ _48192PVKN-P	4,800	5,500	OTGRMTCH48192	520	670
	2+	54 x 120	SL_ _54120PVKN-P	3,640	4,230	OTGRMTCH54120	370	470
	2+	54 x 144	SL_ _54144PVKN-P	4,310	5,030	OTGRMTCH54144	440	570
	2+	54 x 168	SL_ _54168PVKN-P	5,600	6,560	OTGRMTCH54168	510	660
	2+	54 x 192	SL_ _54192PVKN-P	5,730	6,640	OTGRMTCH54192	590	750
	2+	60 x 120	SL_ _60120PVKN-P	3,650	4,250	OTGRMTCH60120	410	520
	2+	60 x 144	SL_ _60144PVKN-P	4,330	5,040	OTGRMTCH60144	490	630
	2+	60 x 168	SL_ _60168PVKN-P	5,620	6,570	OTGRMTCH60168	570	730
	2+	60 x 192	SL_ _60192PVKN-P	5,750	6,650	OTGRMTCH60192	650	840

Formica + Wilsonart HPL laminate finish grades listed on pages 6-13. For additional laminate grades, contact Symphony.

2+ 2 piece top with bars + table lock set included

Grain Match fees for 2 piece tops with a wood grain laminate
See above chart, use model number OTGRMTCH with the top depth x length-Gr1 or Gr2 - for example OTGRMTCH36120-GR1

Radius corners available for rectangle and boat shaped tops - contact Symphony for pricing.

PVEA 3mm eased edge and PVKN knife edge

conference: arc trapezoid & arc rectangle


For complete model number insert 2 character edge code: (PVEA for eased or PVKN for knife edge)

shape		dimension	model no.	PVEA grade 1 list	PVEA grade 2 list	PVKN grade 1 list	PVKN grade 2 list	PVKN-P grade 1 list	PVKN-P grade 2 list	grain match model no.	grain match grade 1 list upcharge	grain match grade 2 list upcharge
arc trapezoid												
	**	60 x 96	SLAT60096PV_ _	2,230	2,510	2,960	3,450	3,350	3,830	-	-	-
	2+	60 x 120	SLAT60120PV_ _	2,590	2,920	3,530	4,180	3,950	4,600	OTGRMTCH60120	410	520
	2+	60 x 144	SLAT60144PV_ _	3,080	3,490	4,210	4,990	4,680	5,470	OTGRMTCH60144	490	630
	2+	60 x 168	SLAT60168PV_ _	4,050	4,610	5,560	6,610	6,090	7,140	OTGRMTCH60168	570	730
	2+	60 x 192	SLAT60192PV_ _	4,150	4,720	5,620	6,630	6,260	7,220	OTGRMTCH60192	650	840
arc rectangle												
	**	42 x 72	SLAR42072PV_ _	1,360	1,520	1,780	2,080	2,070	2,360	-	-	-
	**	42 x 84	SLAR42084PV_ _	1,760	1,970	2,330	2,720	2,650	3,040	-	-	-
	**	42 x 90	SLAR42090PV_ _	1,820	2,010	2,380	2,760	2,710	3,090	-	-	-
	**	42 x 96	SLAR42096PV_ _	1,830	2,050	2,410	2,780	2,760	3,130	-	-	-
	2+	42 x 120	SLAR42120PV_ _	2,130	2,400	2,830	3,350	3,240	3,730	OTGRMTCH42120	290	370
	2+	42 x 144	SLAR42144PV_ _	2,540	2,850	3,400	4,000	3,870	4,440	OTGRMTCH42144	340	440
	2+	42 x 168	SLAR42168PV_ _	3,000	3,400	4,040	4,700	4,570	5,230	OTGRMTCH42168	400	510
	2+	42 x 192	SLAR42192PV_ _	3,430	3,890	4,610	5,380	5,200	5,970	OTGRMTCH42192	460	590
	**	48 x 72	SLAR48072PV_ _	1,360	1,520	1,780	2,080	2,080	2,370	-	-	-
	**	48 x 84	SLAR48084PV_ _	1,760	1,970	2,330	2,720	2,660	3,050	-	-	-
	**	48 x 90	SLAR48090PV_ _	1,820	2,010	2,380	2,760	2,730	3,110	-	-	-
	**	48 x 96	SLAR48096PV_ _	1,830	2,050	2,410	2,780	2,770	3,140	-	-	-
	2+	48 x 120	SLAR48120PV_ _	2,160	2,410	2,830	3,350	3,250	3,740	OTGRMTCH48120	330	420
	2+	48 x 144	SLAR48144PV_ _	2,540	2,850	3,400	4,000	3,880	4,450	OTGRMTCH48144	390	500
	2+	48 x 168	SLAR48168PV_ _	3,030	3,400	4,040	4,700	4,580	5,240	OTGRMTCH48168	460	590
	2+	48 x 192	SLAR48192PV_ _	3,450	3,890	4,610	5,380	5,220	5,990	OTGRMTCH48192	520	670
	**	54 x 72	SLAR54072PV_ _	1,660	1,850	2,200	2,600	2,510	2,890	-	-	-
	**	54 x 84	SLAR54084PV_ _	2,120	2,380	2,820	3,330	3,170	3,660	-	-	-
	**	54 x 90	SLAR54090PV_ _	2,210	2,490	2,940	3,440	3,300	3,780	-	-	-
	**	54 x 96	SLAR54096PV_ _	2,230	2,510	2,960	3,450	3,340	3,820	-	-	-
	2+	54 x 120	SLAR54120PV_ _	2,590	2,920	3,530	4,180	3,940	4,590	OTGRMTCH54120	370	470
	2+	54 x 144	SLAR54144PV_ _	3,080	3,490	4,210	4,990	4,670	5,450	OTGRMTCH54144	440	570
	2+	54 x 168	SLAR54168PV_ _	4,050	4,610	5,560	6,610	6,080	7,130	OTGRMTCH54168	510	660
	2+	54 x 192	SLAR54192PV_ _	4,150	4,720	5,620	6,630	6,240	7,210	OTGRMTCH54192	590	750
	**	60 x 72	SLAR60072PV_ _	1,660	1,850	2,200	2,600	2,530	2,910	-	-	-
	**	60 x 84	SLAR60084PV_ _	2,120	2,380	2,820	3,330	3,180	3,670	-	-	-
	**	60 x 90	SLAR60090PV_ _	2,210	2,490	2,940	3,440	3,320	3,790	-	-	-
	**	60 x 96	SLAR60096PV_ _	2,230	2,510	2,960	3,450	3,350	3,830	-	-	-
	2+	60 x 120	SLAR60120PV_ _	2,590	2,920	3,530	4,180	3,970	4,600	OTGRMTCH60120	410	520
	2+	60 x 144	SLAR60144PV_ _	3,080	3,490	4,210	4,990	4,700	5,470	OTGRMTCH60144	490	630
	2+	60 x 168	SLAR60168PV_ _	4,050	4,610	5,560	6,610	6,110	7,140	OTGRMTCH60168	570	730
	2+	60 x 192	SLAR60192PV_ _	4,150	4,720	5,620	6,630	6,260	7,220	OTGRMTCH60192	650	840

Formica + Wilsonart HPL laminate finish grades listed on pages 6-13.
For additional laminate grades, contact Symphony.

**** 2 support bars included**
2+ 2 piece top with bars + table lock set included

Grain Match fees for 2 piece tops with a wood grain laminate
See above chart, use model number OTGRMTCH with the top depth x length-Gr1 or Gr2 - for example OTGRMTCH36120-GR1



PVKN EXPOSED MDF CORE SANDED SMOOTH WITH A WAX COATING

PVKN-P PAINTED KNIFE EDGE - SPECIFY BLACK OR WHITE PAINT

PVEA 3mm eased and PVKN knife edge

media: half arced rectangle, half boat, trapezoid media, bullet media

For complete model number:
1. insert 2 character top shape code (half arced rectangle HR , half boat HB, trapezoid media TM, or bullet media BM)
2. insert 2 character edge shape code (PVEA eased or PVKN knife)
For example 48" x 72" trapezoid media top #SLTM48072PVEA


half arced rectangle (HR)


half boat (HB)


trapezoid media (TM)



bullet media (BM)

	dimension	model no.	PVEA grade 1 list	PVEA grade 2 list	PVKN grade 1 list	PVKN grade 2 list	PVKN-P grade 1 list	PVKN-P grade 2 list	grain match model no.	grain match grade 1 list upcharge	grain match grade 2 list upcharge
**	36 x 72	SL_ _36072PV_ _	1,030	1,140	1,330	1,540	1,600	1,810	-	-	-
**	36 x 84	SL_ _36084PV_ _	1,390	1,540	1,800	2,090	2,100	2,390	-	-	-
**	36 x 90	SL_ _36090PV_ _	1,440	1,580	1,850	2,130	2,170	2,450	-	-	-
**	36 x 96	SL_ _36096PV_ _	1,450	1,610	1,880	2,170	2,210	2,500	-	-	-
2+	36 x 120	SL_ _36120PV_ _	1,720	1,900	2,240	2,610	2,630	3,000	OTGRMTCH36120	290	370
2+	36 x 144	SL_ _36144PV_ _	1,950	2,150	2,530	2,940	2,980	3,390	OTGRMTCH36144	340	440
**	42 x 72	SL_ _42072PV_ _	1,360	1,520	1,780	2,080	2,070	2,360	-	-	-
**	42 x 84	SL_ _42084PV_ _	1,760	1,970	2,330	2,720	2,650	3,040	-	-	-
**	42 x 90	SL_ _42090PV_ _	1,820	2,010	2,380	2,760	2,710	3,090	-	-	-
**	42 x 96	SL_ _42096PV_ _	1,830	2,050	2,410	2,780	2,760	3,130	-	-	-
2+	42 x 120	SL_ _42120PV_ _	2,130	2,400	2,830	3,350	3,240	3,730	OTGRMTCH42120	290	370
2+	42 x 144	SL_ _42144PV_ _	2,540	2,850	3,400	4,000	3,870	4,440	OTGRMTCH42144	340	440
2+	42 x 168	SL_ _42168PV_ _	3,000	3,400	4,040	4,700	4,570	5,230	OTGRMTCH42168	400	510
2+	42 x 192	SL_ _42192PV_ _	3,430	3,890	4,610	5,380	5,200	5,970	OTGRMTCH42192	460	590
**	48 x 72	SL_ _48072PV_ _	1,360	1,520	1,780	2,080	2,080	2,370	-	-	-
**	48 x 84	SL_ _48084PV_ _	1,760	1,970	2,330	2,720	2,660	3,050	-	-	-
**	48 x 90	SL_ _48090PV_ _	1,820	2,010	2,380	2,760	2,730	3,110	-	-	-
**	48 x 96	SL_ _48096PV_ _	1,830	2,050	2,410	2,780	2,770	3,140	-	-	-
2+	48 x 120	SL_ _48120PV_ _	2,160	2,410	2,830	3,350	3,250	3,740	OTGRMTCH48120	330	420
2+	48 x 144	SL_ _48144PV_ _	2,540	2,850	3,400	4,000	3,880	4,450	OTGRMTCH48144	390	500
2+	48 x 168	SL_ _48168PV_ _	3,030	3,400	4,040	4,700	4,580	5,240	OTGRMTCH48168	460	590
2+	48 x 192	SL_ _48192PV_ _	3,450	3,890	4,610	5,380	5,220	5,990	OTGRMTCH48192	520	670
**	54 x 72	SL_ _54072PV_ _	1,660	1,850	2,200	2,600	2,510	2,890	-	-	-
**	54 x 84	SL_ _54084PV_ _	2,120	2,380	2,820	3,330	3,170	3,660	-	-	-
**	54 x 90	SL_ _54090PV_ _	2,210	2,490	2,940	3,440	3,300	3,780	-	-	-
**	54 x 96	SL_ _54096PV_ _	2,230	2,510	2,960	3,450	3,340	3,820	-	-	-
2+	54 x 120	SL_ _54120PV_ _	2,590	2,920	3,530	4,180	3,940	4,590	OTGRMTCH54120	370	470
2+	54 x 144	SL_ _54144PV_ _	3,080	3,490	4,210	4,990	4,670	5,450	OTGRMTCH54144	440	570
2+	54 x 168	SL_ _54168PV_ _	4,050	4,610	5,560	6,610	6,080	7,130	OTGRMTCH54168	510	660
2+	54 x 192	SL_ _54192PV_ _	4,150	4,720	5,620	6,630	6,240	7,210	OTGRMTCH54192	590	750
**	60 x 72	SL_ _60072PV_ _	1,660	1,850	2,200	2,600	2,530	2,910	-	-	-
**	60 x 84	SL_ _60084PV_ _	2,120	2,380	2,820	3,330	3,180	3,670	-	-	-
**	60 x 90	SL_ _60090PV_ _	2,210	2,490	2,940	3,440	3,320	3,790	-	-	-
**	60 x 96	SL_ _60096PV_ _	2,230	2,510	2,960	3,450	3,350	3,830	-	-	-
2+	60 x 120	SL_ _60120PV_ _	2,590	2,920	3,530	4,180	3,970	4,600	OTGRMTCH60120	410	520
2+	60 x 144	SL_ _60144PV_ _	3,080	3,490	4,210	4,990	4,700	5,470	OTGRMTCH60144	490	630
2+	60 x 168	SL_ _60168PV_ _	4,050	4,610	5,560	6,610	6,110	7,140	OTGRMTCH60168	570	730
2+	60 x 192	SL_ _60192PV_ _	4,150	4,720	5,620	6,630	6,260	7,220	OTGRMTCH60192	650	840

Formica + Wilsonart HPL laminate finish grades listed on pages 6-13.
For additional laminate grades, contact Symphony.

**** 2 support bars included**
2+ 2 piece top with bars + table lock set included

Grain Match fees for 2 piece tops with a wood grain laminate
See above chart, use model number OTGRMTCH with the top depth x length-Gr1 or Gr2 - for example OTGRMTCH36120-GR1




PVKN EXPOSED MDF CORE SANDED SMOOTH WITH A WAX COATING

PVKN-P PAINTED KNIFE EDGE - SPECIFY BLACK OR WHITE PAINT

surfaces

PVEA 3mm eased edge and PVKN knife edge
media: pic

shape		dimension	model no.	PVEA grade 1 list	PVEA grade 2 list	PVKN grade 1 list	PVKN grade 2 list	PVKN-P grade 1 list	PVKN-P grade 2 list	grain match model no.	grain match grade 1 list upcharge	grain match grade 2 list upcharge
pic	**	48 x 72	SLPI48072PV _ _	1,360	1,520	1,780	2,080	2,080	2,370	-	-	-
	**	48 x 96	SLPI48096PV _ _	1,830	2,050	2,410	2,780	2,770	3,140	-	-	-
	**	60 x 156	SLPI60156PV _ _	4,050	4,610	5,560	6,610	6,110	7,140	OTGRMTCH60168	570	730



Formica + Wilsonart HPL laminate finish grades listed on pages 6-13. For additional laminate grades, contact Symphony.

**** 2 support bars included** **2+ 2 piece top with bars + table lock set included**

surfaces

PVEA 3mm eased edge additional shapes

shape		dimensions	model no.	PVEA grade 1 list	PVEA grade 2 list
quarter round		18 x 18	SLQR18018PVEA	190	220
		24 x 24	SLQR24024PVEA	310	350
		30 x 30	SLQR30030PVEA	440	510
half round		18 x 36	SLHA18036PVEA	300	350
		24 x 48	SLHA24048PVEA	480	560
	*	30 x 60	SLHA30060PVEA	770	890
crescent		18 x 36	SLCR18036PVEA	340	390
		24 x 48	SLCR24048PVEA	570	650
	*	24 x 60	SLCR24060PVEA	760	850
	*	30 x 60	SLCR30060PVEA	870	980
trapezoid		24 x 48	SLTR24048PVEA	480	560
	*	30 x 60	SLTR30060PVEA	770	890
	*	30 x 72	SLTR30072PVEA	930	1,080
corner - angled front		24 x 36	SLCA24036PVEA	520	600
		24 x 42	SLCA24042PVEA	740	870
		24 x 48	SLCA24048PVEA	760	890
corner - curved front		24 x 36	SLCC24036PVEA	520	600
		24 x 42	SLCC24042PVEA	740	870
		24 x 48	SLCC24048PVEA	760	890
corner - extended curved front	*	24 x 36 x 60	SLCE243660PVEA	890	1,030
	*	24 x 36 x 72	SLCE243672PVEA	1,050	1,230
	*	24 x 48 x 60	SLCE244860PVEA	1,180	1,380
	*	24 x 48 x 72	SLCE244872PVEA	1,400	1,630
	*	24 x 60 x 36	SLCE246036PVEA	890	1,030
	*	24 x 72 x 36	SLCE247236PVEA	1,050	1,230
	*	24 x 60 x 48	SLCE246048PVEA	1,180	1,380
	*	24 x 72 x 48	SLCE247248PVEA	1,400	1,630
corner - 120 degree		24 x 36	SL1224036PVEA	1,360	1,600
		24 x 42	SL1224042PVEA	1,770	2,090
		24 x 48	SL1224048PVEA	1,820	2,140
wedge		24 x 30 x 36	SLWE243036PVEA	450	530
		24 x 30 x 42	SLWE243042PVEA	590	690
		24 x 30 x 48	SLWE243048PVEA	590	690
	*	24 x 30 x 60	SLWE243060PVEA	740	850
		30 x 24 x 36	SLWE302436PVEA	450	530
		30 x 24 x 42	SLWE302442PVEA	590	690
		30 x 24 x 48	SLWE302448PVEA	590	690
	*	30 x 24 x 60	SLWE302460PVEA	740	850

Formica + Wilsonart HPL laminate finish grades listed on pages 6-13. For additional laminate grades, contact Symphony.

*** 1 support bar included**

bases

bases

T fixed single column sets

Keller, Ria

base	base dim.	max top support	base set qty	base set model no.	list	glides or casters	finish
Keller	15	20 x 96	2	BTKEL20096SDGME	620	adj glides	standard metal
	20	24 x 96	2	BTKEL24096SDGME	660	adj glides	standard metal
	26	36 x 96	2	BTKEL36096SDGME	720	adj glides	standard metal
	33	42 x 96	2	BTKEL42096SDGME	890	adj glides	standard metal
	38	48 x 96	2	BTKEL48096SDGME	1,060	adj glides	standard metal
	15	20 x 96	2	BTKEL20096SDCME	720	2" black hard casters	standard metal
	20	24 x 96	2	BTKEL24096SDCME	760	2" black hard casters	standard metal
	26	36 x 96	2	BTKEL36096SDCME	820	2" black hard casters	standard metal
	33	42 x 96	2	BTKEL42096SDCME	990	2" black hard casters	standard metal
	38	48 x 96	2	BTKEL48096SDCME	1,160	2" black hard casters	standard metal
	15	20 x 96	2	BTKEL20096SDSME	760	2" black soft casters	standard metal
	20	24 x 96	2	BTKEL24096SDSME	800	2" black soft casters	standard metal
	26	36 x 96	2	BTKEL36096SDSME	860	2" black soft casters	standard metal
	33	42 x 96	2	BTKEL42096SDSME	1,030	2" black soft casters	standard metal
	38	48 x 96	2	BTKEL48096SDSME	1,200	2" black soft casters	standard metal
	15	20 x 96	2	BTKEL20096SDGPO	1,470	adj glides	polished
	20	24 x 96	2	BTKEL24096SDGPO	1,510	adj glides	polished
	26	36 x 96	2	BTKEL36096SDGPO	1,570	adj glides	polished
	33	42 x 96	2	BTKEL42096SDGPO	1,740	adj glides	polished
	38	48 x 96	2	BTKEL48096SDGPO	1,910	adj glides	polished
	15	20 x 96	2	BTKEL20096SDCPO	1,570	2" black hard casters	polished
	20	24 x 96	2	BTKEL24096SDCPO	1,610	2" black hard casters	polished
	26	36 x 96	2	BTKEL36096SDCPO	1,670	2" black hard casters	polished
	33	42 x 96	2	BTKEL42096SDCPO	1,840	2" black hard casters	polished
	38	48 x 96	2	BTKEL48096SDCPO	2,010	2" black hard casters	polished
	15	20 x 96	2	BTKEL20096SDSPO	1,610	2" black soft casters	polished
	20	24 x 96	2	BTKEL24096SDSPO	1,650	2" black soft casters	polished
	26	36 x 96	2	BTKEL36096SDSPO	1,710	2" black soft casters	polished
	33	42 x 96	2	BTKEL42096SDSPO	1,880	2" black soft casters	polished
	38	48 x 96	2	BTKEL48096SDSPO	2,050	2" black soft casters	polished
Ria	15	20 x 96	2	BTRIA20096SDGME	590	adj glides	standard metal
	20	24 x 96	2	BTRIA24096SDGME	620	adj glides	standard metal
	26	36 x 96	2	BTRIA36096SDGME	670	adj glides	standard metal
	33	42 x 96	2	BTRIA42096SDGME	830	adj glides	standard metal
	38	48 x 96	2	BTRIA48096SDGME	1,010	adj glides	standard metal
	15	20 x 96	2	BTRIA20096SDCME	690	2" black hard casters	standard metal
	20	24 x 96	2	BTRIA24096SDCME	720	2" black hard casters	standard metal
	26	36 x 96	2	BTRIA36096SDCME	770	2" black hard casters	standard metal
	33	42 x 96	2	BTRIA42096SDCME	930	2" black hard casters	standard metal
	38	48 x 96	2	BTRIA48096SDCME	1,110	2" black hard casters	standard metal
	15	20 x 96	2	BTRIA20096SDSME	730	2" black soft casters	standard metal
	20	24 x 96	2	BTRIA24096SDSME	760	2" black soft casters	standard metal
	26	36 x 96	2	BTRIA36096SDSME	810	2" black soft casters	standard metal
	33	42 x 96	2	BTRIA42096SDSME	970	2" black soft casters	standard metal
	38	48 x 96	2	BTRIA48096SDSME	1,150	2" black soft casters	standard metal
	15	20 x 96	2	BTRIA20096SDGPO	1,440	adj glides	polished
	20	24 x 96	2	BTRIA24096SDGPO	1,470	adj glides	polished
	26	36 x 96	2	BTRIA36096SDGPO	1,520	adj glides	polished
	33	42 x 96	2	BTRIA42096SDGPO	1,680	adj glides	polished
	38	48 x 96	2	BTRIA48096SDGPO	1,860	adj glides	polished
	15	20 x 96	2	BTRIA20096SDCPO	1,540	2" black hard casters	polished
	20	24 x 96	2	BTRIA24096SDCPO	1,570	2" black hard casters	polished
	26	36 x 96	2	BTRIA36096SDCPO	1,620	2" black hard casters	polished
	33	42 x 96	2	BTRIA42096SDCPO	1,780	2" black hard casters	polished
	38	48 x 96	2	BTRIA48096SDCPO	1,960	2" black hard casters	polished
	15	20 x 96	2	BTRIA20096SDSPO	1,580	2" black soft casters	polished
	20	24 x 96	2	BTRIA24096SDSPO	1,610	2" black soft casters	polished
	26	36 x 96	2	BTRIA36096SDSPO	1,660	2" black soft casters	polished
	33	42 x 96	2	BTRIA42096SDSPO	1,820	2" black soft casters	polished
	38	48 x 96	2	BTRIA48096SDSPO	2,000	2" black soft casters	polished

C hard casters
2" black dual wheel locking hard casters (for carpet)

S soft casters (Keller + Ria)
2" black dual wheel locking soft casters (for hard floors)

Standard metal powder coat finishes (ME):
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone, and Metallic Silver
(PO) Polished aluminum / chrome finish (Keller / Ria)

bases

T fixed single column sets

Novi, Zoey, Moto, Moto 2

base	base dim.	max top support	base set qty	base set model no.	list	glide/caster	finish
Novi	18	20 x 96	2	BTNOV20096SDGME	620	adj glides	standard metal
	22	30 x 96	2	BTNOV30096SDGME	640	adj glides	standard metal
	26	36 x 96	2	BTNOV36096SDGME	660	adj glides	standard metal
	32	42 x 96	2	BTNOV42096SDGME	840	adj glides	standard metal
	18	20 x 96	2	BTNOV20096SDCME	720	2" black locking casters	standard metal
	22	30 x 96	2	BTNOV30096SDCME	740	2" black locking casters	standard metal
	26	36 x 96	2	BTNOV36096SDCME	760	2" black locking casters	standard metal
	32	42 x 96	2	BTNOV42096SDCME	940	2" black locking casters	standard metal
	18	20 x 96	2	BTNOV20096SDHME	760	glides/concealed casters	standard metal
	22	30 x 96	2	BTNOV30096SDHME	780	glides/concealed casters	standard metal
	26	36 x 96	2	BTNOV36096SDHME	800	glides/concealed casters	standard metal
	32	42 x 96	2	BTNOV42096SDHME	980	glides/concealed casters	standard metal
	18	20 x 96	2	BTNOV20096SDGPC	1,970	adj glides	polished
	22	30 x 96	2	BTNOV30096SDGPC	1,990	adj glides	polished
	26	36 x 96	2	BTNOV36096SDGPC	2,010	adj glides	polished
	18	20 x 96	2	BTNOV20096SDCPC	2,070	2" black locking casters	polished
	22	30 x 96	2	BTNOV30096SDCPC	2,090	2" black locking casters	polished
	26	36 x 96	2	BTNOV36096SDCPC	2,110	2" black locking casters	polished
Zoey	15	20 x 96	2	BTZOE20096SDGME	590	adj glides	standard metal
	21	24 x 96	2	BTZOE24096SDGME	620	adj glides	standard metal
	27	36 x 96	2	BTZOE36096SDGME	670	adj glides	standard metal
	33	42 x 96	2	BTZOE42096SDGME	830	adj glides	standard metal
	15	20 x 96	2	BTZOE20096SDCME	690	3" black locking casters	standard metal
	21	24 x 96	2	BTZOE24096SDCME	720	3" black locking casters	standard metal
	27	36 x 96	2	BTZOE36096SDCME	770	3" black locking casters	standard metal
	33	42 x 96	2	BTZOE42096SDCME	930	3" black locking casters	standard metal
	15	20 x 96	2	BTZOE20096SDPME	730	3" premium locking casters	standard metal
	21	24 x 96	2	BTZOE24096SDPME	760	3" premium locking casters	standard metal
	27	36 x 96	2	BTZOE36096SDPME	810	3" premium locking casters	standard metal
	33	42 x 96	2	BTZOE42096SDPME	970	3" premium locking casters	standard metal
Moto	18	24 x 96	2	BTMOT24096SDGME	780	adj glides	standard metal
	22	30 x 96	2	BTMOT30096SDGME	840	adj glides	standard metal
	26	36 x 96	2	BTMOT36096SDGME	890	adj glides	standard metal
	18	24 x 96	2	BTMOT24096SDCME	880	2" black locking casters	standard metal
	22	30 x 96	2	BTMOT30096SDCME	940	2" black locking casters	standard metal
	26	36 x 96	2	BTMOT36096SDCME	990	2" black locking casters	standard metal
	18	24 x 96	2	BTMOT24096SDPME	920	2" premium locking casters	standard metal
	22	30 x 96	2	BTMOT30096SDPME	980	2" premium locking casters	standard metal
	26	36 x 96	2	BTMOT36096SDPME	1,030	2" premium locking casters	standard metal
Moto 2	18	24 x 96	2	BTMO224096SDGME	620	adj glides	standard metal
	22	30 x 96	2	BTMO230096SDGME	640	adj glides	standard metal
	26	36 x 96	2	BTMO236096SDGME	690	adj glides	standard metal
	18	24 x 96	2	BTMO224096SDCME	720	2" black locking casters	standard metal
	22	30 x 96	2	BTMO230096SDCME	740	2" black locking casters	standard metal
	26	36 x 96	2	BTMO236096SDCME	790	2" black locking casters	standard metal
	18	24 x 96	2	BTMO224096SDPME	760	2" premium locking casters	standard metal
	22	30 x 96	2	BTMO230096SDPME	780	2" premium locking casters	standard metal
	26	36 x 96	2	BTMO236096SDPME	830	2" premium locking casters	standard metal

C casters
2" black dual wheel locking (all bases except Zoey)
3" black dual wheel locking (Zoey)

P premium casters
3" white dual wheel locking (Zoey)
2" silver/black dual wheel locking - (Moto, Moto 2)

H Novi hidden/concealed casters
one T base per set has glides, the other base has hidden/concealed casters

Standard metal powder coat finishes (ME):
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone, and Metallic Silver
(PC) Polished chrome finish (Keller, Ria, & Novi)

Note that the fixed T bases cannot be spread more than 50" apart at center.

Note that the fixed T bases cannot be spread more than 50" apart at center.

bases

Keller, Ria, Novi, Moto, Zoey TT fixed
Novi double column nesting

base	base dim.	max top support	base set qty	base set model no.	list	glides	finish
Keller 	34	48 x 96	2	BTKEL480962DGME	1,250	adj glides	standard metal
	34	48 x 144	3	BTKEL481442DGME	1,870	adj glides	standard metal
	34	48 x 192	4	BTKEL481922DGME	2,500	adj glides	standard metal
	40	60 x 96	2	BTKEL600962DGME	1,340	adj glides	standard metal
	40	60 x 144	3	BTKEL601442DGME	2,010	adj glides	standard metal
	40	60 x 192	4	BTKEL601922DGME	2,680	adj glides	standard metal
	34	48 x 96	2	BTKEL480962DGPO	2,790	adj glides	polished
	34	48 x 144	3	BTKEL481442DGPO	4,200	adj glides	polished
	34	48 x 192	4	BTKEL481922DGPO	5,600	adj glides	polished
	40	60 x 96	2	BTKEL600962DGPO	2,890	adj glides	polished
	40	60 x 144	3	BTKEL601442DGPO	4,330	adj glides	polished
	40	60 x 192	4	BTKEL601922DGPO	5,790	adj glides	polished
Ria 	34	48 x 96	2	BTRIA480962DGME	1,200	adj glides	standard metal
	34	48 x 144	3	BTRIA481442DGME	1,800	adj glides	standard metal
	34	48 x 192	4	BTRIA481922DGME	2,400	adj glides	standard metal
	40	60 x 96	2	BTRIA600962DGME	1,260	adj glides	standard metal
	40	60 x 144	3	BTRIA601442DGME	1,880	adj glides	standard metal
	40	60 x 192	4	BTRIA601922DGME	2,530	adj glides	standard metal
	34	48 x 96	2	BTRIA480962DGPO	2,760	adj glides	polished
	34	48 x 144	3	BTRIA481442DGPO	4,150	adj glides	polished
	34	48 x 192	4	BTRIA481922DGPO	5,530	adj glides	polished
	40	60 x 96	2	BTRIA600962DGPO	2,830	adj glides	polished
	40	60 x 144	3	BTRIA601442DGPO	4,230	adj glides	polished
	40	60 x 192	4	BTRIA601922DGPO	5,650	adj glides	polished
Novi 	36	48 x 96	2	BTNOV480962DGME	1,060	adj glides	standard metal
	36	48 x 144	3	BTNOV481442DGME	1,590	adj glides	standard metal
	42	60 x 96	2	BTNOV600962DGME	1,140	adj glides	standard metal
	42	60 x 144	3	BTNOV601442DGME	1,710	adj glides	standard metal
Moto 	26	36 x 96	2	BTMOT360962DGME	1,250	adj glides	standard metal
	26	36 x 144	3	BTMOT361442DGME	1,890	adj glides	standard metal
	32	42 x 96	2	BTMOT420962DGME	1,330	adj glides	standard metal
	32	42 x 144	3	BTMOT421442DGME	1,990	adj glides	standard metal
	32	42 x 192	4	BTMOT421922DGME	2,660	adj glides	standard metal
	36	48 x 96	2	BTMOT480962DGME	1,430	adj glides	standard metal
	36	48 x 144	3	BTMOT481442DGME	2,130	adj glides	standard metal
	36	48 x 192	4	BTMOT481922DGME	2,850	adj glides	standard metal
Zoey 	38	48 x 96	2	BTZOE480962DGME	1,310	adj glides	standard metal
	38	48 x 144	3	BTZOE481442DGME	1,960	adj glides	standard metal
	38	48 x 192	4	BTZOE481922DGME	2,620	adj glides	standard metal
	47	60 x 96	2	BTZOE600962DGME	1,430	adj glides	standard metal
	47	60 x 144	3	BTZOE601442DGME	2,130	adj glides	standard metal
	47	60 x 192	4	BTZOE601922DGME	2,850	adj glides	standard metal

***Note that fixed double column T bases cannot be spread more than 50" apart at center.**

Novi Double Column with Nester Series beam 	32	48 x 48, 60rd	2	BTNOV480482NCME	2,210	3" black locking casters	standard metal

Standard metal powder coat finishes (ME):
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone, and Metallic Silver

(PO) Polished aluminum / chrome finish (Keller / Ria)
(PC) Polished chrome finish (Novi)

bases

T nesting sets
Keller, Ria, Novi

base	base dim.	max top support	base set qty	base set model no.	list	glides or casters	finish
Keller 	15	20 x 72	2	BTKEL20072NEGME	1,060	adj glides	standard metal
	20	24 x 72	2	BTKEL24072NEGME	1,110	adj glides	standard metal
	26	36 x 72	2	BTKEL36072NEGME	1,160	adj glides	standard metal
	15	20 x 72	2	BTKEL20072NECME	1,160	2" black hard casters	standard metal
	20	24 x 72	2	BTKEL24072NECME	1,210	2" black hard casters	standard metal
	26	36 x 72	2	BTKEL36072NECME	1,260	2" black hard casters	standard metal
	15	20 x 72	2	BTKEL20072NESME	1,200	2" black soft casters	standard metal
	20	24 x 72	2	BTKEL24072NESME	1,250	2" black soft casters	standard metal
	26	36 x 72	2	BTKEL36072NESME	1,300	2" black soft casters	standard metal
	15	20 x 72	2	BTKEL20072NEGPO	1,910	adj glides	polished
	20	24 x 72	2	BTKEL24072NEGPO	1,960	adj glides	polished
	26	36 x 72	2	BTKEL36072NEGPO	2,010	adj glides	polished
	15	20 x 72	2	BTKEL20072NECPO	2,010	2" black hard casters	polished
	20	24 x 72	2	BTKEL24072NECPO	2,060	2" black hard casters	polished
	26	36 x 72	2	BTKEL36072NECPO	2,110	2" black hard casters	polished
	15	20 x 72	2	BTKEL20072NESPO	2,050	2" black soft casters	polished
	20	24 x 72	2	BTKEL24072NESPO	2,100	2" black soft casters	polished
	26	36 x 72	2	BTKEL36072NESPO	2,150	2" black soft casters	polished
Ria 	15	20 x 72	2	BTRIA20072NEGME	1,030	adj glides	standard metal
	20	24 x 72	2	BTRIA24072NEGME	1,070	adj glides	standard metal
	26	36 x 72	2	BTRIA36072NEGME	1,140	adj glides	standard metal
	15	20 x 72	2	BTRIA20072NECME	1,130	2" black hard casters	standard metal
	20	24 x 72	2	BTRIA24072NECME	1,170	2" black hard casters	standard metal
	26	36 x 72	2	BTRIA36072NECME	1,240	2" black hard casters	standard metal
	15	20 x 72	2	BTRIA20072NESME	1,170	2" black soft casters	standard metal
	20	24 x 72	2	BTRIA24072NESME	1,210	2" black soft casters	standard metal
	26	36 x 72	2	BTRIA36072NESME	1,280	2" black soft casters	standard metal
	15	20 x 72	2	BTRIA20072NEGPO	1,880	adj glides	polished
	20	24 x 72	2	BTRIA24072NEGPO	1,920	adj glides	polished
	26	36 x 72	2	BTRIA36072NEGPO	1,990	adj glides	polished
	15	20 x 72	2	BTRIA20072NECPO	1,980	2" black hard casters	polished
	20	24 x 72	2	BTRIA24072NECPO	2,020	2" black hard casters	polished
	26	36 x 72	2	BTRIA36072NECPO	2,090	2" black hard casters	polished
	15	20 x 72	2	BTRIA20072NESPO	2,020	2" black soft casters	polished
	20	24 x 72	2	BTRIA24072NESPO	2,060	2" black soft casters	polished
	26	36 x 72	2	BTRIA36072NESPO	2,130	2" black soft casters	polished
Novi 	18	20 x 72	2	BTNOV20072NEGME	1,130	adj glides	standard metal
	22	30 x 72	2	BTNOV30072NEGME	1,140	adj glides	standard metal
	26	36 x 72	2	BTNOV36072NEGME	1,180	adj glides	standard metal
	18	20 x 72	2	BTNOV20072NECME	1,230	2" black locking casters	standard metal
	22	30 x 72	2	BTNOV30072NECME	1,240	2" black locking casters	standard metal
	26	36 x 72	2	BTNOV36072NECME	1,280	2" black locking casters	standard metal
	18	20 x 72	2	BTNOV20072NEHME	1,270	glides/concealed casters	standard metal
	22	30 x 72	2	BTNOV30072NEHME	1,280	glides/concealed casters	standard metal
	26	36 x 72	2	BTNOV36072NEHME	1,320	glides/concealed casters	standard metal



C casters
2" black dual wheel locking hard casters (single column flip/nest bases)



S casters (Keller + Ria)
2" black dual wheel locking soft casters (for hard floors)

H Novi hidden/concealed casters
one T base per set has glides, the other base has hidden/concealed casters

Standard metal powder coat finishes (ME):
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone, and Metallic Silver

(PO) Polished aluminum / chrome finish (Keller / Ria)

KELLER, RIA, AND NOVI SINGLE T FLIP MECH IMAGE:



***bases cannot be spread more than 50" apart at center**


bases


T nesting sets

Zoey

base		base dim.	max top support	base set qty	base set model no.	list	glides or casters	finish
Zoey	with beam	15	20 x 60	2	BTZOE20060NBGME	1,240	adj glides	standard metal
		21	24 x 60	2	BTZOE24060NBGME	1,280	adj glides	standard metal
		27	30 x 60	2	BTZOE30060NBGME	1,300	adj glides	standard metal
		33	36 x 60	2	BTZOE36060NBGME	1,340	adj glides	standard metal
		15	20 x 72	2	BTZOE20072NBGME	1,290	adj glides	standard metal
		21	24 x 72	2	BTZOE24072NBGME	1,310	adj glides	standard metal
		27	30 x 72	2	BTZOE30072NBGME	1,330	adj glides	standard metal
		33	36 x 72	2	BTZOE36072NBGME	1,390	adj glides	standard metal
		15	20 x 60	2	BTZOE20060NBCME	1,340	3" black locking casters	standard metal
		21	24 x 60	2	BTZOE24060NBCME	1,380	3" black locking casters	standard metal
		27	30 x 60	2	BTZOE30060NBCME	1,400	3" black locking casters	standard metal
		33	36 x 60	2	BTZOE36060NBCME	1,440	3" black locking casters	standard metal
		15	20 x 72	2	BTZOE20072NBCME	1,390	3" black locking casters	standard metal
		21	24 x 72	2	BTZOE24072NBCME	1,410	3" black locking casters	standard metal
		27	30 x 72	2	BTZOE30072NBCME	1,430	3" black locking casters	standard metal
		33	36 x 72	2	BTZOE36072NBCME	1,490	3" black locking casters	standard metal
		15	20 x 60	2	BTZOE20060NBPME	1,380	3" premium locking casters	standard metal
		21	24 x 60	2	BTZOE24060NBPME	1,420	3" premium locking casters	standard metal
		27	30 x 60	2	BTZOE30060NBPME	1,440	3" premium locking casters	standard metal
		33	36 x 60	2	BTZOE36060NBPME	1,480	3" premium locking casters	standard metal
		15	20 x 72	2	BTZOE20072NBPME	1,430	3" premium locking casters	standard metal
		21	24 x 72	2	BTZOE24072NBPME	1,450	3" premium locking casters	standard metal
		27	30 x 72	2	BTZOE30072NBPME	1,470	3" premium locking casters	standard metal
		33	36 x 72	2	BTZOE36072NBPME	1,530	3" premium locking casters	standard metal
	without beam	15	20 x 72	2	BTZOE20072NEGME	1,130	adj glides	standard metal
		21	24 x 60	2	BTZOE24072NEGME	1,170	adj glides	standard metal
		27	30 x 72	2	BTZOE30072NEGME	1,220	adj glides	standard metal
		15	20 x 72	2	BTZOE20072NECME	1,230	3" black locking casters	standard metal
		21	24 x 60	2	BTZOE24072NECME	1,270	3" black locking casters	standard metal
		27	30 x 72	2	BTZOE30072NECME	1,320	3" black locking casters	standard metal
		15	20 x 72	2	BTZOE20072NEPME	1,270	3" premium locking casters	standard metal
		21	24 x 60	2	BTZOE24072NEPME	1,310	3" premium locking casters	standard metal
		27	30 x 72	2	BTZOE30072NEPME	1,360	3" premium locking casters	standard metal









C casters
3" black dual wheel locking



P premium casters
3" white dual wheel locking

Standard metal powder coat finishes (ME):
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone, and Metallic Silver

Zoey flip nest bases with a beam do not require top stiffeners
The cost of the top stiffener is included in the standard Symphony top price.
Deduct the following from the list price shown for a top in the top section of the price list
-$70 list for tops that are up to 24" deep x 60 long (1 stiffener)
-$90 list for tops that are up to 24" deep x 72 long (1 stiffener)

-$140 list for tops that are up to 30-36" deep x 60 long (2 stiffeners)
-$170 list for tops that are up to 30-36" deep x 72 long (2 stiffeners)

Note that the"NE" model numbers do not have a beam and therefore the bases cannot be spread more than 50" apart at center when using top stiffeners.


bases


T nesting sets

Moto 2

base		base dim.	max top support	base set qty	base set model no.	list	glide/caster	finish
Moto 2 (2" column)		18	24 x 60	2	BTMO224060NBGME	1,380	adj glides	standard metal
	with beam	22	30 x 60	2	BTMO230060NBGME	1,390	adj glides	standard metal
		26	36 x 60	2	BTMO236060NBGME	1,450	adj glides	standard metal
		18	24 x 72	2	BTMO224072NBGME	1,420	adj glides	standard metal
		22	30 x 72	2	BTMO230072NBGME	1,430	adj glides	standard metal
		26	36 x 72	2	BTMO236072NBGME	1,490	adj glides	standard metal
		18	24 x 60	2	BTMO224060NBCME	1,480	2" black locking casters	standard metal
		22	30 x 60	2	BTMO230060NBCME	1,490	2" black locking casters	standard metal
		26	36 x 60	2	BTMO236060NBCME	1,550	2" black locking casters	standard metal
		18	24 x 72	2	BTMO224072NBCME	1,520	2" black locking casters	standard metal
		22	30 x 72	2	BTMO230072NBCME	1,530	2" black locking casters	standard metal
		26	36 x 72	2	BTMO236072NBCME	1,590	2" black locking casters	standard metal
		18	24 x 60	2	BTMO224060NBPME	1,520	2" premium locking casters	standard metal
		22	30 x 60	2	BTMO230060NBPME	1,530	2" premium locking casters	standard metal
		26	36 x 60	2	BTMO236060NBPME	1,590	2" premium locking casters	standard metal
		18	24 x 72	2	BTMO224072NBPME	1,560	2" premium locking casters	standard metal
		22	30 x 72	2	BTMO230072NBPME	1,570	2" premium locking casters	standard metal
		26	36 x 72	2	BTMO236072NBPME	1,630	2" premium locking casters	standard metal
	without beam	18	24 x 72	2	BTMO224072NEGME	1,210	adj glides	standard metal
		22	30 x 72	2	BTMO230072NEGME	1,230	adj glides	standard metal
		18	24 x 72	2	BTMO224072NECME	1,310	2" black locking casters	standard metal
		22	30 x 72	2	BTMO230072NECME	1,330	2" black locking casters	standard metal
		18	24 x 72	2	BTMO224072NEPME	1,350	2" premium locking casters	standard metal
		22	30 x 72	2	BTMO230072NEPME	1,370	2" premium locking casters	standard metal









C casters
2" black dual wheel locking



P premium casters
2" silver/black dual wheel locking

Standard metal powder coat finishes (ME):
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone, and Metallic Silver

Moto flip nest bases with a beam do not require top stiffeners
The cost of the top stiffener is included in the standard Symphony top price.
Deduct the following from the list price shown for a top in the top section of the price list

-$70 list for tops that are 18-24" deep x 60 long (1 stiffener)
-$90 list for tops that are 18-24" deep x 72 long (1 stiffener)

-$140 list for tops that are 30-36" deep x 60 long (2 stiffeners)
-$170 list for tops that are 30-36" deep x 72 long (2 stiffeners)

Note that the"NE" model numbers do not have a beam and therefore the bases cannot be spread more than 50" apart at center when using top stiffeners.

bases

T nesting adjustable height sets

Keller, Ria, Novi

base		base dim.	max top support	base set qty	base set model no.	list	glides or casters	finish
Keller	nesting/spring clip	15	20 x 72	2	BTKEL20072NSGME	1,420	adj glides	standard metal
		20	24 x 72	2	BTKEL24072NSGME	1,470	adj glides	standard metal
		26	36 x 72	2	BTKEL36072NSGME	1,520	adj glides	standard metal
		15	20 x 72	2	BTKEL20072NSCME	1,520	2" black hard casters	standard metal
		20	24 x 72	2	BTKEL24072NSCME	1,570	2" black hard casters	standard metal
		26	36 x 72	2	BTKEL36072NSCME	1,620	2" black hard casters	standard metal
		15	20 x 72	2	BTKEL20072NSSME	1,560	2" black soft casters	standard metal
		20	24 x 72	2	BTKEL24072NSSME	1,610	2" black soft casters	standard metal
		26	36 x 72	2	BTKEL36072NSSME	1,660	2" black soft casters	standard metal
Ria	nesting/spring clip	15	20 x 72	2	BTRIA20072NSGME	1,390	adj glides	standard metal
		20	24 x 72	2	BTRIA24072NSGME	1,420	adj glides	standard metal
		26	36 x 72	2	BTRIA36072NSGME	1,480	adj glides	standard metal
		15	20 x 72	2	BTRIA20072NSCME	1,490	2" black hard casters	standard metal
		20	24 x 72	2	BTRIA24072NSCME	1,520	2" black hard casters	standard metal
		26	36 x 72	2	BTRIA36072NSCME	1,580	2" black hard casters	standard metal
		15	20 x 72	2	BTRIA20072NSSME	1,530	2" black soft casters	standard metal
		20	24 x 72	2	BTRIA24072NSSME	1,560	2" black soft casters	standard metal
		26	36 x 72	2	BTRIA36072NSSME	1,620	2" black soft casters	standard metal
Novi	nesting/spring clip	18	20 x 72	2	BTNOV20072NSGME	1,450	adj glides	standard metal
		22	30 x 72	2	BTNOV30072NSGME	1,460	adj glides	standard metal
		26	36 x 72	2	BTNOV36072NSGME	1,500	adj glides	standard metal
		18	20 x 72	2	BTNOV20072NSCME	1,550	2" black locking casters	standard metal
		22	30 x 72	2	BTNOV30072NSCME	1,560	2" black locking casters	standard metal
		26	36 x 72	2	BTNOV36072NSCME	1,600	2" black locking casters	standard metal
		18	20 x 72	2	BTNOV20072NSHME	1,590	glides/concealed casters	standard metal
		22	30 x 72	2	BTNOV30072NSHME	1,600	glides/concealed casters	standard metal
		26	36 x 72	2	BTNOV36072NSHME	1,640	glides/concealed casters	standard metal



C casters
2" black dual wheel locking hard casters (for carpet)

S casters (Keller + Ria)
2" black dual wheel locking soft casters (for hard floors)



H Novi hidden/concealed casters
one T base per set has glides, the other base has hidden/concealed casters

Standard metal powder coat finishes (ME)
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone, and Metallic Silver

** Note that the inner column of Moto height adjustable bases are only available in Flat Black, White or Metallic Silver. Note that Moto White is a shade off and a little creamier than Furniture White. The Moto height adjustable bases inner and outer columns are only available in Flat Black, Moto White and Metallic Silver.



S Spring clip height adjustment
24.75" - 33.75" (Keller, Ria, and Novi)
range in 1" increments

bases

T nesting adjustable height sets

Moto

base	base dim.	max top support	base placement with beam	base set qty	base set model no.	list	glides or casters	finish
Moto nesting/crank retractable handle 3" column	18	24 x 48	30" O.C.	2	BTMOT24048NCGME	2,190	adj glides	standard metal
	18	24 x 54	36" O.C.	2	BTMOT24054NCGME	2,190	adj glides	standard metal
	18	24 x 60	42" O.C.	2	BTMOT24060NCGME	2,190	adj glides	standard metal
	18	24 x 66	48" O.C.	2	BTMOT24066NCGME	2,190	adj glides	standard metal
	18	24 x 72	54" O.C.	2	BTMOT24072NCGME	2,190	adj glides	standard metal
	22	30 x 48	30" O.C.	2	BTMOT30048NCGME	2,220	adj glides	standard metal
	22	30 x 54	36" O.C.	2	BTMOT30054NCGME	2,220	adj glides	standard metal
	22	30 x 60	42" O.C.	2	BTMOT30060NCGME	2,220	adj glides	standard metal
	22	30 x 66	48" O.C.	2	BTMOT30066NCGME	2,220	adj glides	standard metal
	22	30 x 72	54" O.C.	2	BTMOT30072NCGME	2,220	adj glides	standard metal
* top not included	26	36 x 48	30" O.C.	2	BTMOT36048NCGME	2,240	adj glides	standard metal
	26	36 x 54	36" O.C.	2	BTMOT36054NCGME	2,240	adj glides	standard metal
	26	36 x 60	42" O.C.	2	BTMOT36060NCGME	2,240	adj glides	standard metal
	26	36 x 66	48" O.C.	2	BTMOT36066NCGME	2,240	adj glides	standard metal
	26	36 x 72	54" O.C.	2	BTMOT36072NCGME	2,240	adj glides	standard metal
	18	24 x 48	30" O.C.	2	BTMOT24048NCCME	2,290	2" black locking casters	standard metal
	18	24 x 54	36" O.C.	2	BTMOT24054NCCME	2,290	2" black locking casters	standard metal
	18	24 x 60	42" O.C.	2	BTMOT24060NCCME	2,290	2" black locking casters	standard metal
	18	24 x 66	48" O.C.	2	BTMOT24066NCCME	2,290	2" black locking casters	standard metal
	18	24 x 72	54" O.C.	2	BTMOT24072NCCME	2,290	2" black locking casters	standard metal
	22	30 x 48	30" O.C.	2	BTMOT30048NCCME	2,320	2" black locking casters	standard metal
	22	30 x 54	36" O.C.	2	BTMOT30054NCCME	2,320	2" black locking casters	standard metal
	22	30 x 60	42" O.C.	2	BTMOT30060NCCME	2,320	2" black locking casters	standard metal
	22	30 x 66	48" O.C.	2	BTMOT30066NCCME	2,320	2" black locking casters	standard metal
	22	30 x 72	54" O.C.	2	BTMOT30072NCCME	2,320	2" black locking casters	standard metal
	26	36 x 48	30" O.C.	2	BTMOT36048NCCME	2,340	2" black locking casters	standard metal
	26	36 x 54	36" O.C.	2	BTMOT36054NCCME	2,340	2" black locking casters	standard metal
	26	36 x 60	42" O.C.	2	BTMOT36060NCCME	2,340	2" black locking casters	standard metal
	26	36 x 66	48" O.C.	2	BTMOT36066NCCME	2,340	2" black locking casters	standard metal
	26	36 x 72	54" O.C.	2	BTMOT36072NCCME	2,340	2" black locking casters	standard metal
	18	24 x 48	30" O.C.	2	BTMOT24048NCPME	2,330	2" premium locking casters	standard metal
	18	24 x 54	36" O.C.	2	BTMOT24054NCPME	2,330	2" premium locking casters	standard metal
	18	24 x 60	42" O.C.	2	BTMOT24060NCPME	2,330	2" premium locking casters	standard metal
	18	24 x 66	48" O.C.	2	BTMOT24066NCPME	2,330	2" premium locking casters	standard metal
	18	24 x 72	54" O.C.	2	BTMOT24072NCPME	2,330	2" premium locking casters	standard metal
	22	30 x 48	30" O.C.	2	BTMOT30072NCPME	2,360	2" premium locking casters	standard metal
	22	30 x 54	36" O.C.	2	BTMOT30072NCPME	2,360	2" premium locking casters	standard metal
	22	30 x 60	42" O.C.	2	BTMOT30072NCPME	2,360	2" premium locking casters	standard metal
	22	30 x 66	48" O.C.	2	BTMOT30072NCPME	2,360	2" premium locking casters	standard metal
	22	30 x 72	54" O.C.	2	BTMOT30072NCPME	2,360	2" premium locking casters	standard metal
	26	36 x 72	30" O.C.	2	BTMOT36072NCPME	2,380	2" premium locking casters	standard metal
	26	36 x 72	36" O.C.	2	BTMOT36072NCPME	2,380	2" premium locking casters	standard metal
	26	36 x 72	42" O.C.	2	BTMOT36072NCPME	2,380	2" premium locking casters	standard metal
	26	36 x 72	48" O.C.	2	BTMOT36072NCPME	2,380	2" premium locking casters	standard metal
	26	36 x 72	54" O.C.	2	BTMOT36072NCPME	2,380	2" premium locking casters	standard metal





C casters
2" black dual wheel locking casters



P premium casters (Moto)
2" black/silver dual wheel locking

NC nesting crank height adjustment (Moto)
retractable handle
24" - 38" height range with glides
26" - 40" height range with casters
Columns inset 9" on center from edge of table top.

Standard metal powder coat finishes:
Flat Black, Moto White**, and Metallic Silver

** Note that Moto White is a shade off and a little creamier than Furniture White.

bases

T adjustable height sets

Keller, Ria, Novi

base		base dim.	max top support	base set qty	base set model no.	list	glides or casters	finish
Keller	spring clip	15	20 x 72	2	BTKEL20072SSGME	950	adj glides	standard metal
		20	24 x 72	2	BTKEL24072SSGME	990	adj glides	standard metal
		26	36 x 72	2	BTKEL36072SSGME	1,050	adj glides	standard metal
		33	42 x 72	2	BTKEL42072SSGME	1,220	adj glides	standard metal
		15	20 x 72	2	BTKEL20072SSCME	1,050	2" black hard casters	standard metal
		20	24 x 72	2	BTKEL24072SSCME	1,090	2" black hard casters	standard metal
		26	36 x 72	2	BTKEL36072SSCME	1,150	2" black hard casters	standard metal
		33	42 x 72	2	BTKEL42072SSCME	1,320	2" black hard casters	standard metal
		15	20 x 72	2	BTKEL20072SSSME	1,090	2" black soft casters	standard metal
		20	24 x 72	2	BTKEL24072SSSME	1,130	2" black soft casters	standard metal
		26	36 x 72	2	BTKEL36072SSSME	1,190	2" black soft casters	standard metal
		33	42 x 72	2	BTKEL42072SSSME	1,360	2" black soft casters	standard metal
Ria	spring clip	15	20 x 72	2	BTRIA20072SSGME	890	adj glides	standard metal
		20	24 x 72	2	BTRIA24072SSGME	910	adj glides	standard metal
		26	36 x 72	2	BTRIA36072SSGME	970	adj glides	standard metal
		33	42 x 72	2	BTRIA42072SSGME	1,130	adj glides	standard metal
		15	20 x 72	2	BTRIA20072SSCME	990	2" black hard casters	standard metal
		20	24 x 72	2	BTRIA24072SSCME	1,010	2" black hard casters	standard metal
		26	36 x 72	2	BTRIA36072SSCME	1,070	2" black hard casters	standard metal
		33	42 x 72	2	BTRIA42072SSCME	1,230	2" black hard casters	standard metal
		15	20 x 72	2	BTRIA20072SSSME	1,030	2" black soft casters	standard metal
		20	24 x 72	2	BTRIA24072SSSME	1,050	2" black soft casters	standard metal
		26	36 x 72	2	BTRIA36072SSSME	1,110	2" black soft casters	standard metal
		33	42 x 72	2	BTRIA42072SSSME	1,270	2" black soft casters	standard metal
Novi	spring clip	18	20 x 72	2	BTNOV20072SSGME	960	adj glides	standard metal
		22	30 x 72	2	BTNOV30072SSGME	990	adj glides	standard metal
		26	36 x 72	2	BTNOV36072SSGME	1,010	adj glides	standard metal
		32	42 x 72	2	BTNOV42072SSGME	1,200	adj glides	standard metal
		18	20 x 72	2	BTNOV20072SSCME	1,060	2" black locking casters	standard metal
		22	30 x 72	2	BTNOV30072SSCME	1,090	2" black locking casters	standard metal
		26	36 x 72	2	BTNOV36072SSCME	1,110	2" black locking casters	standard metal
		32	42 x 72	2	BTNOV42072SSCME	1,300	2" black locking casters	standard metal
		18	20 x 72	2	BTNOV20072SSHME	1,100	glides/concealed casters	standard metal
		22	30 x 72	2	BTNOV30072SSHME	1,130	glides/concealed casters	standard metal
		26	36 x 72	2	BTNOV36072SSHME	1,150	glides/concealed casters	standard metal
		32	42 x 72	2	BTNOV42072SSHME	1,340	glides/concealed casters	standard metal



C casters
2" black dual wheel locking hard casters (for carpet)

S casters (Keller + Ria)
2" black dual wheel locking soft casters (for hard floors)



S Spring clip height adjustment
24.75" - 33.75" (Keller, Ria, Rosanno, and Novi)
range in 1" increments

Standard metal powder coat finishes (ME)
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone, and Metallic Silver

bases

T adjustable height sets

Moto

base	base dim.	max top support	base set qty	base set model no.	list	glides or casters	finish
Moto (3" column)							
ratchet	18	24 x 72	2	BTMOT24072SRGME	1,170	adj glides	standard metal
	22	30 x 72	2	BTMOT30072SRGME	1,190	adj glides	standard metal
	26	36 x 72	2	BTMOT36072SRGME	1,230	adj glides	standard metal
	18	24 x 72	2	BTMOT24072SRCME	1,270	2" black locking casters	standard metal
	22	30 x 72	2	BTMOT30072SRCME	1,290	2" black locking casters	standard metal
	26	36 x 72	2	BTMOT36072SRCME	1,330	2" black locking casters	standard metal
	18	24 x 72	2	BTMOT24072SRPME	1,310	2" premium locking casters	standard metal
	22	30 x 72	2	BTMOT30072SRPME	1,330	2" premium locking casters	standard metal
	26	36 x 72	2	BTMOT36072SRPME	1,370	2" premium locking casters	standard metal
extended range crank	18	24 x 72	2	BTMOT24072SCEGME	1,530	adj glides	standard metal
	22	30 x 72	2	BTMOT30072SCEGME	1,540	adj glides	standard metal
	26	36 x 72	2	BTMOT36072SCEGME	1,600	adj glides	standard metal
	18	24 x 72	2	BTMOT24072SCECME	1,630	2" black locking casters	standard metal
	22	30 x 72	2	BTMOT30072SCECME	1,640	2" black locking casters	standard metal
	26	36 x 72	2	BTMOT36072SCECME	1,700	2" black locking casters	standard metal
	18	24 x 72	2	BTMOT24072SCEPME	1,670	2" premium locking casters	standard metal
	22	30 x 72	2	BTMOT30072SCEPME	1,680	2" premium locking casters	standard metal
	26	36 x 72	2	BTMOT36072SCEPME	1,740	2" premium locking casters	standard metal
middle range crank	18	24 x 72	2	BTMOT24072SCMGME	1,530	adj glides	standard metal
	22	30 x 72	2	BTMOT30072SCMGME	1,540	adj glides	standard metal
	26	36 x 72	2	BTMOT36072SCMGME	1,600	adj glides	standard metal
	18	24 x 72	2	BTMOT24072SCMCME	1,630	2" black locking casters	standard metal
	22	30 x 72	2	BTMOT30072SCMCME	1,640	2" black locking casters	standard metal
	26	36 x 72	2	BTMOT36072SCMCME	1,700	2" black locking casters	standard metal
	18	24 x 72	2	BTMOT24072SCMPME	1,670	2" premium locking casters	standard metal
	22	30 x 72	2	BTMOT30072SCMPME	1,680	2" premium locking casters	standard metal
	26	36 x 72	2	BTMOT36072SCMPME	1,740	2" premium locking casters	standard metal
short range crank	18	24 x 72	2	BTMOT24072SCSGME	1,530	adj glides	standard metal
	22	30 x 72	2	BTMOT30072SCSGME	1,540	adj glides	standard metal
	26	36 x 72	2	BTMOT36072SCSGME	1,600	adj glides	standard metal
	18	24 x 72	2	BTMOT24072SCSCME	1,630	2" black locking casters	standard metal
	22	30 x 72	2	BTMOT30072SCSCME	1,640	2" black locking casters	standard metal
	26	36 x 72	2	BTMOT36072SCSCME	1,700	2" black locking casters	standard metal
	18	24 x 72	2	BTMOT24072SCSPME	1,670	2" premium locking casters	standard metal
	22	30 x 72	2	BTMOT30072SCSPME	1,680	2" premium locking casters	standard metal
	26	36 x 72	2	BTMOT36072SCSPME	1,740	2" premium locking casters	standard metal





C casters
2" black dual wheel locking (Moto)
3" black dual wheel locking (Zoey)



P premium casters
2" silver/black dual wheel locking - (Moto)



R Ratchet height adjustment
base height range with glides 26" - 35.5" (9.45" range)
base height range with casters 28" - 37.5"
13 positions in 0.78 inch increments
Change positions by manually lifting the table top
Resets to lowest position when lifted to upper stop



C Crank adjustment
extended range: 26" - 43.75" (casters add 2")
middle range: 23.25" - 37" with glides (casters add 2")
short range: 19.75" - 30.5" with glides (casters add 2")
-screw thread adjustment with infinite stop positions
-adjust with manual crank handle which slides under table when not in use
-maximum lifting load 225 lbs for two columns (T base set)

Standard metal powder coat finishes:
Flat Black, Moto White**, and Metallic Silver

** Note that Moto White is a shade off and a little creamier than Furniture White.

Contact service@symphonytables.com for complete ordering instructions. Height adjustable bases require a higher level of product understanding and installation.

bases

T adjustable height sets

Moto

base	base dim.	frame width	top support	base set qty	base set model no.	list	glides or casters	finish
Moto (3" column)								
pneumatic counter balance	18	40.40	24 x 42-48	2	BTMOT24048SNGME	2,710	adj glides	standard metal
	18	48.27	24 x 54	2	BTMOT24054SNGME	2,730	adj glides	standard metal
	18	56.14	24 x 60	2	BTMOT24060SNGME	2,740	adj glides	standard metal
	18	64.02	24 x 66	2	BTMOT24066SNGME	2,770	adj glides	standard metal
	18	71.89	24 x 72	2	BTMOT24072SNGME	2,790	adj glides	standard metal
	18	40.40	24 x 42-48	2	BTMOT24048SNCME	2,810	2" black locking casters	standard metal
	18	48.27	24 x 54	2	BTMOT24054SNCME	2,830	2" black locking casters	standard metal
	18	56.14	24 x 60	2	BTMOT24060SNCME	2,840	2" black locking casters	standard metal
	18	64.02	24 x 66	2	BTMOT24066SNCME	2,870	2" black locking casters	standard metal
	18	71.89	24 x 72	2	BTMOT24072SNCME	2,890	2" black locking casters	standard metal
	18	40.40	24 x 42-48	2	BTMOT24048SNPME	2,850	2" premium locking casters	standard metal
	18	48.27	24 x 54	2	BTMOT24054SNPME	2,870	2" premium locking casters	standard metal
	18	56.14	24 x 60	2	BTMOT24060SNPME	2,880	2" premium locking casters	standard metal
	18	64.02	24 x 66	2	BTMOT24066SNPME	2,910	2" premium locking casters	standard metal
	18	71.89	24 x 72	2	BTMOT24072SNPME	2,930	2" premium locking casters	standard metal
	22	40.40	30 x 42-48	2	BTMOT30048SNGME	2,730	adj glides	standard metal
	22	48.27	30 x 54	2	BTMOT30054SNGME	2,760	adj glides	standard metal
	22	56.14	30 x 60	2	BTMOT30060SNGME	2,770	adj glides	standard metal
	22	64.02	30 x 66	2	BTMOT30066SNGME	2,790	adj glides	standard metal
	22	71.89	30 x 72	2	BTMOT30072SNGME	2,810	adj glides	standard metal
	22	40.40	30 x 42-48	2	BTMOT30048SNCME	2,830	2" black locking casters	standard metal
	22	48.27	30 x 54	2	BTMOT30054SNCME	2,860	2" black locking casters	standard metal
	22	56.14	30 x 60	2	BTMOT30060SNCME	2,870	2" black locking casters	standard metal
	22	64.02	30 x 66	2	BTMOT30066SNCME	2,890	2" black locking casters	standard metal
	22	71.89	30 x 72	2	BTMOT30072SNCME	2,910	2" black locking casters	standard metal
	22	40.40	30 x 42-48	2	BTMOT30048SNPME	2,870	2" premium locking casters	standard metal
	22	48.27	30 x 54	2	BTMOT30054SNPME	2,900	2" premium locking casters	standard metal
	22	56.14	30 x 60	2	BTMOT30060SNPME	2,910	2" premium locking casters	standard metal
	22	64.02	30 x 66	2	BTMOT30066SNPME	2,930	2" premium locking casters	standard metal
	22	71.89	30 x 72	2	BTMOT30072SNPME	2,950	2" premium locking casters	standard metal
	26	40.40	36 x 42-48	2	BTMOT36048SNGME	2,790	adj glides	standard metal
	26	48.27	36 x 54	2	BTMOT36054SNGME	2,810	adj glides	standard metal
	26	56.14	36 x 60	2	BTMOT36060SNGME	2,830	adj glides	standard metal
	26	64.02	36 x 66	2	BTMOT36066SNGME	2,840	adj glides	standard metal
	26	71.89	36 x 72	2	BTMOT36072SNGME	2,860	adj glides	standard metal
	26	40.40	36 x 42-48	2	BTMOT36048SNCME	2,890	2" black locking casters	standard metal
	26	48.27	36 x 54	2	BTMOT36054SNCME	2,910	2" black locking casters	standard metal
	26	56.14	36 x 60	2	BTMOT36060SNCME	2,930	2" black locking casters	standard metal
	26	64.02	36 x 66	2	BTMOT36066SNCME	2,940	2" black locking casters	standard metal
	26	71.89	36 x 72	2	BTMOT36072SNCME	2,960	2" black locking casters	standard metal
	26	40.40	36 x 42-48	2	BTMOT36048SNPME	2,930	2" premium locking casters	standard metal
	26	48.27	36 x 54	2	BTMOT36054SNPME	2,950	2" premium locking casters	standard metal
	26	56.14	36 x 60	2	BTMOT36060SNPME	2,970	2" premium locking casters	standard metal
	26	64.02	36 x 66	2	BTMOT36066SNPME	2,980	2" premium locking casters	standard metal
	26	71.89	36 x 72	2	BTMOT36072SNPME	3,000	2" premium locking casters	standard metal







detail of the mechanism



P Pneumatic counter balance (Moto)
base height range with glides 26" - 45.5" (19.5" range)
base height range with casters 28" - 47.5"
-Frame widths will accomodate tops from 42" - 72" long and 24" - 36" deep. We cannot modify the frame to fit tops that are any other size due to the components used to make the pneumatic counter balance adjustable bases.
-Must specify the weight of the top and all accessories that will be used on the bases so that the lift capacity can be set properly. Note that there is a minimum weight of 30 pounds for the counterbalance mechanism to work and a max weight of 183 lbs lift capacity for all items including the top.

Contact service@symphonytables.com for complete ordering instructions. Height adjustable bases require a higher level of product understanding and installation.

bases

T adjustable height sets

Kenna

base	base dim.	max top support	base set qty	base set model no.	list	glides or casters	finish
Kenna T base sets							
							
Single Stage Electric							
basic up/down switch	22	24 x 48-72	2	BTKEN24072SEGME	1,430	adj glides	standard metal
	28	30 x 48-72	2	BTKEN30072SEGME	1,480	adj glides	standard metal
programmable switch	22	24 x 48-72	2	BTKEN24072SPGME	1,570	adj glides	standard metal
	28	30 x 48-72	2	BTKEN30072SPGME	1,590	adj glides	standard metal
*tables over 60"L require the Kenna horizontal wire manager							
Dual Stage Electric							
basic up/down switch	22	24 x 48-72	2	BTKEN24072DEGME	1,730	adj glides	standard metal
	28	30 x 48-72	2	BTKEN30072DEGME	1,790	adj glides	standard metal
programmable switch	22	24 x 48-72	2	BTKEN24072DPGME	1,870	adj glides	standard metal
	28	30 x 48-72	2	BTKEN30072DPGME	1,900	adj glides	standard metal
*tables over 60"L require the Kenna horizontal wire manager							
Kenna 90 degree 3 column: (2) T, (1) post base set							
							
basic up/down switch	22	24 x 48-72	2	BTKE324072SEGME	2,520	adj glides	standard metal
	28	30 x 48-72	2	BTKE330072SEGME	2,540	adj glides	standard metal
programmable switch	22	24 x 48-72	2	BTKE324072SPGME	2,620	adj glides	standard metal
	28	30 x 48-72	2	BTKE330072SPGME	2,640	adj glides	standard metal
* top not included		*tables over 60"L require the Kenna horizontal wire manager					
Kenna 120 degree 3 column: (2) T, (1) post base set							
							
basic up/down switch	22	24 x 48-60	2	BTKE124060SEGME	2,520	adj glides	standard metal
	28	30 x 48-60	2	BTKE130060SEGME	2,540	adj glides	standard metal
programmable switch	22	24 x 48-60	2	BTKE124060SPGME	2,620	adj glides	standard metal
	28	30 x 48-60	2	BTKE130060SPGME	2,640	adj glides	standard metal
* top not included							



SEG Single Stage Electric adj. 27" - 46" (Kenna)
DEG Dual Stage Electric adj. 24" - 48" (Kenna)
- basic up / down switch / undersurface mount
- adjustment speed 1.375" per second



SPG Single Stage Electric adj. 27" - 46" (Kenna)
DPG Dual Stage Electric adj. 24" - 48" (Kenna)
- programmable keypad / under surface mount
- 4 preset programmable heights
- shelf stop and container stop feature that will stop raising or lowering the worksurface if there are items above or below the worksurface that could impact the table
- digital display
- adjustment speed 1.375" per second

Kenna Standard metal powder coat finishes (ME)
Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone, and Metallic Silver



Kenna horizontal wire manager connects between the two table legs under the table top, manages wires and supports the worksurface
*for 2 column versions only - not available for 3 column units, only available in a black finish
48"-66" tops use model **# OTWMHAT4866 $120 list**
66"-72" tops use **model # OTWMHAT6672 $170 list**
***required on tables over 60"**



Kenna 23.5" vertical column wire manager
-bolts into the independent beam and slides around the upper column
-allows wires to hang loose so the table can still go up and down while organizing them
-can be painted to match base color
model # OBTVWMKEN23 $70 list


Kenna weight capacity:
- maximum lifting load 200 lbs. for (2) T or C bases
- maximum lifting load 250 lbs 3 column configurations with (2) T bases + (1) post base

bases

T adjustable height sets

Matt

base	base dim.	max top support	base set qty	base set model no.	list	glides	finish
Matt II Electric height adjustable T							
Single Stage Electric							
basic up/down switch	23	24 x 48-72	2	BTMA224072SEGFB	1,350	adj glides	flat black
	23	24 x 48-72	2	BTMA224072SEGFW	1,350	adj glides	furniture white
	23	24 x 48-72	2	BTMA224072SEGMS	1,350	adj glides	metallic silver
	28	30 x 48-72	2	BTMA230072SEGFB	1,360	adj glides	flat black
	28	30 x 48-72	2	BTMA230072SEGFW	1,360	adj glides	furniture white
	28	30 x 48-72	2	BTMA230072SEGMS	1,360	adj glides	metallic silver
programmable switch	23	24 x 48-72	2	BTMA224072SPGFB	1,450	adj glides	flat black
	23	24 x 48-72	2	BTMA224072SPGFW	1,450	adj glides	furniture white
	23	24 x 48-72	2	BTMA224072SPGMS	1,450	adj glides	metallic silver
	28	30 x 48-72	2	BTMA230072SPGFB	1,460	adj glides	flat black
	28	30 x 48-72	2	BTMA230072SPGFW	1,460	adj glides	furniture white
	28	30 x 48-72	2	BTMA230072SPGMS	1,460	adj glides	metallic silver
basic up/down switch w/ sensor control	23	24 x 48-72	2	BTMA324072SEGFB	1,460	adj glides	flat black
	23	24 x 48-72	2	BTMA324072SEGFW	1,460	adj glides	furniture white
	23	24 x 48-72	2	BTMA324072SEGMS	1,460	adj glides	metallic silver
	28	30 x 48-72	2	BTMA330072SEGFB	1,470	adj glides	flat black
	28	30 x 48-72	2	BTMA330072SEGFW	1,470	adj glides	furniture white
	28	30 x 48-72	2	BTMA330072SEGMS	1,470	adj glides	metallic silver
programmable switch w/ sensor control	23	24 x 48-72	2	BTMA324072SPGFB	1,550	adj glides	flat black
	23	24 x 48-72	2	BTMA324072SPGFW	1,550	adj glides	furniture white
	23	24 x 48-72	2	BTMA324072SPGMS	1,550	adj glides	metallic silver
	28	30 x 48-72	2	BTMA330072SPGFB	1,570	adj glides	flat black
	28	30 x 48-72	2	BTMA330072SPGFW	1,570	adj glides	furniture white
	28	30 x 48-72	2	BTMA330072SPGMS	1,570	adj glides	metallic silver
Dual Stage Electric							
basic up/down switch	23	24 x 48-72	2	BTMA224072DEGFB	1,590	adj glides	flat black
	23	24 x 48-72	2	BTMA224072DEGFW	1,590	adj glides	furniture white
	23	24 x 48-72	2	BTMA224072DEGMS	1,590	adj glides	metallic silver
	28	30 x 48-72	2	BTMA230072DEGFB	1,600	adj glides	flat black
	28	30 x 48-72	2	BTMA230072DEGFW	1,600	adj glides	furniture white
	28	30 x 48-72	2	BTMA230072DEGMS	1,600	adj glides	metallic silver
programmable switch	23	24 x 48-72	2	BTMA224072DPGFB	1,690	adj glides	flat black
	23	24 x 48-72	2	BTMA224072DPGFW	1,690	adj glides	furniture white
	23	24 x 48-72	2	BTMA224072DPGMS	1,690	adj glides	metallic silver
	28	30 x 48-72	2	BTMA230072DPGFB	1,700	adj glides	flat black
	28	30 x 48-72	2	BTMA230072DPGFW	1,700	adj glides	furniture white
	28	30 x 48-72	2	BTMA230072DPGMS	1,700	adj glides	metallic silver
basic up/down switch w/ sensor control	23	24 x 48-72	2	BTMA324072DEGFB	1,700	adj glides	flat black
	23	24 x 48-72	2	BTMA324072DEGFW	1,700	adj glides	furniture white
	23	24 x 48-72	2	BTMA324072DEGMS	1,700	adj glides	metallic silver
	28	30 x 48-72	2	BTMA330072DEGFB	1,710	adj glides	flat black
	28	30 x 48-72	2	BTMA330072DEGFW	1,710	adj glides	furniture white
	28	30 x 48-72	2	BTMA330072DEGMS	1,710	adj glides	metallic silver
programmable switch w/ sensor control	23	24 x 48-72	2	BTMA324072DPGFB	1,790	adj glides	flat black
	23	24 x 48-72	2	BTMA324072DPGFW	1,790	adj glides	furniture white
	23	24 x 48-72	2	BTMA324072DPGMS	1,790	adj glides	metallic silver
	28	30 x 48-72	2	BTMA330072DPGFB	1,810	adj glides	flat black
	28	30 x 48-72	2	BTMA330072DPGFW	1,810	adj glides	furniture white
	28	30 x 48-72	2	BTMA330072DPGMS	1,810	adj glides	metallic silver



* top not included



SEG Single Stage Electric adj. 26" - 45"
DEG Dual Stage Electric adj. 21.75" - 47.75"
- basic up / down switch / undersurface mount
- adjustment speed 1.375" per second



SPG Single Stage Electric adj. 26" - 45"
DPG Dual Stage Electric adj. 21.75" - 47.75"
-programmable keypad / under surface mount
-4 preset programmable heights
-digital display
-adjustment speed 1.375" per second

Matt II Standard metal finish options
FB Flat Black
FW Furniture White
MS Metallic Silver

Sensor control
Sensor - collision mitigation option significantly increases the safety of the height adjustable table. It detects collision when the table is moved and can significantly reduce damage to the table and the colliding object.

Matt II weight capacity:
- maximum lifting load 250 lbs. for (2) T bases (including the top)



bases

C fixed single column sets
Keller, Ria

base	base dim.	max top support	base set qty	base set model no.	list	glides or casters	finish
Keller	15	20 x 96	2	BCKEL20096SDGME	620	adj glides	standard metal
	22	24 x 96	2	BCKEL24096SDGME	670	adj glides	standard metal
	27	30 x 96	2	BCKEL30096SDGME	720	adj glides	standard metal
	15	20 x 96	2	BCKEL20096SDCME	720	2" black hard casters	standard metal
	22	24 x 96	2	BCKEL24096SDCME	770	2" black hard casters	standard metal
	27	30 x 96	2	BCKEL30096SDCME	820	2" black hard casters	standard metal
	15	20 x 96	2	BCKEL20096SDSME	760	2" black soft casters	standard metal
	22	24 x 96	2	BCKEL24096SDSME	810	2" black soft casters	standard metal
	27	30 x 96	2	BCKEL30096SDSME	860	2" black soft casters	standard metal
	15	20 x 96	2	BCKEL20096SDGPO	1,470	adj glides	polished
	22	24 x 96	2	BCKEL24096SDGPO	1,520	adj glides	polished
	27	30 x 96	2	BCKEL30096SDGPO	1,570	adj glides	polished
	15	20 x 96	2	BCKEL20096SDCPO	1,570	2" black hard casters	polished
	22	24 x 96	2	BCKEL24096SDCPO	1,620	2" black hard casters	polished
	27	30 x 96	2	BCKEL30096SDCPO	1,670	2" black hard casters	polished
	15	20 x 96	2	BCKEL20096SDSPO	1,610	2" black soft casters	polished
	22	24 x 96	2	BCKEL24096SDSPO	1,660	2" black soft casters	polished
	27	30 x 96	2	BCKEL30096SDSPO	1,710	2" black soft casters	polished
Ria	15	20 x 96	2	BCRIA20096SDGME	590	adj glides	standard metal
	22	24 x 96	2	BCRIA24096SDGME	620	adj glides	standard metal
	27	30 x 96	2	BCRIA30096SDGME	670	adj glides	standard metal
	15	20 x 96	2	BCRIA20096SDCME	690	2" black hard casters	standard metal
	22	24 x 96	2	BCRIA24096SDCME	720	2" black hard casters	standard metal
	27	30 x 96	2	BCRIA30096SDCME	770	2" black hard casters	standard metal
	15	20 x 96	2	BCRIA20096SDSME	730	2" black soft casters	standard metal
	22	24 x 96	2	BCRIA24096SDSME	760	2" black soft casters	standard metal
	27	30 x 96	2	BCRIA30096SDSME	810	2" black soft casters	standard metal
	15	20 x 96	2	BCRIA20096SDGPO	1,440	adj glides	polished
	22	24 x 96	2	BCRIA24096SDGPO	1,470	adj glides	polished
	27	30 x 96	2	BCRIA30096SDGPO	1,520	adj glides	polished
	15	20 x 96	2	BCRIA20096SDCPO	1,540	2" black hard casters	polished
	22	24 x 96	2	BCRIA24096SDCPO	1,570	2" black hard casters	polished
	27	30 x 96	2	BCRIA30096SDCPO	1,620	2" black hard casters	polished
	15	20 x 96	2	BCRIA20096SDSPO	1,580	2" black soft casters	polished
	22	24 x 96	2	BCRIA24096SDSPO	1,610	2" black soft casters	polished
	27	30 x 96	2	BCRIA30096SDSPO	1,660	2" black soft casters	polished

C casters
2" black dual wheel locking hard casters (for carpet)

S casters (Keller/Ria)
2" black dual wheel locking soft casters (for hard floors)

(ME) Standard metal powder coat finishes :
Black Wrinkle (BW), Flat Black (FB), Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT), Metallic Silver (MS).

(PO) Polished aluminum / chrome finish (Keller / Ria)
(PC) Polished chrome finish (Novi)

bases

C fixed single column sets
Moto, Moto 2, Zoey, Novi

base	base dim.	max top support	base set qty	base set model no.	list	glides or casters	finish
Moto (3" column)	18	24 x 96	2	BCMOT24096SDGME	830	adj glides	standard metal
	22	30 x 96	2	BCMOT30096SDGME	870	adj glides	standard metal
	26	36 x 96	2	BCMOT36096SDGME	910	adj glides	standard metal
	18	24 x 96	2	BCMOT24096SDCME	930	2" black locking casters	standard metal
	22	30 x 96	2	BCMOT30096SDCME	970	2" black locking casters	standard metal
	26	36 x 96	2	BCMOT36096SDCME	1,010	2" black locking casters	standard metal
	18	24 x 96	2	BCMOT24096SDPME	970	2" premium locking casters	standard metal
	22	30 x 96	2	BCMOT30096SDPME	1,010	2" premium locking casters	standard metal
	26	36 x 96	2	BCMOT36096SDPME	1,050	2" premium locking casters	standard metal
Moto 2 (2" column)	18	24 x 96	2	BCMO224096SDGME	680	adj glides	standard metal
	22	30 x 96	2	BCMO230096SDGME	720	adj glides	standard metal
	26	36 x 96	2	BCMO236096SDGME	750	adj glides	standard metal
	18	24 x 96	2	BCMO224096SDCME	780	2" black locking casters	standard metal
	22	30 x 96	2	BCMO230096SDCME	820	2" black locking casters	standard metal
	26	36 x 96	2	BCMO236096SDCME	850	2" black locking casters	standard metal
	18	24 x 96	2	BCMO224096SDPME	820	2" premium locking casters	standard metal
	22	30 x 96	2	BCMO230096SDPME	860	2" premium locking casters	standard metal
	26	36 x 96	2	BCMO236096SDPME	890	2" premium locking casters	standard metal
Zoey	18	20 x 96	2	BCZOE20096SDGME	590	adj glides	standard metal
	21	24 x 96	2	BCZOE24096SDGME	620	adj glides	standard metal
	27	30 x 96	2	BCZOE30096SDGME	670	adj glides	standard metal
	18	20 x 96	2	BCZOE20096SDCME	690	3" black locking casters	standard metal
	21	24 x 96	2	BCZOE24096SDCME	720	3" black locking casters	standard metal
	27	30 x 96	2	BCZOE30096SDCME	770	3" black locking casters	standard metal
	18	20 x 96	2	BCZOE20096SDPME	730	3" premium locking casters	standard metal
	21	24 x 96	2	BCZOE24096SDPME	760	3" premium locking casters	standard metal
	27	30 x 96	2	BCZOE30096SDPME	810	3" premium locking casters	standard metal
Novi	18	20 x 96	2	BCNOV20096SDGME	640	adj glides	standard metal
	22	24 x 96	2	BCNOV24096SDGME	660	adj glides	standard metal
	26	30 x 96	2	BCNOV30096SDGME	690	adj glides	standard metal
	18	20 x 96	2	BCNOV20096SDCME	740	2" black locking casters	standard metal
	22	24 x 96	2	BCNOV24096SDCME	760	2" black locking casters	standard metal
	26	30 x 96	2	BCNOV30096SDCME	790	2" black locking casters	standard metal
	18	20 x 96	2	BCNOV20096SDHME	780	glides/concealed casters	standard metal
	22	24 x 96	2	BCNOV24096SDHME	800	glides/concealed casters	standard metal
	26	30 x 96	2	BCNOV30096SDHME	830	glides/concealed casters	standard metal
	18	20 x 96	2	BCNOV20096SDGPC	1,990	adj glides	polished
	22	24 x 96	2	BCNOV24096SDGPC	2,010	adj glides	polished
	26	30 x 96	2	BCNOV30096SDGPC	2,040	adj glides	polished
	18	20 x 96	2	BCNOV20096SDCPC	2,090	2" black locking casters	polished
	22	24 x 96	2	BCNOV24096SDCPC	2,110	2" black locking casters	polished
	26	30 x 96	2	BCNOV30096SDCPC	2,140	2" black locking casters	polished

C casters
2" black dual wheel locking (Moto, Moto 2)
3" black dual wheel locking (Zoey)

P premium casters
2" silver/black dual wheel locking - (Moto, Moto 2)
3" white dual wheel locking (Zoey)

H Novi hidden/concealed casters
one T base per set has glides, the other base has hidden/concealed casters (not available for polished finish)

(ME) Standard metal powder coat finishes :
Black Wrinkle (BW), Flat Black (FB), Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT), Metallic Silver (MS).

(PC) Polished chrome finish (Novi)

bases

C nesting sets

Keller, Ria, Novi

base	base dim.	max top support	base set qty	base set model no.	list	glides or casters	finish
Keller	15	20 x 72	2	BCKEL20072NEGME	1,060	adj glides	standard metal
	22	24 x 72	2	BCKEL24072NEGME	1,110	adj glides	standard metal
	27	30 x 72	2	BCKEL30072NEGME	1,160	adj glides	standard metal
	15	20 x 72	2	BCKEL20072NECME	1,160	2" black hard casters	standard metal
	22	24 x 72	2	BCKEL24072NECME	1,210	2" black hard casters	standard metal
	27	30 x 72	2	BCKEL30072NECME	1,260	2" black hard casters	standard metal
	15	20 x 72	2	BCKEL20072NESME	1,200	2" black soft casters	standard metal
	22	24 x 72	2	BCKEL24072NESME	1,250	2" black soft casters	standard metal
	27	30 x 72	2	BCKEL30072NESME	1,300	2" black soft casters	standard metal
	15	20 x 72	2	BCKEL20072NEGPO	1,910	adj glides	polished
	22	24 x 72	2	BCKEL24072NEGPO	1,960	adj glides	polished
	27	30 x 72	2	BCKEL30072NEGPO	2,010	adj glides	polished
	15	20 x 72	2	BCKEL20072NECPO	2,010	2" black hard casters	polished
	22	24 x 72	2	BCKEL24072NECPO	2,060	2" black hard casters	polished
	27	30 x 72	2	BCKEL30072NECPO	2,110	2" black hard casters	polished
	15	20 x 72	2	BCKEL20072NESPO	2,050	2" black soft casters	polished
	22	24 x 72	2	BCKEL24072NESPO	2,100	2" black soft casters	polished
	27	30 x 72	2	BCKEL30072NESPO	2,150	2" black soft casters	polished
Ria	15	20 x 72	2	BCRIA20072NEGME	1,030	adj glides	standard metal
	22	24 x 72	2	BCRIA24072NEGME	1,060	adj glides	standard metal
	27	30 x 72	2	BCRIA30072NEGME	1,110	adj glides	standard metal
	15	20 x 72	2	BCRIA20072NECME	1,130	2" black hard casters	standard metal
	22	24 x 72	2	BCRIA24072NECME	1,160	2" black hard casters	standard metal
	27	30 x 72	2	BCRIA30072NECME	1,210	2" black hard casters	standard metal
	15	20 x 72	2	BCRIA20072NESME	1,170	2" black soft casters	standard metal
	22	24 x 72	2	BCRIA24072NESME	1,200	2" black soft casters	standard metal
	27	30 x 72	2	BCRIA30072NESME	1,250	2" black soft casters	standard metal
	15	20 x 72	2	BCRIA20072NEGPO	1,880	adj glides	polished
	22	24 x 72	2	BCRIA24072NEGPO	1,910	adj glides	polished
	27	30 x 72	2	BCRIA30072NEGPO	1,960	adj glides	polished
	15	20 x 72	2	BCRIA20072NECPO	1,980	2" black hard casters	polished
	22	24 x 72	2	BCRIA24072NECPO	2,010	2" black hard casters	polished
	27	30 x 72	2	BCRIA30072NECPO	2,060	2" black hard casters	polished
	15	20 x 72	2	BCRIA20072NESPO	2,020	2" black soft casters	polished
	22	24 x 72	2	BCRIA24072NESPO	2,050	2" black soft casters	polished
	27	30 x 72	2	BCRIA30072NESPO	2,100	2" black soft casters	polished
Novi	18	20 x 72	2	BCNOV20072NEGME	1,250	adj glides	standard metal
	22	24 x 72	2	BCNOV24072NEGME	1,280	adj glides	standard metal
	26	30 x 72	2	BCNOV30072NEGME	1,290	adj glides	standard metal
	18	20 x 72	2	BCNOV20072NECME	1,350	2" black locking casters	standard metal
	22	24 x 72	2	BCNOV24072NECME	1,380	2" black locking casters	standard metal
	26	30 x 72	2	BCNOV30072NECME	1,390	2" black locking casters	standard metal
	18	20 x 72	2	BCNOV20072NEHME	1,390	glides/concealed casters	standard metal
	22	24 x 72	2	BCNOV24072NEHME	1,420	glides/concealed casters	standard metal
	26	30 x 72	2	BCNOV30072NEHME	1,430	glides/concealed casters	standard metal

C casters
2" black dual wheel locking hard casters (for carpet)

S casters (Keller/Ria)
2" black dual wheel locking soft casters (for hard floors)

(ME) Standard metal powder coat finishes :
Black Wrinkle (BW), Flat Black (FB), Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT), Metallic Silver (MS).

(PO) Polished aluminum / chrome finish (Keller / Ria)

KELLER, RIA, ROSANNO AND NOVI SINGLE T FLIP MECH IMAGE:

Note that the Keller, Ria and Novi single column series bases do not have a beam and therefore the bases cannot be spread more than 50" apart at center.

bases

C nesting sets

Zoey, Moto

base	base dim.	max top support	base set qty	base set model no.	list	glides or casters	finish
Zoey with beam	15	20 x 60	2	BCZOE20060NBGME	1,290	adj glides	standard metal
	15	20 x 72	2	BCZOE20072NBGME	1,310	adj glides	standard metal
	21	24 x 60	2	BCZOE24060NBGME	1,310	adj glides	standard metal
	21	24 x 72	2	BCZOE24072NBGME	1,330	adj glides	standard metal
	27	30 x 60	2	BCZOE30060NBGME	1,330	adj glides	standard metal
	27	30 x 72	2	BCZOE30072NBGME	1,350	adj glides	standard metal
	15	20 x 60	2	BCZOE20060NBCME	1,390	3" black locking casters	standard metal
	15	20 x 72	2	BCZOE20072NBCME	1,410	3" black locking casters	standard metal
	21	24 x 60	2	BCZOE24060NBCME	1,410	3" black locking casters	standard metal
	21	24 x 72	2	BCZOE24072NBCME	1,430	3" black locking casters	standard metal
	27	30 x 60	2	BCZOE30060NBCME	1,430	3" black locking casters	standard metal
	27	30 x 72	2	BCZOE30072NBCME	1,450	3" black locking casters	standard metal
	15	20 x 60	2	BCZOE20060NBPME	1,430	3" premium locking casters	standard metal
	15	20 x 72	2	BCZOE20072NBPME	1,450	3" premium locking casters	standard metal
	21	24 x 60	2	BCZOE24060NBPME	1,450	3" premium locking casters	standard metal
	21	24 x 72	2	BCZOE24072NBPME	1,470	3" premium locking casters	standard metal
	27	30 x 60	2	BCZOE30060NBPME	1,470	3" premium locking casters	standard metal
	27	30 x 72	2	BCZOE30072NBPME	1,490	3" premium locking casters	standard metal
Moto 2 with beam	18	24 x 60	2	BCMO224060NBGME	1,440	adj glides	standard metal
	18	24 x 72	2	BCMO230072NBGME	1,450	adj glides	standard metal
	22	30 x 60	2	BCMO230060NBGME	1,470	adj glides	standard metal
	22	30 x 72	2	BCMO230072NBGME	1,490	adj glides	standard metal
	18	24 x 60	2	BCMO224060NBCME	1,540	2" black locking casters	standard metal
	18	24 x 72	2	BCMO230072NBCME	1,550	2" black locking casters	standard metal
	22	30 x 60	2	BCMO230060NBCME	1,570	2" black locking casters	standard metal
	22	30 x 72	2	BCMO230072NBCME	1,590	2" black locking casters	standard metal
	18	24 x 60	2	BCMO224060NBPME	1,580	2" premium locking casters	standard metal
	18	24 x 72	2	BCMO230072NBPME	1,590	2" premium locking casters	standard metal
	22	30 x 60	2	BCMO230060NBPME	1,610	2" premium locking casters	standard metal
	22	30 x 72	2	BCMO230072NBPME	1,630	2" premium locking casters	standard metal

C casters
2" black dual wheel locking (Moto 2)
3" black dual wheel locking (Zoey)

P premium casters
2" silver/black dual wheel locking (Moto 2)
3" white dual wheel locking (Zoey)

(ME) Standard metal powder coat finishes :
Black Wrinkle (BW), Flat Black (FB), Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT), Metallic Silver (MS).

Moto and Zoey flip nest bases with a beam do not require top stiffeners
The cost of the top stiffener is included in the standard Symphony top price.
Deduct the following from the list price shown for a top in the top section of the price list

-$70 list for tops that are 18-24" deep x 60 long (1 stiffener)
-$90 list for tops that are 18-24" deep x 72 long (1 stiffener)

-$140 list for tops that are 30-36" deep x 60 long (2 stiffeners)
-$170 list for tops that are 30-36" deep x 72 long (2 stiffeners)

Note that the"NE" model numbers do not have a beam and therefore the bases cannot be spread more than 50" apart at center when using top stiffeners.

bases

C adjustable height sets

Keller, Ria, Novi, Moto, Kenna

base		base dim.	max top support	base set qty	base set model no.	list	glides or casters	finish
Keller	spring clip	15	20 x 72	2	BCKEL20072SSGME	920	adj glides	standard metal
		22	24 x 72	2	BCKEL24072SSGME	970	adj glides	standard metal
		27	30 x 72	2	BCKEL30072SSGME	1,020	adj glides	standard metal
		15	20 x 72	2	BCKEL20072SSCME	1,020	2" black hard casters	standard metal
		22	24 x 72	2	BCKEL24072SSCME	1,070	2" black hard casters	standard metal
		27	30 x 72	2	BCKEL30072SSCME	1,120	2" black hard casters	standard metal
		15	20 x 72	2	BCKEL20072SSSME	1,060	2" black soft casters	standard metal
		22	24 x 72	2	BCKEL24072SSSME	1,110	2" black soft casters	standard metal
		27	30 x 72	2	BCKEL30072SSSME	1,160	2" black soft casters	standard metal
Ria	spring clip	15	20 x 72	2	BCRIA20072SSGME	920	adj glides	standard metal
		22	24 x 72	2	BCRIA24072SSGME	950	adj glides	standard metal
		27	30 x 72	2	BCRIA30072SSGME	1,010	adj glides	standard metal
		15	20 x 72	2	BCRIA20072SSCME	1,020	2" black hard casters	standard metal
		22	24 x 72	2	BCRIA24072SSCME	1,050	2" black hard casters	standard metal
		27	30 x 72	2	BCRIA30072SSCME	1,110	2" black hard casters	standard metal
		15	20 x 72	2	BCRIA20072SSSME	1,060	2" black soft casters	standard metal
		22	24 x 72	2	BCRIA24072SSSME	1,090	2" black soft casters	standard metal
		27	30 x 72	2	BCRIA30072SSSME	1,150	2" black soft casters	standard metal
Novi	spring clip	18	20 x 72	2	BCNOV20072SSGME	960	adj glides	standard metal
		22	24 x 72	2	BCNOV24072SSGME	990	adj glides	standard metal
		26	30 x 72	2	BCNOV30072SSGME	1,010	adj glides	standard metal
		18	20 x 72	2	BCNOV20072SSCME	1,060	2" black locking casters	standard metal
		22	24 x 72	2	BCNOV24072SSCME	1,090	2" black locking casters	standard metal
		26	30 x 72	2	BCNOV30072SSCME	1,110	2" black locking casters	standard metal
Moto crank (3" column)		18	24 x 72	2	BCMOT24072S__GME	1,530	adj glides	standard metal
		22	30 x 72	2	BCMOT30072S__GME	1,540	adj glides	standard metal
		26	36 x 72	2	BCMOT36072S__GME	1,600	adj glides	standard metal
		18	24 x 72	2	BCMOT24072S__CME	1,630	2" black locking casters	standard metal
		22	30 x 72	2	BCMOT30072S__CME	1,640	2" black locking casters	standard metal
		26	36 x 72	2	BCMOT36072S__CME	1,700	2" black locking casters	standard metal
		18	24 x 72	2	BCMOT24072S__PME	1,670	2" premium locking casters	standard metal
		22	30 x 72	2	BCMOT30072S__PME	1,680	2" premium locking casters	standard metal
		26	36 x 72	2	BCMOT36072S__PME	1,740	2" premium locking casters	standard metal
Kenna Single Stage Electric								
basic up/down switch		22	24 x 48-72	2	BCKEN24072SEGME	1,430	adj glides	standard metal
		28	30 x 48-72	2	BCKEN30072SEGME	1,480	adj glides	standard metal
programmable switch		22	24 x 48-72	2	BCKEN24072SPGME	1,570	adj glides	standard metal
		28	30 x 48-72	2	BCKEN30072SPGME	1,590	adj glides	standard metal








*top not included

For complete crank height base model number:
1. Insert crank height range selection:
CE extended range (26"-43.75" with glides) - casters add 2"
CM middle range (23.75"-37" with glides) - casters add 2"
CS short range (19.75"-30.5" with glides) - casters add 2"

Moto adj ht metal powder coat finishes:
Flat Black, Moto White**, and Metallic Silver

** Note that Moto White is a shade off and a little creamier than Furniture White.









C casters
2" black dual wheel locking hard casters (for carpet)
S casters (Keller/Ria)
2" black dual wheel locking soft casters (for hard floors)

Standard metal powder coat finishes (Keller, Ria, Novi, & Kenna)
Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone, and Metallic Silver
** Moto adjustable height bases are only available in Flat Black, Moto White, and Metallic Silver.



S Spring clip height adjustment
24.75" - 33.75" height range (Ria, Keller, Novi)
six heights in 1" increments
available for C base tables up to 30" deep

C Crank adjustment (Moto)
3 height ranges available, note that casters add 2" to the overall height
-screw thread adjustment with infinite stop positions
-adjust with manual crank handle which slides under table when not in use
-maximum lifting load 225 lbs for two columns (C base set)

SEG Single Stage Electric adj. 27" - 46" (Kenna)
- basic up / down switch / undersurface mount
- adjustment speed 1.375" per second

SPG Single Stage Electric adj. 27" - 46" (Kenna)
-programmable keypad / under surface mount
-4 preset programmable heights
-shelf stop and container stop feature that will stop raising or lowering the worksurface if there are items above or below the worksurface that could impact the table
-digital display
- adjustment speed 1.375" per second

Kenna weight capacity: maximum lifting load 200 lbs. for (2) C bases

bases

C adjustable height sets

Matt II

base	base dim.	max top support	base set qty	base set model no.	list	glides	finish
Matt II Electric height adjustable C							
Single Stage Electric							
basic up/down switch	23	24 x 48-72	2	BCMA224072SEGFB	1,350	adj glides	flat black
	23	24 x 48-72	2	BCMA224072SEGFW	1,350	adj glides	furniture white
	23	24 x 48-72	2	BCMA224072SEGMS	1,350	adj glides	metallic silver
	28	30 x 48-72	2	BCMA230072SEGFB	1,360	adj glides	flat black
	28	30 x 48-72	2	BCMA230072SEGFW	1,360	adj glides	furniture white
	28	30 x 48-72	2	BCMA230072SEGMS	1,360	adj glides	metallic silver
programmable switch	23	24 x 48-72	2	BCMA224072SPGFB	1,450	adj glides	flat black
	23	24 x 48-72	2	BCMA224072SPGFW	1,450	adj glides	furniture white
	23	24 x 48-72	2	BCMA224072SPGMS	1,450	adj glides	metallic silver
	28	30 x 48-72	2	BCMA230072SPGFB	1,460	adj glides	flat black
	28	30 x 48-72	2	BCMA230072SPGFW	1,460	adj glides	furniture white
	28	30 x 48-72	2	BCMA230072SPGMS	1,460	adj glides	metallic silver
basic up/down switch w/ sensor control	23	24 x 48-72	2	BCMA324072SEGFB	1,460	adj glides	flat black
	23	24 x 48-72	2	BCMA324072SEGFW	1,460	adj glides	furniture white
	23	24 x 48-72	2	BCMA324072SEGMS	1,460	adj glides	metallic silver
	28	30 x 48-72	2	BCMA330072SEGFB	1,470	adj glides	flat black
	28	30 x 48-72	2	BCMA330072SEGFW	1,470	adj glides	furniture white
	28	30 x 48-72	2	BCMA330072SEGMS	1,470	adj glides	metallic silver
programmable switch w/ sensor control	23	24 x 48-72	2	BCMA324072SPGFB	1,550	adj glides	flat black
	23	24 x 48-72	2	BCMA324072SPGFW	1,550	adj glides	furniture white
	23	24 x 48-72	2	BCMA324072SPGMS	1,550	adj glides	metallic silver
	28	30 x 48-72	2	BCMA330072SPGFB	1,570	adj glides	flat black
	28	30 x 48-72	2	BCMA330072SPGFW	1,570	adj glides	furniture white
	28	30 x 48-72	2	BCMA330072SPGMS	1,570	adj glides	metallic silver
Dual Stage Electric							
basic up/down switch	23	24 x 48-72	2	BCMA224072DEGFB	1,590	adj glides	flat black
	23	24 x 48-72	2	BCMA224072DEGFW	1,590	adj glides	furniture white
	23	24 x 48-72	2	BCMA224072DEGMS	1,590	adj glides	metallic silver
	28	30 x 48-72	2	BCMA230072DEGFB	1,600	adj glides	flat black
	28	30 x 48-72	2	BCMA230072DEGFW	1,600	adj glides	furniture white
	28	30 x 48-72	2	BCMA230072DEGMS	1,600	adj glides	metallic silver
programmable switch	23	24 x 48-72	2	BCMA224072DPGFB	1,690	adj glides	flat black
	23	24 x 48-72	2	BCMA224072DPGFW	1,690	adj glides	furniture white
	23	24 x 48-72	2	BCMA224072DPGMS	1,690	adj glides	metallic silver
	28	30 x 48-72	2	BCMA230072DPGFB	1,700	adj glides	flat black
	28	30 x 48-72	2	BCMA230072DPGFW	1,700	adj glides	furniture white
	28	30 x 48-72	2	BCMA230072DPGMS	1,700	adj glides	metallic silver
basic up/down switch w/ sensor control	23	24 x 48-72	2	BCMA324072DEGFB	1,700	adj glides	flat black
	23	24 x 48-72	2	BCMA324072DEGFW	1,700	adj glides	furniture white
	23	24 x 48-72	2	BCMA324072DEGMS	1,700	adj glides	metallic silver
	28	30 x 48-72	2	BCMA330072DEGFB	1,710	adj glides	flat black
	28	30 x 48-72	2	BCMA330072DEGFW	1,710	adj glides	furniture white
	28	30 x 48-72	2	BCMA330072DEGMS	1,710	adj glides	metallic silver
programmable switch w/ sensor control	23	24 x 48-72	2	BCMA324072DPGFB	1,790	adj glides	flat black
	23	24 x 48-72	2	BCMA324072DPGFW	1,790	adj glides	furniture white
	23	24 x 48-72	2	BCMA324072DPGMS	1,790	adj glides	metallic silver
	28	30 x 48-72	2	BCMA330072DPGFB	1,810	adj glides	flat black
	28	30 x 48-72	2	BCMA330072DPGFW	1,810	adj glides	furniture white
	28	30 x 48-72	2	BCMA330072DPGMS	1,810	adj glides	metallic silver



* top not included

SEG Single Stage Electric adj. 26" - 45"
DEG Dual Stage Electric adj. 21.75" - 47.75"
- basic up / down switch / undersurface mount
- adjustment speed 1.375" per second



SPG Single Stage Electric adj. 26" - 45"
DPG Dual Stage Electric adj. 21.75" - 47.75"
-programmable keypad / under surface mount
-4 preset programmable heights
-digital display
-adjustment speed 1.375" per second

Matt Standard metal finish options
FB Flat Black
FW Furniture White
MS Metallic Silver

Sensor control
Sensor - collision mitigation option significantly increases the safety of the height adjustable table. It detects collision when the table is moved and can significantly reduce damage to the table and the colliding object.

Matt weight capacity:
- maximum lifting load 250 lbs. for (2) C bases (including the top)





bases
X fixed
Keller

base	base dim.	max top support	base qty	base model no.	list	glides or casters	finish
Keller 27.75"H X	20 x 20	24 x 24, 24 rd	1	BXKEL24024SDGME	530	adj glides	standard metal
	26 x 26	30 x 30, 36 rd	1	BXKEL30030SDGME	590	adj glides	standard metal
	33 x 33	36 x 36, 42 rd	1	BXKEL36036SDGME	660	adj glides	standard metal
	38 x 38	42 x 42, 48 rd	1	BXKEL42042SDGME	790	adj glides	standard metal
	20 x 20	24 x 24, 24 rd	1	BXKEL24024SDCME	630	2" black hard casters	standard metal
	26 x 26	30 x 30, 36 rd	1	BXKEL30030SDCME	690	2" black hard casters	standard metal
	33 x 33	36 x 36, 42 rd	1	BXKEL36036SDCME	760	2" black hard casters	standard metal
	38 x 38	42 x 42, 48 rd	1	BXKEL42042SDCME	890	2" black hard casters	standard metal
	20 x 20	24 x 24, 24 rd	1	BXKEL24024SDSME	670	2" black soft casters	standard metal
	26 x 26	30 x 30, 36 rd	1	BXKEL30030SDSME	730	2" black soft casters	standard metal
	33 x 33	36 x 36, 42 rd	1	BXKEL36036SDSME	800	2" black soft casters	standard metal
	38 x 38	42 x 42, 48 rd	1	BXKEL42042SDSME	930	2" black soft casters	standard metal
	20 x 20	24 x 24, 24 rd	1	BXKEL24024SDGPO	1,000	adj glides	polished
	26 x 26	30 x 30, 36 rd	1	BXKEL30030SDGPO	1,060	adj glides	polished
	33 x 33	36 x 36, 42 rd	1	BXKEL36036SDGPO	1,130	adj glides	polished
	38 x 38	42 x 42, 48 rd	1	BXKEL42042SDGPO	1,260	adj glides	polished
	20 x 20	24 x 24, 24 rd	1	BXKEL24024SDCPO	1,100	2" black hard casters	polished
	26 x 26	30 x 30, 36 rd	1	BXKEL30030SDCPO	1,160	2" black hard casters	polished
	33 x 33	36 x 36, 42 rd	1	BXKEL36036SDCPO	1,230	2" black hard casters	polished
	38 x 38	42 x 42, 48 rd	1	BXKEL42042SDCPO	1,360	2" black hard casters	polished
	20 x 20	24 x 24, 24 rd	1	BXKEL24024SDSPO	1,140	2" black soft casters	polished
	26 x 26	30 x 30, 36 rd	1	BXKEL30030SDSPO	1,200	2" black soft casters	polished
	33 x 33	36 x 36, 42 rd	1	BXKEL36036SDSPO	1,270	2" black soft casters	polished
	38 x 38	42 x 42, 48 rd	1	BXKEL42042SDSPO	1,400	2" black soft casters	polished
bar or custom height	20 x 20	24 x 24, 24 rd	1	BXKEL24024_ _GME	630	adj glides	standard metal
	26 x 26	30 x 30, 36 rd	1	BXKEL30030_ _GME	690	adj glides	standard metal
	33 x 33	36 x 36, 42 rd	1	BXKEL36036_ _GME	760	adj glides	standard metal
	38 x 38	42 x 42, 48 rd	1	BXKEL42042_ _GME	890	adj glides	standard metal
	20 x 20	24 x 24, 24 rd	1	BXKEL24024_ _CME	730	2" black hard casters	standard metal
	26 x 26	30 x 30, 36 rd	1	BXKEL30030_ _CME	790	2" black hard casters	standard metal
	33 x 33	36 x 36, 42 rd	1	BXKEL36036_ _CME	860	2" black hard casters	standard metal
	38 x 38	42 x 42, 48 rd	1	BXKEL42042_ _CME	990	2" black hard casters	standard metal
	20 x 20	24 x 24, 24 rd	1	BXKEL24024_ _SME	770	2" black soft casters	standard metal
	26 x 26	30 x 30, 36 rd	1	BXKEL30030_ _SME	830	2" black soft casters	standard metal
	33 x 33	36 x 36, 42 rd	1	BXKEL36036_ _SME	900	2" black soft casters	standard metal
	38 x 38	42 x 42, 48 rd	1	BXKEL42042_ _SME	1,030	2" black soft casters	standard metal
	20 x 20	24 x 24, 24 rd	1	BXKEL24024_ _GPO	1,350	adj glides	polished
	26 x 26	30 x 30, 36 rd	1	BXKEL30030_ _GPO	1,410	adj glides	polished
	33 x 33	36 x 36, 42 rd	1	BXKEL36036_ _GPO	1,480	adj glides	polished
	38 x 38	42 x 42, 48 rd	1	BXKEL42042_ _GPO	1,610	adj glides	polished
	20 x 20	24 x 24, 24 rd	1	BXKEL24024_ _CPO	1,450	2" black hard casters	polished
	26 x 26	30 x 30, 36 rd	1	BXKEL30030_ _CPO	1,510	2" black hard casters	polished
	33 x 33	36 x 36, 42 rd	1	BXKEL36036_ _CPO	1,580	2" black hard casters	polished
	38 x 38	42 x 42, 48 rd	1	BXKEL42042_ _CPO	1,710	2" black hard casters	polished
	20 x 20	24 x 24, 24 rd	1	BXKEL24024_ _SPO	1,490	2" black soft casters	polished
	26 x 26	30 x 30, 36 rd	1	BXKEL30030_ _SPO	1,550	2" black soft casters	polished
	33 x 33	36 x 36, 42 rd	1	BXKEL36036_ _SPO	1,620	2" black soft casters	polished
	38 x 38	42 x 42, 48 rd	1	BXKEL42042_ _SPO	1,750	2" black soft casters	polished

For complete custom lower height or custom higher height base model number:
1. Insert height selection:
SB bar height (40.75"H)
SH custom Higher fixed height - specify height
SL custom Lower fixed height - specify height



C casters
2" black dual wheel locking hard casters (for carpet)

S casters
2" black dual wheel locking soft casters (for hard floors)

Standard metal powder coat finishes (ME)
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone and Metallic Silver

Premium Polished Finish (PO)
Polished Aluminum/Steel

bases
offset X fixed
Keller

base	base dim.	max top support	base qty	base model no.	list	glides or casters	finish
Keller 27.75"H offset X	20 x 26	24 x 30	1	BXKEL24030SDGME	590	adj glides	standard metal
	20 x 33	24 x 36	1	BXKEL24036SDGME	620	adj glides	standard metal
	20 x 38	24 x 42	1	BXKEL24042SDGME	740	adj glides	standard metal
	26 x 33	30 x 36	1	BXKEL30036SDGME	650	adj glides	standard metal
	26 x 38	30 x 42	1	BXKEL30042SDGME	770	adj glides	standard metal
	33 x 38	36 x 42	1	BXKEL36042SDGME	780	adj glides	standard metal
	20 x 26	24 x 30	1	BXKEL24030SDCME	690	2" black hard casters	standard metal
	20 x 33	24 x 36	1	BXKEL24036SDCME	720	2" black hard casters	standard metal
	20 x 38	24 x 42	1	BXKEL24042SDCME	840	2" black hard casters	standard metal
	26 x 33	30 x 36	1	BXKEL30036SDCME	750	2" black hard casters	standard metal
	26 x 38	30 x 42	1	BXKEL30042SDCME	870	2" black hard casters	standard metal
	33 x 38	36 x 42	1	BXKEL36042SDCME	880	2" black hard casters	standard metal
	20 x 26	24 x 30	1	BXKEL24030SDSME	730	2" black soft casters	standard metal
	20 x 33	24 x 36	1	BXKEL24036SDSME	760	2" black soft casters	standard metal
	20 x 38	24 x 42	1	BXKEL24042SDSME	880	2" black soft casters	standard metal
	26 x 33	30 x 36	1	BXKEL30036SDSME	790	2" black soft casters	standard metal
	26 x 38	30 x 42	1	BXKEL30042SDSME	910	2" black soft casters	standard metal
	33 x 38	36 x 42	1	BXKEL36042SDSME	920	2" black soft casters	standard metal
	20 x 26	24 x 30	1	BXKEL24030SDGPO	1,060	adj glides	polished
	20 x 33	24 x 36	1	BXKEL24036SDGPO	1,090	adj glides	polished
	20 x 38	24 x 42	1	BXKEL24042SDGPO	1,210	adj glides	polished
	26 x 33	30 x 36	1	BXKEL30036SDGPO	1,120	adj glides	polished
	26 x 38	30 x 42	1	BXKEL30042SDGPO	1,240	adj glides	polished
	33 x 38	36 x 42	1	BXKEL36042SDGPO	1,250	adj glides	polished
	20 x 26	24 x 30	1	BXKEL24030SDCPO	1,160	2" black hard casters	polished
	20 x 33	24 x 36	1	BXKEL24036SDCPO	1,190	2" black hard casters	polished
	20 x 38	24 x 42	1	BXKEL24042SDCPO	1,310	2" black hard casters	polished
	26 x 33	30 x 36	1	BXKEL30036SDCPO	1,220	2" black hard casters	polished
	26 x 38	30 x 42	1	BXKEL30042SDCPO	1,340	2" black hard casters	polished
	33 x 38	36 x 42	1	BXKEL36042SDCPO	1,350	2" black hard casters	polished
	20 x 26	24 x 30	1	BXKEL24030SDSPO	1,200	2" black soft casters	polished
	20 x 33	24 x 36	1	BXKEL24036SDSPO	1,230	2" black soft casters	polished
	20 x 38	24 x 42	1	BXKEL24042SDSPO	1,350	2" black soft casters	polished
	26 x 33	30 x 36	1	BXKEL30036SDSPO	1,260	2" black soft casters	polished
	26 x 38	30 x 42	1	BXKEL30042SDSPO	1,380	2" black soft casters	polished
	33 x 38	36 x 42	1	BXKEL36042SDSPO	1,390	2" black soft casters	polished



C casters
2" black dual wheel locking hard casters (for carpet)

S casters
2" black dual wheel locking soft casters (for hard floors)

Standard metal powder coat finishes (ME)
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone and Metallic Silver

Premium Polished Finish (PO)
Polished Aluminum/Steel



Power module cone shaped top plate - **#OBXWMPCC $350 list**
metal cone-shaped top plate conceals and protects center mounted power module in surface.
Concealed wires exit down inside the base column and out at the bottom of the base column.
Available for single column Keller X bases
Note that the cone cannot be made with the polished finish, black or white paint is available for the cone with a polished base. The Circo power unit can be used with this cone wire manager.

Wire management hole set (2) in column - **#OBTWMH2G $50 list**
each hole is 1.25" x 2.25". Removeable grommets narrows hole to 1.25' diameter
Available for single column Keller X bases
Note that the wire management grommet cannot be made with the polished finish

bases
X fixed
Ria

base	base dim.	max top support	base qty	base set model no.	list	glides or casters	finish
Ria 27.75"H X	20 x 20	24 x 24, 24 rd	1	BXRIA24024SDGME	500	adj glides	standard metal
	26 x 26	30 x 30, 36 rd	1	BXRIA30030SDGME	550	adj glides	standard metal
	33 x 33	36 x 36, 42 rd	1	BXRIA36036SDGME	630	adj glides	standard metal
	38 x 38	42 x 42, 48 rd	1	BXRIA42042SDGME	750	adj glides	standard metal
	20 x 20	24 x 24, 24 rd	1	BXRIA24024SDCME	600	2" black hard casters	standard metal
	26 x 26	30 x 30, 36 rd	1	BXRIA30030SDCME	650	2" black hard casters	standard metal
	33 x 33	36 x 36, 42 rd	1	BXRIA36036SDCME	730	2" black hard casters	standard metal
	38 x 38	42 x 42, 48 rd	1	BXRIA42042SDCME	850	2" black hard casters	standard metal
	20 x 20	24 x 24, 24 rd	1	BXRIA24024SDSME	640	2" black soft casters	standard metal
	26 x 26	30 x 30, 36 rd	1	BXRIA30030SDSME	690	2" black soft casters	standard metal
	33 x 33	36 x 36, 42 rd	1	BXRIA36036SDSME	770	2" black soft casters	standard metal
	38 x 38	42 x 42, 48 rd	1	BXRIA42042SDSME	890	2" black soft casters	standard metal
	20 x 20	24 x 24, 24 rd	1	BXRIA24024SDGPO	980	adj glides	polished
	26 x 26	30 x 30, 36 rd	1	BXRIA30030SDGPO	1,030	adj glides	polished
	33 x 33	36 x 36, 42 rd	1	BXRIA36036SDGPO	1,110	adj glides	polished
	38 x 38	42 x 42, 48 rd	1	BXRIA42042SDGPO	1,230	adj glides	polished
	20 x 20	24 x 24, 24 rd	1	BXRIA24024SDCPO	1,080	2" black hard casters	polished
	26 x 26	30 x 30, 36 rd	1	BXRIA30030SDCPO	1,130	2" black hard casters	polished
	33 x 33	36 x 36, 42 rd	1	BXRIA36036SDCPO	1,210	2" black hard casters	polished
	38 x 38	42 x 42, 48 rd	1	BXRIA42042SDCPO	1,330	2" black hard casters	polished
	20 x 20	24 x 24, 24 rd	1	BXRIA24024SDSPO	1,120	2" black soft casters	polished
	26 x 26	30 x 30, 36 rd	1	BXRIA30030SDSPO	1,170	2" black soft casters	polished
	33 x 33	36 x 36, 42 rd	1	BXRIA36036SDSPO	1,250	2" black soft casters	polished
	38 x 38	42 x 42, 48 rd	1	BXRIA42042SDSPO	1,370	2" black soft casters	polished
bar or custom height	20 x 20	24 x 24, 24 rd	1	BXRIA24024_ _GME	600	adj glides	standard metal
	26 x 26	30 x 30, 36 rd	1	BXRIA30030_ _GME	650	adj glides	standard metal
	33 x 33	36 x 36, 42 rd	1	BXRIA36036_ _GME	730	adj glides	standard metal
	38 x 38	42 x 42, 48 rd	1	BXRIA42042_ _GME	850	adj glides	standard metal
	20 x 20	24 x 24, 24 rd	1	BXRIA24024_ _CME	700	2" black hard casters	standard metal
	26 x 26	30 x 30, 36 rd	1	BXRIA30030_ _CME	750	2" black hard casters	standard metal
	33 x 33	36 x 36, 42 rd	1	BXRIA36036_ _CME	830	2" black hard casters	standard metal
	38 x 38	42 x 42, 48 rd	1	BXRIA42042_ _CME	950	2" black hard casters	standard metal
	20 x 20	24 x 24, 24 rd	1	BXRIA24024_ _SME	740	2" black soft casters	standard metal
	26 x 26	30 x 30, 36 rd	1	BXRIA30030_ _SME	790	2" black soft casters	standard metal
	33 x 33	36 x 36, 42 rd	1	BXRIA36036_ _SME	870	2" black soft casters	standard metal
	38 x 38	42 x 42, 48 rd	1	BXRIA42042_ _SME	990	2" black soft casters	standard metal
	20 x 20	24 x 24, 24 rd	1	BXRIA24024_ _GPO	1,220	adj glides	polished
	26 x 26	30 x 30, 36 rd	1	BXRIA30030_ _GPO	1,270	adj glides	polished
	33 x 33	36 x 36, 42 rd	1	BXRIA36036_ _GPO	1,350	adj glides	polished
	38 x 38	42 x 42, 48 rd	1	BXRIA42042_ _GPO	1,470	adj glides	polished
	20 x 20	24 x 24, 24 rd	1	BXRIA24024_ _CPO	1,320	2" black hard casters	polished
	26 x 26	30 x 30, 36 rd	1	BXRIA30030_ _CPO	1,370	2" black hard casters	polished
	33 x 33	36 x 36, 42 rd	1	BXRIA36036_ _CPO	1,450	2" black hard casters	polished
	38 x 38	42 x 42, 48 rd	1	BXRIA42042_ _CPO	1,570	2" black hard casters	polished
	20 x 20	24 x 24, 24 rd	1	BXRIA24024_ _SPO	1,360	2" black soft casters	polished
	26 x 26	30 x 30, 36 rd	1	BXRIA30030_ _SPO	1,410	2" black soft casters	polished
	33 x 33	36 x 36, 42 rd	1	BXRIA36036_ _SPO	1,490	2" black soft casters	polished
	38 x 38	42 x 42, 48 rd	1	BXRIA42042_ _SPO	1,610	2" black soft casters	polished

For complete custom lower height or custom higher height base model number:
1. Insert height selection:
SB bar height (40.75"H)
SH custom Higher fixed height - specify height
SL custom Lower fixed height - specify height



C casters
2" black dual wheel locking hard casters (for carpet)

S casters
2" black dual wheel locking soft casters (for hard floors)

Standard metal powder coat finishes (ME)
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone and Metallic Silver

Premium Polished Finish (PO)
Polished Aluminum/Steel

bases
offset X fixed
Ria

base	base dim.	max top support	base qty	base set model no.	list	glides or casters	finish
Ria 27.75"H offset X	20 x 26	24 x 30	1	BXRIA24030SDGME	530	adj glides	standard metal
	20 x 33	24 x 36	1	BXRIA24036SDGME	580	adj glides	standard metal
	20 x 38	24 x 42	1	BXRIA24042SDGME	660	adj glides	standard metal
	26 x 33	30 x 36	1	BXRIA30036SDGME	600	adj glides	standard metal
	26 x 38	30 x 42	1	BXRIA30042SDGME	670	adj glides	standard metal
	33 x 38	36 x 42	1	BXRIA36042SDGME	690	adj glides	standard metal
	20 x 26	24 x 30	1	BXRIA24030SDCME	630	2" black hard casters	standard metal
	20 x 33	24 x 36	1	BXRIA24036SDCME	680	2" black hard casters	standard metal
	20 x 38	24 x 42	1	BXRIA24042SDCME	760	2" black hard casters	standard metal
	26 x 33	30 x 36	1	BXRIA30036SDCME	700	2" black hard casters	standard metal
	26 x 38	30 x 42	1	BXRIA30042SDCME	770	2" black hard casters	standard metal
	33 x 38	36 x 42	1	BXRIA36042SDCME	790	2" black hard casters	standard metal
	20 x 26	24 x 30	1	BXRIA24030SDSME	670	2" black soft casters	standard metal
	20 x 33	24 x 36	1	BXRIA24036SDSME	720	2" black soft casters	standard metal
	20 x 38	24 x 42	1	BXRIA24042SDSME	800	2" black soft casters	standard metal
	26 x 33	30 x 36	1	BXRIA30036SDSME	740	2" black soft casters	standard metal
	26 x 38	30 x 42	1	BXRIA30042SDSME	810	2" black soft casters	standard metal
	33 x 38	36 x 42	1	BXRIA36042SDSME	830	2" black soft casters	standard metal
	20 x 26	24 x 30	1	BXRIA24030SDGPO	1,010	adj glides	polished
	20 x 33	24 x 36	1	BXRIA24036SDGPO	1,060	adj glides	polished
	20 x 38	24 x 42	1	BXRIA24042SDGPO	1,140	adj glides	polished
	26 x 33	30 x 36	1	BXRIA30036SDGPO	1,080	adj glides	polished
	26 x 38	30 x 42	1	BXRIA30042SDGPO	1,150	adj glides	polished
	33 x 38	36 x 42	1	BXRIA36042SDGPO	1,170	adj glides	polished
	20 x 26	24 x 30	1	BXRIA24030SDCPO	1,110	2" black hard casters	polished
	20 x 33	24 x 36	1	BXRIA24036SDCPO	1,160	2" black hard casters	polished
	20 x 38	24 x 42	1	BXRIA24042SDCPO	1,240	2" black hard casters	polished
	26 x 33	30 x 36	1	BXRIA30036SDCPO	1,180	2" black hard casters	polished
	26 x 38	30 x 42	1	BXRIA30042SDCPO	1,250	2" black hard casters	polished
	33 x 38	36 x 42	1	BXRIA36042SDCPO	1,270	2" black hard casters	polished
	20 x 26	24 x 30	1	BXRIA24030SDSPO	1,150	2" black soft casters	polished
	20 x 33	24 x 36	1	BXRIA24036SDSPO	1,200	2" black soft casters	polished
	20 x 38	24 x 42	1	BXRIA24042SDSPO	1,280	2" black soft casters	polished
	26 x 33	30 x 36	1	BXRIA30036SDSPO	1,220	2" black soft casters	polished
	26 x 38	30 x 42	1	BXRIA30042SDSPO	1,290	2" black soft casters	polished
	33 x 38	36 x 42	1	BXRIA36042SDSPO	1,310	2" black soft casters	polished



C casters
2" black dual wheel locking hard casters (for carpet)

S casters
2" black dual wheel locking soft casters (for hard floors)

Standard metal powder coat finishes (ME)
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone and Metallic Silver

Premium Polished Finish (PO)
Polished Aluminum/Steel



Power module cone shaped top plate - **#OBXWMPCC $350 list**
metal cone-shaped top plate conceals and protects center mounted power module in surface.
Concealed wires exit down inside the base column and out at the bottom of the base column.
Available for single column Ria X bases
Note that the cone cannot be made with the polished finish, black or white paint is available for the cone with a polished base. The Circo power unit can be used with this cone wire manager.

Wire management hole set (2) in column - **#OBTWMH2G $50 list**
each hole is 1.25" x 2.25". Removeable grommets narrows hole to 1.25' diameter
Available for single column Ria X bases
Note that the wire management grommet cannot be made with the polished finish

base	base dim.	max top support	base qty	base model no.	list	glides or casters	finish
Novi fixed X 27.75"H	22 x 22	24 x 24, 24 rd	1	BXNOV24024SDGME	500	adj glides	standard metal
	26 x 26	30 x 30, 36 rd	1	BXNOV30030SDGME	510	adj glides	standard metal
	32 x 32	36 x 36, 42 rd	1	BXNOV36036SDGME	570	adj glides	standard metal
	38 x 38	42 x 42, 48 rd	1	BXNOV42042SDGME	640	adj glides	standard metal
	22 x 22	24 x 24, 24 rd	1	BXNOV24024SDCME	600	2" black hard casters	standard metal
	26 x 26	30 x 30, 36 rd	1	BXNOV30030SDCME	610	2" black hard casters	standard metal
	32 x 32	36 x 36, 42 rd	1	BXNOV36036SDCME	670	2" black hard casters	standard metal
	38 x 38	42 x 42, 48 rd	1	BXNOV42042SDCME	740	2" black hard casters	standard metal
	22 x 22	24 x 24, 24 rd	1	BXNOV24024SDSME	640	2" black soft casters	standard metal
	26 x 26	30 x 30, 36 rd	1	BXNOV30030SDSME	650	2" black soft casters	standard metal
	32 x 32	36 x 36, 42 rd	1	BXNOV36036SDSME	710	2" black soft casters	standard metal
	38 x 38	42 x 42, 48 rd	1	BXNOV42042SDSME	780	2" black soft casters	standard metal
	22 x 22	24 x 24, 24 rd	1	BXNOV24024SDGPC	720	adj glides	polished
	26 x 26	30 x 30, 36 rd	1	BXNOV30030SDGPC	730	adj glides	polished
	32 x 32	36 x 36, 42 rd	1	BXNOV36036SDGPC	790	adj glides	polished
	38 x 38	42 x 42, 48 rd	1	BXNOV42042SDGPC	860	adj glides	polished
	22 x 22	24 x 24, 24 rd	1	BXNOV24024SDCPC	820	2" black hard casters	polished
	26 x 26	30 x 30, 36 rd	1	BXNOV30030SDCPC	830	2" black hard casters	polished
	32 x 32	36 x 36, 42 rd	1	BXNOV36036SDCPC	890	2" black hard casters	polished
	38 x 38	42 x 42, 48 rd	1	BXNOV42042SDCPC	960	2" black hard casters	polished
	22 x 22	24 x 24, 24 rd	1	BXNOV24024SDSPC	860	2" black soft casters	polished
	26 x 26	30 x 30, 36 rd	1	BXNOV30030SDSPC	870	2" black soft casters	polished
	32 x 32	36 x 36, 42 rd	1	BXNOV36036SDSPC	930	2" black soft casters	polished
	38 x 38	42 x 42, 48 rd	1	BXNOV42042SDSPC	1,000	2" black soft casters	polished

For complete model number:
1. Insert height selection:
SB bar height (40.75"H)
SH custom Higher fixed height - specify height
SL custom Lower fixed height - specify height

Novi fixed X (specify height)	22 x 22	24 x 24, 24 rd	1	BXNOV24024_ _GME	600	adj glides	standard metal
	26 x 26	30 x 30, 36 rd	1	BXNOV30030_ _GME	610	adj glides	standard metal
	32 x 32	36 x 36, 42 rd	1	BXNOV36036_ _GME	670	adj glides	standard metal
	38 x 38	42 x 42, 48 rd	1	BXNOV42042_ _GME	740	adj glides	standard metal
	22 x 22	24 x 24, 24 rd	1	BXNOV24024_ _CME	700	2" black hard casters	standard metal
	26 x 26	30 x 30, 36 rd	1	BXNOV30030_ _CME	710	2" black hard casters	standard metal
	32 x 32	36 x 36, 42 rd	1	BXNOV36036_ _CME	770	2" black hard casters	standard metal
	38 x 38	42 x 42, 48 rd	1	BXNOV42042_ _CME	840	2" black hard casters	standard metal
	22 x 22	24 x 24, 24 rd	1	BXNOV24024_ _SME	740	2" black soft casters	standard metal
	26 x 26	30 x 30, 36 rd	1	BXNOV30030_ _SME	750	2" black soft casters	standard metal
	32 x 32	36 x 36, 42 rd	1	BXNOV36036_ _SME	810	2" black soft casters	standard metal
	38 x 38	42 x 42, 48 rd	1	BXNOV42042_ _SME	880	2" black soft casters	standard metal
	22 x 22	24 x 24, 24 rd	1	BXNOV24024_ _GPC	820	adj glides	polished
	26 x 26	30 x 30, 36 rd	1	BXNOV30030_ _GPC	830	adj glides	polished
	32 x 32	36 x 36, 42 rd	1	BXNOV36036_ _GPC	890	adj glides	polished
	38 x 38	42 x 42, 48 rd	1	BXNOV42042_ _GPC	960	adj glides	polished
	22 x 22	24 x 24, 24 rd	1	BXNOV24024_ _CPC	920	2" black hard casters	polished
	26 x 26	30 x 30, 36 rd	1	BXNOV30030_ _CPC	930	2" black hard casters	polished
	32 x 32	36 x 36, 42 rd	1	BXNOV36036_ _CPC	990	2" black hard casters	polished
	38 x 38	42 x 42, 48 rd	1	BXNOV42042_ _CPC	1,060	2" black hard casters	polished
	22 x 22	24 x 24, 24 rd	1	BXNOV24024_ _SPC	960	2" black soft casters	polished
	26 x 26	30 x 30, 36 rd	1	BXNOV30030_ _SPC	970	2" black soft casters	polished
	32 x 32	36 x 36, 42 rd	1	BXNOV36036_ _SPC	1,030	2" black soft casters	polished
	38 x 38	42 x 42, 48 rd	1	BXNOV42042_ _SPC	1,100	2" black soft casters	polished

C casters
2" black dual wheel locking hard casters (for carpet)

S casters
2" black dual wheel locking soft casters (for hard floors)

Standard metal powder coat finishes (ME)
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone and Metallic Silver

Premium Polished Finish (PC)
Polished Chrome

bases
X fixed
Novi

base	base dim.	max top support	base qty	base model no.	list	glides or casters	finish
Novi 27.75"h offset X	22 x 26	24 x 30	1	BXNOV24030SDGME	510	adj glides	standard metal
	26 x 36	30 x 42	1	BXNOV30042SDGME	560	adj glides	standard metal
	22 x 26	24 x 30	1	BXNOV24030SDCME	610	2" black hard casters	standard metal
	26 x 36	30 x 42	1	BXNOV30042SDCME	660	2" black hard casters	standard metal
	22 x 26	24 x 30	1	BXNOV24030SDSME	650	2" black soft casters	standard metal
	26 x 36	30 x 42	1	BXNOV30042SDSME	700	2" black soft casters	standard metal
	22 x 26	24 x 30	1	BXNOV24030SDGPC	730	adj glides	polished
	26 x 36	30 x 42	1	BXNOV30042SDGPC	780	adj glides	polished
	22 x 26	24 x 30	1	BXNOV24030SDCPC	830	2" black hard casters	polished
	26 x 36	30 x 42	1	BXNOV30042SDCPC	880	2" black hard casters	polished
	22 x 26	24 x 30	1	BXNOV24030SDSPC	870	2" black soft casters	polished
	26 x 36	30 x 42	1	BXNOV30042SDSPC	920	2" black soft casters	polished
Novi Scissor X - 27.75"H	26 x 26	24 x 36	1	BXNOS24036SDGME	540	adj glides	standard metal
	30 x 30	30 x 42	1	BXNOS30042SDGME	590	adj glides	standard metal
	32 x 32	30 x 48	1	BXNOS30048SDGME	610	adj glides	standard metal
	26 x 26	24 x 36	1	BXNOS24036SDCME	640	2" black hard casters	standard metal
	30 x 30	30 x 42	1	BXNOS30042SDCME	690	2" black hard casters	standard metal
	32 x 32	30 x 48	1	BXNOS30048SDCME	710	2" black hard casters	standard metal
	26 x 26	24 x 36	1	BXNOS24036SDSME	680	2" black soft casters	standard metal
	30 x 30	30 x 42	1	BXNOS30042SDSME	730	2" black soft casters	standard metal
	32 x 32	30 x 48	1	BXNOS30048SDSME	750	2" black soft casters	standard metal
	26 x 26	24 x 36	1	BXNOS24036SDGPC	760	adj glides	polished
	30 x 30	30 x 42	1	BXNOS30042SDGPC	810	adj glides	polished
	32 x 32	30 x 48	1	BXNOS30048SDGPC	830	adj glides	polished
	26 x 26	24 x 36	1	BXNOS24036SDCPC	860	2" black hard casters	polished
	30 x 30	30 x 42	1	BXNOS30042SDCPC	910	2" black hard casters	polished
	32 x 32	30 x 48	1	BXNOS30048SDCPC	930	2" black hard casters	polished
	26 x 26	24 x 36	1	BXNOS24036SDSPC	900	2" black soft casters	polished
	30 x 30	30 x 42	1	BXNOS30042SDSPC	950	2" black soft casters	polished
	32 x 32	30 x 48	1	BXNOS30048SDSPC	970	2" black soft casters	polished

Novi Scissor X (specify height)

For complete model number:
1. Insert height selection:
SB bar height (40.75"H)
SH custom Higher fixed height - specify height
SL custom Lower fixed height - specify height

26 x 26	24 x 36	1	BXNOS24036__GME	640	adj glides	standard metal
30 x 30	30 x 42	1	BXNOS30042__GME	690	adj glides	standard metal
32 x 32	30 x 48	1	BXNOS30048__GME	710	adj glides	standard metal
26 x 26	24 x 36	1	BXNOS24036__CME	740	2" black hard casters	standard metal
30 x 30	30 x 42	1	BXNOS30042__CME	790	2" black hard casters	standard metal
32 x 32	30 x 48	1	BXNOS30048__CME	810	2" black hard casters	standard metal
26 x 26	24 x 36	1	BXNOS24036__SME	780	2" black soft casters	standard metal
30 x 30	30 x 42	1	BXNOS30042__SME	830	2" black soft casters	standard metal
32 x 32	30 x 48	1	BXNOS30048__SME	850	2" black soft casters	standard metal
26 x 26	24 x 36	1	BXNOS24036__GPC	860	adj glides	polished
30 x 30	30 x 42	1	BXNOS30042__GPC	910	adj glides	polished
32 x 32	30 x 48	1	BXNOS30048__GPC	930	adj glides	polished
26 x 26	24 x 36	1	BXNOS24036__CPC	960	2" black hard casters	polished
30 x 30	30 x 42	1	BXNOS30042__CPC	1,010	2" black hard casters	polished
32 x 32	30 x 48	1	BXNOS30048__CPC	1,030	2" black hard casters	polished
26 x 26	24 x 36	1	BXNOS24036__SPC	1,000	2" black soft casters	polished
30 x 30	30 x 42	1	BXNOS30042__SPC	1,050	2" black soft casters	polished
32 x 32	30 x 48	1	BXNOS30048__SPC	1,070	2" black soft casters	polished

C casters
2" black dual wheel locking hard casters (for carpet)

S casters
2" black dual wheel locking soft casters (for hard floors)

Standard metal powder coat finishes (ME)
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone and Metallic Silver

Premium Polished Finish (PC)
Polished Chrome

bases

X fixed

Moto

base		base dim.	max top support	base qty	base model no.	list	glides or casters	finish
Moto	27.75"H X	22 x 22	24 x 24, 30 rd	1	BXMOT24024SDGME	660	adj glides	standard metal
		26 x 26	30 x 30, 36 rd	1	BXMOT30030SDGME	700	adj glides	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SDGME	760	adj glides	standard metal
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SDGME	780	adj glides	standard metal
		22 x 22	24 x 24, 30 rd	1	BXMOT24024SDCME	760	2" black locking casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXMOT30030SDCME	800	2" black locking casters	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SDCME	860	2" black locking casters	standard metal
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SDCME	880	2" black locking casters	standard metal
		22 x 22	24 x 24, 30 rd	1	BXMOT24024SDPME	800	2" premium locking casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXMOT30030SDPME	840	2" premium locking casters	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SDPME	900	2" premium locking casters	standard metal
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SDPME	920	2" premium locking casters	standard metal
	40.75"H X	22 x 22	24 x 24, 30 rd	1	BXMOT24024SBGME	760	adj glides	standard metal
		26 x 26	30 x 30, 36 rd	1	BXMOT30030SBGME	800	adj glides	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SBGME	860	adj glides	standard metal
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SBGME	880	adj glides	standard metal
		22 x 22	24 x 24, 30 rd	1	BXMOT24024SBCME	860	2" black locking casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXMOT30030SBCME	900	2" black locking casters	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SBCME	960	2" black locking casters	standard metal
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SBCME	980	2" black locking casters	standard metal
		22 x 22	24 x 24, 30 rd	1	BXMOT24024SBPME	900	2" premium locking casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXMOT30030SBPME	940	2" premium locking casters	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SBPME	1,000	2" premium locking casters	standard metal
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SBPME	1,020	2" premium locking casters	standard metal
	custom higher height X	22 x 22	24 x 24, 30 rd	1	BXMOT24024SHGME	760	adj glides	standard metal
	(specify height)	26 x 26	30 x 30, 36 rd	1	BXMOT30030SHGME	800	adj glides	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SHGME	860	adj glides	standard metal
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SHGME	880	adj glides	standard metal
		22 x 22	24 x 24, 30 rd	1	BXMOT24024SHCME	860	2" black locking casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXMOT30030SHCME	900	2" black locking casters	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SHCME	960	2" black locking casters	standard metal
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SHCME	980	2" black locking casters	standard metal
		22 x 22	24 x 24, 30 rd	1	BXMOT24024SHPME	900	2" premium locking casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXMOT30030SHPME	940	2" premium locking casters	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SHPME	1,000	2" premium locking casters	standard metal
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SHPME	1,020	2" premium locking casters	standard metal
	custom lower height X	22 x 22	24 x 24, 30 rd	1	BXMOT24024SLGME	760	adj glides	standard metal
	(specify height)	26 x 26	30 x 30, 36 rd	1	BXMOT30030SLGME	800	adj glides	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SLGME	860	adj glides	standard metal
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SLGME	880	adj glides	standard metal
		22 x 22	24 x 24, 30 rd	1	BXMOT24024SLCME	860	2" black locking casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXMOT30030SLCME	900	2" black locking casters	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SLCME	960	2" black locking casters	standard metal
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SLCME	980	2" black locking casters	standard metal
		22 x 22	24 x 24, 30 rd	1	BXMOT24024SLPME	900	2" premium locking casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXMOT30030SLPME	940	2" premium locking casters	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SLPME	1,000	2" premium locking casters	standard metal
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SLPME	1,020	2" premium locking casters	standard metal

Casters (C)
2" black dual wheel locking

Premium Casters (P)
2" silver/black dual wheel locking

Standard metal powder coat finishes (ME)
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone and Metallic Silver

bases

X fixed

Zoey

base		base dim.	max top support	base qty	base model no.	list	glides or casters	finish
Zoey	27.75"H X	21 x 21	24 x 24, 24 rd	1	BXZOE24024SDGME	620	adj glides	standard metal
		27 x 27	30 x 30, 36 rd	1	BXZOE30030SDGME	650	adj glides	standard metal
		33 x 33	36 x 36, 42 rd	1	BXZOE36036SDGME	690	adj glides	standard metal
		21 x 21	24 x 24, 24 rd	1	BXZOE24024SDCME	720	3" black locking casters	standard metal
		27 x 27	30 x 30, 36 rd	1	BXZOE30030SDCME	750	3" black locking casters	standard metal
		33 x 33	36 x 36, 42 rd	1	BXZOE36036SDCME	790	3" black locking casters	standard metal
		21 x 21	24 x 24, 24 rd	1	BXZOE24024SDPME	760	3" premium locking casters	standard metal
		27 x 27	30 x 30, 36 rd	1	BXZOE30030SDPME	790	3" premium locking casters	standard metal
		33 x 33	36 x 36, 42 rd	1	BXZOE36036SDPME	830	3" premium locking casters	standard metal
	40.75"H X	21 x 21	24 x 24, 24 rd	1	BXZOE24024SBGME	720	adj glides	standard metal
		27 x 27	30 x 30, 36 rd	1	BXZOE30030SBGME	750	adj glides	standard metal
		33 x 33	36 x 36, 42 rd	1	BXZOE36036SBGME	790	adj glides	standard metal
		21 x 21	24 x 24, 24 rd	1	BXZOE24024SBCME	820	3" black locking casters	standard metal
		27 x 27	30 x 30, 36 rd	1	BXZOE30030SBCME	850	3" black locking casters	standard metal
		33 x 33	36 x 36, 42 rd	1	BXZOE36036SBCME	890	3" black locking casters	standard metal
		21 x 21	24 x 24, 24 rd	1	BXZOE24024SBPME	860	3" premium locking casters	standard metal
		27 x 27	30 x 30, 36 rd	1	BXZOE30030SBPME	890	3" premium locking casters	standard metal
		33 x 33	36 x 36, 42 rd	1	BXZOE36036SBPME	930	3" premium locking casters	standard metal

For complete custom lower height or custom higher height base model number:
1. Insert height selection:
SH custom Higher fixed height - specify height
SL custom Lower fixed height - specify height

	custom height X	21 x 21	24 x 24, 24 rd	1	BXZOE24024_ _GME	720	adj glides	standard metal
		27 x 27	30 x 30, 36 rd	1	BXZOE30030_ _GME	750	adj glides	standard metal
		33 x 33	36 x 36, 42 rd	1	BXZOE36036_ _GME	790	adj glides	standard metal
		21 x 21	24 x 24, 24 rd	1	BXZOE24024_ _CME	820	3" black locking casters	standard metal
		27 x 27	30 x 30, 36 rd	1	BXZOE30030_ _CME	850	3" black locking casters	standard metal
		33 x 33	36 x 36, 42 rd	1	BXZOE36036_ _CME	890	3" black locking casters	standard metal
		21 x 21	24 x 24, 24 rd	1	BXZOE24024_ _PME	860	3" premium locking casters	standard metal
		27 x 27	30 x 30, 36 rd	1	BXZOE30030_ _PME	890	3" premium locking casters	standard metal
		33 x 33	36 x 36, 42 rd	1	BXZOE36036_ _PME	930	3" premium locking casters	standard metal
	27.75"H offset X	21 x 27	24 x 30	1	BXZOE24030SDGME	550	adj glides	standard metal
		27 x 33	30 x 36	1	BXZOE30036SDGME	600	adj glides	standard metal
		21 x 27	24 x 30	1	BXZOE24030SDCME	650	3" black locking casters	standard metal
		27 x 33	30 x 36	1	BXZOE30036SDCME	700	3" black locking casters	standard metal
		21 x 27	24 x 30	1	BXZOE24030SDPME	690	3" premium locking casters	standard metal
		27 x 33	30 x 36	1	BXZOE30036SDPME	740	3" premium locking casters	standard metal

Casters (C)
3" black dual wheel locking

Premium Casters (P)
3" white dual wheel locking

Standard metal powder coat finishes (ME)
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone and Metallic Silver

bases

X flip

Keller, Ria

base		base dim.	max top support	base qty	base model no.	list	glides or casters	finish
Keller	flip X	20 x 20	24 x 24, 24 rd	1	BXKEL24024FDGME	820	adj glides	standard metal
		26 x 26	30 x 30, 36 rd	1	BXKEL30030FDGME	880	adj glides	standard metal
		33 x 33	36 x 36, 42 rd	1	BXKEL36036FDGME	950	adj glides	standard metal
		38 x 38	42 x 42, 48 rd	1	BXKEL42042FDGME	1,070	adj glides	standard metal
		20 x 20	24 x 24, 24 rd	1	BXKEL24024FDCME	920	2" black hard casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXKEL30030FDCME	980	2" black hard casters	standard metal
		33 x 33	36 x 36, 42 rd	1	BXKEL36036FDCME	1,050	2" black hard casters	standard metal
		38 x 38	42 x 42	1	BXKEL42042FDCME	1,170	2" black hard casters	standard metal
		20 x 20	24 x 24, 24 rd	1	BXKEL24024FDSME	960	2" black soft casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXKEL30030FDSME	1,020	2" black soft casters	standard metal
		33 x 33	36 x 36, 42 rd	1	BXKEL36036FDSME	1,090	2" black soft casters	standard metal
		38 x 38	42 x 42	1	BXKEL42042FDSME	1,210	2" black soft casters	standard metal
		20 x 20	24 x 24, 24 rd	1	BXKEL24024FDGPO	1,290	adj glides	polished
		26 x 26	30 x 30, 36 rd	1	BXKEL30030FDGPO	1,350	adj glides	polished
		33 x 33	36 x 36, 42 rd	1	BXKEL36036FDGPO	1,420	adj glides	polished
		38 x 38	42 x 42	1	BXKEL42042FDGPO	1,540	adj glides	polished
		20 x 20	24 x 24, 24 rd	1	BXKEL24024FDCPO	1,390	2" black hard casters	polished
		26 x 26	30 x 30, 36 rd	1	BXKEL30030FDCPO	1,450	2" black hard casters	polished
		33 x 33	36 x 36, 42 rd	1	BXKEL36036FDCPO	1,520	2" black hard casters	polished
		38 x 38	42 x 42	1	BXKEL42042FDCPO	1,640	2" black hard casters	polished
		20 x 20	24 x 24, 24 rd	1	BXKEL24024FDSPO	1,430	2" black soft casters	polished
		26 x 26	30 x 30, 36 rd	1	BXKEL30030FDSPO	1,490	2" black soft casters	polished
		33 x 33	36 x 36, 42 rd	1	BXKEL36036FDSPO	1,560	2" black soft casters	polished
		38 x 38	42 x 42	1	BXKEL42042FDSPO	1,680	2" black soft casters	polished
Ria	flip X	20 x 20	24 x 24, 24 rd	1	BXRIA24024FDGME	760	adj glides	standard metal
		26 x 26	30 x 30, 36 rd	1	BXRIA30030FDGME	820	adj glides	standard metal
		33 x 33	36 x 36, 42 rd	1	BXRIA36036FDGME	900	adj glides	standard metal
		38 x 38	42 x 42, 48 rd	1	BXRIA42042FDGME	1,020	adj glides	standard metal
		20 x 20	24 x 24, 24 rd	1	BXRIA24024FDCME	860	2" black hard casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXRIA30030FDCME	920	2" black hard casters	standard metal
		33 x 33	36 x 36, 42 rd	1	BXRIA36036FDCME	1,000	2" black hard casters	standard metal
		38 x 38	42 x 42, 48 rd	1	BXRIA42042FDCME	1,120	2" black hard casters	standard metal
		20 x 20	24 x 24, 24 rd	1	BXRIA24024FDSME	900	2" black soft casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXRIA30030FDSME	960	2" black soft casters	standard metal
		33 x 33	36 x 36, 42 rd	1	BXRIA36036FDSME	1,040	2" black soft casters	standard metal
		38 x 38	42 x 42, 48 rd	1	BXRIA42042FDSME	1,160	2" black soft casters	standard metal
		20 x 20	24 x 24, 24 rd	1	BXRIA24024FDGPO	1,240	adj glides	polished
		26 x 26	30 x 30, 36 rd	1	BXRIA30030FDGPO	1,300	adj glides	polished
		33 x 33	36 x 36, 42 rd	1	BXRIA36036FDGPO	1,380	adj glides	polished
		38 x 38	42 x 42, 48 rd	1	BXRIA42042FDGPO	1,500	adj glides	polished
		20 x 20	24 x 24, 24 rd	1	BXRIA24024FDCPO	1,340	2" black hard casters	polished
		26 x 26	30 x 30, 36 rd	1	BXRIA30030FDCPO	1,400	2" black hard casters	polished
		33 x 33	36 x 36, 42 rd	1	BXRIA36036FDCPO	1,480	2" black hard casters	polished
		38 x 38	42 x 42, 48 rd	1	BXRIA42042FDCPO	1,600	2" black hard casters	polished
		20 x 20	24 x 24, 24 rd	1	BXRIA24024FDSPO	1,380	2" black soft casters	polished
		26 x 26	30 x 30, 36 rd	1	BXRIA30030FDSPO	1,440	2" black soft casters	polished
		33 x 33	36 x 36, 42 rd	1	BXRIA36036FDSPO	1,520	2" black soft casters	polished
		38 x 38	42 x 42, 48 rd	1	BXRIA42042FDSPO	1,640	2" black soft casters	polished

C casters
2" black dual wheel locking hard casters (for carpet)

S casters (Keller & Ria)
2" black dual wheel locking soft casters (for hard floors)

Standard metal powder coat finishes (ME):
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone, and Metallic Silver

Premium Polished Finishes:
PO Polished Aluminum/steel (Keller + Ria)

bases

nesting flip X, nesting flip offset X

Ria

base		base dim.	max top support	base qty	base model no.	list	glides or casters	finish
Ria	nesting flip X	20 x 20	24 x 24, 24 rd	1	BXRIA24024NEGME	950	adj glides	standard metal
		26 x 26	30 x 30, 30 rd	1	BXRIA30030NEGME	1,010	adj glides	standard metal
		33 x 33	36 x 36, 36 rd	1	BXRIA36036NEGME	1,090	adj glides	standard metal
		20 x 20	24 x 24, 24 rd	1	BXRIA24024NECME	1,050	2" black hard casters	standard metal
		26 x 26	30 x 30, 30 rd	1	BXRIA30030NECME	1,110	2" black hard casters	standard metal
		33 x 33	36 x 36, 36 rd	1	BXRIA36036NECME	1,190	2" black hard casters	standard metal
		20 x 20	24 x 24, 24 rd	1	BXRIA24024NESME	1,090	2" black soft casters	standard metal
		26 x 26	30 x 30, 30 rd	1	BXRIA30030NESME	1,150	2" black soft casters	standard metal
		33 x 33	36 x 36, 36 rd	1	BXRIA36036NESME	1,230	2" black soft casters	standard metal
		20 x 20	24 x 24, 24 rd	1	BXRIA24024NEGPO	1,430	adj glides	polished
		26 x 26	30 x 30, 30 rd	1	BXRIA30030NEGPO	1,490	adj glides	polished
		33 x 33	36 x 36, 36 rd	1	BXRIA36036NEGPO	1,570	adj glides	polished
		20 x 20	24 x 24, 24 rd	1	BXRIA24024NECPO	1,530	2" black hard casters	polished
		26 x 26	30 x 30, 30 rd	1	BXRIA30030NECPO	1,590	2" black hard casters	polished
		33 x 33	36 x 36, 36 rd	1	BXRIA36036NECPO	1,670	2" black hard casters	polished
		20 x 20	24 x 24, 24 rd	1	BXRIA24024NESPO	1,570	2" black soft casters	polished
		26 x 26	30 x 30, 30 rd	1	BXRIA30030NESPO	1,630	2" black soft casters	polished
		33 x 33	36 x 36, 36 rd	1	BXRIA36036NESPO	1,710	2" black soft casters	polished
	nesting flip offset X	20 x 26	24 x 30	1	BXRIA24030NEGME	1,010	adj glides	standard metal
		20 x 33	24 x 36	1	BXRIA24036NEGME	1,090	adj glides	standard metal
		20 x 26	24 x 30	1	BXRIA24030NECME	1,110	2" black hard casters	standard metal
		20 x 33	24 x 36	1	BXRIA24036NECME	1,190	2" black hard casters	standard metal
		20 x 26	24 x 30	1	BXRIA24030NESME	1,150	2" black soft casters	standard metal
		20 x 33	24 x 36	1	BXRIA24036NESME	1,230	2" black soft casters	standard metal
		20 x 26	24 x 30	1	BXRIA24030NEGPO	1,490	adj glides	polished
		20 x 33	24 x 36	1	BXRIA24036NEGPO	1,570	adj glides	polished
		20 x 26	24 x 30	1	BXRIA24030NECPO	1,590	2" black hard casters	polished
		20 x 33	24 x 36	1	BXRIA24036NECPO	1,670	2" black hard casters	polished
		20 x 26	24 x 30	1	BXRIA24030NESPO	1,630	2" black soft casters	polished
		20 x 33	24 x 36	1	BXRIA24036NESPO	1,710	2" black soft casters	polished

C casters
2" black dual wheel locking hard casters (for carpet)

S casters (Keller & Ria)
2" black dual wheel locking soft casters (for hard floors)

Standard metal powder coat finishes (ME):
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone, and Metallic Silver

Premium Polished Finishes:
PO Polished Aluminum/steel (Keller + Ria)

bases

X flip

Novi, Moto, Zoey

base		base dim.	max top support	base qty	base model no.	list	glides or casters	finish
Novi	flip X	22 x 22	24 x 24, 24 rd	1	BXNOV24024FDGME	770	adj glides	standard metal
		26 x 26	30 x 30, 36 rd	1	BXNOV30030FDGME	830	adj glides	standard metal
		32 x 32	36 x 36, 42 rd	1	BXNOV36036FDGME	900	adj glides	standard metal
		22 x 22	24 x 24, 24 rd	1	BXNOV24024FDCME	860	2" black locking casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXNOV30030FDCME	910	2" black locking casters	standard metal
		32 x 32	36 x 36, 42 rd	1	BXNOV36036FDCME	990	2" black locking casters	standard metal
		22 x 22	24 x 24, 24 rd	1	BXNOV24024FDGPC	1,160	adj glides	polished
		26 x 26	30 x 30, 36 rd	1	BXNOV30030FDGPC	1,210	adj glides	polished
		32 x 32	36 x 36, 42 rd	1	BXNOV36036FDGPC	1,240	adj glides	polished
		22 x 22	24 x 24, 24 rd	1	BXNOV24024FDCPC	1,240	2" black locking casters	polished
		26 x 26	30 x 30, 36 rd	1	BXNOV30030FDCPC	1,290	2" black locking casters	polished
		32 x 32	36 x 36, 42 rd	1	BXNOV36036FDCPC	1,310	2" black locking casters	polished
Moto	flip X	22 x 22	24 x 24, 30 rd	1	BXMOT24024FDGME	920	adj glides	standard metal
		26 x 26	30 x 30, 36 rd	1	BXMOT30030FDGME	980	adj glides	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036FDGME	1,020	adj glides	standard metal
		22 x 22	24 x 24, 30 rd	1	BXMOT24024FDCME	1,020	2" black locking casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXMOT30030FDCME	1,080	2" black locking casters	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036FDCME	1,120	2" black locking casters	standard metal
		22 x 22	24 x 24, 30 rd	1	BXMOT24024FDPME	1,060	2" premium locking casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXMOT30030FDPME	1,120	2" premium locking casters	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036FDPME	1,160	2" premium locking casters	standard metal
Zoey	flip X	21 x 21	24 x 24, 24 rd	1	BXZOE24024FDGME	860	adj glides	standard metal
		27 x 27	30 x 30, 36 rd	1	BXZOE30030FDGME	870	adj glides	standard metal
		33 x 33	36 x 36, 42 rd	1	BXZOE36036FDGME	930	adj glides	standard metal
		21 x 21	24 x 24, 24 rd	1	BXZOE24024FDCME	960	3" black locking casters	standard metal
		27 x 27	30 x 30, 36 rd	1	BXZOE30030FDCME	970	3" black locking casters	standard metal
		33 x 33	36 x 36, 42 rd	1	BXZOE36036FDCME	1,030	3" black locking casters	standard metal
		21 x 21	24 x 24, 24 rd	1	BXZOE24024FDPME	1,000	3" premium locking casters	standard metal
		27 x 27	30 x 30, 36 rd	1	BXZOE30030FDPME	1,010	3" premium locking casters	standard metal
		33 x 33	36 x 36, 42 rd	1	BXZOE36036FDPME	1,070	3" premium locking casters	standard metal
Keller	spring clip X	20 x 20	24 x 24, 24 rd	1	BXKEL24024SSGME	850	adj glides	standard metal
		26 x 26	30 x 30, 36 rd	1	BXKEL30030SSGME	910	adj glides	standard metal
		33 x 33	36 x 36, 42 rd	1	BXKEL36036SSGME	980	adj glides	standard metal
		20 x 20	24 x 24, 24 rd	1	BXKEL24024SSCME	950	2" black hard casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXKEL30030SSCME	1,010	2" black hard casters	standard metal
		33 x 33	36 x 36, 42 rd	1	BXKEL36036SSCME	1,080	2" black hard casters	standard metal
		20 x 20	24 x 24, 24 rd	1	BXKEL24024SSSME	990	2" black soft casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXKEL30030SSSME	1,050	2" black soft casters	standard metal
		33 x 33	36 x 36, 42 rd	1	BXKEL36036SSSME	1,120	2" black soft casters	standard metal
Ria	spring clip X	20 x 20	24 x 24, 24 rd	1	BXRIA24024SSGME	850	adj glides	standard metal
		26 x 26	30 x 30, 36 rd	1	BXRIA30030SSGME	900	adj glides	standard metal
		33 x 33	36 x 36, 42 rd	1	BXRIA36036SSGME	990	adj glides	standard metal
		20 x 20	24 x 24, 24 rd	1	BXRIA24024SSCME	950	2" black hard casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXRIA30030SSCME	1,000	2" black hard casters	standard metal
		33 x 33	36 x 36, 42 rd	1	BXRIA36036SSCME	1,090	2" black hard casters	standard metal
		20 x 20	24 x 24, 24 rd	1	BXRIA24024SSSME	990	2" black soft casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXRIA30030SSSME	1,040	2" black soft casters	standard metal
		33 x 33	36 x 36, 42 rd	1	BXRIA36036SSSME	1,130	2" black soft casters	standard metal
Novi	gas assisted spring clip	22 x 22	24 x 24, 24 rd	1	BXNOV24024SGGME	1,090	adj glides	standard metal
		26 x 26	30 x 30, 36 rd	1	BXNOV30030SGGME	1,120	adj glides	standard metal
		32 x 32	36 x 36, 42 rd	1	BXNOV36036SGGME	1,170	adj glides	standard metal
		22 x 22	24 x 24, 24 rd	1	BXNOV24024SGCME	1,190	2" black hard casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXNOV30030SGCME	1,220	2" black hard casters	standard metal
		32 x 32	36 x 36, 42 rd	1	BXNOV36036SGCME	1,270	2" black hard casters	standard metal
		22 x 22	24 x 24, 24 rd	1	BXNOV24024SGSME	1,230	2" black soft casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXNOV30030SGSME	1,260	2" black soft casters	standard metal
		32 x 32	36 x 36, 42 rd	1	BXNOV36036SGSME	1,310	2" black soft casters	standard metal

Standard metal powder coat finishes (ME):
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone, and Metallic Silver

Casters (C):
2" black dual wheel locking hard casters (for carpet)
3" black dual wheel locking (Zoey)
Casters (S) - Keller, Novi & Ria:
2" black dual wheel locking soft casters (for hard floors)

Premium Casters (P):
2" silver/black dual wheel locking (Moto)
3" white/grey dual wheel locking (Zoey)

SS Spring clip height adjustment (Keller & Ria)
24.75" - 33.75" base height range with glides
26.75" - 35.75" base height range with casters
six heights in 1" increments

SG Gas assisted spring clip height adjustment (Novi)
27.75" - 39.75" height range with glides or casters
adjustable in 1" increments
gas assisted spring allows adjustment of inner column inner column runs on roller bearings

bases

X adjustable height

Keller, Ria, Novi, Moto

base		base dim.	max top support	base qty	base model no.	list	glides or casters	finish
Moto	ratchet X	22	24 x 24, 30 rd	1	BXMOT24024SRGME	960	adj glides	standard metal
		26	30 x 30, 36 rd	1	BXMOT30030SRGME	1,000	adj glides	standard metal
		22	24 x 24, 30 rd	1	BXMOT24024SRCME	1,060	2" black locking casters	standard metal
		26	30 x 30, 36 rd	1	BXMOT30030SRCME	1,100	2" black locking casters	standard metal
		22	24 x 24, 30 rd	1	BXMOT24024SRPME	1,100	2" premium locking casters	standard metal
		26	30 x 30, 36 rd	1	BXMOT30030SRPME	1,140	2" premium locking casters	standard metal
	crank X	22	24 x 24, 30 rd	1	BXMOT24024SCGME	1,100	adj glides	standard metal
		26	30 x 30, 36 rd	1	BXMOT30030SCGME	1,160	adj glides	standard metal
		22	24 x 24, 30 rd	1	BXMOT24024SCCME	1,200	2" black locking casters	standard metal
		26	30 x 30, 36 rd	1	BXMOT30030SCCME	1,260	2" black locking casters	standard metal
		22	24 x 24, 30 rd	1	BXMOT24024SCPME	1,240	2" premium locking casters	standard metal
		26	30 x 30, 36 rd	1	BXMOT30030SCPME	1,300	2" premium locking casters	standard metal
Moto pneumatic counter balance X		22 x 22	24 x 24, 30 rd	1	BXMOT24024S__GME	1,310	adj glides	standard metal
		26 x 26	30 x 30, 36 rd	1	BXMOT30030S__GME	1,350	adj glides	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036S__GME	1,390	adj glides	standard metal
		36 x 36	42 x 42, 48 rd	1	BXMOT42042S__GME	1,430	adj glides	standard metal
		22 x 22	24 x 24, 30 rd	1	BXMOT24024S__CME	1,410	2" black locking casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXMOT30030S__CME	1,450	2" black locking casters	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036S__CME	1,490	2" black locking casters	standard metal
		36 x 36	42 x 42, 48 rd	1	BXMOT42042S__CME	1,530	2" black locking casters	standard metal
		22 x 22	24 x 24, 30 rd	1	BXMOT24024S__PME	1,450	2" premium locking casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXMOT30030S__PME	1,490	2" premium locking casters	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036S__PME	1,530	2" premium locking casters	standard metal
		36 x 36	42 x 42, 48 rd	1	BXMOT42042S__PME	1,570	2" premium locking casters	standard metal
Moto pneumatic counter balance flip top X		22 x 22	24 x 24, 30 rd	1	BXMOT24024__DGME	1,550	adj glides	standard metal
		26 x 26	30 x 30, 36 rd	1	BXMOT30030__DGME	1,590	adj glides	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036__DGME	1,630	adj glides	standard metal
		22 x 22	24 x 24, 30 rd	1	BXMOT24024__DCME	1,650	2" black locking casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXMOT30030__DCME	1,690	2" black locking casters	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036__DCME	1,730	2" black locking casters	standard metal
		22 x 22	24 x 24, 30 rd	1	BXMOT24024__DPME	1,690	2" premium locking casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXMOT30030__DPME	1,730	2" premium locking casters	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036__DPME	1,770	2" premium locking casters	standard metal

For complete model number- specify height range:
1. Insert adjustable height range selection:
EP extended height range (26" - 43.7" with glides or 28" - 45.7" with casters)
LP lower height range (17.5" - 27.25" with glides or 19.25" - 29.25" with casters)

Moto adjustable height standard metal powder coat finishes:
Flat Black, Moto White**, and Metallic Silver

** Note that Moto White is a shade off and a little creamier than Furniture White.

Casters (C):
2" black dual wheel locking (Moto)

Premium Casters (P):
2" silver/black dual wheel locking (Moto)

R Ratchet height adjustment (Moto)
26" - 35.5" base height range with glides
28" - 37.5" base height range with casters
13 positions in 0.78 inch increments
change positions by manually lifting the table top
resets to lowest position when lifted to upper stop

C Crank adjustment (Moto)
base height range with glides 26" - 43.75"
base height range with casters 28" - 45.75"
-screw thread adjustment with infinite stop positions
-adjust with manual crank handle which slides under table when not in use

EP Extended Pneumatic counter balance (Moto)
base height range with glides 26" - 43.7"
base height range with casters 28" - 45.7"
-Must specify the weight of the top and all accessories that will be used on the bases so that the lift capacity can be set properly - see below chart.

LP Lower Pneumatic counter balance (Moto)
base height range with glides 17.5" - 27.25
base height range with casters 19.25" - 29.25"
-Must specify the weight of the top and all accessories that will be used on the bases so that the lift capacity can be set properly - see below chart.

AVAILABLE LIFT CAPACITY

Specify	Pound Equivalent	Lift Range
150N	33 lbs.	1-44 lbs.
200N	44 lbs.	15-55 lbs.
250N	55 lbs.	26-66 lbs.
300N	66 lbs.	37-77 lbs.

bases
four column X
Keller, Novi

base	base dim.	max top support	base qty	base model no.	list	glides or casters	finish
Keller 27.75"H 	38 x 38	48 x 48, 60 rd	1	BXKEL480484DGME	1,320	adj glides	standard metal
	46 x 46	54 x 54, 66 rd	1	BXKEL540544DGME	1,400	adj glides	standard metal
	58 x 58	60 x 60, 72 rd	1	BXKEL600604DGME	1,470	adj glides	standard metal
	38 x 38	48 x 48, 60 rd	1	BXKEL480484DCME	1,420	2" black hard casters	standard metal
	46 x 46	54 x 54, 66 rd	1	BXKEL540544DCME	1,500	2" black hard casters	standard metal
	58 x 58	60 x 60, 72 rd	1	BXKEL600604DCME	1,570	2" black hard casters	standard metal
	38 x 38	48 x 48, 60 rd	1	BXKEL480484DSME	1,460	2" black soft casters	standard metal
	46 x 46	54 x 54, 66 rd	1	BXKEL540544DSME	1,540	2" black soft casters	standard metal
	58 x 58	60 x 60, 72 rd	1	BXKEL600604DSME	1,610	2" black soft casters	standard metal
	38 x 38	48 x 48, 60 rd	1	BXKEL480484DGPO	2,980	adj glides	polished
	46 x 46	54 x 54, 66 rd	1	BXKEL540544DGPO	3,060	adj glides	polished
	58 x 58	60 x 60, 72 rd	1	BXKEL600604DGPO	3,130	adj glides	polished
	38 x 38	48 x 48, 60 rd	1	BXKEL480484DCPO	3,080	2" black hard casters	polished
	46 x 46	54 x 54, 66 rd	1	BXKEL540544DCPO	3,160	2" black hard casters	polished
	58 x 58	60 x 60, 72 rd	1	BXKEL600604DCPO	3,230	2" black hard casters	polished
	38 x 38	48 x 48, 60 rd	1	BXKEL480484DSPO	3,120	2" black soft casters	polished
	46 x 46	54 x 54, 66 rd	1	BXKEL540544DSPO	3,200	2" black soft casters	polished
	58 x 58	60 x 60, 72 rd	1	BXKEL600604DSPO	3,270	2" black soft casters	polished
custom taller height (specify height)	38 x 38	48 x 48, 60 rd	1	BXKEL480484HGME	1,590	adj glides	standard metal
	46 x 46	54 x 54, 66 rd	1	BXKEL540544HGME	1,670	adj glides	standard metal
	58 x 58	60 x 60, 72 rd	1	BXKEL600604HGME	1,740	adj glides	standard metal
	38 x 38	48 x 48, 60 rd	1	BXKEL480484HCME	1,690	2" black hard casters	standard metal
	46 x 46	54 x 54, 66 rd	1	BXKEL540544HCME	1,770	2" black hard casters	standard metal
	58 x 58	60 x 60, 72 rd	1	BXKEL600604HCME	1,840	2" black hard casters	standard metal
	38 x 38	48 x 48, 60 rd	1	BXKEL480484HSME	1,730	2" black soft casters	standard metal
	46 x 46	54 x 54, 66 rd	1	BXKEL540544HSME	1,810	2" black soft casters	standard metal
	58 x 58	60 x 60, 72 rd	1	BXKEL600604HSME	1,880	2" black soft casters	standard metal
	38 x 38	48 x 48, 60 rd	1	BXKEL480484HGPO	3,450	adj glides	polished
	46 x 46	54 x 54, 66 rd	1	BXKEL540544HGPO	3,530	adj glides	polished
	58 x 58	60 x 60, 72 rd	1	BXKEL600604HGPO	3,600	adj glides	polished
	38 x 38	48 x 48, 60 rd	1	BXKEL480484HCPO	3,550	2" black hard casters	polished
	46 x 46	54 x 54, 66 rd	1	BXKEL540544HCPO	3,630	2" black hard casters	polished
	58 x 58	60 x 60, 72 rd	1	BXKEL600604HCPO	3,700	2" black hard casters	polished
	38 x 38	48 x 48, 60 rd	1	BXKEL480484HSPO	3,590	2" black soft casters	polished
	46 x 46	54 x 54, 66 rd	1	BXKEL540544HSPO	3,670	2" black soft casters	polished
	58 x 58	60 x 60, 72 rd	1	BXKEL600604HSPO	3,740	2" black soft casters	polished
Novi four column X 27.75"H 	36 x 36	54 x 54, 60 rd	1	BXNOV540544DGME	950	adj glides	standard metal
	36 x 36	54 x 54, 60 rd	1	BXNOV540544DCME	1,080	2" black hard casters	standard metal
	36 x 36	54 x 54, 60 rd	1	BXNOV540544DSME	1,120	2" black soft casters	standard metal
custom taller height (specify height)	36 x 36	54 x 54, 60 rd	1	BXNOV540544HGME	1,420	adj glides	standard metal
	36 x 36	54 x 54, 60 rd	1	BXNOV540544HCME	1,540	2" black hard casters	standard metal
	36 x 36	54 x 54, 60 rd	1	BXNOV540544HSME	1,580	2" black soft casters	standard metal



C casters
2" black dual wheel locking hard casters (for carpet)

S casters (Keller & Novi)
2" black dual wheel locking soft casters (for hard floors)

Standard metal powder coat finishes (ME):
Black Wrinkle (BW), Flat Black (FB), Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT), Metallic Silver (MS).

Premium Polished Finishes:
PO Polished aluminum/steel (Ria + Keller)

bases
four column X
Ria, Zoey

base	base dim.	max top support	base qty	base model no.	list	glides or casters	finish
Ria 27.75"H 	38 x 38	48 x 48, 60 rd	1	BXRIA480484DGME	1,260	adj glides	standard metal
	46 x 46	54 x 54, 66 rd	1	BXRIA540544DGME	1,340	adj glides	standard metal
	58 x 58	60 x 60, 72 rd	1	BXRIA600604DGME	1,450	adj glides	standard metal
	38 x 38	48 x 48, 60 rd	1	BXRIA480484DCME	1,360	2" black hard casters	standard metal
	46 x 46	54 x 54, 66 rd	1	BXRIA540544DCME	1,440	2" black hard casters	standard metal
	58 x 58	60 x 60, 72 rd	1	BXRIA600604DCME	1,550	2" black hard casters	standard metal
	38 x 38	48 x 48, 60 rd	1	BXRIA480484DSME	1,400	2" black soft casters	standard metal
	46 x 46	54 x 54, 66 rd	1	BXRIA540544DSME	1,480	2" black soft casters	standard metal
	58 x 58	60 x 60, 72 rd	1	BXRIA600604DSME	1,590	2" black soft casters	standard metal
	38 x 38	48 x 48, 60 rd	1	BXRIA480484DGPO	2,920	adj glides	polished
	46 x 46	54 x 54, 66 rd	1	BXRIA540544DGPO	3,000	adj glides	polished
	58 x 58	60 x 60, 72 rd	1	BXRIA600604DGPO	3,110	adj glides	polished
	38 x 38	48 x 48, 60 rd	1	BXRIA480484DCPO	3,020	2" black hard casters	polished
	46 x 46	54 x 54, 66 rd	1	BXRIA540544DCPO	3,100	2" black hard casters	polished
	58 x 58	60 x 60, 72 rd	1	BXRIA600604DCPO	3,210	2" black hard casters	polished
	38 x 38	48 x 48, 60 rd	1	BXRIA480484DSPO	3,060	2" black soft casters	polished
	46 x 46	54 x 54, 66 rd	1	BXRIA540544DSPO	3,140	2" black soft casters	polished
	58 x 58	60 x 60, 72 rd	1	BXRIA600604DSPO	3,250	2" black soft casters	polished
custom taller height (specify height)	38 x 38	48 x 48, 60 rd	1	BXRIA480484HGME	1,490	adj glides	standard metal
	46 x 46	54 x 54, 66 rd	1	BXRIA540544HGME	1,570	adj glides	standard metal
	58 x 58	60 x 60, 72 rd	1	BXRIA600604HGME	1,680	adj glides	standard metal
	38 x 38	48 x 48, 60 rd	1	BXRIA480484HCME	1,590	2" black hard casters	standard metal
	46 x 46	54 x 54, 66 rd	1	BXRIA540544HCME	1,670	2" black hard casters	standard metal
	58 x 58	60 x 60, 72 rd	1	BXRIA600604HCME	1,780	2" black hard casters	standard metal
	38 x 38	48 x 48, 60 rd	1	BXRIA480484HSME	1,630	2" black soft casters	standard metal
	46 x 46	54 x 54, 66 rd	1	BXRIA540544HSME	1,710	2" black soft casters	standard metal
	58 x 58	60 x 60, 72 rd	1	BXRIA600604HSME	1,820	2" black soft casters	standard metal
	38 x 38	48 x 48, 60 rd	1	BXRIA480484HGPO	3,620	adj glides	polished
	46 x 46	54 x 54, 66 rd	1	BXRIA540544HGPO	3,700	adj glides	polished
	58 x 58	60 x 60, 72 rd	1	BXRIA600604HGPO	3,810	adj glides	polished
	38 x 38	48 x 48, 60 rd	1	BXRIA480484HCPO	3,720	2" black hard casters	polished
	46 x 46	54 x 54, 66 rd	1	BXRIA540544HCPO	3,800	2" black hard casters	polished
	58 x 58	60 x 60, 72 rd	1	BXRIA600604HCPO	3,910	2" black hard casters	polished
	38 x 38	48 x 48, 60 rd	1	BXRIA480484HSPO	3,760	2" black soft casters	polished
	46 x 46	54 x 54, 66 rd	1	BXRIA540544HSPO	3,840	2" black soft casters	polished
	58 x 58	60 x 60, 72 rd	1	BXRIA600604HSPO	3,950	2" black soft casters	polished
Zoey 27.75"H 	31 x 31	48 rd	1	BXZO248000RD4DGME	1,830	adj glides	standard metal
	35 x 35	54 rd	1	BXZO254000RD4DGME	1,850	adj glides	standard metal
	35 x 35	60 rd	1	BXZO260000RD4DGME	1,870	adj glides	standard metal
	31 x 31	42 x 42 sq	1	BXZO242042SQ4DGME	1,820	adj glides	standard metal
	35 x 35	48 x 48 sq	1	BXZO248048SQ4DGME	1,850	adj glides	standard metal
	40 x 40	54 x 54 sq	1	BXZO254054SQ4DGME	1,910	adj glides	standard metal
	44 x 44	60 x 60 sq	1	BXZO260060SQ4DGME	1,960	adj glides	standard metal



C casters
2" black dual wheel locking hard casters (for carpet)

S casters (Ria)
2" black dual wheel locking soft casters (for hard floors)

Standard metal powder coat finishes (ME):
Black Wrinkle (BW), Flat Black (FB), Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT), Metallic Silver (MS).

Premium Polished Finishes:
PO Polished aluminum/steel (Ria + Keller)

bases

tripod Y fixed, flip and adjustable height

Keller

base	base dim.	max top support	base qty	base model no.	list	glides or casters	finish
Keller fixed tripod Y 27.75"H	20 x 20	24 x 24, 24 rd	1	BYKEL24024SDGME	500	adj glides	standard metal
	26 x 26	30 x 30, 30 rd	1	BYKEL30030SDGME	550	adj glides	standard metal
	33 x 33	36 x 36, 36 rd	1	BYKEL36036SDGME	600	adj glides	standard metal
	20 x 20	24 x 24, 24 rd	1	BYKEL24024SDCME	560	2" black hard casters	standard metal
	26 x 26	30 x 30, 30 rd	1	BYKEL30030SDCME	610	2" black hard casters	standard metal
	33 x 33	36 x 36, 36 rd	1	BYKEL36036SDCME	660	2" black hard casters	standard metal
	20 x 20	24 x 24, 24 rd	1	BYKEL24024SDSME	590	2" black soft casters	standard metal
	26 x 26	30 x 30, 30 rd	1	BYKEL30030SDSME	640	2" black soft casters	standard metal
	33 x 33	36 x 36, 36 rd	1	BYKEL36036SDSME	690	2" black soft casters	standard metal
	20 x 20	24 x 24, 24 rd	1	BYKEL24024SDGPO	940	adj glides	polished
	26 x 26	30 x 30, 30 rd	1	BYKEL30030SDGPO	990	adj glides	polished
	33 x 33	36 x 36, 36 rd	1	BYKEL36036SDGPO	1,040	adj glides	polished
	20 x 20	24 x 24, 24 rd	1	BYKEL24024SDCPO	1,000	2" black hard casters	polished
	26 x 26	30 x 30, 30 rd	1	BYKEL30030SDCPO	1,050	2" black hard casters	polished
	33 x 33	36 x 36, 36 rd	1	BYKEL36036SDCPO	1,100	2" black hard casters	polished
	20 x 20	24 x 24, 24 rd	1	BYKEL24024SDSPO	1,030	2" black soft casters	polished
	26 x 26	30 x 30, 30 rd	1	BYKEL30030SDSPO	1,080	2" black soft casters	polished
	33 x 33	36 x 36, 36 rd	1	BYKEL36036SDSPO	1,130	2" black soft casters	polished
custom lower height	20 x 20	24 x 24, 24 rd	1	BYKEL24024SLGME	600	adj glides	standard metal
(specify height)	26 x 26	30 x 30, 30 rd	1	BYKEL30030SLGME	650	adj glides	standard metal
	33 x 33	36 x 36, 36 rd	1	BYKEL36036SLGME	700	adj glides	standard metal
	20 x 20	24 x 24, 24 rd	1	BYKEL24024SLCME	660	2" black hard casters	standard metal
	26 x 26	30 x 30, 30 rd	1	BYKEL30030SLCME	710	2" black hard casters	standard metal
	33 x 33	36 x 36, 36 rd	1	BYKEL36036SLCME	760	2" black hard casters	standard metal
	20 x 20	24 x 24, 24 rd	1	BYKEL24024SLSME	690	2" black soft casters	standard metal
	26 x 26	30 x 30, 30 rd	1	BYKEL30030SLSME	740	2" black soft casters	standard metal
	33 x 33	36 x 36, 36 rd	1	BYKEL36036SLSME	790	2" black soft casters	standard metal
	20 x 20	24 x 24, 24 rd	1	BYKEL24024SLGPO	1,170	adj glides	polished
	26 x 26	30 x 30, 30 rd	1	BYKEL30030SLGPO	1,220	adj glides	polished
	33 x 33	36 x 36, 36 rd	1	BYKEL36036SLGPO	1,270	adj glides	polished
	20 x 20	24 x 24, 24 rd	1	BYKEL24024SLCPO	1,230	2" black hard casters	polished
	26 x 26	30 x 30, 30 rd	1	BYKEL30030SLCPO	1,280	2" black hard casters	polished
	33 x 33	36 x 36, 36 rd	1	BYKEL36036SLCPO	1,330	2" black hard casters	polished
	20 x 20	24 x 24, 24 rd	1	BYKEL24024SLSPO	1,260	2" black soft casters	polished
	26 x 26	30 x 30, 30 rd	1	BYKEL30030SLSPO	1,310	2" black soft casters	polished
	33 x 33	36 x 36, 36 rd	1	BYKEL36036SLSPO	1,360	2" black soft casters	polished
flip Y	20 x 20	24 x 24, 24 rd	1	BYKEL24024FDGME	760	adj glides	standard metal
	26 x 26	30 x 30, 30 rd	1	BYKEL30030FDGME	810	adj glides	standard metal
	33 x 33	36 x 36, 36 rd	1	BYKEL36036FDGME	860	adj glides	standard metal
	20 x 20	24 x 24, 24 rd	1	BYKEL24024FDCME	820	2" black hard casters	standard metal
	26 x 26	30 x 30, 30 rd	1	BYKEL30030FDCME	870	2" black hard casters	standard metal
	33 x 33	36 x 36, 36 rd	1	BYKEL36036FDCME	920	2" black hard casters	standard metal
	20 x 20	24 x 24, 24 rd	1	BYKEL24024FDSME	850	2" black soft casters	standard metal
	26 x 26	30 x 30, 30 rd	1	BYKEL30030FDSME	900	2" black soft casters	standard metal
	33 x 33	36 x 36, 36 rd	1	BYKEL36036FDSME	950	2" black soft casters	standard metal
	20 x 20	24 x 24, 24 rd	1	BYKEL24024FDGPO	1,200	adj glides	polished
	26 x 26	30 x 30, 30 rd	1	BYKEL30030FDGPO	1,250	adj glides	polished
	33 x 33	36 x 36, 36 rd	1	BYKEL36036FDGPO	1,300	adj glides	polished
	20 x 20	24 x 24, 24 rd	1	BYKEL24024FDCPO	1,260	2" black hard casters	polished
	26 x 26	30 x 30, 30 rd	1	BYKEL30030FDCPO	1,310	2" black hard casters	polished
	33 x 33	36 x 36, 36 rd	1	BYKEL36036FDCPO	1,360	2" black hard casters	polished
	20 x 20	24 x 24, 24 rd	1	BYKEL24024FDSPO	1,290	2" black soft casters	polished
	26 x 26	30 x 30, 30 rd	1	BYKEL30030FDSPO	1,340	2" black soft casters	polished
	33 x 33	36 x 36, 36 rd	1	BYKEL36036FDSPO	1,390	2" black soft casters	polished

C casters (Keller & Ria)
2" black dual wheel locking hard casters (for carpet)
S casters (Keller & Ria)
2" black dual wheel locking soft casters (for hard floors)

Standard metal powder coat finishes (ME)
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone and Metallic Silver

Premium Polished Finish (PO)
Polished Aluminum/Steel

bases

tripod Y fixed, flip and adjustable height

Ria

base	base dim.	max top support	base qty	base model no.	list	glides or casters	finish
Ria fixed tripod Y 27.75"H	20 x 20	24 x 24, 24 rd	1	BYRIA24024SDGME	470	adj glides	standard metal
	26 x 26	30 x 30, 30 rd	1	BYRIA30030SDGME	520	adj glides	standard metal
	33 x 33	36 x 36, 36 rd	1	BYRIA36036SDGME	570	adj glides	standard metal
	20 x 20	24 x 24, 24 rd	1	BYRIA24024SDCME	530	2" black hard casters	standard metal
	26 x 26	30 x 30, 30 rd	1	BYRIA30030SDCME	580	2" black hard casters	standard metal
	33 x 33	36 x 36, 36 rd	1	BYRIA36036SDCME	630	2" black hard casters	standard metal
	20 x 20	24 x 24, 24 rd	1	BYRIA24024SDSME	560	2" black soft casters	standard metal
	26 x 26	30 x 30, 30 rd	1	BYRIA30030SDSME	610	2" black soft casters	standard metal
	33 x 33	36 x 36, 36 rd	1	BYRIA36036SDSME	660	2" black soft casters	standard metal
	20 x 20	24 x 24, 24 rd	1	BYRIA24024SDGPO	910	adj glides	polished
	26 x 26	30 x 30, 30 rd	1	BYRIA30030SDGPO	960	adj glides	polished
	33 x 33	36 x 36, 36 rd	1	BYRIA36036SDGPO	1,010	adj glides	polished
	20 x 20	24 x 24, 24 rd	1	BYRIA24024SDCPO	970	2" black hard casters	polished
	26 x 26	30 x 30, 30 rd	1	BYRIA30030SDCPO	1,020	2" black hard casters	polished
	33 x 33	36 x 36, 36 rd	1	BYRIA36036SDCPO	1,070	2" black hard casters	polished
	20 x 20	24 x 24, 24 rd	1	BYRIA24024SDSPO	1,000	2" black soft casters	polished
	26 x 26	30 x 30, 30 rd	1	BYRIA30030SDSPO	1,050	2" black soft casters	polished
	33 x 33	36 x 36, 36 rd	1	BYRIA36036SDSPO	1,100	2" black soft casters	polished
custom lower height	20 x 20	24 x 24, 24 rd	1	BYRIA24024SLGME	570	adj glides	standard metal
(specify height)	26 x 26	30 x 30, 30 rd	1	BYRIA30030SLGME	620	adj glides	standard metal
	33 x 33	36 x 36, 36 rd	1	BYRIA36036SLGME	670	adj glides	standard metal
	20 x 20	24 x 24, 24 rd	1	BYRIA24024SLCME	630	2" black hard casters	standard metal
	26 x 26	30 x 30, 30 rd	1	BYRIA30030SLCME	680	2" black hard casters	standard metal
	33 x 33	36 x 36, 36 rd	1	BYRIA36036SLCME	730	2" black hard casters	standard metal
	20 x 20	24 x 24, 24 rd	1	BYRIA24024SLSME	660	2" black soft casters	standard metal
	26 x 26	30 x 30, 30 rd	1	BYRIA30030SLSME	710	2" black soft casters	standard metal
	33 x 33	36 x 36, 36 rd	1	BYRIA36036SLSME	760	2" black soft casters	standard metal
	20 x 20	24 x 24, 24 rd	1	BYRIA24024SLGPO	1,010	adj glides	polished
	26 x 26	30 x 30, 30 rd	1	BYRIA30030SLGPO	1,060	adj glides	polished
	33 x 33	36 x 36, 36 rd	1	BYRIA36036SLGPO	1,110	adj glides	polished
	20 x 20	24 x 24, 24 rd	1	BYRIA24024SLCPO	1,070	2" black hard casters	polished
	26 x 26	30 x 30, 30 rd	1	BYRIA30030SLCPO	1,120	2" black hard casters	polished
	33 x 33	36 x 36, 36 rd	1	BYRIA36036SLCPO	1,170	2" black hard casters	polished
	20 x 20	24 x 24, 24 rd	1	BYRIA24024SLSPO	1,100	2" black soft casters	polished
	26 x 26	30 x 30, 30 rd	1	BYRIA30030SLSPO	1,150	2" black soft casters	polished
	33 x 33	36 x 36, 36 rd	1	BYRIA36036SLSPO	1,200	2" black soft casters	polished
flip Y	20 x 20	24 x 24, 24 rd	1	BYRIA24024FDGME	740	adj glides	standard metal
	26 x 26	30 x 30, 30 rd	1	BYRIA30030FDGME	780	adj glides	standard metal
	33 x 33	36 x 36, 36 rd	1	BYRIA36036FDGME	840	adj glides	standard metal
	20 x 20	24 x 24, 24 rd	1	BYRIA24024FDCME	800	2" black hard casters	standard metal
	26 x 26	30 x 30, 30 rd	1	BYRIA30030FDCME	840	2" black hard casters	standard metal
	33 x 33	36 x 36, 36 rd	1	BYRIA36036FDCME	900	2" black hard casters	standard metal
	20 x 20	24 x 24, 24 rd	1	BYRIA24024FDSME	830	2" black soft casters	standard metal
	26 x 26	30 x 30, 30 rd	1	BYRIA30030FDSME	870	2" black soft casters	standard metal
	33 x 33	36 x 36, 36 rd	1	BYRIA36036FDSME	930	2" black soft casters	standard metal
	20 x 20	24 x 24, 24 rd	1	BYRIA24024FDGPO	1,180	adj glides	polished
	26 x 26	30 x 30, 30 rd	1	BYRIA30030FDGPO	1,220	adj glides	polished
	33 x 33	36 x 36, 36 rd	1	BYRIA36036FDGPO	1,280	adj glides	polished
	20 x 20	24 x 24, 24 rd	1	BYRIA24024FDCPO	1,240	2" black hard casters	polished
	26 x 26	30 x 30, 30 rd	1	BYRIA30030FDCPO	1,280	2" black hard casters	polished
	33 x 33	36 x 36, 36 rd	1	BYRIA36036FDCPO	1,340	2" black hard casters	polished
	20 x 20	24 x 24, 24 rd	1	BYRIA24024FDSPO	1,270	2" black soft casters	polished
	26 x 26	30 x 30, 30 rd	1	BYRIA30030FDSPO	1,310	2" black soft casters	polished
	33 x 33	36 x 36, 36 rd	1	BYRIA36036FDSPO	1,370	2" black soft casters	polished

Power module cone shaped top plate - **#OBXWMPCC $350 list (only available for fixed Y bases)**
metal cone-shaped top plate conceals and protects center mounted power module in surface.
Concealed wires exit down inside the base column and out at the bottom of the base column.
Note that the cone cannot be made with the polished finish, black or white paint is available for the cone with a polished base.
The Circo power unit can be used with this cone wire manager.

Wire management hole set (2) in column - **#OBTWMH2G $50 list (only available for fixed Y bases)**
each hole is 1.25" x 2.25". Removeable grommets narrows hole to 1.25' diameter
Note that the wire management grommet cannot be made with the polished finish

bases

personal workstation

Una fixed height, round column

base	base dim.	max top support	base qty	base model no.	list	glides or casters	finish
Una fixed height round column (27.75"H)							
 V flip	18 x 30	24 x 30	1	BVUNAR2430FDGME	1,050	adj glides	standard metal
	18 x 30	24 x 30	1	BVUNAR2430FDCME	1,130	2" black hard casters	standard metal
	18 x 30	24 x 30	1	BVUNAR2430FDSME	1,180	2" black soft casters	standard metal
	18 x 30	24 x 30	1	BVUNAR2430FDPME	1,180	2" premium hard casters	standard metal
 V tilt	18 x 30	24 x 30	1	BVUNAR2430TDGME	1,080	adj glides	standard metal
	18 x 30	24 x 30	1	BVUNAR2430TDCME	1,170	2" black hard casters	standard metal
	18 x 30	24 x 30	1	BVUNAR2430TDSME	1,210	2" black soft casters	standard metal
	18 x 30	24 x 30	1	BVUNAR2430TDPME	1,210	2" premium hard casters	standard metal
 V fixed	18 x 30	24 x 30	1	BVUNAR2430SDGME	770	adj glides	standard metal
	18 x 30	24 x 30	1	BVUNAR2430SDCME	860	2" black hard casters	standard metal
	18 x 30	24 x 30	1	BVUNAR2430SDSME	900	2" black soft casters	standard metal
	18 x 30	24 x 30	1	BVUNAR2430SDPME	900	2" premium hard casters	standard metal
 H flip	18 x 30	24 x 36	1	BHUNAR2436FDGME	1,050	adj glides	standard metal
	18 x 30	24 x 36	1	BHUNAR2436FDCME	1,130	2" black hard casters	standard metal
	18 x 30	24 x 36	1	BHUNAR2436FDSME	1,180	2" black soft casters	standard metal
	18 x 30	24 x 36	1	BHUNAR2436FDPME	1,180	2" premium hard casters	standard metal
 H tilt	18 x 30	24 x 36	1	BHUNAR2436TDGME	1,080	adj glides	standard metal
	18 x 30	24 x 36	1	BHUNAR2436TDCME	1,170	2" black hard casters	standard metal
	18 x 30	24 x 36	1	BHUNAR2436TDSME	1,210	2" black soft casters	standard metal
	18 x 30	24 x 36	1	BHUNAR2436TDPME	1,210	2" premium hard casters	standard metal
 H fixed	18 x 30	24 x 36	1	BHUNAR2436SDGME	770	adj glides	standard metal
	18 x 30	24 x 36	1	BHUNAR2436SDCME	860	2" black hard casters	standard metal
	18 x 30	24 x 36	1	BHUNAR2436SDSME	900	2" black soft casters	standard metal
	18 x 30	24 x 36	1	BHUNAR2436SDPME	900	2" premium hard casters	standard metal
Una Fixed round column (custom height)							
For complete custom lower height or custom higher height base model number: 1. Insert height selection: **H** custom higher fixed height - specify height **L** custom lower fixed height - specify height. *20" minimum height with glides or 22" minimum height with casters							
 V flip	18 x 30	24 x 30	1	BVUNAR2430F_GME	1,140	adj glides	standard metal
	18 x 30	24 x 30	1	BVUNAR2430F_CME	1,230	2" black hard casters	standard metal
	18 x 30	24 x 30	1	BVUNAR2430F_SME	1,280	2" black soft casters	standard metal
	18 x 30	24 x 30	1	BVUNAR2430F_PME	1,280	2" premium hard casters	standard metal
 V tilt	18 x 30	24 x 30	1	BVUNAR2430T_GME	1,180	adj glides	standard metal
	18 x 30	24 x 30	1	BVUNAR2430T_CME	1,270	2" black hard casters	standard metal
	18 x 30	24 x 30	1	BVUNAR2430T_SME	1,310	2" black soft casters	standard metal
	18 x 30	24 x 30	1	BVUNAR2430T_PME	1,310	2" premium hard casters	standard metal
 V fixed	18 x 30	24 x 30	1	BVUNAR2430S_GME	870	adj glides	standard metal
	18 x 30	24 x 30	1	BVUNAR2430S_CME	960	2" black hard casters	standard metal
	18 x 30	24 x 30	1	BVUNAR2430S_SME	1,000	2" black soft casters	standard metal
	18 x 30	24 x 30	1	BVUNAR2430S_PME	1,000	2" premium hard casters	standard metal
 H flip	18 x 30	24 x 36	1	BHUNAR2436F_GME	1,140	adj glides	standard metal
	18 x 30	24 x 36	1	BHUNAR2436F_CME	1,230	2" black hard casters	standard metal
	18 x 30	24 x 36	1	BHUNAR2436F_SME	1,280	2" black soft casters	standard metal
	18 x 30	24 x 36	1	BHUNAR2436F_PME	1,280	2" premium hard casters	standard metal
 H tilt	18 x 30	24 x 36	1	BHUNAR2436T_GME	1,180	adj glides	standard metal
	18 x 30	24 x 36	1	BHUNAR2436T_CME	1,270	2" black hard casters	standard metal
	18 x 30	24 x 36	1	BHUNAR2436T_SME	1,310	2" black soft casters	standard metal
	18 x 30	24 x 36	1	BHUNAR2436T_PME	1,310	2" premium hard casters	standard metal
 H fixed	18 x 30	24 x 36	1	BHUNAR2436S_GME	870	adj glides	standard metal
	18 x 30	24 x 36	1	BHUNAR2436S_CME	960	2" black hard casters	standard metal
	18 x 30	24 x 36	1	BHUNAR2436S_SME	1,000	2" black soft casters	standard metal
	18 x 30	24 x 36	1	BHUNAR2436S_PME	1,000	2" premium hard casters	standard metal



Casters
(C) 2" black dual wheel locking (hard casters for carpet)
(S) 2" black dual wheel locking (soft casters for hard flooring)



(P) 2" premium silver/black dual wheel locking (soft casters)

Standard metal powder coat finishes (ME):
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone, and Metallic Silver

bases

personal workstation

Una fixed height, square column

base	base dim.	max top support	base qty	base model no.	list	glides or casters	finish
Una fixed height square column (27.75"H)							
 V flip	18 x 30	24 x 30	1	BVUNAS2430FDGME	1,050	adj glides	standard metal
	18 x 30	24 x 30	1	BVUNAS2430FDCME	1,130	2" black hard casters	standard metal
	18 x 30	24 x 30	1	BVUNAS2430FDSME	1,180	2" black soft casters	standard metal
	18 x 30	24 x 30	1	BVUNAS2430FDPME	1,180	2" premium hard casters	standard metal
 V tilt	18 x 30	24 x 30	1	BVUNAS2430TDGME	1,080	adj glides	standard metal
	18 x 30	24 x 30	1	BVUNAS2430TDCME	1,170	2" black hard casters	standard metal
	18 x 30	24 x 30	1	BVUNAS2430TDSME	1,210	2" black soft casters	standard metal
	18 x 30	24 x 30	1	BVUNAS2430TDPME	1,210	2" premium hard casters	standard metal
 V fixed	18 x 30	24 x 30	1	BVUNAS2430SDGME	770	adj glides	standard metal
	18 x 30	24 x 30	1	BVUNAS2430SDCME	860	2" black hard casters	standard metal
	18 x 30	24 x 30	1	BVUNAS2430SDSME	900	2" black soft casters	standard metal
	18 x 30	24 x 30	1	BVUNAS2430SDPME	900	2" premium hard casters	standard metal
 H flip	18 x 30	24 x 36	1	BHUNAS2436FDGME	1,050	adj glides	standard metal
	18 x 30	24 x 36	1	BHUNAS2436FDCME	1,130	2" black hard casters	standard metal
	18 x 30	24 x 36	1	BHUNAS2436FDSME	1,180	2" black soft casters	standard metal
	18 x 30	24 x 36	1	BHUNAS2436FDPME	1,180	2" premium hard casters	standard metal
 H tilt	18 x 30	24 x 36	1	BHUNAS2436TDGME	1,080	adj glides	standard metal
	18 x 30	24 x 36	1	BHUNAS2436TDCME	1,170	2" black hard casters	standard metal
	18 x 30	24 x 36	1	BHUNAS2436TDSME	1,210	2" black soft casters	standard metal
	18 x 30	24 x 36	1	BHUNAS2436TDPME	1,210	2" premium hard casters	standard metal
 H fixed	18 x 30	24 x 36	1	BHUNAS2436SDGME	770	adj glides	standard metal
	18 x 30	24 x 36	1	BHUNAS2436SDCME	860	2" black hard casters	standard metal
	18 x 30	24 x 36	1	BHUNAS2436SDSME	900	2" black soft casters	standard metal
	18 x 30	24 x 36	1	BHUNAS2436SDPME	900	2" premium hard casters	standard metal
Una Fixed square column (custom height)							
For complete custom lower height or custom higher height base model number: 1. Insert height selection: **H** custom higher fixed height - specify height **L** custom lower fixed height - specify height. *20" minimum height with glides or 22" minimum height with casters							
 V flip	18 x 30	24 x 30	1	BVUNAS2430F_GME	1,140	adj glides	standard metal
	18 x 30	24 x 30	1	BVUNAS2430F_CME	1,230	2" black hard casters	standard metal
	18 x 30	24 x 30	1	BVUNAS2430F_SME	1,280	2" black soft casters	standard metal
	18 x 30	24 x 30	1	BVUNAS2430F_PME	1,280	2" premium hard casters	standard metal
 V tilt	18 x 30	24 x 30	1	BVUNAS2430T_GME	1,180	adj glides	standard metal
	18 x 30	24 x 30	1	BVUNAS2430T_CME	1,270	2" black hard casters	standard metal
	18 x 30	24 x 30	1	BVUNAS2430T_SME	1,310	2" black soft casters	standard metal
	18 x 30	24 x 30	1	BVUNAS2430T_PME	1,310	2" premium hard casters	standard metal
 V fixed	18 x 30	24 x 30	1	BVUNAS2430S_GME	870	adj glides	standard metal
	18 x 30	24 x 30	1	BVUNAS2430S_CME	960	2" black hard casters	standard metal
	18 x 30	24 x 30	1	BVUNAS2430S_SME	1,000	2" black soft casters	standard metal
	18 x 30	24 x 30	1	BVUNAS2430S_PME	1,000	2" premium hard casters	standard metal
 H flip	18 x 30	24 x 36	1	BHUNAS2436F_GME	1,140	adj glides	standard metal
	18 x 30	24 x 36	1	BHUNAS2436F_CME	1,230	2" black hard casters	standard metal
	18 x 30	24 x 36	1	BHUNAS2436F_SME	1,280	2" black soft casters	standard metal
	18 x 30	24 x 36	1	BHUNAS2436F_PME	1,280	2" premium hard casters	standard metal
 H tilt	18 x 30	24 x 36	1	BHUNAS2436T_GME	1,180	adj glides	standard metal
	18 x 30	24 x 36	1	BHUNAS2436T_CME	1,270	2" black hard casters	standard metal
	18 x 30	24 x 36	1	BHUNAS2436T_SME	1,310	2" black soft casters	standard metal
	18 x 30	24 x 36	1	BHUNAS2436T_PME	1,310	2" premium hard casters	standard metal
 H fixed	18 x 30	24 x 36	1	BHUNAS2436S_GME	870	adj glides	standard metal
	18 x 30	24 x 36	1	BHUNAS2436S_CME	960	2" black hard casters	standard metal
	18 x 30	24 x 36	1	BHUNAS2436S_SME	1,000	2" black soft casters	standard metal
	18 x 30	24 x 36	1	BHUNAS2436S_PME	1,000	2" premium hard casters	standard metal



Casters
(C) 2" black dual wheel locking (hard casters for carpet)
(S) 2" black dual wheel locking (soft casters for hard flooring)



(P) 2" premium silver/black dual wheel locking

Standard metal powder coat finishes (ME):
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone, and Metallic Silver

bases

personal workstation

Una fixed height wheel barrow, round column

base		base dim.	max top support	base qty	base model no.	list	glides / casters	finish
Una fixed height wheel barrow round column (27.75"H)								
	H flip	18 x 30	24 x 36	1	BHUNAR2436FDHME	1,140	2 adj glides / 2 casters	standard metal
	H tilt	18 x 30	24 x 36	1	BHUNAR2436TDHME	1,180	2 adj glides / 2 casters	standard metal
	H fixed	18 x 30	24 x 36	1	BHUNAR2436SDHME	880	2 adj glides / 2 casters	standard metal
Una fixed height wheel barrow round column (custom taller height - specify height)								
	H flip	18 x 30	24 x 36	1	BHUNAR2436FHHME	1,240	2 adj glides / 2 casters	standard metal
	H tilt	18 x 30	24 x 36	1	BHUNAR2436THHME	1,280	2 adj glides / 2 casters	standard metal
	H fixed	18 x 30	24 x 36	1	BHUNAR2436SHHME	980	2 adj glides / 2 casters	standard metal
Una fixed height wheel barrow round column (custom lower height - specify height*)								
*20" minimum height with glides or 22" minimum height with casters								
	H flip	18 x 30	24 x 36	1	BHUNAR2436FLHME	1,240	2 adj glides / 2 casters	standard metal
	H tilt	18 x 30	24 x 36	1	BHUNAR2436TLHME	1,280	2 adj glides / 2 casters	standard metal
	H fixed	18 x 30	24 x 36	1	BHUNAR2436SLHME	980	2 adj glides / 2 casters	standard metal

* top not included

Standard metal powder coat finishes (ME):
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone, and Metallic Silver

The Wheel Barrow base features 2 glides and 2 casters.



bases

personal workstation

Una fixed height wheel barrow, square column

base		base dim.	max top support	base qty	base model no.	list	glides or casters	finish
Una fixed height wheel barrow square column (27.75"H)								
	H flip	18 x 30	24 x 36	1	BHUNAS2436FDHME	1,140	2 adj glides / 2 casters	standard metal
	H tilt	18 x 30	24 x 36	1	BHUNAS2436TDHME	1,180	2 adj glides / 2 casters	standard metal
	H fixed	18 x 30	24 x 36	1	BHUNAS2436SDHME	880	2 adj glides / 2 casters	standard metal
Una fixed height wheel barrow square column (custom taller height - specify height)								
	H flip	18 x 30	24 x 36	1	BHUNAS2436FHHME	1,240	2 adj glides / 2 casters	standard metal
	H tilt	18 x 30	24 x 36	1	BHUNAS2436THHME	1,280	2 adj glides / 2 casters	standard metal
	H fixed	18 x 30	24 x 36	1	BHUNAS2436SHHME	980	2 adj glides / 2 casters	standard metal
Una fixed height wheel barrow square column (custom lower height - specify height*)								
*20" minimum height with glides or 22" minimum height with casters								
	H flip	18 x 30	24 x 36	1	BHUNAS2436FLHME	1,240	2 adj glides / 2 casters	standard metal
	H tilt	18 x 30	24 x 36	1	BHUNAS2436TLHME	1,280	2 adj glides / 2 casters	standard metal
	H fixed	18 x 30	24 x 36	1	BHUNAS2436SLHME	980	2 adj glides / 2 casters	standard metal

* top not included

Standard metal powder coat finishes (ME):
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone, and Metallic Silver

The Wheel Barrow base features 2 glides and 2 casters..



bases

personal workstation

Una pneumatic adjustable height

base	base dim.	max top support	base qty	base model no.	list	glides or casters	finish
Una pneumatic height adj round column							
 V flip	18 x 30	24 x 30	1	BVUNAR2430FPGME	1,680	adj glides	standard metal
	18 x 30	24 x 30	1	BVUNAR2430FPCME	1,770	2" black hard casters	standard metal
	18 x 30	24 x 30	1	BVUNAR2430FPSME	1,820	2" black soft casters	standard metal
	18 x 30	24 x 30	1	BVUNAR2430FPPME	1,820	2" premium hard casters	standard metal
	Una V flip adj height range with glides is 29.07-46.7" without the top Una V flip adj height range with 2" locking casters is 31.07 - 48.7" without the top						
	Optional Drop Down Kit (only for use with the 2" locking caster option) lowers the height range to 30.02" - 47.65" without the top **model number OBUNADROP $60 list**						
 V tilt	18 x 30	24 x 30	1	BVUNAR2430TPGME	1,730	adj glides	standard metal
	18 x 30	24 x 30	1	BVUNAR2430TPCME	1,820	2" black hard casters	standard metal
	18 x 30	24 x 30	1	BVUNAR2430TPSME	1,860	2" black soft casters	standard metal
	18 x 30	24 x 30	1	BVUNAR2430TPPME	1,860	2" premium hard casters	standard metal
	Una V tilt adj height range with glides is 29.07-46.7" without the top Una V tilt adj height range with 2" locking casters is 31.07 - 48.7" without the top						
	Optional Drop Down Kit (only for use with the 2" locking caster option) lowers the height range to 30.02" - 47.65" without the top **model number OBUNADROP $60 list**						
 V fixed	18 x 30	24 x 30	1	BVUNAR2430SPGME	1,530	adj glides	standard metal
	18 x 30	24 x 30	1	BVUNAR2430SPCME	1,620	2" black hard casters	standard metal
	18 x 30	24 x 30	1	BVUNAR2430SPSME	1,660	2" black soft casters	standard metal
	18 x 30	24 x 30	1	BVUNAR2430SPPME	1,660	2" premium hard casters	standard metal
	Una V adj height range with glides is 26.01-43.73" without the top Una V adj height range with 2" locking casters is 28.5 - 46.13" without the top						
	Optional Drop Down Kit (only for use with the 2" locking caster option) lowers the height range to 27.14" - 44.17" without the top **model number OBUNADROP $60 list**						
 H flip	18 x 30	24 x 36	1	BHUNAR2436FPGME	1,680	adj glides	standard metal
	18 x 30	24 x 36	1	BHUNAR2436FPCME	1,770	2" black hard casters	standard metal
	18 x 30	24 x 36	1	BHUNAR2436FPSME	1,820	2" black soft casters	standard metal
	18 x 30	24 x 36	1	BHUNAR2436FPPME	1,820	2" premium hard casters	standard metal
	Una H flip adj height range with glides is 28.89-46.52" without the top Una H flip adj height range with 2" locking casters is 31.29 - 48.92" without the top						
	Optional Drop Down Kit (only for use with the 2" locking caster option) lowers the height range to 30.02" - 47.65" without the top **model number OBUNADROP $60 list**						
 H tilt	18 x 30	24 x 36	1	BHUNAR2436TPGME	1,730	adj glides	standard metal
	18 x 30	24 x 36	1	BHUNAR2436TPCME	1,820	2" black hard casters	standard metal
	18 x 30	24 x 36	1	BHUNAR2436TPSME	1,860	2" black soft casters	standard metal
	18 x 30	24 x 36	1	BHUNAR2436TPPME	1,860	2" premium hard casters	standard metal
	Una H tilt adj height range with glides is 31.29-46.52" without the top Una H tilt adj height range with 2" locking casters is 31.29 - 48.92" without the top						
	Optional Drop Down Kit (only for use with the 2" locking caster option) lowers the height range to 30.02" - 47.65" without the top **model number OBUNADROP $60 list**						
 H fixed	18 x 30	24 x 36	1	BHUNAR2436SPGME	1,530	adj glides	standard metal
	18 x 30	24 x 36	1	BHUNAR2436SPCME	1,620	2" black hard casters	standard metal
	18 x 30	24 x 36	1	BHUNAR2436SPSME	1,660	2" black soft casters	standard metal
	18 x 30	24 x 36	1	BHUNAR2436SPPME	1,660	2" premium hard casters	standard metal
	Una H adj height range with glides is 26.1-43.73" without the top Una H adj height range with 2" locking casters is 28.5 - 46.13" without the top						
	Optional Drop Down Kit (only for use with the 2" locking caster option) lowers the height range to 27.14" - 44.77" without the top **model number OBUNADROP $60 list**						

*top not included

bases

personal workstation

Una pneumatic adjustable height

base	base dim.	max top support	base qty	base model no.	list	glides or casters	finish
Una pneumatic height adj square column							
 V fixed	18 x 30	24 x 30	1	BVUNAS2430SPGME	1,610	adj glides	standard metal
	18 x 30	24 x 30	1	BVUNAS2430SPCME	1,690	2" black hard casters	standard metal
	18 x 30	24 x 30	1	BVUNAS2430SPSME	1,740	2" black soft casters	standard metal
	18 x 30	24 x 30	1	BVUNAS2430SPPME	1,740	2" premium hard casters	standard metal
	Una V adj height range with glides is 26-43.63" without the top Una V adj height range with 2" locking casters is 28.4 - 46.03" without the top						
	Optional Drop Down Kit (only for use with the 2" locking caster option) lowers the height range to 27.13" - 44.76" without the top **model number OBUNADROP $60 list**						
 H fixed	18 x 30	24 x 36	1	BHUNAS2436SPGME	1,610	adj glides	standard metal
	18 x 30	24 x 36	1	BHUNAS2436SPCME	1,690	2" black hard casters	standard metal
	18 x 30	24 x 36	1	BHUNAS2436SPSME	1,740	2" black soft casters	standard metal
	18 x 30	24 x 36	1	BHUNAS2436SPPME	1,740	2" premium hard casters	standard metal
	Una H adj height range with glides is 26-43.63" without the top Una H adj height range with 2" locking casters is 28.4 - 46.03" without the top						
	Optional Drop Down Kit (only for use with the 2" locking caster option) lowers the height range to 27.14" - 44.77" without the top **model number OBUNADROP $60 list**						
Una wheel barrow pneumatic height adj round column							
 H flip	18 x 30	24 x 36	1	BHUNAR2436FPHME	1,790	2 adj glides / 2 casters	standard metal
	height range: 29.51" - 47.14" without the top						
 H tilt	18 x 30	24 x 36	1	BHUNAR2436TPHME	1,830	2 adj glides / 2 casters	standard metal
	height range: 29.51" - 47.14" without the top						
 H fixed	18 x 30	24 x 36	1	BHUNAR2436SPHME	1,640	2 adj glides / 2 casters	standard metal
	height range: 26.43" - 44.27" without the top						
Una wheel barrow pneumatic height adj square column							
 H fixed	18 x 30	24 x 36	1	BHUNAS2436SPHME	1,690	2 adj glides / 2 casters	standard metal
	height range: 26.63" - 44.26" without the top						



Casters
(**C**) 2" black dual wheel locking (hard casters for carpet)
(**S**) 2" black dual wheel locking (soft casters for hard flooring)



The Wheel Barrow base features 2 casters and 2

Standard metal powder coat finishes for Una adjustable height bases (ME):
Flat Black (FB), Furniture White (FW), Metallic Silver (MS).

Note that at least 24 x 30 top size is recommended for the Una series bases because the weight of the top is 22 lbs. This base has a lift range from 22 lbs to 44 lbs (including the top). If the accessories or items that will be placed on the base weigh over 22 lbs then please email service@symphontables.com for assistance.

Additionally, if a smaller woksurface than 24 x 30 is required then please email service@symphonytable.com for assistance to review options on how to add weight to a smaller top to meet hte 22 lb minimum requirement..

The weight of the top and all accessories that will be used on the base shall be advised on the purchase order. If the weight is set wrong then it will cause the table to lift up to fast or not work at all. Contact service@symphontables.com for assistance.

bases

personal, fixed height

Dino, Nora, Papa

base		base dim.	column	max top support	base model no.	list	finish
Dino fixed height							
	rectangle	9 x 12 x 25.25H	1.25" offset	12 x 18	BDDIN12018SDGME	430	standard metal
		12 x 9 x 25.25H	1.25" offset	18 x 12	BDDIN18012SDGME	430	standard metal
	round	12 dia. x 25.25H	1.25" offset	18 rd	BDDIN18000SDGME	430	standard metal
		*Dino bases feature 1" x 3/16" soft plastic foot pads/felt pads, no adjustment					
Nora fixed height							
	rounded rectangle	10.5 x 15.5 x 24.5H	1.5" offset	14 x 20	BDNOR142024OGME	950	standard metal
		10.5 x 15.5 x 24.5H	1.5" offset	14 x 20	BDNOR142024OGPC	1,630	polished
	round	14 dia. x 24.5H	1.5" offset	20 rd	BDNOR20RD24OGME	950	standard metal
		14 dia. x 24.5H	1.5" offset	20 rd	BDNOR20RD24OGPC	1,550	polished
		14 dia. x 24.5H	1.5" centered	20 rd	BDNOR20RD24CGME	950	standard metal
		14 dia. x 24.5H	1.5" centered	20 rd	BDNOR20RD24CGPC	1,550	polished
	rounded square	15.5 sq. x 24.5H	1.5" centered	24 sq	BDNOR24RS24CGME	1,040	standard metal
		15.5 sq. x 24.5H	1.5" centered	24 sq	BDNOR24RS24CGPC	1,760	polished
		*Nora bases feature a plastic glide for carpet and hard floor surfaces, no adjustment					
Papa fixed height							
	U	13 x 15.75 x 24.5H "U"	2" offset	14 x 20	BDPAPU1420OGME	740	standard metal
	C	12.75 x 16.75 x 24.5H "C"	2" offset	20 rd	BDPAPC20RDOGME	740	standard metal
	H	14" x 24.5H "H"	2" offset	20 sq	BDPAPH20SQOGME	740	standard metal
	round	14 dia. x 24.5H	2" offset	20 rd	BDPAP20RD24OGME	740	standard metal
		14 dia. x 24.5H	2" offset	20 rd	BDPAP20RD24OGPC	1,310	polished
		14 dia. x 24.5H	2" centered	20 rd	BDPAP20RD24CGME	740	standard metal
		14 dia. x 24.5H	2" centered	20 rd	BDPAP20RD24CGPC	1,310	polished
		*Papa bases feature a plastic glide for carpet and hard floor surfaces, no adjustment					

(ME) Standard metal powder coat finishes (Nora)
Black Wrinkle (BW), Flat Black (FB), Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT), Metallic Silver (MS).

(PC) Polished chrome finish (Nora)

(ME) Standard metal powder coat finishes (Dino + Polo)
Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone, and Metallic Silver

** Note that the inner column of the Polo height adjustable base is only available in Flat Black, White or Metallic Silver. Note that Polo White is a shade off and a little creamier than Furniture White.




Optional Cup Holder - $130 list
model number **ASCUPHLDR**

bases

personal, adjustable height

Nora, Papa, Polo

base		base dim.	column	max top support	base model no.	list	finish
Papa spring clip adj ht							
	U	13 x 15.75 x 24.5H "U"	2" offset	14 x 20	BDPAPU1420SOGME	1,020	standard metal
	C	12.75 x 16.75 x 24.5H "C"	2" offset	18 rd	BDPAPC20RDSOGME	1,020	standard metal
	H	14" x 24.5H "H"	2" offset	20 sq	BDPAPH20SQSOGME	1,020	standard metal
	round	14 dia. x 24.5H	2" offset	20 rd	BDPAP20RD24SOGME	1,020	standard metal
		14 dia. x 24.5H	2" centered	20 rd	BDPAP20RD24SCGME	1,020	standard metal
		*Papa bases feature a plastic glide for carpet and hard floor surfaces, no adjustment					
Polo pneumatic adj ht							
	rectangle	9 x 12 x 25.25H	1.25" offset	12 x 18	BDPOL12018SPGME	780	standard metal
		12 x 9 x 25.25H	1.25" offset	18 x 12	BDPOL18012SPGME	780	standard metal
	round	12 dia. x 25.25H	1.25" offset	18 rd	BDPOL18000SPGME	780	standard metal
		*Polo bases feature a 20.25" - 30" pneumatic adjustable height range					
		1" x 3/16" soft plastic foot pads/felt pads, no adjustment					

(ME) Standard metal powder coat finishes (Nora)
Black Wrinkle (BW), Flat Black (FB),
Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT), Metallic Silver (MS).

(PC) Polished chrome finish (Nora)

(ME) Standard metal powder coat finishes (Dino + Polo)
Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone, and Metallic Silver

** Note that the inner column of the Polo height adjustable base is only available in Flat Black, White or Metallic Silver. Note that Polo White is a shade off and a little creamier than Furniture White.

Optional Cup Holder - $130 list
model number **ASCUPHLDR**



Nora & Papa
(SO) spring clip height adjustable offset column

(SC) spring clip height adjustable centered column

height range 17" - 24"

bases
fixed height disc
Bennett, Marius, Molly

base		base dim.	column	max top support	base model no.	list	glides	finish
Bennett (square column)	27.75"H	16 x 16	3" sq	30 x 30, 36 rd	BDBEN30030SDGME	780	adj glides	standard metal
		20 x 20	3" sq	36 x 36, 42 rd	BDBEN36036SDGME	860	adj glides	standard metal
		26 x 26	3" sq	42 x 42, 48 rd	BDBEN42042SDGME	1,030	adj glides	standard metal
	40.75"H	16 x 16	3" sq	30 x 30, 36 rd	BDBEN30030SBGME	880	adj glides	standard metal
		20 x 20	3" sq	36 x 36, 42 rd	BDBEN36036SBGME	960	adj glides	standard metal
		26 x 26	3" sq	42 x 42, 48 rd	BDBEN42042SBGME	1,130	adj glides	standard metal
	custom higher height	16 x 16	3" sq	30 x 30, 36 rd	BDBEN30030SHGME	880	adj glides	standard metal
	(specify height)	20 x 20	3" sq	36 x 36, 42 rd	BDBEN36036SHGME	960	adj glides	standard metal
		26 x 26	3" sq	42 x 42, 48 rd	BDBEN42042SHGME	1,130	adj glides	standard metal
	custom lower height	16 x 16	3" sq	30 x 30, 36 rd	BDBEN30030SLGME	880	adj glides	standard metal
	(specify height)	20 x 20	3" sq	36 x 36, 42 rd	BDBEN36036SLGME	960	adj glides	standard metal
		26 x 26	3" sq	42 x 42, 48 rd	BDBEN42042SLGME	1,130	adj glides	standard metal
Marius square disc. (round column)	27.75"H	16 x 16	3" rd	30 x 30, 36 rd	BDMAR30030SDGME	780	adj glides	standard metal
		20 x 20	4" rd	36 x 36, 42 rd	BDMAR36036SDGME	860	adj glides	standard metal
		26 x 26	4" rd	42 x 42, 48 rd	BDMAR42042SDGME	1,030	adj glides	standard metal
		24 x 24	6" rd	48 x 48, 48 rd	BDMAR48048SDGME	1,390	adj glides	standard metal
	40.75"H	16 x 16	3" rd	30 x 30, 36 rd	BDMAR30030SBGME	910	adj glides	standard metal
		20 x 20	4" rd	36 x 36, 42 rd	BDMAR36036SBGME	990	adj glides	standard metal
		26 x 26	4" rd	42 x 42, 48 rd	BDMAR42042SBGME	1,170	adj glides	standard metal
		24 x 24	6" rd	48 x 48, 48 rd	BDMAR48048SBGME	1,750	adj glides	standard metal
	custom higher height	16 x 16	3" rd	30 x 30, 36 rd	BDMAR30030SHGME	910	adj glides	standard metal
	(specify height)	20 x 20	4" rd	36 x 36, 42 rd	BDMAR36036SHGME	990	adj glides	standard metal
		26 x 26	4" rd	42 x 42, 48 rd	BDMAR42042SHGME	1,170	adj glides	standard metal
		24 x 24	6" rd	48 x 48, 48 rd	BDMAR48048SHGME	1,750	adj glides	standard metal
	custom lower height	16 x 16	3" rd	30 x 30, 36 rd	BDMAR30030SLGME	910	adj glides	standard metal
	(specify height)	20 x 20	4" rd	36 x 36, 42 rd	BDMAR36036SLGME	990	adj glides	standard metal
		26 x 26	4" rd	42 x 42, 48 rd	BDMAR42042SLGME	1,170	adj glides	standard metal
		24 x 24	6" rd	48 x 48, 48 rd	BDMAR48048SLGME	1,520	adj glides	standard metal
Marius rectangle disc (round column)	27.75"H	18 x 28	6" rd	36 x 60	BDMAR36060SDGME	1,430	adj glides	standard metal
		26 x 30	6" rd	42 x 60	BDMAR42060SDGME	1,460	adj glides	standard metal
	40.75"H	18 x 28	6" rd	36 x 60	BDMAR36060SBGME	1,940	adj glides	standard metal
		26 x 30	6" rd	42 x 60	BDMAR42060SBGME	2,100	adj glides	standard metal
	custom higher height	18 x 28	6" rd	36 x 60	BDMAR36060SHGME	1,940	adj glides	standard metal
	(specify height)	24 x 28	6" rd	42 x 60	BDMAR42060SHGME	2,100	adj glides	standard metal
	custom lower height	18 x 28	6" rd	36 x 60	BDMAR36060SLGME	1,560	adj glides	standard metal
	(specify height)	26 x 30	6" rd	42 x 60	BDMAR42060SLGME	1,600	adj glides	standard metal
Molly (round column)	27.75"H	16 x 16	3" rd	30 x 30, 36 rd	BDMOL30030SDGME	780	adj glides	standard metal
		20 x 20	4" rd	36 x 36, 42 rd	BDMOL36036SDGME	860	adj glides	standard metal
		26 x 26	4" rd	42 x 42, 48 rd	BDMOL42042SDGME	1,030	adj glides	standard metal
	40.75"H	16 x 16	3" rd	30 x 30, 36 rd	BDMOL30030SBGME	880	adj glides	standard metal
		20 x 20	4" rd	36 x 36, 42 rd	BDMOL36036SBGME	960	adj glides	standard metal
		26 x 26	4" rd	42 x 42, 48 rd	BDMOL42042SBGME	1,130	adj glides	standard metal
	custom higher height	16 x 16	3" rd	30 x 30, 36 rd	BDMOL30030SHGME	880	adj glides	standard metal
	(specify height)	20 x 20	4" rd	36 x 36, 42 rd	BDMOL36036SHGME	960	adj glides	standard metal
		26 x 26	4" rd	42 x 42, 48 rd	BDMOL42042SHGME	1,130	adj glides	standard metal
	custom lower height	16 x 16	3" rd	30 x 30, 36 rd	BDMOL30030SLGME	880	adj glides	standard metal
	(specify height)	20 x 20	4" rd	36 x 36, 42 rd	BDMOL36036SLGME	960	adj glides	standard metal
		26 x 26	4" rd	42 x 42, 48 rd	BDMOL42042SLGME	1,130	adj glides	standard metal

Standard metal powder coat finishes (ME)
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone and Metallic Silver

bases
fixed height disc
Nantes II, Nantes C, Tondo

base		base dim.	column	max top support	base model no.	list	glides	finish
Nantes II round disc. (round column)	27.75"H	17	3" rd	24 x 24, 30 rd	BDNA224024SDGME	770	adj glides	standard metal
		20	3" rd	30 x 30, 36 rd	BDNA230030SDGME	780	adj glides	standard metal
		24	4" rd	36 x 36, 42 rd	BDNA236036SDGME	860	adj glides	standard metal
		32	4" rd	42 x 42, 48 rd	BDNA242042SDGME	1,030	adj glides	standard metal
		32*	6" rd	48 x 48, 60 rd	BDNA248048SDGME	1,780	adj glides	standard metal
	40.75"H	17	3" rd	24 x 24, 30 rd	BDNA224024SBGME	870	adj glides	standard metal
		20	3" rd	30 x 30, 36 rd	BDNA230030SBGME	880	adj glides	standard metal
		24	4" rd	36 x 36, 42 rd	BDNA236036SBGME	960	adj glides	standard metal
		32	4" rd	42 x 42, 48 rd	BDNA242042SBGME	1,130	adj glides	standard metal
		32*	6" rd	48 x 48, 60 rd	BDNA248048SBGME	2,040	adj glides	standard metal
	custom higher height	17	3" rd	24 x 24, 30 rd	BDNA224024SHGME	870	adj glides	standard metal
	(specify height)	20	3" rd	30 x 30, 36 rd	BDNA230030SHGME	880	adj glides	standard metal
		24	4" rd	36 x 36, 42 rd	BDNA236036SHGME	960	adj glides	standard metal
		32	4" rd	42 x 42, 48 rd	BDNA242042SHGME	1,130	adj glides	standard metal
		32*	6" rd	48 x 48, 60 rd	BDNA248048SHGME	2,040	adj glides	standard metal
	custom lower height	17	3" rd	24 x 24, 30 rd	BDNA224024SLGME	870	adj glides	standard metal
	(specify height)	20	3" rd	30 x 30, 36 rd	BDNA230030SLGME	880	adj glides	standard metal
		24	4" rd	36 x 36, 42 rd	BDNA236036SLGME	960	adj glides	standard metal
*Note that the Nantes II 32 inch disc base with 6 inch column has a cover.		32	4" rd	42 x 42, 48 rd	BDNA242042SLGME	1,130	adj glides	standard metal
		32*	6" rd	48 x 48, 60 rd	BDNA248048SLGME	2,040	adj glides	standard metal
Nantes C round disc. w/ cover (round column)	27.75"H	20	3" rd	30 x 30, 36 rd	BDNAC30030SDGPC	1,620	adj glides	polished
		24	4" rd	36 x 36, 42 rd	BDNAC36036SDGPC	1,720	adj glides	polished
		32	4" rd	42 x 42, 48 rd	BDNAC42042SDGPC	1,980	adj glides	polished
		32*	6" rd	48 x 48, 60 rd	BDNAC48048SDGPC	2,400	adj glides	polished
	40.75"H	20	3" rd	30 x 30, 36 rd	BDNAC30030SBGPC	1,880	adj glides	polished
		24	4" rd	36 x 36, 42 rd	BDNAC36036SBGPC	1,980	adj glides	polished
		32	4" rd	42 x 42, 48 rd	BDNAC42042SBGPC	2,240	adj glides	polished
		32*	6" rd	48 x 48, 60 rd	BDNAC48048SBGPC	2,870	adj glides	polished
	custom higher height	20	3" rd	30 x 30, 36 rd	BDNAC30030SHGPC	1,880	adj glides	polished
	(specify height)	24	4" rd	36 x 36, 42 rd	BDNAC36036SHGPC	1,980	adj glides	polished
		32	4" rd	42 x 42, 48 rd	BDNAC42042SHGPC	2,240	adj glides	polished
		32*	6" rd	48 x 48, 60 rd	BDNAC48048SHGPC	2,870	adj glides	polished
	custom lower height	20	3" rd	30 x 30, 36 rd	BDNAC30030SLGPC	1,880	adj glides	polished
	(specify height)	24	4" rd	36 x 36, 42 rd	BDNAC36036SLGPC	1,980	adj glides	polished
*Note all Nantes C disc bases have a cover.		32	4" rd	42 x 42, 48 rd	BDNAC42042SLGPC	2,240	adj glides	polished
		32*	6" rd	48 x 48, 60 rd	BDNAC48048SLGPC	2,870	adj glides	polished
Tondo (round column)	27.75"H	22	3" rd	30 x 30, 36 rd	BDTON30030SDGME	870	adj glides	standard metal
		26	3" rd	36 x 36, 42 rd	BDTON36036SDGME	950	adj glides	standard metal
	40.75"H	22	3" rd	30 x 30, 36 rd	BDTON30030SBGME	970	adj glides	standard metal
		26	3" rd	36 x 36, 42 rd	BDTON36036SBGME	1,050	adj glides	standard metal
	custom higher height	22	3" rd	30 x 30, 36 rd	BDTON30030SHGME	970	adj glides	standard metal
	(specify height)	26	3" rd	36 x 36, 42 rd	BDTON36036SHGME	1,050	adj glides	standard metal
	custom lower height	22	3" rd	30 x 30, 36 rd	BDTON30030SLGME	970	adj glides	standard metal
	(specify height)	26	3" rd	36 x 36, 42 rd	BDTON36036SLGME	1,050	adj glides	standard metal
	27.75"H	22	3" rd	30 x 30, 36 rd	BDTON30030SDGPC	1,360	adj glides	polished
		26	3" rd	36 x 36, 42 rd	BDTON36036SDGPC	1,500	adj glides	polished
	40.75"H	22	3" rd	30 x 30, 36 rd	BDTON30030SBGPC	1,460	adj glides	polished
		26	3" rd	36 x 36, 42 rd	BDTON36036SBGPC	1,600	adj glides	polished
	custom higher height	22	3" rd	30 x 30, 36 rd	BDTON30030SHGPC	1,460	adj glides	polished
	(specify height)	26	3" rd	36 x 36, 42 rd	BDTON36036SHGPC	1,600	adj glides	polished
	custom lower height	22	3" rd	30 x 30, 36 rd	BDTON30030SLGPC	1,460	adj glides	polished
	(specify height)	26	3" rd	36 x 36, 42 rd	BDTON36036SLGPC	1,600	adj glides	polished

Standard metal powder coat finishes (ME)
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone and Metallic Silver

Premium polished finish for Nantes C & Tondo (PC)

bases

fixed height disc w/ wire management
Marius, Molly, Nantes II

base		base dim.	column	max top support	base model no.	list	glides	finish
Marius fixed height square (round column)	27.75"H	16 x 16	3" rd	30 x 30, 36 rd	BDMAR30030PDGME	1,010	adj glides	standard metal
		20 x 20	4" rd	36 x 36, 42 rd	BDMAR36036PDGME	1,090	adj glides	standard metal
		26 x 26	4" rd	42 x 42, 48 rd	BDMAR42042PDGME	1,260	adj glides	standard metal
		24 x 24	6" rd	48 x 48, 48 rd	BDMAR48048PDGME	1,620	adj glides	standard metal
	40.75"H	16 x 16	3" rd	30 x 30, 36 rd	BDMAR30030PBGME	1,140	adj glides	standard metal
		20 x 20	4" rd	36 x 36, 42 rd	BDMAR36036PBGME	1,220	adj glides	standard metal
		26 x 26	4" rd	42 x 42, 48 rd	BDMAR42042PBGME	1,400	adj glides	standard metal
		24 x 24	6" rd	48 x 48, 48 rd	BDMAR48048PBGME	2,160	adj glides	standard metal
	custom higher height (specify height)	16 x 16	3" rd	30 x 30, 36 rd	BDMAR30030PHGME	1,140	adj glides	standard metal
		20 x 20	4" rd	36 x 36, 42 rd	BDMAR36036PHGME	1,220	adj glides	standard metal
		26 x 26	4" rd	42 x 42, 48 rd	BDMAR42042PHGME	1,400	adj glides	standard metal
		24 x 24	6" rd	48 x 48, 48 rd	BDMAR48048PHGME	2,160	adj glides	standard metal
	custom lower height (specify height)	16 x 16	3" rd	30 x 30, 36 rd	BDMAR30030PLGME	1,140	adj glides	standard metal
		20 x 20	4" rd	36 x 36, 42 rd	BDMAR36036PLGME	1,220	adj glides	standard metal
		26 x 26	4" rd	42 x 42, 48 rd	BDMAR42042PLGME	1,400	adj glides	standard metal
		24 x 24	6" rd	48 x 48, 48 rd	BDMAR48048PLGME	1,750	adj glides	standard metal
Marius fixed height rectangle (round column)	27.75"H	18 x 28	6" rd	36 x 60	BDMAR36060PDGME	1,660	adj glides	standard metal
		26 x 30	6" rd	42 x 60	BDMAR42060PDGME	1,690	adj glides	standard metal
	40.75"H	18 x 28	6" rd	36 x 60	BDMAR36060PBGME	2,150	adj glides	standard metal
		26 x 30	6" rd	42 x 60	BDMAR42060PBGME	2,510	adj glides	standard metal
	custom higher height (specify height)	18 x 28	6" rd	36 x 60	BDMAR36060PHGME	2,150	adj glides	standard metal
		24 x 28	6" rd	42 x 60	BDMAR42060PHGME	2,510	adj glides	standard metal
	custom lower height (specify height)	18 x 28	6" rd	36 x 60	BDMAR36060PLGME	1,790	adj glides	standard metal
		26 x 30	6" rd	42 x 60	BDMAR42060PLGME	1,830	adj glides	standard metal
Molly fixed height (round column)	27.75"H	16 x 16	3" rd	30 x 30, 36 rd	BDMOL30030PDGME	1,010	adj glides	standard metal
		20 x 20	4" rd	36 x 36, 42 rd	BDMOL36036PDGME	1,090	adj glides	standard metal
		26 x 26	4" rd	42 x 42, 48 rd	BDMOL42042PDGME	1,260	adj glides	standard metal
	40.75"H	16 x 16	3" rd	30 x 30, 36 rd	BDMOL30030PBGME	1,110	adj glides	standard metal
		20 x 20	4" rd	36 x 36, 42 rd	BDMOL36036PBGME	1,190	adj glides	standard metal
		26 x 26	4" rd	42 x 42, 48 rd	BDMOL42042PBGME	1,360	adj glides	standard metal
	custom higher height (specify height)	16 x 16	3" rd	30 x 30, 36 rd	BDMOL30030PHGME	1,110	adj glides	standard metal
		20 x 20	4" rd	36 x 36, 42 rd	BDMOL36036PHGME	1,190	adj glides	standard metal
		26 x 26	4" rd	42 x 42, 48 rd	BDMOL42042PHGME	1,360	adj glides	standard metal
	custom lower height (specify height)	16 x 16	3" rd	30 x 30, 36 rd	BDMOL30030PLGME	1,110	adj glides	standard metal
		20 x 20	4" rd	36 x 36, 42 rd	BDMOL36036PLGME	1,190	adj glides	standard metal
		26 x 26	4" rd	42 x 42, 48 rd	BDMOL42042PLGME	1,360	adj glides	standard metal
Nantes II fixed height round disc. (round column)	27.75"H	17	3" rd	24 x 24, 30 rd	BDNA224024PDGME	1,000	adj glides	standard metal
		20	3" rd	30 x 30, 36 rd	BDNA230030PDGME	1,010	adj glides	standard metal
		24	4" rd	36 x 36, 42 rd	BDNA236036PDGME	1,090	adj glides	standard metal
		32	4" rd	42 x 42, 48 rd	BDNA242042PDGME	1,260	adj glides	standard metal
	40.75"H	17	3" rd	24 x 24, 30 rd	BDNA224024PBGME	1,100	adj glides	standard metal
		20	3" rd	30 x 30, 36 rd	BDNA230030PBGME	1,110	adj glides	standard metal
		24	4" rd	36 x 36, 42 rd	BDNA236036PBGME	1,190	adj glides	standard metal
		32	4" rd	42 x 42, 48 rd	BDNA242042PBGME	1,360	adj glides	standard metal
	custom higher height (specify height)	17	3" rd	24 x 24, 30 rd	BDNA224024PHGME	1,100	adj glides	standard metal
		20	3" rd	30 x 30, 36 rd	BDNA230030PHGME	1,110	adj glides	standard metal
		24	4" rd	36 x 36, 42 rd	BDNA236036PHGME	1,190	adj glides	standard metal
		32	4" rd	42 x 42, 48 rd	BDNA242042PHGME	1,360	adj glides	standard metal
	custom lower height (specify height)	17	3" rd	24 x 24, 30 rd	BDNA224024PLGME	1,100	adj glides	standard metal
		20	3" rd	30 x 30, 36 rd	BDNA230030PLGME	1,110	adj glides	standard metal
		24	4" rd	36 x 36, 42 rd	BDNA236036PLGME	1,190	adj glides	standard metal
		32	4" rd	42 x 42, 48 rd	BDNA242042PLGME	1,360	adj glides	standard metal


Standard metal powder coat finishes (ME)
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone and Metallic Silver


open top plate for 3" and 4" column Marius, Molly and Nantes bases

enclosed top plate for 6" column Marius bases

Tondo fixed ht disc w/ wire mgmt disc
Bennett, Nantes II, Tondo pneumatic height adj disc

base		base dim.	column	max top support	base model no.	list	glides	finish
Tondo fixed height (round column)	27.75"H	22	3" rd	30 x 30, 36 rd	BDTON30030PDGME	1,720	adj glides	standard metal
		26	3" rd	36 x 36, 42 rd	BDTON36036PDGME	1,860	adj glides	standard metal
	40.75"H	22	3" rd	30 x 30, 36 rd	BDTON30030PBGME	1,820	adj glides	standard metal
		26	3" rd	36 x 36, 42 rd	BDTON36036PBGME	1,960	adj glides	standard metal
	custom higher height (specify height)	22	3" rd	30 x 30, 36 rd	BDTON30030PHGME	1,820	adj glides	standard metal
		26	3" rd	36 x 36, 42 rd	BDTON36036PHGME	1,960	adj glides	standard metal
	custom lower height (specify height)	22	3" rd	30 x 30, 36 rd	BDTON30030PLGME	1,820	adj glides	standard metal
		26	3" rd	36 x 36, 42 rd	BDTON36036PLGME	1,960	adj glides	standard metal





Standard metal powder coat finishes (ME):
Black Wrinkle (BW), Flat Black (FB), Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT), Metallic Silver (MS).

Bennett pneumatic adj ht (square column)							
	16 x 16	sq	30 x 30, 36 rd	BDBEN30030SPGME	1,530	adj glides	standard metal
	20 x 20	sq	36 x 36, 42 rd	BDBEN36036SPGME	1,620	adj glides	standard metal
	26 x 26	sq	42 x 42, 48 rd	BDBEN42042SPGME	1,780	adj glides	standard metal
Nantes II pneumatic adj ht (round column)							
	20	rd	30 x 30, 36 rd	BDNA230030SPGME	1,470	adj glides	standard metal
	24	rd	36 x 36, 42 rd	BDNA236036SPGME	1,890	adj glides	standard metal
	32	rd	42 x 42, 48 rd	BDNA242042SPGME	2,070	adj glides	standard metal

Bennett & Nantes II lift capacity can be set at 33, 44, 55 or 66 lbs. for a lift range between 28 - 76 lbs. See chart for details:

AVAILABLE LIFT CAPACITY

Specify	Pound Equivalent	Lift Range
150N	33 lbs.	28-38 lbs.
200N	44 lbs.	34-54 lbs.
250N	55 lbs.	45-65 lbs.
300N	66 lbs.	56-76 lbs.

Tondo pnuematic adj ht (round column)							
	22	rd	30 x 30, 36 rd	BDTON30030SPGME	1,940	adj glides	standard metal
	26	rd	36 x 36, 42 rd	BDTON36036SPGME	2,460	adj glides	standard metal

Tondo lift capacity can be set at 22, 33, or 44 lbs. for a lift range between 18 - 54 lbs. See chart for details:

AVAILABLE LIFT CAPACITY

Specify	Pound Equivalent	Lift Range
100N	22 lbs.	18-28 lbs.
150N	33 lbs.	28-38 lbs.
200N	44 lbs.	34-54 lbs.

Pneumatic Adjustable Height Standard metal powder coat finishes (ME):
Flat Black , Furniture White, and Metallic Silver

Bennett, Nantes II and Tondo Pneumatic Height Adjustable Bases
P Glide (plastic glide guidance) or Roller (steel roller guidance) Lift height adjustment: 26.75" - 44.5" base height range (without table top) pneumatic cylinder assist with infinite stop positions, no bounce cylinder stop, and unintentional release resistant lever with cable release

The weight of the top and all accessories that will be used on the base shall be advised on the purchase order. If the weight is set wrong then it will cause the table to lift up to fast or not work at all. Contact service@symphonytables.com for assistance.

bases

occasional

Bennett, Keller, Marius, Molly, Moto, Nantes II, Nantes C, Ria, Tondo, Zoey

base	base dim.	column	max top support	base model no.	list	finish
Bennett (square column) 	16 x 16	3" sq	30 x 30, 36 rd	BDBEN30030SLGME	880	standard metal
	20 x 20	3" sq	36 x 36, 42 rd	BDBEN36036SLGME	960	standard metal
	26 x 26	3" sq	42 x 42, 48 rd	BDBEN42042SLGME	1,130	standard metal
Keller occasional 	15.25 x 15.25 x 15H	2.25"	20 rd	BXKEL2002015GME	580	standard metal
	15.25 x 15.25 x 17H	2.25"	20 rd	BXKEL2002017GME	580	standard metal
	15.25 x 15.25 x 19H	2.25"	20 rd	BXKEL2002019GME	580	standard metal
	15.25 x 15.25 x 15H	2.25"	20 rd	BXKEL2002015GPO	1,060	polished
	15.25 x 15.25 x 17H	2.25"	20 rd	BXKEL2002017GPO	1,060	polished
	15.25 x 15.25 x 19H	2.25"	20 rd	BXKEL2002019GPO	1,060	polished
Keller (round column) 	20 x 20	2.25" rd	24 x 24, 24 rd	BXKEL24024SLGME	630	standard metal
	26 x 26	2.25" rd	30 x 30, 36 rd	BXKEL30030SLGME	690	standard metal
	33 x 33	2.25" rd	36 x 36, 42 rd	BXKEL36036SLGME	760	standard metal
	38 x 38	2.25" rd	42 x 42, 48 rd	BXKEL42042SLGME	890	standard metal
	20 x 20	2.25" rd	24 x 24, 24 rd	BXKEL24024SLGPO	1,350	polished
	26 x 26	2.25" rd	30 x 30, 36 rd	BXKEL30030SLGPO	1,410	polished
	33 x 33	2.25" rd	36 x 36, 42 rd	BXKEL36036SLGPO	1,480	polished
	38 x 38	2.25" rd	42 x 42, 48 rd	BXKEL42042SLGPO	1,610	polished
Marius square disc (round column)	16 x 16	3" rd	30 x 30, 36 rd	BDMAR30030SLGME	910	standard metal
	20 x 20	4" rd	36 x 36, 42 rd	BDMAR36036SLGME	990	standard metal
	26 x 26	4" rd	42 x 42, 48 rd	BDMAR42042SLGME	1,170	standard metal
	24 x 24	6" rd	48 x 48, 48 rd	BDMAR48048SLGME	1,520	standard metal
rectangle disc 	18 x 28	6" rd	36 x 60	BDMAR36060SLGME	1,560	standard metal
	26 x 30	6" rd	42 x 60	BDMAR42060SLGME	1,600	standard metal
Molly (round column) 	16 x 16	3" rd	30 x 30, 36 rd	BDMOL30030SLGME	880	standard metal
	20 x 20	4" rd	36 x 36, 42 rd	BDMOL36036SLGME	960	standard metal
	26 x 26	4" rd	42 x 42, 48 rd	BDMOL42042SLGME	1,130	standard metal
Moto (square column) 	22 x 22	3" sq	24 x 24, 24 rd	BXMOT24024SLGME	760	standard metal
	26 x 26	3" sq	30 x 30, 36 rd	BXMOT30030SLGME	800	standard metal
	32 x 32	3" sq	36 x 36, 42 rd	BXMOT36036SLGME	860	standard metal
	36 x 36	3" sq	42 x 42, 48 rd	BXMOT42042SLGME	880	standard metal
Nantes II (round column) 	20 dia.	3" rd	30 x 30, 36 rd	BDNA230030SLGME	880	standard metal
	24 dia.	4" rd	36 x 36, 42 rd	BDNA236036SLGME	960	standard metal
	32 dia.	4" rd	42 x 42, 48 rd	BDNA242042SLGME	1,130	standard metal
Nantes C with cover (round column) 	20 dia.	3" rd	30 x 30, 36 rd	BDNAC30030SLGPC	1,720	polished
	24 dia.	4" rd	36 x 36, 42 rd	BDNAC36036SLGPC	1,820	polished
	32 dia.	4" rd	42 x 42, 48 rd	BDNAC42042SLGPC	2,080	polished
Ria (round column) 	20 x 20	2.25" rd	24 x 24, 24 rd	BXRIA24024SLGME	600	standard metal
	26 x 26	2.25" rd	30 x 30, 36 rd	BXRIA30030SLGME	650	standard metal
	33 x 33	2.25" rd	36 x 36, 42 rd	BXRIA36036SLGME	730	standard metal
	38 x 38	2.25" rd	42 x 42, 48 rd	BXRIA42042SLGME	850	standard metal
	20 x 20	2.25" rd	24 x 24, 24 rd	BXRIA24024SLGPO	1,220	polished
	26 x 26	2.25" rd	30 x 30, 36 rd	BXRIA30030SLGPO	1,270	polished
	33 x 33	2.25" rd	36 x 36, 42 rd	BXRIA36036SLGPO	1,350	polished
	38 x 38	2.25" rd	42 x 42, 48 rd	BXRIA42042SLGPO	1,470	polished
Tondo 	22 dia.	3" rd	30 x 30, 36 rd	BDTON30030SLGME	970	standard metal
	26 dia.	3" rd	36 x 36, 42 rd	BDTON36036SLGME	1,050	standard metal
	22 dia.	3" rd	30 x 30, 36 rd	BDTON30030SLGPC	1,460	polished
	26 dia.	3" rd	36 x 36, 42 rd	BDTON36036SLGPC	1,600	polished
Zoey 	21 x 21	n/a	24 x 24, 24 rd	BXZOE24024SLGME	720	standard metal
	27 x 27	n/a	30 x 30, 36 rd	BXZOE30030SLGME	750	standard metal
	33 x 33	n/a	36 x 36, 42 rd	BXZOE36036SLGME	780	standard metal

L Specify custom lower base height. Note that a standard PVEA PVC edge top will add 1.25" to the overall height of the table

Examples:
16.75" base height + 1.25" top thickness = 18" overall table height
18.75" base height + 1.25" top thickness = 20" overall table height
22.75" base height + 1.25" top thickness = 24" overall table height

(ME) Standard metal powder coat finishes :
Black Wrinkle (BW), Flat Black (FB),
Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT),
Metallic Silver (MS).

(PC) Polished chrome finish (Nantes / Tondo)

(PO) Polished aluminum / chrome finish (Keller / Ria)

bases

occasional

Nora

base	base dim.	column	max top support	base model no.	list	finish
Nora occasional round 	14 dia. x 15H	1.5" centered	20 rd	BDNOR20RD15CGME	950	standard metal
	14 dia. x 17H	1.5" centered	20 rd	BDNOR20RD17CGME	950	standard metal
	14 dia. x 19H	1.5" centered	20 rd	BDNOR20RD19CGME	950	standard metal
	14 dia. x 21H	1.5" centered	20 rd	BDNOR20RD21CGME	950	standard metal
	18 dia. x 15H	1.5" centered	30 rd	BDNOR30RD15CGME	1,140	standard metal
	18 dia. x 17H	1.5" centered	30 rd	BDNOR30RD17CGME	1,140	standard metal
	18 dia. x 19H	1.5" centered	30 rd	BDNOR30RD19CGME	1,140	standard metal
	18 dia. x 21H	1.5" centered	30 rd	BDNOR30RD21CGME	1,140	standard metal
	23 dia. x 15H	3" centered	42 rd	BDNOR42RD15CGME	1,160	standard metal
	23 dia. x 17H	3" centered	42 rd	BDNOR42RD17CGME	1,160	standard metal
	23 dia. x 19H	3" centered	42 rd	BDNOR42RD19CGME	1,160	standard metal
	23 dia. x 21H	3" centered	42 rd	BDNOR42RD21CGME	1,160	standard metal
rounded square 	15.5 x 15.5 x 15H	1.5" centered	24 sq	BDNOR24RS15CGME	970	standard metal
	15.5 x 15.5 x 17H	1.5" centered	24 sq	BDNOR24RS17CGME	970	standard metal
	15.5 x 15.5 x 19H	1.5" centered	24 sq	BDNOR24RS19CGME	970	standard metal
	15.5 x 15.5 x 21H	1.5" centered	24 sq	BDNOR24RS21CGME	970	standard metal
	18 x 18 x 15H	3" centered	36 sq	BDNOR36RS15CGME	1,050	standard metal
	18 x 18 x 17H	3" centered	36 sq	BDNOR36RS17CGME	1,050	standard metal
	18 x 18 x 19H	3" centered	36 sq	BDNOR36RS19CGME	1,050	standard metal
	18 x 18 x 21H	3" centered	36 sq	BDNOR36RS21CGME	1,050	standard metal
rounded rectangle 	12 x 18 x 15H	1.5" centered	18 x 24	BDNOR1802415CGME	1,020	standard metal
	12 x 18 x 17H	1.5" centered	18 x 24	BDNOR1802417CGME	1,020	standard metal
	12 x 18 x 19H	1.5" centered	18 x 24	BDNOR1802419CGME	1,020	standard metal
	12 x 18 x 21H	1.5" centered	18 x 24	BDNOR1802421CGME	1,020	standard metal

(ME) Standard metal powder coat finishes (Nora)
Black Wrinkle (BW), Flat Black (FB), Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT), Metallic Silver (MS).

FIXED BASE HEIGHT + 1.25" THICK TOP DIMENSIONS
Examples:
15" base height + 1.25" top thickness = 16.25" overall table height
17" base height + 1.25" top thickness = 18.25" overall table height
19" base height + 1.25" top thickness = 20.25" overall table height
21" base height + 1.25" top thickness = 22.25" overall table height

bases
conference sets
Bassa

base		base dim.	qty	max top support	base set model no.	*Bassa Grade 1 list (L1)	*Bassa Grade 2 list (L2)	finish
Bassa rectangular frame	laminate panel	18 x 6 x 27.75	2	36 x 96	BFBAS36096REG__	4,570	4,770	standard metal
		18 x 6 x 27.75	3	36 x 144	BFBAS36144REG__	6,850	7,160	standard metal
		18 x 6 x 27.75	4	36 x 192	BFBAS36192REG__	9,140	9,540	standard metal
		24 x 6 x 27.75	2	48 x 96	BFBAS48096REG__	4,960	5,160	standard metal
		24 x 6 x 27.75	3	48 x 144	BFBAS48144REG__	7,440	7,740	standard metal
		24 x 6 x 27.75	4	48 x 192	BFBAS48192REG__	9,920	10,320	standard metal
		34 x 6 x 27.75	2	60 x 96	BFBAS60096REG__	5,580	5,780	standard metal
		34 x 6 x 27.75	3	60 x 144	BFBAS60144REG__	8,360	8,670	standard metal
		34 x 6 x 27.75	4	60 x 192	BFBAS60192REG__	11,150	11,560	standard metal
Bassa curved frame	laminate panel	20 x 6 x 27.75	2	36 x 96	BFBAS36096CUG__	4,570	4,770	standard metal
		20 x 6 x 27.75	3	36 x 144	BFBAS36144CUG__	6,850	7,160	standard metal
		20 x 6 x 27.75	4	36 x 192	BFBAS36192CUG__	9,140	9,540	standard metal
		26 x 6 x 27.75	2	48 x 96	BFBAS48096CUG__	4,820	5,020	standard metal
		26 x 6 x 27.75	3	48 x 144	BFBAS48144CUG__	7,230	7,530	standard metal
		26 x 6 x 27.75	4	48 x 192	BFBAS48192CUG__	9,640	10,040	standard metal
		36 x 6 x 27.75	2	60 x 96	BFBAS60096CUG__	5,940	6,140	standard metal
		36 x 6 x 27.75	3	60 x 144	BFBAS60144CUG__	8,900	9,210	standard metal
		36 x 6 x 27.75	4	60 x 192	BFBAS60192CUG__	11,870	12,280	standard metal

***Bassa Laminates are graded differently than other Symphony laminate products**

Bassa grade 1 laminates (L1) include Wilsonart Fusion Maple 7909-60, Wild Cherry 7054-60, and Solar Oak 7816-60

Bassa grade 2 laminates (L2) include Wilsonart Empire Mahogany 7122-07, Figured Mahogany 7040-78, Colombian Walnut 7943-07, and Brighton Walnut 7922-07

Please email service@symphonytablse.com for pricing on all other laminates not listed here.

(ME) Standard metal powder coat finishes (Bassa)
Flat Black (FB), Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT), Metallic Silver (MS).


bases
conference sets
Bassa

base		base dim.	qty	max top support	base set model no.	list	finish
Bassa rectangular frame	solid metal panel	18 x 6 x 27.75	2	36 x 96	BFBAS36096REGSM	4,090	standard metal
		18 x 6 x 27.75	3	36 x 144	BFBAS36144REGSM	6,140	standard metal
		18 x 6 x 27.75	4	36 x 192	BFBAS36192REGSM	8,180	standard metal
		24 x 6 x 27.75	2	48 x 96	BFBAS48096REGSM	4,250	standard metal
		24 x 6 x 27.75	3	48 x 144	BFBAS48144REGSM	6,370	standard metal
		24 x 6 x 27.75	4	48 x 192	BFBAS48192REGSM	8,500	standard metal
		34 x 6 x 27.75	2	60 x 96	BFBAS60096REGSM	4,640	standard metal
		34 x 6 x 27.75	3	60 x 144	BFBAS60144REGSM	6,960	standard metal
		34 x 6 x 27.75	4	60 x 192	BFBAS60192REGSM	9,280	standard metal
	perforated metal panel	18 x 6 x 27.75	2	36 x 96	BFBAS36096REGPM	4,120	standard metal
		18 x 6 x 27.75	3	36 x 144	BFBAS36144REGPM	6,170	standard metal
		18 x 6 x 27.75	4	36 x 192	BFBAS36192REGPM	8,230	standard metal
		24 x 6 x 27.75	2	48 x 96	BFBAS48096REGPM	4,270	standard metal
		24 x 6 x 27.75	3	48 x 144	BFBAS48144REGPM	6,410	standard metal
		24 x 6 x 27.75	4	48 x 192	BFBAS48192REGPM	8,540	standard metal
		34 x 6 x 27.75	2	60 x 96	BFBAS60096REGPM	4,660	standard metal
		34 x 6 x 27.75	3	60 x 144	BFBAS60144REGPM	6,990	standard metal
		34 x 6 x 27.75	4	60 x 192	BFBAS60192REGPM	9,320	standard metal
Bassa curved frame	solid metal panel	20 x 6 x 27.75	2	36 x 96	BFBAS36096CUGSM	4,100	standard metal
		20 x 6 x 27.75	3	36 x 144	BFBAS36144CUGSM	6,150	standard metal
		20 x 6 x 27.75	4	36 x 192	BFBAS36192CUGSM	8,200	standard metal
		26 x 6 x 27.75	2	48 x 96	BFBAS48096CUGSM	4,250	standard metal
		26 x 6 x 27.75	3	48 x 144	BFBAS48144CUGSM	6,370	standard metal
		26 x 6 x 27.75	4	48 x 192	BFBAS48192CUGSM	8,500	standard metal
		36 x 6 x 27.75	2	60 x 96	BFBAS60096CUGSM	4,730	standard metal
		36 x 6 x 27.75	3	60 x 144	BFBAS60144CUGSM	6,870	standard metal
		36 x 6 x 27.75	4	60 x 192	BFBAS60192CUGSM	9,280	standard metal
	perforated metal panel	20 x 6 x 27.75	2	36 x 96	BFBAS36096CUGPM	4,120	standard metal
		20 x 6 x 27.75	3	36 x 144	BFBAS36144CUGPM	6,170	standard metal
		20 x 6 x 27.75	4	36 x 192	BFBAS36192CUGPM	8,230	standard metal
		26 x 6 x 27.75	2	48 x 96	BFBAS48096CUGPM	4,270	standard metal
		26 x 6 x 27.75	3	48 x 144	BFBAS48144CUGPM	6,410	standard metal
		26 x 6 x 27.75	4	48 x 192	BFBAS48192CUGPM	8,540	standard metal
		36 x 6 x 27.75	2	60 x 96	BFBAS60096CUGPM	4,660	standard metal
		36 x 6 x 27.75	3	60 x 144	BFBAS60144CUGPM	6,990	standard metal
		36 x 6 x 27.75	4	60 x 192	BFBAS60192CUGPM	9,320	standard metal

(ME) Standard metal powder coat finishes (Bassa)
Flat Black (FB), Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT), Metallic Silver (MS).

bases
conference sets
Lastra

base		base dim.	qty	max top support	base set model no.	list	laminate grade
Lastra 6" rectangle	27.75"H	18 x 6	2	42 x 96	BLLAR420962DGL1	1,570	1
		18 x 6	3	42 x 144	BLLAR421443DGL1	2,360	1
		18 x 6	4	42 x 192	BLLAR421924DGL1	3,140	1
		18 x 6	2	42 x 96	BLLAR420962DGL2	1,830	2
		18 x 6	3	42 x 144	BLLAR421443DGL2	2,740	2
		18 x 6	4	42 x 192	BLLAR421924DGL2	3,660	2
		24 x 6	2	48 x 96	BLLAR480962DGL1	1,800	1
		24 x 6	3	48 x 144	BLLAR481443DGL1	2,700	1
		24 x 6	4	48 x 192	BLLAR481924DGL1	3,600	1
		24 x 6	2	48 x 96	BLLAR480962DGL2	2,100	2
		24 x 6	3	48 x 144	BLLAR481443DGL2	3,150	2
		24 x 6	4	48 x 192	BLLAR481924DGL2	4,190	2
		30 x 6	2	60 x 96	BLLAR600962DGL1	2,100	1
		30 x 6	3	60 x 144	BLLAR601443DGL1	3,160	1
		30 x 6	4	60 x 192	BLLAR601924DGL1	4,210	1
		30 x 6	2	60 x 96	BLLAR600962DGL2	2,460	2
		30 x 6	3	60 x 144	BLLAR601443DGL2	3,700	2
		30 x 6	4	60 x 192	BLLAR601924DGL2	4,920	2
Lastra 12" rectangle	27.75"H	18 x 12	2	42 x 108	BLLAR421082DGL1	1,910	1
		18 x 12	3	42 x 156	BLLAR421563DGL1	2,870	1
		18 x 12	4	42 x 228	BLLAR422284DGL1	3,830	1
		18 x 12	2	42 x 108	BLLAR421082DGL2	2,240	2
		18 x 12	3	42 x 156	BLLAR421563DGL2	3,360	2
		18 x 12	4	42 x 228	BLLAR422284DGL2	4,480	2
		24 x 12	2	48 x 108	BLLAR481082DGL1	2,150	1
		24 x 12	3	48 x 156	BLLAR481563DGL1	3,220	1
		24 x 12	4	48 x 228	BLLAR482284DGL1	4,300	1
		24 x 12	2	48 x 108	BLLAR481082DGL2	2,510	2
		24 x 12	3	48 x 156	BLLAR481562DGL2	3,770	2
		24 x 12	4	48 x 228	BLLAR482284DGL2	5,030	2
		30 x 12	2	60 x 108	BLLAR601082DGL1	2,480	1
		30 x 12	3	60 x 156	BLLAR601563DGL1	3,720	1
		30 x 12	4	60 x 228	BLLAR602284DGL1	4,960	1
		30 x 12	2	60 x 108	BLLAR601082DGL2	2,900	2
		30 x 12	3	60 x 156	BLLAR601563DGL2	4,350	2
		30 x 12	4	60 x 228	BLLAR602284DGL2	5,800	2
Lastra square	27.75"H	18 x 18	2	42 x 120	BLLAS42120D2GL1	2,270	1
		18 x 18	3	42 x 192	BLLAS42192D3GL1	3,400	1
		18 x 18	2	42 x 120	BLLAS42120D2GL2	2,670	2
		18 x 18	3	42 x 192	BLLAS42192D3GL2	4,000	2
		24 x 24	2	48 x 132	BLLAS48132D2GL1	2,420	1
		24 x 24	3	48 x 204	BLLAS48204D3GL1	3,630	1
		24 x 24	2	48 x 132	BLLAS48132D2GL2	2,830	2
		24 x 24	3	48 x 204	BLLAS48204D3GL2	4,240	2
		30 x 30	2	60 x 144	BLLAS60144D2GL1	2,810	1
		30 x 30	3	60 x 216	BLLAS60216D3GL1	4,220	1
		30 x 30	2	60 x 144	BLLAS60144D2GL2	3,290	2
		30 x 30	3	60 x 216	BLLAS60216D3GL2	4,940	2




Lastra hinged access door option:
14.75"H hinged access door (1) for a seated height base,
model **# OBLASDH129** - $190 list each
*Lastra wire management mouse holes come on BOTH SIDES at the top / center of all bases in the set unless the base is specified with no wire management mouse holes, please indicate that you do not want mouse holes on one or both sides of the base in **bold face ALL CAPS** on your PO.

* Lastra rectangle and square interior base dimensions are 1.5" less than the "W x D" dimension listed above for each base
* the bottom of the Lastra base is open to the floor

bases
conference sets
Lastra

base		base dim.	qty	max top support	base set model no.	list	laminate grade
Lastra 6" rectangle	40.75"H	18 x 6	2	42 x 96	BLLAR420962HGL1	1,910	1
		18 x 6	3	42 x 144	BLLAR421443HGL1	2,870	1
		18 x 6	4	42 x 192	BLLAR421924HGL1	3,840	1
		18 x 6	2	42 x 96	BLLAR420962HGL2	2,260	2
		18 x 6	3	42 x 144	BLLAR421443HGL2	3,390	2
		18 x 6	4	42 x 192	BLLAR421924HGL2	4,510	2
		24 x 6	2	48 x 96	BLLAR480962HGL1	2,210	1
		24 x 6	3	48 x 144	BLLAR481443HGL1	3,130	1
		24 x 6	4	48 x 192	BLLAR481924HGL1	4,180	1
		24 x 6	2	48 x 96	BLLAR480962HGL2	2,440	2
		24 x 6	3	48 x 144	BLLAR481443HGL2	3,660	2
		24 x 6	4	48 x 192	BLLAR481924HGL2	4,880	2
		30 x 6	2	60 x 96	BLLAR600962HGL1	2,430	1
		30 x 6	3	60 x 144	BLLAR601443HGL1	3,650	1
		30 x 6	4	60 x 192	BLLAR601924HGL1	4,870	1
		30 x 6	2	60 x 96	BLLAR600962HGL2	2,850	2
		30 x 6	3	60 x 144	BLLAR601443HGL2	4,270	2
		30 x 6	4	60 x 192	BLLAR601924HGL2	5,690	2
Lastra 12" rectangle	40.75"H	18 x 12	2	42 x 108	BLLAR421082HGL1	2,260	1
		18 x 12	3	42 x 156	BLLAR421563HGL1	3,380	1
		18 x 12	4	42 x 228	BLLAR422284HGL1	4,500	1
		18 x 12	2	42 x 108	BLLAR421082HGL2	2,660	2
		18 x 12	3	42 x 156	BLLAR421563HGL2	3,990	2
		18 x 12	4	42 x 228	BLLAR422284HGL2	5,320	2
		24 x 12	2	48 x 108	BLLAR481082HGL1	2,660	1
		24 x 12	3	48 x 156	BLLAR481563HGL1	3,990	1
		24 x 12	4	48 x 228	BLLAR482284HGL1	5,320	1
		24 x 12	2	48 x 108	BLLAR481082HGL2	3,140	2
		24 x 12	3	48 x 156	BLLAR481563HGL2	4,720	2
		24 x 12	4	48 x 228	BLLAR482284HGL2	6,280	2
		30 x 12	2	60 x 108	BLLAR601082HGL1	3,400	1
		30 x 12	3	60 x 156	BLLAR601563HGL1	5,090	1
		30 x 12	4	60 x 228	BLLAR602284HGL1	6,800	1
		30 x 12	2	60 x 108	BLLAR601082HGL2	4,020	2
		30 x 12	3	60 x 156	BLLAR601563HGL2	6,030	2
		30 x 12	4	60 x 228	BLLAR602284HGL2	8,020	2
Lastra square	40.75"H	18 x 18	2	42 x 120	BLLAS42120H2GL1	2,520	1
		18 x 18	3	42 x 192	BLLAS42192H3GL1	3,780	1
		18 x 18	2	42 x 120	BLLAS42120H2GL2	2,970	2
		18 x 18	3	42 x 192	BLLAS42192H3GL2	4,450	2
		24 x 24	2	48 x 132	BLLAS48132H2GL1	2,630	1
		24 x 24	3	48 x 204	BLLAS48204H3GL1	3,950	1
		24 x 24	2	48 x 132	BLLAS48132H2GL2	3,090	2
		24 x 24	3	48 x 204	BLLAS48204H3GL2	4,630	2
		30 x 30	2	60 x 144	BLLAS60144H2GL1	3,280	1
		30 x 30	3	60 x 216	BLLAS60216H3GL1	4,920	1
		30 x 30	2	60 x 144	BLLAS60144H2GL2	3,850	2
		30 x 30	3	60 x 216	BLLAS60216H3GL2	5,780	2



Lastra hinged access door option:
15.75"H hinged access door (1) for a standing height base, model # OBLASDH142 - $210 list each

*Lastra wire management mouse holes come on BOTH SIDES at the top / center of all bases in the set unless the base is specified with no wire management mouse holes, please indicate that you do not want mouse holes on one or both sides of the base in **bold face ALL CAPS** on your PO.

* Lastra rectangle and square interior base dimensions are 1.5" less than the "W x D" dimension listed above for each base
* the bottom of the Lastra base is open to the floor

bases

conference sets


Tambo cylinder


base		base dim.	qty	max top support	base set model no.	list	laminate grade
Tambo cylinder	27.75"H	18	2	42 x 120	BLTAM42120D2GL1	2,240	1
		18	3	42 x 192	BLTAM42192D3GL1	3,380	1
		18	2	42 x 120	BLTAM42120D2GL2	2,440	2
		18	3	42 x 192	BLTAM42192D3GL2	3,690	2
		24	2	48 x 132	BLTAM48132D2GL1	2,960	1
		24	3	48 x 204	BLTAM48204D3GL1	4,430	1
		24	2	48 x 132	BLTAM48132D2GL2	3,220	2
		24	3	48 x 204	BLTAM48204D3GL2	4,840	2
		30	2	60 x 144	BLTAM60144D2GL1	3,510	1
		30	3	60 x 216	BLTAM60216D3GL1	5,250	1
		30	2	60 x 144	BLTAM60144D2GL2	3,820	2
		30	3	60 x 216	BLTAM60216D3GL2	5,730	2
	40.75"H	18	2	42 x 120	BLTAM42120H2GL1	2,650	1
		18	3	42 x 192	BLTAM42192H3GL1	3,980	1
		18	2	42 x 120	BLTAM42120H2GL2	2,880	2
		18	3	42 x 192	BLTAM42192H3GL2	4,330	2
		24	2	48 x 132	BLTAM48132H2GL1	3,480	1
		24	3	48 x 204	BLTAM48204H3GL1	5,210	1
		24	2	48 x 132	BLTAM48132H2GL2	3,800	2
		24	3	48 x 204	BLTAM48204H3GL2	5,690	2
		30	2	60 x 144	BLTAM60144H2GL1	4,130	1
		30	3	60 x 216	BLTAM60216H3GL1	6,180	1
		30	2	60 x 144	BLTAM60144H2GL2	4,490	2
		30	3	60 x 216	BLTAM60216H3GL2	6,730	2


Tambo laminate base options:
10 x 10 side hinged curved access door for a cylinder base, model # **OBLTAMWMD** - $830 list per door
50 LB ballast bag (14x24x3H plastic rip stop material bag filled with small pebbles/stones), model # **OBLTAMBAL** - $230 list per bag

* Tambo cylinder bases have 4 metal top plates to mount the base to the top, there is a 12" hole centered at the top of the base and a 9.5" hole centered at the bottom of the base. Tambo bases do not come with wire management mouse holes.


base		base length	qty	base model no.	list	laminate grade
6" under table media	27.75"H	36	1	AMW360628FUT1	1,430	1
		42	1	AMW420628FUT1	1,920	1
		48	1	AMW480628FUT1	1,970	1
		54	1	AMW540628FUT1	2,310	1
		60	1	AMW600628FUT1	2,360	1
		36	1	AMW360628FUT2	1,680	2
		42	1	AMW420628FUT2	2,270	2
		48	1	AMW480628FUT2	2,310	2
		54	1	AMW540628FUT2	2,710	2
		60	1	AMW600628FUT2	2,760	2
	34.75"H	36	1	AMW360635FUT1	1,820	1
		42	1	AMW420635FUT1	2,440	1
		48	1	AMW480635FUT1	2,480	1
		54	1	AMW540635FUT1	2,910	1
		60	1	AMW600635FUT1	2,950	1
		36	1	AMW360635FUT2	2,140	2
		42	1	AMW420635FUT2	2,870	2
		48	1	AMW480635FUT2	2,920	2
		54	1	AMW540635FUT2	3,420	2
		60	1	AMW600635FUT2	3,460	2
	40.75"H	36	1	AMW360641FUT1	2,300	1
		42	1	AMW420641FUT1	3,080	1
		48	1	AMW480641FUT1	3,120	1
		54	1	AMW540641FUT1	3,650	1
		60	1	AMW600641FUT1	3,690	1
		36	1	AMW360641FUT2	2,710	2
		42	1	AMW420641FUT2	3,630	2
		48	1	AMW480641FUT2	3,680	2
		54	1	AMW540641FUT2	4,300	2
		60	1	AMW600641FUT2	4,340	2








Please specify a back option:




SOLID BACK

model number **OMWSOBK - $0 list**



BACK WITH (1) GROMMET)

model number **OMWGR1BK - $30 list**





BACK WITH (1) CUTOUT


model number **OMWCO1BK - $50 list**

*Note that top will be modified to fit the base if it is a tapering top. The wall end of the top will be 6" rectangle and then the top will start to taper.


base		base length	qty	base model no.	list	laminate grade
12" under table media	27.75"H	36	1	AMW361228FUT1	1,530	1
		42	1	AMW421228FUT1	2,110	1
		48	1	AMW481228FUT1	2,150	1
		54	1	AMW541228FUT1	2,580	1
		60	1	AMW601228FUT1	2,630	1
		36	1	AMW361228FUT2	1,810	2
		42	1	AMW421228FUT2	2,490	2
		48	1	AMW481228FUT2	2,530	2
		54	1	AMW541228FUT2	3,040	2
		60	1	AMW601228FUT2	3,090	2
	34.75"H	36	1	AMW361235FUT1	1,950	1
		42	1	AMW421235FUT1	2,670	1
		48	1	AMW481235FUT1	2,720	1
		54	1	AMW541235FUT1	3,250	1
		60	1	AMW601235FUT1	3,300	1
		36	1	AMW361235FUT2	2,300	2
		42	1	AMW421235FUT2	3,150	2
		48	1	AMW481235FUT2	3,200	2
		54	1	AMW541235FUT2	3,830	2
		60	1	AMW601235FUT2	3,880	2
	40.75"H	36	1	AMW361241FUT1	2,470	1
		42	1	AMW421241FUT1	3,370	1
		48	1	AMW481241FUT1	3,420	1
		54	1	AMW541241FUT1	4,090	1
		60	1	AMW601241FUT1	4,130	1
		36	1	AMW361241FUT2	2,910	2
		42	1	AMW421241FUT2	3,990	2
		48	1	AMW481241FUT2	4,040	2
		54	1	AMW541241FUT2	4,820	2
		60	1	AMW601241FUT2	4,870	2








Please specify a back option:




SOLID BACK

model number **OMWSOBK - $0 list**



BACK WITH (1) GROMMET)

model number **OMWGR1BK - $30 list**




BACK WITH (1) CUTOUT

model number **OMWCO1BK - $50 list**


*Note that top will be modified to fit the base if it is a tapering top. The wall end of the top will be 6" rectangle and then the top will start to taper.

Media Wall
6” deep


media wall		wall length	qty	wall model no.	list	laminate grade
6" deep media wall	72"H	36	1	AMW360672FWM1	2,800	1
		42	1	AMW420672FWM1	3,400	1
		48	1	AMW480672FWM1	3,490	1
		54	1	AMW540672FWM1	4,160	1
		60	1	AMW600672FWM1	4,250	1
		36	1	AMW360672FWM2	3,230	2
		42	1	AMW420672FWM2	3,930	2
		48	1	AMW480672FWM2	4,020	2
		54	1	AMW540672FWM2	4,780	2
		60	1	AMW600672FWM2	4,870	2
	84"H	36	1	AMW360684FWM1	3,350	1
		42	1	AMW420684FWM1	4,070	1
		48	1	AMW480684FWM1	4,160	1
		54	1	AMW540684FWM1	5,110	1
		60	1	AMW600684FWM1	5,210	1
		36	1	AMW360684FWM2	3,880	2
		42	1	AMW420684FWM2	4,720	2
		48	1	AMW480684FWM2	4,820	2
		54	1	AMW540684FWM2	5,910	2
		60	1	AMW600684FWM2	6,000	2



SEATED HEIGHT MEDIA WALL FRONT




STANDING HEIGHT MEDIA WALL FRONT



Vesa Mount
60 lb. weight capacity
holds screens 32" - 60"
black finish




Please specify a back option:




SOLID BACK

model number **OMWSOBK - $0 list**



BACK WITH GROMMETS UPPER/LOWER

model number **OMWGR2BK - $70 list**




BACK WITH CUTOUT


model number **OMWCO1BK - $60 list**

Media Wall
12” deep


media wall		wall length	qty	wall model no.	list	laminate grade
12" deep media wall	72"H	36	1	AMW361272FWM1	3,870	1
		42	1	AMW421272FWM1	4,730	1
		48	1	AMW481272FWM1	4,820	1
		54	1	AMW541272FWM1	5,710	1
		60	1	AMW601272FWM1	5,800	1
		36	1	AMW361272FWM2	4,520	2
		42	1	AMW421272FWM2	5,520	2
		48	1	AMW481272FWM2	5,620	2
		54	1	AMW541272FWM2	6,640	2
		60	1	AMW601272FWM2	6,730	2
	84"H	36	1	AMW361284FWM1	4,680	1
		42	1	AMW421284FWM1	5,710	1
		48	1	AMW481284FWM1	5,800	1
		54	1	AMW541284FWM1	7,110	1
		60	1	AMW601284FWM1	7,200	1
		36	1	AMW361284FWM2	5,480	2
		42	1	AMW421284FWM2	6,690	2
		48	1	AMW481284FWM2	6,780	2
		54	1	AMW541284FWM2	8,310	2
		60	1	AMW601284FWM2	8,400	2



SEATED HEIGHT MEDIA WALL FRONT





STANDING HEIGHT MEDIA WALL FRONT



Vesa Mount
60 lb. weight capacity
holds screens 32" - 60"
black finish







bases

metal single base to use at the other end of a table with a under table media base or media wall

base		base dim.	qty	top depth	max top length when used with media wall	single base model no.	list	finish
Keller single column T	27.75"H	26 x 27.75H	1	36	72	BTKEL36000SDGME	480	standard metal
		33 x 27.75H	1	42	72	BTKEL42000SDGME	570	standard metal
		38 x 27.75H	1	48	72	BTKEL48000SDGME	650	standard metal
		26 x 27.75H	1	36	72	BTKEL36000SDGPO	910	polished
		33 x 27.75H	1	42	72	BTKEL42000SDGPO	1,000	polished
		38 x 27.75H	1	48	72	BTKEL48000SDGPO	1,080	polished
	custom higher height	26	1	36	72	BTKEL36000SHGME	580	standard metal
	(specify height)	33	1	42	72	BTKEL42000SHGME	670	standard metal
		38	1	48	72	BTKEL48000SHGME	740	standard metal
		26	1	36	72	BTKEL36000SHGPO	1,120	polished
		33	1	42	72	BTKEL42000SHGPO	1,210	polished
		38	1	48	72	BTKEL48000SHGPO	1,280	polished
Keller double column T	27.75"H	34 x 27.75H	1	48	72	BTKEL480002DGME	620	standard metal
		40 x 27.75H	1	60	72	BTKEL600002DGME	670	standard metal
		34 x 27.75H	1	48	72	BTKEL480002DGPO	1,400	polished
		40 x 27.75H	1	60	72	BTKEL600002DGPO	1,450	polished
	custom higher height	34	1	48	72	BTKEL480002HGME	790	standard metal
	(specify height)	40	1	60	72	BTKEL600002HGME	840	standard metal
		34	1	48	72	BTKEL480002HGPO	1,800	polished
		40	1	60	72	BTKEL600002HGPO	1,850	polished
Ria single column T	27.75"H	26 x 27.75H	1	36	72	BTRIA36000SDGME	360	standard metal
		33 x 27.75H	1	42	72	BTRIA42000SDGME	380	standard metal
		38 x 27.75H	1	48	72	BTRIA48000SDGME	430	standard metal
		26 x 27.75H	1	36	72	BTRIA36000SDGPO	790	polished
		33 x 27.75H	1	42	72	BTRIA42000SDGPO	810	polished
		38 x 27.75H	1	48	72	BTRIA48000SDGPO	860	polished
	custom higher height	26	1	36	72	BTRIA36000SHGME	460	standard metal
	(specify height)	33	1	42	72	BTRIA42000SHGME	480	standard metal
		38	1	48	72	BTRIA48000SHGME	530	standard metal
		26	1	36	72	BTRIA36000SHGPO	1,000	polished
		33	1	42	72	BTRIA42000SHGPO	1,020	polished
		38	1	48	72	BTRIA48000SHGPO	1,070	polished
Ria double column T	27.75"H	34 x 27.75H	1	48	72	BTRIA480002DGME	600	standard metal
		40 x 27.75H	1	60	72	BTRIA600002DGME	640	standard metal
		34 x 27.75H	1	48	72	BTRIA480002DGPO	1,380	polished
		40 x 27.75H	1	60	72	BTRIA600002DGPO	1,420	polished
	custom higher height	34	1	48	72	BTRIA480002HGME	750	standard metal
	(specify height)	40	1	60	72	BTRIA600002HGME	790	standard metal
		34	1	48	72	BTRIA480002HGPO	1,760	polished
		40	1	60	72	BTRIA600002HGPO	1,800	polished

(ME) Standard metal powder coat finishes :
Flat Black (FB), Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT), Metallic Silver (MS).

(PO) polished aluminum / chrome finish option (Ria or Keller)

bases

metal single base to use at the other end of a table with a under table media base or media wall

base		base dim.	qty	top depth	max top length when used with media wall	single base model no.	list	finish
Bassa rectangular frame								
	solid metal panel	18 x 6 x 27.75	1	36	72	BFBAS36000REGSM	2,050	standard metal
		24 x 6 x 27.75	1	48	72	BFBAS48000REGSM	2,120	standard metal
		34 x 6 x 27.75	1	60	72	BFBAS60000REGSM	2,320	standard metal
	perforated metal panel	18 x 6 x 27.75	1	36	72	BFBAS36000REGPM	2,060	standard metal
		24 x 6 x 27.75	1	48	72	BFBAS48000REGPM	2,140	standard metal
		34 x 6 x 27.75	1	60	72	BFBAS60000REGPM	2,330	standard metal
	laminate panel (*Bassa grade 1)	18 x 6 x 27.75	1	36	72	BFBAS36000REGL1	2,280	standard metal
		24 x 6 x 27.75	1	48	72	BFBAS48000REGL1	2,480	standard metal
		34 x 6 x 27.75	1	60	72	BFBAS60000REGL1	2,790	standard metal
	laminate panel (*Bassa grade 2)	18 x 6 x 27.75	1	36	72	BFBAS36000REGL2	2,390	standard metal
		24 x 6 x 27.75	1	48	72	BFBAS48000REGL2	2,580	standard metal
		34 x 6 x 27.75	1	60	72	BFBAS60000REGL2	2,890	standard metal
Bassa curved frame								
	solid metal panel	20 x 6 x 27.75	1	36	72	BFBAS36000CUGSM	2,050	standard metal
		26 x 6 x 27.75	1	48	72	BFBAS48000CUGSM	2,120	standard metal
		36 x 6 x 27.75	1	60	72	BFBAS60000CUGSM	2,320	standard metal
	perforated metal panel	20 x 6 x 27.75	1	36	72	BFBAS36000CUGPM	2,060	standard metal
		26 x 6 x 27.75	1	48	72	BFBAS48000CUGPM	2,140	standard metal
		36 x 6 x 27.75	1	60	72	BFBAS60000CUGPM	2,330	standard metal
	laminate panel (*Bassa grade 1)	20 x 6 x 27.75	1	36	72	BFBAS36000CUGL1	2,280	standard metal
		26 x 6 x 27.75	1	48	72	BFBAS48000CUGL1	2,410	standard metal
		36 x 6 x 27.75	1	60	72	BFBAS60000CUGL1	2,970	standard metal
	laminate panel (*Bassa grade 2)	20 x 6 x 27.75	1	36	72	BFBAS36000CUGL2	2,390	standard metal
		26 x 6 x 27.75	1	48	72	BFBAS48000CUGL2	2,510	standard metal
		36 x 6 x 27.75	1	60	72	BFBAS60000CUGL2	3,070	standard metal
Moto 3" single column T	27.75"H	26 x 27.75H	1	36	72	BTMOT36000SDGME	450	standard metal
	custom higher height (specify height)	26	1	36	72	BTMOT36000SHGME	550	standard metal
Moto 3" double column T	27.75"H	26 x 27.75H	1	36	72	BTMOT360002DGME	630	standard metal
		32 x 27,75H	1	42	72	BTMOT420002DGME	660	standard metal
		36 x 27.75H	1	48	72	BTMOT480002DGME	720	standard metal
	custom higher height (specify height)	26	1	36	72	BTMOT360002HGME	830	standard metal
		32	1	42	72	BTMOT420002HGME	860	standard metal
		36	1	48	72	BTMOT480002HGME	920	standard metal
Zoey single column T	27.75"H	27 x 27.75H	1	36	72	BTZOE36000SDGME	320	standard metal
		33 x 27.75H	1	42	72	BTZOE42000SDGME	340	standard metal
Zoey double column T	27.75"H	38 x 27,75H	1	48	72	BTZOE480002DGME	650	standard metal
		47 x 27.75H	1	60	72	BTZOE600002DGME	720	standard metal

***Bassa Laminates are graded differently than other Symphony laminate products**

Bassa grade 1 laminates (L1) include Wilsonart Fusion Maple 7909-60, Wild Cherry 7054-60, and Solar Oak 7816-60

Bassa grade 2 laminates (L2) include Wilsonart Empire Mahogany 7122-07, Figured Mahogany 7040-78, Colombian Walnut 7943-07, and Brighton Walnut 7922-07

Please email service@symphonytablse.com for pricing on all other laminates not listed here.


(ME) Standard metal powder coat finishes (Bassa)
Flat Black (FB), Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT), Metallic Silver (MS).

bases

single laminate conference or media base

Lastra

base		base dim. W x D x H	qty	top depth	max top length when used with media wall	single base model no.	list	laminate grade
Lastra 6" rectangle	27.75"H	18 x 6 x 27.75	1	42	72	BLLAR4206D1GL1	790	1
		24 x 6 x 27.75	1	48	72	BLLAR4806D1GL1	900	1
		30 x 6 x 27.75	1	60	72	BLLAR6006D1GL1	1,060	1
		18 x 6 x 27.75	1	42	72	BLLAR4206D1GL2	910	2
		24 x 6 x 27.75	1	48	72	BLLAR4806D1GL2	1,050	2
		30 x 6 x 27.75	1	60	72	BLLAR6006D1GL2	1,230	2
	40.75"H	18 x 6 x 40.75	1	42	72	BLLAR4206H1GL1	960	1
		24 x 6 x 40.75	1	48	72	BLLAR4806H1GL1	1,100	1
		30 x 6 x 40.75	1	60	72	BLLAR6006H1GL1	1,220	1
		18 x 6 x 40.75	1	42	72	BLLAR4206H1GL2	1,130	2
		24 x 6 x 40.75	1	48	72	BLLAR4806H1GL2	1,220	2
		30 x 6 x 40.75	1	60	72	BLLAR6006H1GL2	1,420	2
Lastra 12" rectangle	27.75"H	18 x 12 x 27.75	1	42	84	BLLAR4212D1GL1	960	1
		24 x 12 x 27.75	1	48	84	BLLAR4812D1GL1	1,070	1
		30 x 12 x 27.75	1	60	84	BLLAR6012D1GL1	1,240	1
		18 x 12 x 27.75	1	42	84	BLLAR4212D1GL2	1,120	2
		24 x 12 x 27.75	1	48	84	BLLAR4812D1GL2	1,260	2
		30 x 12 x 27.75	1	60	84	BLLAR6012D1GL2	1,450	2
	40.75"H	18 x 12 x 40.75	1	42	84	BLLAR4212H1GL1	1,130	1
		24 x 12 x 40.75	1	48	84	BLLAR4812H1GL1	1,330	1
		30 x 12 x 40.75	1	60	84	BLLAR6012H1GL1	1,690	1
		18 x 12 x 40.75	1	42	84	BLLAR4212H1GL2	1,330	2
		24 x 12 x 40.75	1	48	84	BLLAR4812H1GL2	1,570	2
		30 x 12 x 40.75	1	60	84	BLLAR6012H1GL2	2,010	2
Lastra square	27.75"H	18 x 18 x 27.75	1	36	84	BLLAS36036D1GL1	1,160	1
		20 x 20 x 27.75	1	42	84	BLLAS42042D1GL1	1,180	1
		24 x 24 x 27.75	1	48	90	BLLAS48048D1GL1	1,210	1
		30 x 30 x 27.75	1	54	96	BLLAS54054D1GL1	1,410	1
		36 x 36 x 27.75	1	60	102	BLLAS60060D1GL1	1,600	1
		18 x 18 x 27.75	1	36	72	BLLAS36036D1GL2	1,350	2
		20 x 20 x 27.75	1	42	84	BLLAS42042D1GL2	1,380	2
		24 x 24 x 27.75	1	48	90	BLLAS48048D1GL2	1,420	2
		30 x 30 x 27.75	1	54	96	BLLAS54054D1GL2	1,650	2
		36 x 36 x 27.75	1	60	102	BLLAS60060D1GL2	1,870	2
	40.75"H	18 x 18 x 40.75	1	30	72	BLLAS30030H1GL1	1,260	1
		20 x 20 x 40.75	1	36	72	BLLAS36036H1GL1	1,300	1
		24 x 24 x 40.75	1	42	78	BLLAS42042H1GL1	1,320	1
		30 x 30 x 40.75	1	48	84	BLLAS48048H1GL1	1,640	1
		36 x 36 x 40.75	1	54	90	BLLAS54054H1GL1	1,930	1
		18 x 18 x 40.75	1	30	72	BLLAS30030H1GL2	1,490	2
		20 x 20 x 40.75	1	36	72	BLLAS36036H1GL2	1,520	2
		24 x 24 x 40.75	1	42	78	BLLAS42042H1GL2	1,540	2
		30 x 30 x 40.75	1	48	84	BLLAS48048H1GL2	1,930	2
		36 x 36 x 40.75	1	54	90	BLLAS54054H1GL2	2,270	2



Lastra hinged access door option:
14.75"H hinged access door (1) for a seated height base, model **# OBLASDH129** - $190 list each
15.75"H hinged access door (1) for a standing height base, model # **OBLASDH142** - $210 list each

Lastra wire management mouse holes come on BOTH SIDES at the top / center of all bases in the set unless the base is specified with no wire management mouse holes, please indicate that you do not want mouse holes on one or both sides of the base in **bold face ALL CAPS** on your PO.

* Lastra rectangle and square interior base dimensions are 1.5" less than the "W x D" dimension listed for each base
** the bottom of the Lastra base is open to the floor

bases

single laminate conference or media base

Tambo

T base		base dim. W x D x H	qty	top depth	max top length when used with media wall	single base model no.	list	laminate grade
Tambo cylinder	27.75"H	18 dia. x 27.75	1	36	84	BLTAM36036D1GL1	1,130	1
		20 dia. x 27.75	1	42	84	BLTAM42042D1GL1	1,340	1
		24 dia. x 27.75	1	48	90	BLTAM48048D1GL1	1,470	1
		30 dia. x 27.75	1	54	96	BLTAM54054D1GL1	1,750	1
		36 dia. x 27.75	1	60	102	BLTAM60060D1GL1	2,330	1
		18 dia. x 27.75	1	36	84	BLTAM36036D1GL2	1,220	2
		20 dia. x 27.75	1	42	84	BLTAM42042D1GL2	1,460	2
		24 dia. x 27.75	1	48	90	BLTAM48048D1GL2	1,620	2
		30 dia. x 27.75	1	54	96	BLTAM54054D1GL2	1,910	2
		36 dia. x 27.75	1	60	102	BLTAM60060D1GL2	2,540	2
	40.75"H	18 dia. x 40.75	1	30	72	BLTAM30030H1GL1	1,330	1
		20 dia. x 40.75	1	36	72	BLTAM36036H1GL1	1,570	1
		24 dia. x 40.75	1	42	78	BLTAM42042H1GL1	1,740	1
		30 dia. x 40.75	1	48	84	BLTAM48048H1GL1	2,060	1
		36 dia. x 40.75	1	54	90	BLTAM54054H1GL1	2,730	1
		18 dia. x 40.75	1	30	72	BLTAM30030H1GL2	1,450	2
		20 dia. x 40.75	1	36	72	BLTAM36036H1GL2	1,730	2
		24 dia. x 40.75	1	42	78	BLTAM42042H1GL2	1,900	2
		30 dia. x 40.75	1	48	84	BLTAM48048H1GL2	2,240	2
		36 dia. x 40.75	1	54	90	BLTAM54054H1GL2	2,980	2

Tambo laminate base options:
10 x 10 side hinged curved access door for a cylinder base, model # **OBLTAMWMD** - $830 list per door
50 LB ballast bag (14x24x3H plastic rip stop material bag filled with small pebbles/stones), model # **OBLTAMBAL** - $230 list per bag

* Tambo cylinder bases have 4 metal top plates to mount the base to the top, there is a 12" hole centered at the top of the base and a 9.5" hole centered at the bottom of the base. Tambo bases do not come with wire management mouse holes.

bases

media, fixed and flip nest V

Keller

base	base dim.	max top support	base qty	base set model no.	list	glide/caster	finish
Keller media base with perforated metal panels							
27.75"H	51 x 51	48 x 60, 54 sq, 60 rd	1	BMKEL540544DGME	3,010	adj glides	standard metal
	56 x 56	60 x 72, 60 sq, 72 rd	1	BMKEL600604DGME	3,050	adj glides	standard metal
40.75"H	51 x 51	48 x 60, 54 sq, 60 rd	1	BMKEL540544BGME	3,560	adj glides	standard metal
	56 x 56	60 x 72, 60 sq, 72 rd	1	BMKEL600604BGME	3,600	adj glides	standard metal
Keller fixed V base set (no stretcher)							
27.75"H	17.5	24 x 60	2	BVKEL24060SDGME	760	adj glides	standard metal
	23	30 x 60	2	BVKEL30060SDGME	790	adj glides	standard metal
	17.5	24 x 60	2	BVKEL24060SDCME	860	2" black hard casters	standard metal
	23	30 x 60	2	BVKEL30060SDCME	890	2" black hard casters	standard metal
	17.5	24 x 60	2	BVKEL24060SDSME	900	2" black soft casters	standard metal
	23	30 x 60	2	BVKEL30060SDSME	930	2" black soft casters	standard metal
	17.5	24 x 60	2	BVKEL24060SDGPO	1,610	adj glides	polished
*only available on tops up to 30 x 60	23	30 x 60	2	BVKEL30060SDGPO	1,640	adj glides	polished
	17.5	24 x 60	2	BVKEL24060SDCPO	1,710	2" black hard casters	polished
	23	30 x 60	2	BVKEL30060SDCPO	1,740	2" black hard casters	polished
	17.5	24 x 60	2	BVKEL24060SDSPO	1,750	2" black soft casters	polished
	23	30 x 60	2	BVKEL30060SDSPO	1,780	2" black soft casters	polished
Keller flip nest V base set (no stretcher)							
27.75"H	17.5	24 x 60	2	BVKEL24060NEGME	1,250	adj glides	standard metal
	23	30 x 60	2	BVKEL30060NEGME	1,300	adj glides	standard metal
	17.5	24 x 60	2	BVKEL24060NECME	1,350	2" black hard casters	standard metal
	23	30 x 60	2	BVKEL30060NECME	1,400	2" black hard casters	standard metal
	17.5	24 x 60	2	BVKEL24060NESME	1,390	2" black soft casters	standard metal
	23	30 x 60	2	BVKEL30060NESME	1,440	2" black soft casters	standard metal
	17.5	24 x 60	2	BVKEL24060NEGPO	2,100	adj glides	polished
*only available on tops up to 30 x 60	23	30 x 60	2	BVKEL30060NEGPO	2,150	adj glides	polished
	17.5	24 x 60	2	BVKEL24060NECPO	2,200	2" black hard casters	polished
	23	30 x 60	2	BVKEL30060NECPO	2,250	2" black hard casters	polished
	17.5	24 x 60	2	BVKEL24060NESPO	2,240	2" black soft casters	polished
	23	30 x 60	2	BVKEL30060NESPO	2,290	2" black soft casters	polished

C casters
2" black dual wheel locking hard casters (for carpet)

S casters
2" black dual wheel locking soft casters (for hard floors)

Standard metal powder coat finishes (ME)
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone and Metallic Silver

Premium Polished Finishes (PO)
polished aluminum/steel
*polished finish is not available for Keller or Ria Media bases with perforated metal panels

The Keller & Ria Media bases feature a 10.5 x 10.5 " enclosure with the perforated metal panels.

Media Table Wall Support Bracket

Shall be used in peninsula applications for top sizes up to 48 x 60 for the 51 x 51 base or tops up to 60 x 72 with the 56 x 56 inch Ria or Keller Media base. Wall bracket must be secured to the wall studs with 5/16 diameter screws, dealer/installer shall provide the hardware.
Finish is Furniture White

Use the 33-7/8" long bracket for tops that are 42" - 48" where the top connects to the wall,
model **#OBMWB48, $350 list each**

Use the 50" long bracket for tops that are 54" - 60" where the top connects to the wall,
model **#OBMWB60, $450 list each**

base	base dim.	max top support	base qty	base set model no.	list	glide/caster	finish
Ria media base with perforated metal panels							
27.75"H	51 x 51	48 x 60, 54 sq, 60 rd	1	BMRIA540544DGME	2,970	adj glides	standard metal
	56 x 56	60 x 72, 60 sq, 72 rd	1	BMRIA600604DGME	3,010	adj glides	standard metal
40.75"H	51 x 51	48 x 60, 54 sq, 60 rd	1	BMRIA540544BGME	3,520	adj glides	standard metal
	56 x 56	60 x 72, 60 sq, 72 rd	1	BMRIA600604BGME	3,560	adj glides	standard metal
Ria fixed V base set (no stretcher)							
27.75"H	17.5	24 x 60	2	BVRIA24060SDGME	690	adj glides	standard metal
	23	30 x 60	2	BVRIA30060SDGME	730	adj glides	standard metal
	17.5	24 x 60	2	BVRIA24060SDCME	790	2" black hard casters	standard metal
	23	30 x 60	2	BVRIA30060SDCME	830	2" black hard casters	standard metal
	17.5	24 x 60	2	BVRIA24060SDSME	830	2" black soft casters	standard metal
	23	30 x 60	2	BVRIA30060SDSME	870	2" black soft casters	standard metal
	17.5	24 x 60	2	BVRIA24060SDGPO	1,540	adj glides	polished
*only available on tops up to 30 x 60	23	30 x 60	2	BVRIA30060SDGPO	1,580	adj glides	polished
	17.5	24 x 60	2	BVRIA24060SDCPO	1,640	2" black hard casters	polished
	23	30 x 60	2	BVRIA30060SDCPO	1,680	2" black hard casters	polished
	17.5	24 x 60	2	BVRIA24060SDSPO	1,680	2" black soft casters	polished
	23	30 x 60	2	BVRIA30060SDSPO	1,720	2" black soft casters	polished
Ria flip nest V base set (no stretcher)							
27.75"H	17.5	24 x 60	2	BVRIA24060NEGME	1,210	adj glides	standard metal
	23	30 x 60	2	BVRIA30060NEGME	1,270	adj glides	standard metal
	17.5	24 x 60	2	BVRIA24060NECME	1,310	2" black hard casters	standard metal
	23	30 x 60	2	BVRIA30060NECME	1,370	2" black hard casters	standard metal
	17.5	24 x 60	2	BVRIA24060NESME	1,350	2" black soft casters	standard metal
	23	30 x 60	2	BVRIA30060NESME	1,410	2" black soft casters	standard metal
	17.5	24 x 60	2	BVRIA24060NEGPO	2,060	adj glides	polished
	23	30 x 60	2	BVRIA30060NEGPO	2,120	adj glides	polished
*only available on tops up to 30 x 60	17.5	24 x 60	2	BVRIA24060NECPO	2,160	2" black hard casters	polished
	23	30 x 60	2	BVRIA30060NECPO	2,220	2" black hard casters	polished
	17.5	24 x 60	2	BVRIA24060NESPO	2,200	2" black soft casters	polished
	23	30 x 60	2	BVRIA30060NESPO	2,260	2" black soft casters	polished

C casters
2" black dual wheel locking hard casters (for carpet)

S casters
2" black dual wheel locking soft casters (for hard floors)

Standard metal powder coat finishes (ME)
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone and Metallic Silver

Premium Polished Finishes (PO)
polished aluminum/steel
*polished finish is not available for Keller or Ria Media bases with perforated metal panels

The Keller & Ria Media bases feature a 10.5 x 10.5 " enclosure with the perforated metal panels.

Media Table Wall Support Bracket

Shall be used in peninsula applications for top sizes up to 48 x 60 for the 51 x 51 base or tops up to 60 x 72 with the 56 x 56 inch Ria or Keller Media base. Wall bracket must be secured to the wall studs with 5/16 diameter screws, dealer/installer shall provide the hardware.
Finish is Furniture White

Use the 33-7/8" long bracket for tops that are 42" - 48" where the top connects to the wall,
model **#OBMWB48, $350 list each**

Use the 50" long bracket for tops that are 54" - 60" where the top connects to the wall,
model **#OBMWB60, $450 list each**

Keller Y with stretcher

For complete model number:
1. Insert height selection :
D dining height 27.75"H- see below chart for pricing
H custom higher height (specify height) - see below chart for pricing
L custom lower height (specify height) - see below chart for pricing

base	base qty + dim.	stretcher	max top support	base set model no.	D dining height list	H custom taller ht or L custom lower ht	glides or casters	finish
Keller Y with stretcher for use with a rectangular top								
	(2) 17.5	(1) 40	24 x 60	BYKEL224060S _ G ME	1,070	1,270	adj glides	standard metal
	(2) 23	(1) 40	30 x 60	BYKEL230060S _ G ME	1,100	1,300	adj glides	standard metal
	(2) 29	(1) 34	36 x 60	BYKEL236060S _ G ME	1,260	1,460	adj glides	standard metal
	(2) 33.5	(1) 34	48 x 60	BYKEL248060S _ G ME	1,410	1,610	adj glides	standard metal
	(2) 17.5	(1) 50	24 x 72	BYKEL224072S _ G ME	1,110	1,310	adj glides	standard metal
	(2) 23	(1) 50	30 x 72	BYKEL230072S _ G ME	1,140	1,340	adj glides	standard metal
	(2) 29	(1) 40	36 x 72	BYKEL236072S _ G ME	1,280	1,480	adj glides	standard metal
	(2) 33.5	(1) 40	48 x 72	BYKEL248072S _ G ME	1,420	1,620	adj glides	standard metal
	(2) 29	(1) 50	36 x 84	BYKEL236084S _ G ME	1,340	1,540	adj glides	standard metal
	(2) 33.5	(1) 50	48 x 84	BYKEL248084S _ G ME	1,490	1,690	adj glides	standard metal
	(2) 29	(1) 58	36 x 96	BYKEL236096S _ G ME	1,380	1,580	adj glides	standard metal
	(2) 33.5	(1) 58	48 x 96	BYKEL248096S _ G ME	1,520	1,720	adj glides	standard metal
	(2) 17.5	(1) 40	24 x 60	BYKEL224060S _ C ME	1,170	1,370	2" black hard casters	standard metal
	(2) 23	(1) 40	30 x 60	BYKEL230060S _ C ME	1,200	1,400	2" black hard casters	standard metal
	(2) 29	(1) 34	36 x 60	BYKEL236060S _ C ME	1,360	1,560	2" black hard casters	standard metal
	(2) 33.5	(1) 34	48 x 60	BYKEL248060S _ C ME	1,510	1,710	2" black hard casters	standard metal
	(2) 17.5	(1) 50	24 x 72	BYKEL224072S _ C ME	1,210	1,410	2" black hard casters	standard metal
	(2) 23	(1) 50	30 x 72	BYKEL230072S _ C ME	1,240	1,440	2" black hard casters	standard metal
	(2) 29	(1) 40	36 x 72	BYKEL236072S _ C ME	1,380	1,580	2" black hard casters	standard metal
	(2) 33.5	(1) 40	48 x 72	BYKEL248072S _ C ME	1,520	1,720	2" black hard casters	standard metal
	(2) 29	(1) 50	36 x 84	BYKEL236084S _ C ME	1,440	1,640	2" black hard casters	standard metal
	(2) 33.5	(1) 50	48 x 84	BYKEL248084S _ C ME	1,590	1,790	2" black hard casters	standard metal
	(2) 29	(1) 58	36 x 96	BYKEL236096S _ C ME	1,480	1,680	2" black hard casters	standard metal
	(2) 33.5	(1) 58	48 x 96	BYKEL248096S _ C ME	1,620	1,820	2" black hard casters	standard metal
	(2) 17.5	(1) 40	24 x 60	BYKEL224060S _ S ME	1,210	1,410	2" black soft casters	standard metal
	(2) 23	(1) 40	30 x 60	BYKEL230060S _ S ME	1,240	1,440	2" black soft casters	standard metal
	(2) 29	(1) 34	36 x 60	BYKEL236060S _ S ME	1,400	1,600	2" black soft casters	standard metal
	(2) 33.5	(1) 34	48 x 60	BYKEL248060S _ S ME	1,550	1,750	2" black soft casters	standard metal
	(2) 17.5	(1) 50	24 x 72	BYKEL224072S _ S ME	1,250	1,450	2" black soft casters	standard metal
	(2) 23	(1) 50	30 x 72	BYKEL230072S _ S ME	1,280	1,480	2" black soft casters	standard metal
	(2) 29	(1) 40	36 x 72	BYKEL236072S _ S ME	1,420	1,620	2" black soft casters	standard metal
	(2) 33.5	(1) 40	48 x 72	BYKEL248072S _ S ME	1,560	1,760	2" black soft casters	standard metal
	(2) 29	(1) 50	36 x 84	BYKEL236084S _ S ME	1,480	1,680	2" black soft casters	standard metal
	(2) 33.5	(1) 50	48 x 84	BYKEL248084S _ S ME	1,630	1,830	2" black soft casters	standard metal
	(2) 29	(1) 58	36 x 96	BYKEL236096S _ S ME	1,520	1,720	2" black soft casters	standard metal
	(2) 33.5	(1) 58	48 x 96	BYKEL248096S _ S ME	1,660	1,860	2" black soft casters	standard metal
Keller Y with stretcher for use with a boat, half arced rectangle, half boat, bullet or racetrack top								
	(2) 33.5	(1) 34	48 x 72	BYKEL348072S _ G ME	1,410	1,610	adj glides	standard metal
	(2) 33.5	(1) 40	48 x 84	BYKEL348084S _ G ME	1,450	1,650	adj glides	standard metal
	(2) 33.5	(1) 50	48 x 96	BYKEL348096S _ G ME	1,490	1,690	adj glides	standard metal
	(2) 33.5	(1) 34	48 x 72	BYKEL348072S _ C ME	1,510	1,710	2" black hard casters	standard metal
	(2) 33.5	(1) 40	48 x 84	BYKEL348084S _ C ME	1,550	1,750	2" black hard casters	standard metal
	(2) 33.5	(1) 50	48 x 96	BYKEL348096S _ C ME	1,590	1,790	2" black hard casters	standard metal
	(2) 33.5	(1) 34	48 x 72	BYKEL348072S _ S ME	1,550	1,750	2" black soft casters	standard metal
	(2) 33.5	(1) 40	48 x 84	BYKEL348084S _ S ME	1,590	1,790	2" black soft casters	standard metal
	(2) 33.5	(1) 50	48 x 96	BYKEL348096S _ S ME	1,630	1,830	2" black soft casters	standard metal
Keller Y with stretcher for use with an oval top								
	(2) 33.5	(1) 34	48 x 84	BYKEL448084S _ G ME	1,410	1,610	adj glides	standard metal
	(2) 33.5	(1) 40	48 x 96	BYKEL448096S _ G ME	1,450	1,650	adj glides	standard metal
	(2) 33.5	(1) 34	48 x 84	BYKEL448084S _ C ME	1,510	1,710	2" black hard casters	standard metal
	(2) 33.5	(1) 40	48 x 96	BYKEL448096S _ C ME	1,550	1,750	2" black hard casters	standard metal
	(2) 33.5	(1) 34	48 x 84	BYKEL448084S _ S ME	1,550	1,750	2" black soft casters	standard metal
	(2) 33.5	(1) 40	48 x 96	BYKEL448096S _ S ME	1,590	1,790	2" black soft casters	standard metal



C casters
2" black dual wheel locking hard casters (for carpet)

S casters
2" black dual wheel locking soft casters (for hard floors)

Standard metal powder coat finishes (ME)
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone and Metallic Silver

Premium Polished Finishes (PO)
polished aluminum/steel

Keller Y base with stretcher

For complete model number:
1. Insert height selection :
D dining height 27.75"H- see below chart for pricing
H custom higher height (specify height) - see below chart for pricing
L custom lower height (specify height) - see below chart for pricing

base	base qty + dim.	stretcher	max top support	base set model no.	D dining height list	H custom taller ht or L custom lower ht	glides or casters	finish
Keller Y with stretcher for use with a rectangular top								
	(2) 17.5	(1) 40	24 x 60	BYKEL224060S _ G PO	2,110	2,540	adj glides	polished
	(2) 23	(1) 40	30 x 60	BYKEL230060S _ G PO	2,140	2,570	adj glides	polished
	(2) 29	(1) 34	36 x 60	BYKEL236060S _ G PO	2,300	2,730	adj glides	polished
	(2) 33.5	(1) 34	48 x 60	BYKEL248060S _ G PO	2,450	2,880	adj glides	polished
	(2) 17.5	(1) 50	24 x 72	BYKEL224072S _ G PO	2,150	2,580	adj glides	polished
	(2) 23	(1) 50	30 x 72	BYKEL230072S _ G PO	2,180	2,610	adj glides	polished
	(2) 29	(1) 40	36 x 72	BYKEL236072S _ G PO	2,320	2,750	adj glides	polished
	(2) 33.5	(1) 40	48 x 72	BYKEL248072S _ G PO	2,460	2,890	adj glides	polished
	(2) 29	(1) 50	36 x 84	BYKEL236084S _ G PO	2,380	2,810	adj glides	polished
	(2) 33.5	(1) 50	48 x 84	BYKEL248084S _ G PO	2,530	2,960	adj glides	polished
	(2) 29	(1) 58	36 x 96	BYKEL236096S _ G PO	2,420	2,850	adj glides	polished
	(2) 33.5	(1) 58	48 x 96	BYKEL248096S _ G PO	2,560	2,990	adj glides	polished
	(2) 17.5	(1) 40	24 x 60	BYKEL224060S _ C PO	2,210	2,640	2" black hard casters	polished
	(2) 23	(1) 40	30 x 60	BYKEL230060S _ C PO	2,240	2,670	2" black hard casters	polished
	(2) 29	(1) 34	36 x 60	BYKEL236060S _ C PO	2,400	2,830	2" black hard casters	polished
	(2) 33.5	(1) 34	48 x 60	BYKEL248060S _ C PO	2,550	2,980	2" black hard casters	polished
	(2) 17.5	(1) 50	24 x 72	BYKEL224072S _ C PO	2,250	2,680	2" black hard casters	polished
	(2) 23	(1) 50	30 x 72	BYKEL230072S _ C PO	2,280	2,710	2" black hard casters	polished
	(2) 29	(1) 40	36 x 72	BYKEL236072S _ C PO	2,420	2,850	2" black hard casters	polished
	(2) 33.5	(1) 40	48 x 72	BYKEL248072S _ C PO	2,560	2,990	2" black hard casters	polished
	(2) 29	(1) 50	36 x 84	BYKEL236084S _ C PO	2,480	2,910	2" black hard casters	polished
	(2) 33.5	(1) 50	48 x 84	BYKEL248084S _ C PO	2,630	3,060	2" black hard casters	polished
	(2) 29	(1) 58	36 x 96	BYKEL236096S _ C PO	2,520	2,950	2" black hard casters	polished
	(2) 33.5	(1) 58	48 x 96	BYKEL248096S _ C PO	2,660	3,090	2" black hard casters	polished
	(2) 17.5	(1) 40	24 x 60	BYKEL224060S _ S PO	2,250	2,680	2" black soft casters	polished
	(2) 23	(1) 40	30 x 60	BYKEL230060S _ S PO	2,280	2,710	2" black soft casters	polished
	(2) 29	(1) 34	36 x 60	BYKEL236060S _ S PO	2,440	2,870	2" black soft casters	polished
	(2) 33.5	(1) 34	48 x 60	BYKEL248060S _ S PO	2,590	3,020	2" black soft casters	polished
	(2) 17.5	(1) 50	24 x 72	BYKEL224072S _ S PO	2,290	2,720	2" black soft casters	polished
	(2) 23	(1) 50	30 x 72	BYKEL230072S _ S PO	2,320	2,750	2" black soft casters	polished
	(2) 29	(1) 40	36 x 72	BYKEL236072S _ S PO	2,460	2,890	2" black soft casters	polished
	(2) 33.5	(1) 40	48 x 72	BYKEL248072S _ S PO	2,600	3,030	2" black soft casters	polished
	(2) 29	(1) 50	36 x 84	BYKEL236084S _ S PO	2,520	2,950	2" black soft casters	polished
	(2) 33.5	(1) 50	48 x 84	BYKEL248084S _ S PO	2,670	3,100	2" black soft casters	polished
	(2) 29	(1) 58	36 x 96	BYKEL236096S _ S PO	2,560	2,990	2" black soft casters	polished
	(2) 33.5	(1) 58	48 x 96	BYKEL248096S _ S PO	2,700	3,130	2" black soft casters	polished
Keller Y with stretcher for use with a boat, half boat, bullet or racetrack top								
	(2) 33.5	(1) 34	48 x 72	BYKEL348072S _ G PO	2,450	2,880	adj glides	polished
	(2) 33.5	(1) 40	48 x 84	BYKEL348084S _ G PO	2,490	2,920	adj glides	polished
	(2) 33.5	(1) 50	48 x 96	BYKEL348096S _ G PO	2,530	2,960	adj glides	polished
	(2) 33.5	(1) 34	48 x 72	BYKEL348072S _ C PO	2,550	2,980	2" black hard casters	polished
	(2) 33.5	(1) 40	48 x 84	BYKEL348084S _ C PO	2,590	3,020	2" black hard casters	polished
	(2) 33.5	(1) 50	48 x 96	BYKEL348096S _ C PO	2,630	3,060	2" black hard casters	polished
	(2) 33.5	(1) 34	48 x 72	BYKEL348072S _ S PO	2,590	3,020	2" black soft casters	polished
	(2) 33.5	(1) 40	48 x 84	BYKEL348084S _ S PO	2,630	3,060	2" black soft casters	polished
	(2) 33.5	(1) 50	48 x 96	BYKEL348096S _ S PO	2,670	3,100	2" black soft casters	polished
Keller Y with stretcher for use with an oval top								
	(2) 33.5	(1) 34	48 x 84	BYKEL448084S _ G PO	2,450	2,880	adj glides	polished
	(2) 33.5	(1) 40	48 x 96	BYKEL448096S _ G PO	2,490	2,920	adj glides	polished
	(2) 33.5	(1) 34	48 x 84	BYKEL448084S _ C PO	2,550	2,980	2" black hard casters	polished
	(2) 33.5	(1) 40	48 x 96	BYKEL448096S _ C PO	2,590	3,020	2" black hard casters	polished
	(2) 33.5	(1) 34	48 x 84	BYKEL448084S _ S PO	2,590	3,020	2" black soft casters	polished
	(2) 33.5	(1) 40	48 x 96	BYKEL448096S _ S PO	2,630	3,060	2" black soft casters	polished



C casters
2" black dual wheel locking hard casters (for carpet)

S casters
2" black dual wheel locking soft casters (for hard floors)

Standard metal powder coat finishes (ME)
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone and Metallic Silver

Premium Polished Finishes (PO)
polished aluminum/steel

bases

Keller YY bases with stretchers

For complete model number:
1. Insert height selection :
D dining height 27.75"H- see below chart for pricing
H custom higher height (specify height) - see below chart for pricing
L custom lower height (specify height) - see below chart for pricing

base	base qty + dim.	stretchers	max top support	base set model no.	D dining height list	H custom taller ht or L custom lower ht list	glides or casters	finish
Keller YY with stretchers for use with a boat, bullet media, half arced rectangle, half boat, or rectangle top								
 * top not included	(2) 32 YY	(2) 34	42-48 x 72	BYKEL548072S _ G ME	2,020	2,420	adj glides	standard metal
	(2) 38 YY	(2) 34	54-60 x 72	BYKEL560072S _ G ME	2,080	2,480	adj glides	standard metal
	(2) 32 YY	(2) 40	42-48 x 84	BYKEL548084S _ G ME	2,050	2,450	adj glides	standard metal
	(2) 38 YY	(2) 40	54-60 x 84	BYKEL560084S _ G ME	2,100	2,500	adj glides	standard metal
	(2) 32 YY	(2) 50	42-48 x 96	BYKEL548096S _ G ME	2,130	2,530	adj glides	standard metal
	(2) 38 YY	(2) 50	54-60 x 96	BYKEL560096S _ G ME	2,190	2,590	adj glides	standard metal
	(2) 32 YY	(2) 34	42-48 x 72	BYKEL548072S _ C ME	2,120	2,520	2" black hard casters	standard metal
	(2) 38 YY	(2) 34	54-60 x 72	BYKEL560072S _ C ME	2,180	2,580	2" black hard casters	standard metal
	(2) 32 YY	(2) 40	42-48 x 84	BYKEL548084S _ C ME	2,150	2,550	2" black hard casters	standard metal
	(2) 38 YY	(2) 40	54-60 x 84	BYKEL560084S _ C ME	2,200	2,600	2" black hard casters	standard metal
	(2) 32 YY	(2) 50	42-48 x 96	BYKEL548096S _ C ME	2,230	2,630	2" black hard casters	standard metal
	(2) 38 YY	(2) 50	54-60 x 96	BYKEL560096S _ C ME	2,290	2,690	2" black hard casters	standard metal
	(2) 32 YY	(2) 34	42-48 x 72	BYKEL548072S _ S ME	2,160	2,560	2" black soft casters	standard metal
	(2) 38 YY	(2) 34	54-60 x 72	BYKEL560072S _ S ME	2,220	2,620	2" black soft casters	standard metal
	(2) 32 YY	(2) 40	42-48 x 84	BYKEL548084S _ S ME	2,190	2,590	2" black soft casters	standard metal
	(2) 38 YY	(2) 40	54-60 x 84	BYKEL560084S _ S ME	2,240	2,640	2" black soft casters	standard metal
	(2) 32 YY	(2) 50	42-48 x 96	BYKEL548096S _ S ME	2,270	2,670	2" black soft casters	standard metal
	(2) 38 YY	(2) 50	54-60 x 96	BYKEL560096S _ S ME	2,330	2,730	2" black soft casters	standard metal
Keller YY with stretchers for use with a racetrack top								
	(2) 32 YY	(2) 34	42-48 x 72	BYKEL648072S _ G ME	2,020	2,420	adj glides	standard metal
	(2) 32 YY	(2) 40	42-48 x 84	BYKEL648084S _ G ME	2,050	2,450	adj glides	standard metal
	(2) 38 YY	(2) 40	54-60 x 84	BYKEL660084S _ G ME	2,100	2,500	adj glides	standard metal
	(2) 32 YY	(2) 50	42-48 x 96	BYKEL648096S _ G ME	2,130	2,530	adj glides	standard metal
	(2) 38 YY	(2) 50	54-60 x 96	BYKEL660096S _ G ME	2,190	2,590	adj glides	standard metal
	(2) 32 YY	(2) 34	42-48 x 72	BYKEL648072S _ C ME	2,120	2,520	2" black hard casters	standard metal
	(2) 32 YY	(2) 40	42-48 x 84	BYKEL648084S _ C ME	2,150	2,550	2" black hard casters	standard metal
	(2) 38 YY	(2) 40	54-60 x 84	BYKEL660084S _ C ME	2,200	2,600	2" black hard casters	standard metal
	(2) 32 YY	(2) 50	42-48 x 96	BYKEL648096S _ C ME	2,230	2,630	2" black hard casters	standard metal
	(2) 38 YY	(2) 50	54-60 x 96	BYKEL660096S _ C ME	2,290	2,690	2" black hard casters	standard metal
	(2) 32 YY	(2) 34	42-48 x 72	BYKEL648072S _ S ME	2,160	2,560	2" black soft casters	standard metal
	(2) 32 YY	(2) 40	42-48 x 84	BYKEL648084S _ S ME	2,190	2,590	2" black soft casters	standard metal
	(2) 38 YY	(2) 40	54-60 x 84	BYKEL660084S _ S ME	2,240	2,640	2" black soft casters	standard metal
	(2) 32 YY	(2) 50	42-48 x 96	BYKEL648096S _ S ME	2,270	2,670	2" black soft casters	standard metal
	(2) 38 YY	(2) 50	54-60 x 96	BYKEL660096S _ S ME	2,330	2,730	2" black soft casters	standard metal
Keller YY with stretchers for use with an oval top								
	(2) 32 YY	(2) 34	48 x 84	BYKEL748084S _ G ME	2,020	2,420	adj glides	standard metal
	(2) 38 YY	(2) 34	54-60 x 84	BYKEL760084S _ G ME	2,080	2,480	adj glides	standard metal
	(2) 32 YY	(2) 40	42-48 x 96	BYKEL748096S _ G ME	2,050	2,450	adj glides	standard metal
	(2) 38 YY	(2) 40	54-60 x 96	BYKEL760096S _ G ME	2,100	2,500	adj glides	standard metal
	(2) 32 YY	(2) 34	48 x 84	BYKEL748084S _ C ME	2,120	2,520	2" black hard casters	standard metal
	(2) 38 YY	(2) 34	54-60 x 84	BYKEL760084S _ C ME	2,180	2,580	2" black hard casters	standard metal
	(2) 32 YY	(2) 40	42-48 x 96	BYKEL748096S _ C ME	2,150	2,550	2" black hard casters	standard metal
	(2) 38 YY	(2) 40	54-60 x 96	BYKEL760096S _ C ME	2,200	2,600	2" black hard casters	standard metal
	(2) 32 YY	(2) 34	48 x 84	BYKEL748084S _ S ME	2,160	2,560	2" black soft casters	standard metal
	(2) 38 YY	(2) 34	54-60 x 84	BYKEL760084S _ S ME	2,220	2,620	2" black soft casters	standard metal
	(2) 32 YY	(2) 40	42-48 x 96	BYKEL748096S _ S ME	2,190	2,590	2" black soft casters	standard metal
	(2) 38 YY	(2) 40	54-60 x 96	BYKEL760096S _ S ME	2,240	2,640	2" black soft casters	standard metal

Standard metal powder coat finishes (ME)
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone and Metallic Silver

Premium Polished Finishes (PO)
polished aluminum/steel

Note that the YY bases with 34 inch stretchers will not fit under a 54 x 72 or 60 x 72 racetrack top. Contact service@symphonytables.com for custom stretcher pricing.

The Keller YY bases with stretchers for the KEL5 category for boat, bullet media, half arced rectangle, half boat or rectangle tops will fit under trapezoid media tops with the exception of 42" deep tops with a 30" small end, increase the small end to 32 inches and the bases will fit. This is a non-standard top shape for us so please notate this cleary on your order.

bases

Keller YY bases with stretchers

For complete model number:
1. Insert height selection :
D dining height 27.75"H- see below chart for pricing
H custom higher height (specify height) - see below chart for pricing
L custom lower height (specify height) - see below chart for pricing

base	base qty + dim.	stretchers	max top support	base set model no.	D dining height list	H custom taller ht or L custom lower ht list	glides or casters	finish
Keller YY with stretchers for use with a boat, bullet media, half arced rectangle, half boat, or rectangle top								
 * top not included	(2) 32 YY	(2) 34	42-48 x 72	BYKEL548072S _ G PO	4,030	4,880	adj glides	polished
	(2) 38 YY	(2) 34	54-60 x 72	BYKEL560072S _ G PO	4,090	4,940	adj glides	polished
	(2) 32 YY	(2) 40	42-48 x 84	BYKEL548084S _ G PO	4,060	4,910	adj glides	polished
	(2) 38 YY	(2) 40	54-60 x 84	BYKEL560084S _ G PO	4,110	4,960	adj glides	polished
	(2) 32 YY	(2) 50	42-48 x 96	BYKEL548096S _ G PO	4,140	4,990	adj glides	polished
	(2) 38 YY	(2) 50	54-60 x 96	BYKEL560096S _ G PO	4,200	5,050	adj glides	polished
	(2) 32 YY	(2) 34	42-48 x 72	BYKEL548072S _ C PO	4,130	4,980	2" black hard casters	polished
	(2) 38 YY	(2) 34	54-60 x 72	BYKEL560072S _ C PO	4,190	5,040	2" black hard casters	polished
	(2) 32 YY	(2) 40	42-48 x 84	BYKEL548084S _ C PO	4,160	5,010	2" black hard casters	polished
	(2) 38 YY	(2) 40	54-60 x 84	BYKEL560084S _ C PO	4,210	5,060	2" black hard casters	polished
	(2) 32 YY	(2) 50	42-48 x 96	BYKEL548096S _ C PO	4,240	5,090	2" black hard casters	polished
	(2) 38 YY	(2) 50	54-60 x 96	BYKEL560096S _ C PO	4,300	5,150	2" black hard casters	polished
	(2) 32 YY	(2) 34	42-48 x 72	BYKEL548072S _ S PO	4,170	5,020	2" black soft casters	polished
	(2) 38 YY	(2) 34	54-60 x 72	BYKEL560072S _ S PO	4,230	5,080	2" black soft casters	polished
	(2) 32 YY	(2) 40	42-48 x 84	BYKEL548084S _ S PO	4,200	5,050	2" black soft casters	polished
	(2) 38 YY	(2) 40	54-60 x 84	BYKEL560084S _ S PO	4,250	5,100	2" black soft casters	polished
	(2) 32 YY	(2) 50	42-48 x 96	BYKEL548096S _ S PO	4,280	5,130	2" black soft casters	polished
	(2) 38 YY	(2) 50	54-60 x 96	BYKEL560096S _ S PO	4,340	5,190	2" black soft casters	polished
Keller YY with stretchers for use with a racetrack top								
	(2) 32 YY	(2) 34	42-48 x 72	BYKEL648072S _ G PO	4,030	4,880	adj glides	polished
	(2) 32 YY	(2) 40	42-48 x 84	BYKEL648084S _ G PO	4,060	4,910	adj glides	polished
	(2) 38 YY	(2) 40	54-60 x 84	BYKEL660084S _ G PO	4,110	4,960	adj glides	polished
	(2) 32 YY	(2) 50	42-48 x 96	BYKEL648096S _ G PO	4,140	4,990	adj glides	polished
	(2) 38 YY	(2) 50	54-60 x 96	BYKEL660096S _ G PO	4,200	5,050	adj glides	polished
	(2) 32 YY	(2) 34	42-48 x 72	BYKEL648072S _ C PO	4,130	4,980	2" black hard casters	polished
	(2) 32 YY	(2) 40	42-48 x 84	BYKEL648084S _ C PO	4,160	5,010	2" black hard casters	polished
	(2) 38 YY	(2) 40	54-60 x 84	BYKEL660084S _ C PO	4,210	5,060	2" black hard casters	polished
	(2) 32 YY	(2) 50	42-48 x 96	BYKEL648096S _ C PO	4,240	5,090	2" black hard casters	polished
	(2) 38 YY	(2) 50	54-60 x 96	BYKEL660096S _ C PO	4,300	5,150	2" black hard casters	polished
	(2) 32 YY	(2) 34	42-48 x 72	BYKEL648072S _ S PO	4,170	5,020	2" black soft casters	polished
	(2) 32 YY	(2) 40	42-48 x 84	BYKEL648084S _ S PO	4,200	5,050	2" black soft casters	polished
	(2) 38 YY	(2) 40	54-60 x 84	BYKEL660084S _ S PO	4,250	5,100	2" black soft casters	polished
	(2) 32 YY	(2) 50	42-48 x 96	BYKEL648096S _ S PO	4,280	5,130	2" black soft casters	polished
	(2) 38 YY	(2) 50	54-60 x 96	BYKEL660096S _ S PO	4,340	5,190	2" black soft casters	polished
Keller YY with stretchers for use with a oval top								
	(2) 32 YY	(2) 34	48 x 84	BYKEL748084S _ G PO	4,030	4,880	adj glides	polished
	(2) 38 YY	(2) 34	54-60 x 84	BYKEL760084S _ G PO	4,090	4,940	adj glides	polished
	(2) 32 YY	(2) 40	42-48 x 96	BYKEL748096S _ G PO	4,060	4,910	adj glides	polished
	(2) 38 YY	(2) 40	54-60 x 96	BYKEL760096S _ G PO	4,110	4,960	adj glides	polished
	(2) 32 YY	(2) 34	48 x 84	BYKEL748084S _ C PO	4,130	4,980	2" black hard casters	polished
	(2) 38 YY	(2) 34	54-60 x 84	BYKEL760084S _ C PO	4,190	5,040	2" black hard casters	polished
	(2) 32 YY	(2) 40	42-48 x 96	BYKEL748096S _ C PO	4,160	5,010	2" black hard casters	polished
	(2) 38 YY	(2) 40	54-60 x 96	BYKEL760096S _ C PO	4,210	5,060	2" black hard casters	polished
	(2) 32 YY	(2) 34	48 x 84	BYKEL748084S _ S PO	4,170	5,020	2" black soft casters	polished
	(2) 38 YY	(2) 34	54-60 x 84	BYKEL760084S _ S PO	4,230	5,080	2" black soft casters	polished
	(2) 32 YY	(2) 40	42-48 x 96	BYKEL748096S _ S PO	4,200	5,050	2" black soft casters	polished
	(2) 38 YY	(2) 40	54-60 x 96	BYKEL760096S _ S PO	4,250	5,100	2" black soft casters	polished

Standard metal powder coat finishes (ME)
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone and Metallic Silver

Premium Polished Finishes (PO)
polished aluminum/steel

Note that the YY bases with 34 inch stretchers will not fit under a 54 x 72 or 60 x 72 racetrack top. Contact service@symphonytables.com for custom stretcher pricing.

The Keller YY bases with stretchers for the KEL5 category for boat, bullet media, half arced rectangle, half boat or rectangle tops will fit under trapezoid media tops with the exception of 42" deep tops with a 30" small end, increase the small end to 32 inches and the bases will fit. This is a non-standard top shape for us so please notate this cleary on your order.

bases

Keller YY + TT base(s) with stretchers

base	base qty + dim.	stretchers	max top support	base set model no.	list	glides	finish
Keller YY w/ TT base(s) and stretchers for use with a rectangular top (see chart on the opposite page for other shapes)							
(27.75'H)	(2) 32YY (1) 34TT	(4) 34	42-48 x 108	BYKEL848108S D G ME	3,300	adj glides	standard metal
	(2) 38YY (1) 40TT	(4) 34	54-60 x 108	BYKEL860108S D G ME	3,380	adj glides	standard metal
	(2) 32YY (1) 34TT	(4) 40	42-48 x 120	BYKEL848120S D G ME	3,350	adj glides	standard metal
	(2) 38YY (1) 40TT	(4) 40	54-60 x 120	BYKEL860120S D G ME	3,430	adj glides	standard metal
	(2) 32YY (1) 34TT	(4) 50	42-48 x 132-144	BYKEL848144S D G ME	3,520	adj glides	standard metal
	(2) 38YY (1) 40TT	(4) 50	54-60 x 132-144	BYKEL860144S D G ME	3,600	adj glides	standard metal
	(2) 32YY (1) 34TT	(4) 34	42-48 x 108	BYKEL848108S D G PO	6,410	adj glides	polished
	(2) 38YY (1) 40TT	(4) 34	54-60 x 108	BYKEL860108S D G PO	6,490	adj glides	polished
	(2) 32YY (1) 34TT	(4) 40	42-48 x 120	BYKEL848120S D G PO	6,460	adj glides	polished
	(2) 38YY (1) 40TT	(4) 40	54-60 x 120	BYKEL860120S D G PO	6,540	adj glides	polished
	(2) 32YY (1) 34TT	(4) 50	42-48 x 132-144	BYKEL848144S D G PO	6,630	adj glides	polished
	(2) 38YY (1) 40TT	(4) 50	54-60 x 132-144	BYKEL860144S D G PO	6,710	adj glides	polished
	(2) 32YY (2) 34TT	(6) 40	42-48 x 156-168	BYKEL848168S D G ME	4,570	adj glides	standard metal
	(2) 38YY (2) 40TT	(6) 40	54-60 x 156-168	BYKEL860168S D G ME	4,670	adj glides	standard metal
	(2) 32YY (2) 34TT	(6) 50	42-48 x 192	BYKEL848192S D G ME	4,820	adj glides	standard metal
	(2) 38YY (2) 40TT	(6) 50	54-60 x 192	BYKEL860192S D G ME	4,930	adj glides	standard metal
	(2) 32YY (2) 34TT	(6) 40	42-48 x 156-168	BYKEL848168S D G PO	8,840	adj glides	polished
	(2) 38YY (2) 40TT	(6) 40	54-60 x 156-168	BYKEL860168S D G PO	8,940	adj glides	polished
	(2) 32YY (2) 34TT	(6) 50	42-48 x 192	BYKEL848192S D G PO	9,090	adj glides	polished
	(2) 38YY (2) 40TT	(6) 50	54-60 x 192	BYKEL860192S D G PO	9,200	adj glides	polished

* tops are not included in the pricing on this page. The chart shall be utilized as a reference for which bases will fit under the top sizes.

Standard metal powder coat finishes (ME)
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone and Metallic Silver

Premium Polished Finishes (PO)
polished aluminum/steel

bases

Keller YY + TT base(s) with stretchers

The base sizes for the model #'s in the same row on the opposite page will fit the top shapes/sizes indicated in the below chart:

base set model no.	boat	bullet media	half arc rectangle	half boat	racetrack	trapezoid media	oval
BYKEL848108S D G ME	42-48x108	42-48x108	42-48x108	48x108	42-48x108	48x108	48x132
BYKEL860108S D G ME	54-60x108	-	54-60x108	54-60x108	-	54-60x108	60x132
BYKEL848120S D G ME	42-48x120	42-48x120	42-48x120	48x120	42-48x120	48x120	48x144-156
BYKEL860120S D G ME	54-60x120	-	54-60x120	54-60x120	-	54-60x120	60x144-156
BYKEL848144S D G ME	48x132, 42-48x144	42-48x144	42-48x132-144	48x132-144	42-48x144	48x144	48x168
BYKEL860144S D G ME	54-60x132-144	54-60x144	54-60x144	54-60x132-144	54-60x144	54-60x132-144	60x168
BYKEL848108S D G PO	42-48x108	42-48x108	42-48x108	48x108	42-48x108	48x108	48x132
BYKEL860108S D G PO	54-60x108	-	54-60x108	54-60x108	-	54-60x108	60x132
BYKEL848120S D G PO	42-48x120	42-48x120	42-48x120	48x120	42-48x120	48x120	48x144-156
BYKEL860120S D G PO	54-60x120	-	54-60x120	54-60x120	-	54-60x120	60x144-156
BYKEL848144S D G PO	48x132, 42-48x144	42-48x144	42-48x132-144	48x132-144	42-48x144	48x144	48x168
BYKEL860144S D G PO	54-60x132-144	54-60x144	54-60x144	54-60x132-144	54-60x144	54-60x132-144	60x168
BYKEL848168S D G ME	48x156, 42-48x168	42-48x156-168	42-48x156-168	48x156-168	42-48x168	48x156-168	-
BYKEL860168S D G ME	54-60x156-168	54-60x168	54-60x156-168	54-60x156-168	54-60x168	54-60x156-168	60x192
BYKEL848192S D G ME	48x180, 48x192	42-48x192	42-48x192	48x180-192	42-48x192	42-48x192	-
BYKEL860192S D G ME	54-60x192	54-60x192	54-60x192	54-60x192	-	54-60x192	-
BYKEL848168S D G PO	48x156, 42-48x168	42-48x156-168	42-48x156-168	48x156-168	42-48x168	48x156-168	-
BYKEL860168S D G PO	54-60x156-168	54-60x168	54-60x156-168	54-60x156-168	54-60x168	54-60x156-168	60x192
BYKEL848192S D G PO	48x180, 48x192	42-48x192	42-48x192	48x180-192	42-48x192	42-48x192	-
BYKEL860192S D G PO	54-60x192	54-60x192	54-60x192	54-60x192	-	54-60x192	-

Ria Y with stretcher

For complete model number:
1. Insert height selection :
D dining height 27.75"H- see below chart for pricing
H custom higher height (specify height) - see below chart for pricing
L custom lower height (specify height) - see below chart for pricing

base	base qty + dim.	stretcher	max top support	base set model no.	D dining height list	H custom taller ht or L custom lower ht list	glides or casters	finish
Ria Y with stretcher for use with a rectangular top								
	(2) 17.5	(1) 40	24 x 60	BYRIA224060S _ G ME	950	1,150	adj glides	standard metal
	(2) 23	(1) 40	30 x 60	BYRIA230060S _ G ME	990	1,190	adj glides	standard metal
	(2) 29	(1) 34	36 x 60	BYRIA236060S _ G ME	1,150	1,350	adj glides	standard metal
	(2) 33.5	(1) 34	48 x 60	BYRIA248060S _ G ME	1,300	1,500	adj glides	standard metal
	(2) 17.5	(1) 50	24 x 72	BYRIA224072S _ G ME	980	1,180	adj glides	standard metal
	(2) 23	(1) 50	30 x 72	BYRIA230072S _ G ME	1,010	1,210	adj glides	standard metal
	(2) 29	(1) 40	36 x 72	BYRIA236072S _ G ME	1,160	1,360	adj glides	standard metal
	(2) 33.5	(1) 40	48 x 72	BYRIA248072S _ G ME	1,310	1,510	adj glides	standard metal
	(2) 29	(1) 50	36 x 84	BYRIA236084S _ G ME	1,210	1,410	adj glides	standard metal
	(2) 33.5	(1) 50	48 x 84	BYRIA248084S _ G ME	1,360	1,560	adj glides	standard metal
	(2) 29	(1) 58	36 x 96	BYRIA236096S _ G ME	1,250	1,450	adj glides	standard metal
	(2) 33.5	(1) 58	48 x 96	BYRIA248096S _ G ME	1,410	1,610	adj glides	standard metal
	(2) 17.5	(1) 40	24 x 60	BYRIA224060S _ C ME	1,050	1,250	2" black hard casters	standard metal
	(2) 23	(1) 40	30 x 60	BYRIA230060S _ C ME	1,090	1,290	2" black hard casters	standard metal
	(2) 29	(1) 34	36 x 60	BYRIA236060S _ C ME	1,250	1,450	2" black hard casters	standard metal
	(2) 33.5	(1) 34	48 x 60	BYRIA248060S _ C ME	1,400	1,600	2" black hard casters	standard metal
	(2) 17.5	(1) 50	24 x 72	BYRIA224072S _ C ME	1,080	1,280	2" black hard casters	standard metal
	(2) 23	(1) 50	30 x 72	BYRIA230072S _ C ME	1,110	1,310	2" black hard casters	standard metal
	(2) 29	(1) 40	36 x 72	BYRIA236072S _ C ME	1,260	1,460	2" black hard casters	standard metal
	(2) 33.5	(1) 40	48 x 72	BYRIA248072S _ C ME	1,410	1,610	2" black hard casters	standard metal
	(2) 29	(1) 50	36 x 84	BYRIA236084S _ C ME	1,310	1,510	2" black hard casters	standard metal
	(2) 33.5	(1) 50	48 x 84	BYRIA248084S _ C ME	1,460	1,660	2" black hard casters	standard metal
	(2) 29	(1) 58	36 x 96	BYRIA236096S _ C ME	1,350	1,550	2" black hard casters	standard metal
	(2) 33.5	(1) 58	48 x 96	BYRIA248096S _ C ME	1,510	1,710	2" black hard casters	standard metal
	(2) 17.5	(1) 40	24 x 60	BYRIA224060S _ S ME	1,090	1,290	2" black soft casters	standard metal
	(2) 23	(1) 40	30 x 60	BYRIA230060S _ S ME	1,130	1,330	2" black soft casters	standard metal
	(2) 29	(1) 34	36 x 60	BYRIA236060S _ S ME	1,290	1,490	2" black soft casters	standard metal
	(2) 33.5	(1) 34	48 x 60	BYRIA248060S _ S ME	1,440	1,640	2" black soft casters	standard metal
	(2) 17.5	(1) 50	24 x 72	BYRIA224072S _ S ME	1,120	1,320	2" black soft casters	standard metal
	(2) 23	(1) 50	30 x 72	BYRIA230072S _ S ME	1,150	1,350	2" black soft casters	standard metal
	(2) 29	(1) 40	36 x 72	BYRIA236072S _ S ME	1,300	1,500	2" black soft casters	standard metal
	(2) 33.5	(1) 40	48 x 72	BYRIA248072S _ S ME	1,450	1,650	2" black soft casters	standard metal
	(2) 29	(1) 50	36 x 84	BYRIA236084S _ S ME	1,350	1,550	2" black soft casters	standard metal
	(2) 33.5	(1) 50	48 x 84	BYRIA248084S _ S ME	1,500	1,700	2" black soft casters	standard metal
	(2) 29	(1) 58	36 x 96	BYRIA236096S _ S ME	1,390	1,590	2" black soft casters	standard metal
	(2) 33.5	(1) 58	48 x 96	BYRIA248096S _ S ME	1,550	1,750	2" black soft casters	standard metal
Ria Y with stretcher for use with a boat, half arced rectangle, half boat, bullet or racetrack top								
	(2) 33.5	(1) 34	48 x 72	BYRIA348072S _ G ME	1,300	1,500	adj glides	standard metal
	(2) 33.5	(1) 40	48 x 84	BYRIA348084S _ G ME	1,330	1,530	adj glides	standard metal
	(2) 33.5	(1) 50	48 x 96	BYRIA348096S _ G ME	1,360	1,560	adj glides	standard metal
	(2) 33.5	(1) 34	48 x 72	BYRIA348072S _ C ME	1,400	1,600	2" black hard casters	standard metal
	(2) 33.5	(1) 40	48 x 84	BYRIA348084S _ C ME	1,430	1,630	2" black hard casters	standard metal
	(2) 33.5	(1) 50	48 x 96	BYRIA348096S _ C ME	1,460	1,660	2" black hard casters	standard metal
	(2) 33.5	(1) 34	48 x 72	BYRIA348072S _ S ME	1,440	1,640	2" black soft casters	standard metal
	(2) 33.5	(1) 40	48 x 84	BYRIA348084S _ S ME	1,470	1,670	2" black soft casters	standard metal
	(2) 33.5	(1) 50	48 x 96	BYRIA348096S _ S ME	1,500	1,700	2" black soft casters	standard metal
Ria Y with stretcher for use with an oval top								
	(2) 33.5	(1) 34	48 x 84	BYRIA448084S _ G ME	1,300	1,500	adj glides	standard metal
	(2) 33.5	(1) 40	48 x 96	BYRIA448096S _ G ME	1,330	1,530	adj glides	standard metal
	(2) 33.5	(1) 34	48 x 84	BYRIA448084S _ C ME	1,400	1,600	2" black hard casters	standard metal
	(2) 33.5	(1) 40	48 x 96	BYRIA448096S _ C ME	1,430	1,630	2" black hard casters	standard metal
	(2) 33.5	(1) 34	48 x 84	BYRIA448084S _ S ME	1,440	1,640	2" black soft casters	standard metal
	(2) 33.5	(1) 40	48 x 96	BYRIA448096S _ S ME	1,470	1,670	2" black soft casters	standard metal



C casters
2" black dual wheel locking hard casters (for carpet)

S casters
2" black dual wheel locking soft casters (for hard floors)

Standard metal powder coat finishes (ME)
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone and Metallic Silver

Ria Y base with stretcher

For complete model number:
1. Insert height selection :
D dining height 27.75"H- see below chart for pricing
H custom higher height (specify height) - see below chart for pricing
L custom lower height (specify height) - see below chart for pricing

base	base qty + dim.	stretcher	max top support	base set model no.	D dining height list	H custom taller ht or L custom lower ht list	glides or casters	finish
Ria Y with stretcher for use with a rectangular top								
	(2) 17.5	(1) 40	24 x 60	BYRIA224060S _ G PO	1,990	2,450	adj glides	polished
	(2) 23	(1) 40	30 x 60	BYRIA230060S _ G PO	2,030	2,490	adj glides	polished
	(2) 29	(1) 34	36 x 60	BYRIA236060S _ G PO	2,190	2,650	adj glides	polished
	(2) 33.5	(1) 34	48 x 60	BYRIA248060S _ G PO	2,340	2,800	adj glides	polished
	(2) 17.5	(1) 50	24 x 72	BYRIA224072S _ G PO	2,020	2,480	adj glides	polished
	(2) 23	(1) 50	30 x 72	BYRIA230072S _ G PO	2,050	2,510	adj glides	polished
	(2) 29	(1) 40	36 x 72	BYRIA236072S _ G PO	2,200	2,660	adj glides	polished
	(2) 33.5	(1) 40	48 x 72	BYRIA248072S _ G PO	2,350	2,810	adj glides	polished
	(2) 29	(1) 50	36 x 84	BYRIA236084S _ G PO	2,250	2,710	adj glides	polished
	(2) 33.5	(1) 50	48 x 84	BYRIA248084S _ G PO	2,400	2,860	adj glides	polished
	(2) 29	(1) 58	36 x 96	BYRIA236096S _ G PO	2,290	2,750	adj glides	polished
	(2) 33.5	(1) 58	48 x 96	BYRIA248096S _ G PO	2,450	2,910	adj glides	polished
	(2) 17.5	(1) 40	24 x 60	BYRIA224060S _ C PO	2,090	2,550	2" black hard casters	polished
	(2) 23	(1) 40	30 x 60	BYRIA230060S _ C PO	2,130	2,590	2" black hard casters	polished
	(2) 29	(1) 34	36 x 60	BYRIA236060S _ C PO	2,290	2,750	2" black hard casters	polished
	(2) 33.5	(1) 34	48 x 60	BYRIA248060S _ C PO	2,440	2,900	2" black hard casters	polished
	(2) 17.5	(1) 50	24 x 72	BYRIA224072S _ C PO	2,120	2,580	2" black hard casters	polished
	(2) 23	(1) 50	30 x 72	BYRIA230072S _ C PO	2,150	2,610	2" black hard casters	polished
	(2) 29	(1) 40	36 x 72	BYRIA236072S _ C PO	2,300	2,760	2" black hard casters	polished
	(2) 33.5	(1) 40	48 x 72	BYRIA248072S _ C PO	2,450	2,910	2" black hard casters	polished
	(2) 29	(1) 50	36 x 84	BYRIA236084S _ C PO	2,350	2,810	2" black hard casters	polished
	(2) 33.5	(1) 50	48 x 84	BYRIA248084S _ C PO	2,500	2,960	2" black hard casters	polished
	(2) 29	(1) 58	36 x 96	BYRIA236096S _ C PO	2,390	2,850	2" black hard casters	polished
	(2) 33.5	(1) 58	48 x 96	BYRIA248096S _ C PO	2,550	3,010	2" black hard casters	polished
	(2) 17.5	(1) 40	24 x 60	BYRIA224060S _ S PO	2,130	2,590	2" black soft casters	polished
	(2) 23	(1) 40	30 x 60	BYRIA230060S _ S PO	2,170	2,630	2" black soft casters	polished
	(2) 29	(1) 34	36 x 60	BYRIA236060S _ S PO	2,330	2,790	2" black soft casters	polished
	(2) 33.5	(1) 34	48 x 60	BYRIA248060S _ S PO	2,480	2,940	2" black soft casters	polished
	(2) 17.5	(1) 50	24 x 72	BYRIA224072S _ S PO	2,160	2,620	2" black soft casters	polished
	(2) 23	(1) 50	30 x 72	BYRIA230072S _ S PO	2,190	2,650	2" black soft casters	polished
	(2) 29	(1) 40	36 x 72	BYRIA236072S _ S PO	2,340	2,800	2" black soft casters	polished
	(2) 33.5	(1) 40	48 x 72	BYRIA248072S _ S PO	2,490	2,950	2" black soft casters	polished
	(2) 29	(1) 50	36 x 84	BYRIA236084S _ S PO	2,390	2,850	2" black soft casters	polished
	(2) 33.5	(1) 50	48 x 84	BYRIA248084S _ S PO	2,540	3,000	2" black soft casters	polished
	(2) 29	(1) 58	36 x 96	BYRIA236096S _ S PO	2,430	2,890	2" black soft casters	polished
	(2) 33.5	(1) 58	48 x 96	BYRIA248096S _ S PO	2,590	3,050	2" black soft casters	polished
Ria Y with stretcher for use with a boat, half boat, bullet or racetrack top								
	(2) 33.5	(1) 34	48 x 72	BYRIA348072S _ G PO	2,340	2,800	adj glides	polished
	(2) 33.5	(1) 40	48 x 84	BYRIA348084S _ G PO	2,370	2,830	adj glides	polished
	(2) 33.5	(1) 50	48 x 96	BYRIA348096S _ G PO	2,400	2,860	adj glides	polished
	(2) 33.5	(1) 34	48 x 72	BYRIA348072S _ C PO	2,440	2,900	2" black hard casters	polished
	(2) 33.5	(1) 40	48 x 84	BYRIA348084S _ C PO	2,470	2,930	2" black hard casters	polished
	(2) 33.5	(1) 50	48 x 96	BYRIA348096S _ C PO	2,500	2,960	2" black hard casters	polished
	(2) 33.5	(1) 34	48 x 72	BYRIA348072S _ S PO	2,480	2,940	2" black soft casters	polished
	(2) 33.5	(1) 40	48 x 84	BYRIA348084S _ S PO	2,510	2,970	2" black soft casters	polished
	(2) 33.5	(1) 50	48 x 96	BYRIA348096S _ S PO	2,540	3,000	2" black soft casters	polished
Ria Y with stretcher for use with an oval top								
	(2) 33.5	(1) 34	48 x 84	BYRIA448084S _ G PO	2,340	2,800	adj glides	polished
	(2) 33.5	(1) 40	48 x 96	BYRIA448096S _ G PO	2,370	2,830	adj glides	polished
	(2) 33.5	(1) 34	48 x 84	BYRIA448084S _ C PO	2,440	2,900	2" black hard casters	polished
	(2) 33.5	(1) 40	48 x 96	BYRIA448096S _ C PO	2,470	2,930	2" black hard casters	polished
	(2) 33.5	(1) 34	48 x 84	BYRIA448084S _ S PO	2,480	2,940	2" black soft casters	polished
	(2) 33.5	(1) 40	48 x 96	BYRIA448096S _ S PO	2,510	2,970	2" black soft casters	polished



C casters
2" black dual wheel locking hard casters (for carpet)

S casters
2" black dual wheel locking soft casters (for hard floors)

Premium Polished Finishes (PO)
polished aluminum/steel

For complete model number:
1. Insert height selection :
D dining height 27.75"H- see below chart for pricing
H custom higher height (specify height) - see below chart for pricing
L custom lower height (specify height) - see below chart for pricing

base	base qty + dim.	stretchers	max top support	base set model no.	D dining height list	H custom taller ht or L custom lower ht list	glides or casters	finish
Ria YY with stretchers for use with a boat, bullet media, half arced rectangle, half boat, or rectangle top								
 * top not included	(2) 32 YY	(2) 34	42-48 x 72	BYRIA548072S _ G ME	1,950	2,260	adj glides	standard metal
	(2) 38 YY	(2) 34	54-60 x 72	BYRIA560072S _ G ME	2,000	2,310	adj glides	standard metal
	(2) 32 YY	(2) 40	42-48 x 84	BYRIA548084S _ G ME	1,970	2,280	adj glides	standard metal
	(2) 38 YY	(2) 40	54-60 x 84	BYRIA560084S _ G ME	2,030	2,340	adj glides	standard metal
	(2) 32 YY	(2) 50	42-48 x 96	BYRIA548096S _ G ME	2,030	2,340	adj glides	standard metal
	(2) 38 YY	(2) 50	54-60 x 96	BYRIA560096S _ G ME	2,090	2,390	adj glides	standard metal
	(2) 32 YY	(2) 34	42-48 x 72	BYRIA548072S _ C ME	2,050	2,360	2" black hard casters	standard metal
	(2) 38 YY	(2) 34	54-60 x 72	BYRIA560072S _ C ME	2,100	2,410	2" black hard casters	standard metal
	(2) 32 YY	(2) 40	42-48 x 84	BYRIA548084S _ C ME	2,070	2,380	2" black hard casters	standard metal
	(2) 38 YY	(2) 40	54-60 x 84	BYRIA560084S _ C ME	2,130	2,440	2" black hard casters	standard metal
	(2) 32 YY	(2) 50	42-48 x 96	BYRIA548096S _ C ME	2,130	2,440	2" black hard casters	standard metal
	(2) 38 YY	(2) 50	54-60 x 96	BYRIA560096S _ C ME	2,190	2,490	2" black hard casters	standard metal
	(2) 32 YY	(2) 34	42-48 x 72	BYRIA548072S _ S ME	2,090	2,400	2" black soft casters	standard metal
	(2) 38 YY	(2) 34	54-60 x 72	BYRIA560072S _ S ME	2,140	2,450	2" black soft casters	standard metal
	(2) 32 YY	(2) 40	42-48 x 84	BYRIA548084S _ S ME	2,110	2,420	2" black soft casters	standard metal
	(2) 38 YY	(2) 40	54-60 x 84	BYRIA560084S _ S ME	2,170	2,480	2" black soft casters	standard metal
	(2) 32 YY	(2) 50	42-48 x 96	BYRIA548096S _ S ME	2,170	2,480	2" black soft casters	standard metal
	(2) 38 YY	(2) 50	54-60 x 96	BYRIA560096S _ S ME	2,230	2,530	2" black soft casters	standard metal
Ria YY with stretchers for use with a racetrack top								
	(2) 32 YY	(2) 34	42-48 x 72	BYRIA648072S _ G ME	1,950	2,260	adj glides	standard metal
	(2) 32 YY	(2) 40	42-48 x 84	BYRIA648084S _ G ME	1,970	2,280	adj glides	standard metal
	(2) 38 YY	(2) 40	54-60 x 84	BYRIA660084S _ G ME	1,950	2,340	adj glides	standard metal
	(2) 32 YY	(2) 50	42-48 x 96	BYRIA648096S _ G ME	2,030	2,340	adj glides	standard metal
	(2) 38 YY	(2) 50	54-60 x 96	BYRIA660096S _ G ME	2,090	2,390	adj glides	standard metal
	(2) 32 YY	(2) 34	42-48 x 72	BYRIA648072S _ C ME	2,050	2,360	2" black hard casters	standard metal
	(2) 32 YY	(2) 40	42-48 x 84	BYRIA648084S _ C ME	2,070	2,380	2" black hard casters	standard metal
	(2) 38 YY	(2) 40	54-60 x 84	BYRIA660084S _ C ME	2,050	2,440	2" black hard casters	standard metal
	(2) 32 YY	(2) 50	42-48 x 96	BYRIA648096S _ C ME	2,130	2,440	2" black hard casters	standard metal
	(2) 38 YY	(2) 50	54-60 x 96	BYRIA660096S _ C ME	2,190	2,490	2" black hard casters	standard metal
	(2) 32 YY	(2) 34	42-48 x 72	BYRIA648072S _ S ME	2,090	2,400	2" black soft casters	standard metal
	(2) 32 YY	(2) 40	42-48 x 84	BYRIA648084S _ S ME	2,110	2,420	2" black soft casters	standard metal
	(2) 38 YY	(2) 40	54-60 x 84	BYRIA660084S _ S ME	2,090	2,480	2" black soft casters	standard metal
	(2) 32 YY	(2) 50	42-48 x 96	BYRIA648096S _ S ME	2,170	2,480	2" black soft casters	standard metal
	(2) 38 YY	(2) 50	54-60 x 96	BYRIA660096S _ S ME	2,230	2,530	2" black soft casters	standard metal
Ria YY with stretchers for use with an oval top								
	(2) 32 YY	(2) 34	48 x 84	BYRIA748084S _ G ME	1,950	2,260	adj glides	standard metal
	(2) 38 YY	(2) 34	54-60 x 84	BYRIA760084S _ G ME	2,000	2,310	adj glides	standard metal
	(2) 32 YY	(2) 40	42-48 x 96	BYRIA748096S _ G ME	1,970	2,280	adj glides	standard metal
	(2) 38 YY	(2) 40	54-60 x 96	BYRIA760096S _ G ME	2,030	2,340	adj glides	standard metal
	(2) 32 YY	(2) 34	48 x 84	BYRIA748084S _ C ME	2,050	2,360	2" black hard casters	standard metal
	(2) 38 YY	(2) 34	54-60 x 84	BYRIA760084S _ C ME	2,100	2,410	2" black hard casters	standard metal
	(2) 32 YY	(2) 40	42-48 x 96	BYRIA748096S _ C ME	2,070	2,380	2" black hard casters	standard metal
	(2) 38 YY	(2) 40	54-60 x 96	BYRIA760096S _ C ME	2,130	2,440	2" black hard casters	standard metal
	(2) 32 YY	(2) 34	48 x 84	BYRIA748084S _ S ME	2,090	2,400	2" black soft casters	standard metal
	(2) 38 YY	(2) 34	54-60 x 84	BYRIA760084S _ S ME	2,140	2,450	2" black soft casters	standard metal
	(2) 32 YY	(2) 40	42-48 x 96	BYRIA748096S _ S ME	2,110	2,420	2" black soft casters	standard metal
	(2) 38 YY	(2) 40	54-60 x 96	BYRIA760096S _ S ME	2,170	2,480	2" black soft casters	standard metal

Standard metal powder coat finishes (ME)
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone and Metallic Silver

Note that the YY bases with 34 inch stretchers will not fit under a 54 x 72 or 60 x 72 racetrack top. Contact service@symphonytables.com for custom stretcher pricing.

The Ria YY bases with stretchers for the RIA5 category for boat, bullet media, half arced rectangle, half boat or rectangle tops will fit under trapezoid media tops with the exception of 42" deep tops with a 30" small end, increase the small end to 32 inches and the bases will fit. This is a non-standard top shape for us so please notate this cleary on your order.

bases
Ria YY bases with stretchers

For complete model number:
1. Insert height selection :
D dining height 27.75"H- see below chart for pricing
H custom higher height (specify height) - see below chart for pricing
L custom lower height (specify height) - see below chart for pricing

base	base qty + dim.	stretchers	max top support	base set model no.	D dining height list	H custom taller ht or L custom lower ht list	glides or casters	finish
Ria YY with stretchers for use with a boat, bullet media, half arced rectangle, half boat, or rectangle top								
 * top not included	(2) 32 YY	(2) 34	42-48 x 72	BYRIA548072S _ G PO	3,890	4,650	adj glides	polished
	(2) 38 YY	(2) 34	54-60 x 72	BYRIA560072S _ G PO	3,940	4,700	adj glides	polished
	(2) 32 YY	(2) 40	42-48 x 84	BYRIA548084S _ G PO	3,910	4,670	adj glides	polished
	(2) 38 YY	(2) 40	54-60 x 84	BYRIA560084S _ G PO	3,970	4,730	adj glides	polished
	(2) 32 YY	(2) 50	42-48 x 96	BYRIA548096S _ G PO	3,970	4,730	adj glides	polished
	(2) 38 YY	(2) 50	54-60 x 96	BYRIA560096S _ G PO	4,030	4,780	adj glides	polished
	(2) 32 YY	(2) 34	42-48 x 72	BYRIA548072S _ C PO	3,990	4,750	2" black hard casters	polished
	(2) 38 YY	(2) 34	54-60 x 72	BYRIA560072S _ C PO	4,040	4,800	2" black hard casters	polished
	(2) 32 YY	(2) 40	42-48 x 84	BYRIA548084S _ C PO	4,010	4,770	2" black hard casters	polished
	(2) 38 YY	(2) 40	54-60 x 84	BYRIA560084S _ C PO	4,070	4,830	2" black hard casters	polished
	(2) 32 YY	(2) 50	42-48 x 96	BYRIA548096S _ C PO	4,070	4,830	2" black hard casters	polished
	(2) 38 YY	(2) 50	54-60 x 96	BYRIA560096S _ C PO	4,130	4,880	2" black hard casters	polished
	(2) 32 YY	(2) 34	42-48 x 72	BYRIA548072S _ S PO	4,030	4,790	2" black soft casters	polished
	(2) 38 YY	(2) 34	54-60 x 72	BYRIA560072S _ S PO	4,080	4,840	2" black soft casters	polished
	(2) 32 YY	(2) 40	42-48 x 84	BYRIA548084S _ S PO	4,050	4,810	2" black soft casters	polished
	(2) 38 YY	(2) 40	54-60 x 84	BYRIA560084S _ S PO	4,110	4,870	2" black soft casters	polished
	(2) 32 YY	(2) 50	42-48 x 96	BYRIA548096S _ S PO	4,110	4,870	2" black soft casters	polished
	(2) 38 YY	(2) 50	54-60 x 96	BYRIA560096S _ S PO	4,170	4,920	2" black soft casters	polished
Ria YY with stretchers for use with a racetrack top								
	(2) 32 YY	(2) 34	42-48 x 72	BYRIA648072S _ G PO	3,890	4,650	adj glides	polished
	(2) 32 YY	(2) 40	42-48 x 84	BYRIA648084S _ G PO	3,910	4,670	adj glides	polished
	(2) 38 YY	(2) 40	54-60 x 84	BYRIA660084S _ G PO	3,890	4,730	adj glides	polished
	(2) 32 YY	(2) 50	42-48 x 96	BYRIA648096S _ G PO	3,970	4,730	adj glides	polished
	(2) 38 YY	(2) 50	54-60 x 96	BYRIA660096S _ G PO	4,030	4,780	adj glides	polished
	(2) 32 YY	(2) 34	42-48 x 72	BYRIA648072S _ C PO	3,990	4,750	2" black hard casters	polished
	(2) 32 YY	(2) 40	42-48 x 84	BYRIA648084S _ C PO	4,010	4,770	2" black hard casters	polished
	(2) 38 YY	(2) 40	54-60 x 84	BYRIA660084S _ C PO	3,990	4,830	2" black hard casters	polished
	(2) 32 YY	(2) 50	42-48 x 96	BYRIA648096S _ C PO	4,070	4,830	2" black hard casters	polished
	(2) 38 YY	(2) 50	54-60 x 96	BYRIA660096S _ C PO	4,130	4,880	2" black hard casters	polished
	(2) 32 YY	(2) 34	42-48 x 72	BYRIA648072S _ S PO	4,030	4,790	2" black soft casters	polished
	(2) 32 YY	(2) 40	42-48 x 84	BYRIA648084S _ S PO	4,050	4,810	2" black soft casters	polished
	(2) 38 YY	(2) 40	54-60 x 84	BYRIA660084S _ S PO	4,030	4,870	2" black soft casters	polished
	(2) 32 YY	(2) 50	42-48 x 96	BYRIA648096S _ S PO	4,110	4,870	2" black soft casters	polished
	(2) 38 YY	(2) 50	54-60 x 96	BYRIA660096S _ S PO	4,170	4,920	2" black soft casters	polished
Ria YY with stretchers for use with a oval top								
	(2) 32 YY	(2) 34	48 x 84	BYRIA748084S _ G PO	3,890	4,650	adj glides	polished
	(2) 38 YY	(2) 34	54-60 x 84	BYRIA760084S _ G PO	3,940	4,700	adj glides	polished
	(2) 32 YY	(2) 40	42-48 x 96	BYRIA748096S _ G PO	3,910	4,670	adj glides	polished
	(2) 38 YY	(2) 40	54-60 x 96	BYRIA760096S _ G PO	3,970	4,730	adj glides	polished
	(2) 32 YY	(2) 34	48 x 84	BYRIA748084S _ C PO	3,990	4,750	2" black hard casters	polished
	(2) 38 YY	(2) 34	54-60 x 84	BYRIA760084S _ C PO	4,040	4,800	2" black hard casters	polished
	(2) 32 YY	(2) 40	42-48 x 96	BYRIA748096S _ C PO	4,010	4,770	2" black hard casters	polished
	(2) 38 YY	(2) 40	54-60 x 96	BYRIA760096S _ C PO	4,070	4,830	2" black hard casters	polished
	(2) 32 YY	(2) 34	48 x 84	BYRIA748084S _ S PO	4,030	4,790	2" black soft casters	polished
	(2) 38 YY	(2) 34	54-60 x 84	BYRIA760084S _ S PO	4,080	4,840	2" black soft casters	polished
	(2) 32 YY	(2) 40	42-48 x 96	BYRIA748096S _ S PO	4,050	4,810	2" black soft casters	polished
	(2) 38 YY	(2) 40	54-60 x 96	BYRIA760096S _ S PO	4,110	4,870	2" black soft casters	polished

Premium Polished Finishes (PO)
polished aluminum/steel

Note that the YY bases with 34 inch stretchers will not fit under a 54 x 72 or 60 x 72 racetrack top. Contact service@symphonytables.com for custom stretcher pricing.

The Ria YY bases with stretchers for the RIA5 category for boat, bullet media, half arced rectangle, half boat or rectangle tops will fit under trapezoid media tops with the exception of 42" deep tops with a 30" small end, increase the small end to 32 inches and the bases will fit. This is a non-standard top shape for us so please notate this cleary on your order.

bases

Ria YY + TT base(s) with stretchers

base	base qty + dim.	stretchers	max top support	base set model no.	list	glides	finish
Ria YY w/ TT base(s) and stretchers for use with a rectangular top (see chart on the opposite page for other shapes)							
(27.75'H)	(2) 32YY (1) 34TT	(4) 34	42-48 x 108	BYRIA848108S D G ME	3,090	adj glides	standard metal
	(2) 38YY (1) 40TT	(4) 34	54-60 x 108	BYRIA860108S D G ME	3,160	adj glides	standard metal
	(2) 32YY (1) 34TT	(4) 40	42-48 x 120	BYRIA848120S D G ME	3,130	adj glides	standard metal
	(2) 38YY (1) 40TT	(4) 40	54-60 x 120	BYRIA860120S D G ME	3,210	adj glides	standard metal
	(2) 32YY (1) 34TT	(4) 50	42-48 x 132-144	BYRIA848144S D G ME	3,260	adj glides	standard metal
	(2) 38YY (1) 40TT	(4) 50	54-60 x 132-144	BYRIA860144S D G ME	3,330	adj glides	standard metal
	(2) 32YY (1) 34TT	(4) 34	42-48 x 108	BYRIA848108S D G PO	6,180	adj glides	polished
	(2) 38YY (1) 40TT	(4) 34	54-60 x 108	BYRIA860108S D G PO	6,250	adj glides	polished
	(2) 32YY (1) 34TT	(4) 40	42-48 x 120	BYRIA848120S D G PO	6,220	adj glides	polished
	(2) 38YY (1) 40TT	(4) 40	54-60 x 120	BYRIA860120S D G PO	6,300	adj glides	polished
	(2) 32YY (1) 34TT	(4) 50	42-48 x 132-144	BYRIA848144S D G PO	6,350	adj glides	polished
	(2) 38YY (1) 40TT	(4) 50	54-60 x 132-144	BYRIA860144S D G PO	6,420	adj glides	polished
	(2) 32YY (2) 34TT	(6) 40	42-48 x 156-168	BYRIA848168S D G ME	4,250	adj glides	standard metal
	(2) 38YY (2) 40TT	(6) 40	54-60 x 156-168	BYRIA860168S D G ME	4,340	adj glides	standard metal
	(2) 32YY (2) 34TT	(6) 50	42-48 x 192	BYRIA848192S D G ME	4,440	adj glides	standard metal
	(2) 38YY (2) 40TT	(6) 50	54-60 x 192	BYRIA860192S D G ME	4,530	adj glides	standard metal
	(2) 32YY (2) 34TT	(6) 40	42-48 x 156-168	BYRIA848168S D G PO	8,500	adj glides	polished
	(2) 38YY (2) 40TT	(6) 40	54-60 x 156-168	BYRIA860168S D G PO	8,590	adj glides	polished
	(2) 32YY (2) 34TT	(6) 50	42-48 x 192	BYRIA848192S D G PO	8,690	adj glides	polished
	(2) 38YY (2) 40TT	(6) 50	54-60 x 192	BYRIA860192S D G PO	8,780	adj glides	polished

* tops are not included in the pricing on this page. The chart shall be utilized as a reference for which bases will fit under the top sizes.

Standard metal powder coat finishes (ME)
Black Wrinkle, Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone and Metallic Silver

Premium Polished Finishes (PO)
polished aluminum/steel

bases

Ria YY + TT base(s) with stretchers

The base sizes for the model #'s in the same row on the opposite page will fit the top shapes/sizes indicated in the below chart:

base set model no.	boat	bullet media	half arc rectangle	half boat	racetrack	trapezoid media	oval
BYRIA848108S D G ME	42-48x108	42-48x108	42-48x108	48x108	42-48x108	48x108	48x132
BYRIA860108S D G ME	54-60x108	-	54-60x108	54-60x108	-	54-60x108	60x132
BYRIA848120S D G ME	42-48x120	42-48x120	42-48x120	48x120	42-48x120	48x120	48x144-156
BYRIA860120S D G ME	54-60x120	-	54-60x120	54-60x120	-	54-60x120	60x144-156
BYRIA848144S D G ME	48x132, 42-48x144	42-48x144	42-48x132-144	48x132-144	42-48x144	48x144	48x168
BYRIA860144S D G ME	54-60x132-144	54-60x144	54-60x144	54-60x132-144	54-60x144	54-60x132-144	60x168
BYRIA848108S D G PO	42-48x108	42-48x108	42-48x108	48x108	42-48x108	48x108	48x132
BYRIA860108S D G PO	54-60x108	-	54-60x108	54-60x108	-	54-60x108	60x132
BYRIA848120S D G PO	42-48x120	42-48x120	42-48x120	48x120	42-48x120	48x120	48x144-156
BYRIA860120S D G PO	54-60x120	-	54-60x120	54-60x120	-	54-60x120	60x144-156
BYRIA848144S D G PO	48x132, 42-48x144	42-48x144	42-48x132-144	48x132-144	42-48x144	48x144	48x168
BYRIA860144S D G PO	54-60x132-144	54-60x144	54-60x144	54-60x132-144	54-60x144	54-60x132-144	60x168
BYRIA848168S D G ME	48x156, 42-48x168	42-48x156-168	42-48x156-168	48x156-168	42-48x168	48x156-168	-
BYRIA860168S D G ME	54-60x156-168	54-60x168	54-60x156-168	54-60x156-168	54-60x168	54-60x156-168	60x192
BYRIA848192S D G ME	48x180, 48x192	42-48x192	42-48x192	48x180-192	42-48x192	42-48x192	-
BYRIA860192S D G ME	54-60x192	54-60x192	54-60x192	54-60x192	-	54-60x192	-
BYRIA848168S D G PO	48x156, 42-48x168	42-48x156-168	42-48x156-168	48x156-168	42-48x168	48x156-168	-
BYRIA860168S D G PO	54-60x156-168	54-60x168	54-60x156-168	54-60x156-168	54-60x168	54-60x156-168	60x192
BYRIA848192S D G PO	48x180, 48x192	42-48x192	42-48x192	48x180-192	42-48x192	42-48x192	-
BYRIA860192S D G PO	54-60x192	54-60x192	54-60x192	54-60x192	-	54-60x192	-

For complete model number:
1. Insert height selection :
D dining height 27.75"H- see below chart for pricing
B bar height 40.75"H - see below chart for pricing

version	end base qty + dim.	middle base qty + dim.	stretcher(s)	max top support	base set model no.	dining height **D** 27.75H list	bar height **B** 40.75H list
Zoey Y base with stretcher(s) for use with a **rectangle top** (top is not included in the price)							
single stretcher	(2) 19	n/a	(1) 16	24 x 48	BYZO224048RES _ G ME	1,080	n/a
	(2) 19	n/a	(1) 29	24 x 60	BYZO224060RES _ G ME	1,100	1,300
	(2) 19	n/a	(1) 39	24 x 72	BYZO224072RES _ G ME	1,130	1,330
	(2) 24	n/a	(1) 12	30 x 48	BYZO230048RES _ G ME	1,090	1,290
	(2) 24	n/a	(1) 24	30 x 60	BYZO230060RES _ G ME	1,130	1,330
	(2) 24	n/a	(1) 35	30 x 72	BYZO230072RES _ G ME	1,140	1,340
	(2) 24	n/a	(1) 24	36 x 60	BYZO236060RES _ G ME	1,280	1,480
	(2) 24	n/a	(1) 29	36 x 66	BYZO236066RES _ G ME	1,290	1,490
	(2) 24	n/a	(1) 35	36 x 72	BYZO236072RES _ G ME	1,300	1,500
	(2) 24	n/a	(1) 47	36 x 84	BYZO236084RES _ G ME	1,350	1,550
	(2) 24	n/a	(1) 58	36 x 96	BYZO236096RES _ G ME	1,400	1,600
	(2) 24	n/a	(1) 24	42 x 60	BYZO242060RES _ G ME	1,300	1,500
	(2) 24	n/a	(1) 35	42 x 72	BYZO242072RES _ G ME	1,310	1,510
	(2) 24	n/a	(1) 47	42 x 84	BYZO242084RES _ G ME	1,360	1,560
	(2) 24	n/a	(1) 58	42 x 96	BYZO242096RES _ G ME	1,410	1,610
double stretcher	(2) 35	n/a	(2) 24	48 x 60	BYZO248060RED _ G ME	1,900	2,300
	(2) 35	n/a	(2) 35	48 x 72	BYZO248072RED _ G ME	1,940	2,340
	(2) 35	n/a	(2) 47	48 x 84	BYZO248084RED _ G ME	2,020	2,420
	(2) 35	n/a	(2) 58	48 x 96	BYZO248096RED _ G ME	2,110	2,510
	(2) 35	(1) 38	(4) 39	48 x 120	BYZO248120RED _ G ME	3,110	n/a
	(2) 35	(1) 38	(4) 52	48 x 144	BYZO248144RED _ G ME	3,250	n/a
	(2) 40	n/a	(2) 24	54 x 60	BYZO254060RED _ G ME	1,930	2,330
	(2) 40	n/a	(2) 35	54 x 72	BYZO254072RED _ G ME	1,960	2,360
	(2) 40	n/a	(2) 47	54 x 84	BYZO254084RED _ G ME	2,050	2,450
	(2) 40	n/a	(2) 52	54 x 96	BYZO254096RED _ G ME	2,070	2,470
	(2) 40	(1) 42	(4) 39	54 x 120	BYZO254120RED _ G ME	3,150	n/a
	(2) 40	(1) 42	(4) 52	54 x 144	BYZO254144RED _ G ME	3,280	n/a
	(2) 44	n/a	(2) 29	60 x 66	BYZO260066RED _ G ME	1,970	2,370
	(2) 44	n/a	(2) 35	60 x 72	BYZO260072RED _ G ME	1,970	2,370
	(2) 44	n/a	(2) 47	60 x 84	BYZO260084RED _ G ME	2,070	2,470
	(2) 44	n/a	(2) 58	60 x 96	BYZO260096RED _ G ME	2,170	2,570
	(2) 44	(1) 47	(4) 39	60 x 120	BYZO260120RED _ G ME	3,180	n/a
	(2) 44	(1) 47	(4) 52	60 x 144	BYZO260144RED _ G ME	3,300	n/a

Standard metal powder coat finishes (ME)
Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone and Metallic Silver

For complete model number:
1. Insert height selection :
D dining height 27.75"H- see below chart for pricing
B bar height 40.75"H - see below chart for pricing

version	end base qty + dim.	middle base qty + dim.	stretcher(s)	max top support	base set model no.	dining height **D** 27.75H list	bar height **B** 40.75H list
Zoey Y base with stretcher(s) for use with a **Bullet Media top** (top is not included in the price)							
single stretcher	(2) 24	n/a	(1) 35	36 x 72	BYZO236072BUS _ G ME	1,300	1,500
	(2) 24	n/a	(1) 24	42 x 60	BYZO242060BUS _ G ME	1,300	1,500
	(2) 24	n/a	(1) 35	42 x 72	BYZO242072BUS _ G ME	1,310	1,510
	(2) 24	n/a	(1) 47	42 x 84	BYZO242084BUS _ G ME	1,360	1,560
	(2) 24	n/a	(1) 58	42 x 96	BYZO242096BUS _ G ME	1,410	1,610
double stretcher	(2) 35	n/a	(2) 24	48 x 60	BYZO248060BUD _ G ME	1,870	2,270
	(2) 35	n/a	(2) 35	48 x 72	BYZO248072BUD _ G ME	1,930	2,330
	(2) 35	n/a	(2) 47	48 x 84	BYZO248084BUD _ G ME	1,960	2,360
	(2) 35	n/a	(2) 58	48 x 96	BYZO248096BUD _ G ME	2,060	2,460
	(2) 40	n/a	(2) 24	54 x 60	BYZO254060BUD _ G ME	1,890	2,290
	(2) 40	n/a	(2) 35	54 x 72	BYZO254072BUD _ G ME	1,950	2,350
	(2) 40	n/a	(2) 47	54 x 84	BYZO254084BUD _ G ME	1,980	2,380
	(2) 40	n/a	(2) 52	54 x 96	BYZO254096BUD _ G ME	2,070	2,470
	(2) 44	n/a	(2) 29	60 x 66	BYZO260066BUD _ G ME	1,950	2,350
	(2) 44	n/a	(2) 35	60 x 72	BYZO260072BUD _ G ME	1,970	2,370
	(2) 44	n/a	(2) 47	60 x 84	BYZO260084BUD _ G ME	1,990	2,390
	(2) 44	n/a	(2) 58	60 x 96	BYZO260096BUD _ G ME	2,090	2,490
Zoey Y base with stretcher(s) for use with a **Half Arc End Rectangle top** (top is not included in the price)							
single stretcher	(2) 24	n/a	(1) 35	36 x 72	BYZO236072HAS _ G ME	1,300	1,500
	(2) 24	n/a	(1) 24	42 x 60	BYZO242060HAS _ G ME	1,300	1,500
	(2) 24	n/a	(1) 35	42 x 72	BYZO242072HAS _ G ME	1,310	1,510
	(2) 24	n/a	(1) 47	42 x 84	BYZO242084HAS _ G ME	1,360	1,560
double stretcher	(2) 35	n/a	(2) 24	48 x 60	BYZO248060HAD _ G ME	1,870	2,270
	(2) 35	n/a	(2) 35	48 x 72	BYZO248072HAD _ G ME	1,930	2,330
	(2) 35	n/a	(2) 47	48 x 84	BYZO248084HAD _ G ME	1,960	2,360
	(2) 35	n/a	(2) 58	48 x 96	BYZO248096HAD _ G ME	2,060	2,460
	(2) 40	n/a	(2) 24	54 x 60	BYZO254060HAD _ G ME	1,890	2,290
	(2) 40	n/a	(2) 35	54 x 72	BYZO254072HAD _ G ME	1,950	2,350
	(2) 40	n/a	(2) 47	54 x 84	BYZO254084HAD _ G ME	1,980	2,380
	(2) 40	n/a	(2) 52	54 x 96	BYZO254096HAD _ G ME	2,070	2,470
	(2) 44	n/a	(2) 29	60 x 66	BYZO260066HAD _ G ME	1,950	2,350
	(2) 44	n/a	(2) 35	60 x 72	BYZO260072HAD _ G ME	1,970	2,370
	(2) 44	n/a	(2) 47	60 x 84	BYZO260084HAD _ G ME	1,990	2,390
	(2) 44	n/a	(2) 58	60 x 96	BYZO260096HAD _ G ME	2,090	2,490

Standard metal powder coat finishes (ME)
Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone and Metallic Silver

* Zoey Conference can be used on other top shapes, email service@symphonytables.com for pricing.

bases

Borne & Bati post
Canty frame

base	max top support	base description	mount plate	qty	model no.	list
Borne base sets (4)						
	48 x 48, 60 rd	2" dia column x 27.75"H, adj glides	4 x 4	4	BPBOR4S02RSDGME	620
	48 x 48	2" dia column cust higher ht, adj glides	4 x 4	4	BPBOR4S02RSHGME	950
	48 x 48, 60 rd	2" dia column cust shorter ht, adj glides	4 x 4	4	BPBOR4S02RSLGME	860
	48 x 48	2" dia column x 27.75"H, 2" black casters	4 x 4	4	BPBOR4S02RSDCME	720
	48 x 48	2" dia column cust higher ht, 2" black casters	4 x 4	4	BPBOR4S02RSHCME	1,050
	48 x 48	2" dia column cust shorter ht, 2" black casters	4 x 4	4	BPBOR4S02RSLCME	960
	48 x 48	2" dia column x 27.75"H, 2" silver/black casters	4 x 4	4	BPBOR4S02RSDPME	760
	48 x 48	2" dia column higher ht, 2" silver/black casters	4 x 4	4	BPBOR4S02RSHPME	1,090
	48 x 48	2" dia column shorter ht, 2" silver/black casters	4 x 4	4	BPBOR4S02RSLPME	1,000
Borne single base (1)						
	n/a	2" dia column x 27.75"H, adj glide	4 x 4	1	BPBOR1S02RSDGME	150
	n/a	2" dia column cust higher ht, adj glide	4 x 4	1	BPBOR1S02RSHGME	240
	n/a	2" dia column cust lower ht, adj glide	4 x 4	1	BPBOR1S02RSLGME	210
	n/a	2" dia column x 27.75"H, 2" black caster	4 x 4	1	BPBOR1S02RSDCME	180
	n/a	2" dia column cust higher ht, 2" black caster	4 x 4	1	BPBOR1S02RSHCME	260
	n/a	2" dia column cust lower ht, 2" black caster	4 x 4	1	BPBOR1S02RSLCME	240
	n/a	2" dia column x 27.75"H, 2" silver/black caster	4 x 4	1	BPBOR1S02RSDPME	190
	n/a	2" dia column cust higher ht, 2" silver/black caster	4 x 4	1	BPBOR1S02RSHPME	280
	n/a	2" dia column cust lower ht, 2" silver/black caster	4 x 4	1	BPBOR1S02RSLPME	250
Bati single base (1)						
	*	3" column diameter x 27.75"H	6 x 9	1	BPBAT1S3ODSDBME	500
	*	3" column diameter cust higher height	6 x 9	1	BPBAT1S3ODSHBME	630
	*	3" column diameter cust shorter height	6 x 9	1	BPBAT1S3ODSLBME	570

*Bati post legs need to be placed at least every 48". 30" max top depth.
Bati is a surface mounted post base that is bolted to the floor, the base can be centered under the top or offset.
The cover for the floor plate is only avilable in black.
Customer shall supply (4) floor anchors or toggles per base -
-5/16" anchors required in cement
-3/8" toggles required in wood

Bati has a 2.5" wire access hole included in the floor plate.
To specify a 1.25" hole in the column use model number **OBPWMHBATI1 - $50 list per hole**

base	max top support	base description	model no.	list
Busto				
	24 x 48	23D x 27.75H fixed sawhorse base set (2) with 41 inch crossbar	BPBUS24048SDGME	900
	24 x 60	23D x 27.75H fixed sawhorse base set (2) with 50 inch crossbar	BPBUS24060SDGME	940
	30 x 48	27D x 27.75H fixed sawhorse base set (2) with 41 inch crossbar	BPBUS30048SDGME	920
	30 x 60	27D x 27.75H fixed sawhorse base set (2) with 50 inch crossbar	BPBUS30060SDGME	960
	24 x 48	23D x 27.75H fixed sawhorse base set (2) with 41 inch crossbar	BPBUS24048SDCME	1,000
	24 x 60	23D x 27.75H fixed sawhorse base set (2) with 50 inch crossbar	BPBUS24060SDCME	1,040
	30 x 48	27D x 27.75H fixed sawhorse base set (2) with 41 inch crossbar	BPBUS30048SDCME	1,020
	30 x 60	27D x 27.75H fixed sawhorse base set (2) with 50 inch crossbar	BPBUS30060SDCME	1,060
	30 x 48	26D x 40.75H fixed sawhorse base set (2) with 41 inch crossbar	BPBUS30048SBGME	980
	30 x 60	26D x 40.75H fixed sawhorse base set (2) with 50 inch crossbar	BPBUS30060SBGME	1,020
	36 x 48	34D x 40.75H fixed sawhorse base set (2) with 41 inch crossbar	BPBUS36048SBGME	1,050
	36 x 60	34D x 40.75H fixed sawhorse base set (2) with 50 inch crossbar	BPBUS36060SBGME	1,090

(ME) Standard metal powder coat finishes :
Black Wrinkle (BW), Flat Black (FB), Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT), Metallic Silver (MS)

***Borne and Moto post legs need to be placed every 48"**

Corner mount plate option (Borne & Moto post bases):
Model number **OBPPCM4V** for a set of 4 post bases - **$180 list per set**
Model number **OBPPCM1V** for (1) post base - **$40 list per base**

Wire Management hole option (Borne post bases):
Model number **OBPWMHBOR** for 1.25" dia. wire management holes at the top and bottom of a Borne post base - **$60 list per base**

bases

Moto post

base	max top support	base description	mount plate	qty	model no.	list
Canty end base set (2)						
	20 x 72	18 x 1 x 2 x 27.75"H	1" x 2"	2	BFCAN20072SDGME	860
	24 x 72	22 x 1 x 2 x 27.75"H	1" x 2"	2	BFCAN24072SDGME	900
	30 x 72	28 x 1 x 2 x 27.75"H	1" x 2"	2	BFCAN30072SDGME	980
	36 x 72	34 x 1 x 2 x 27.75"H	1" x 2"	2	BFCAN36072SDGME	1,020
	42 x 72	40 x 1 x 2 x 27.75"H	1" x 2"	2	BFCAN42072SDGME	1,070
	48 x 72	46 x 1 x 2 x 27.75"H	1" x 2"	2	BFCAN48072SDGME	1,120
Moto base sets (4)						
2 x 2 inch	48 x 48, 60 rd	2" sq column x 27.75"H, adj glides	6 x 6	4	BPMOT4S02SSDGME	860
	48 x 48, 60 rd	2" sq column cust higher ht, adj glides	6 x 6	4	BPMOT4S02SSHGME	1,290
	48 x 48, 60 rd	2" sq column cust lower ht, adj glides	6 x 6	4	BPMOT4S02SSLGME	1,090
	48 x 48, 60 rd	2" sq column x 27.75"H, 2" black casters	6 x 6	4	BPMOT4S02SSDCME	960
	48 x 48, 60 rd	2" sq column cust higher ht, 2" black casters	6 x 6	4	BPMOT4S02SSHCME	1,390
	48 x 48, 60 rd	2" sq column x cust lower ht, 2" black casters	6 x 6	4	BPMOT4S02SSLCME	1,190
	48 x 48, 60 rd	2" sq column x 27.75"H, 2" silver/black casters	6 x 6	4	BPMOT4S02SSDPME	1,000
	48 x 48, 60 rd	2" sq column cust higher ht, 2" silver/black casters	6 x 6	4	BPMOT4S02SSHPME	1,430
	48 x 48, 60 rd	2" sq column cust lower ht, 2" silver/black casters	6 x 6	4	BPMOT4S02SSLPME	1,230
2.75 x 2.75 inch	48 x 48, 60 rd	2.75" sq column x 27.75"H, adj glides	8 x 8	4	BPMOT4S03SSDGME	990
	48 x 48, 60 rd	2.75" sq column cust higher ht, adj glides	8 x 8	4	BPMOT4S03SSHGME	1,520
	48 x 48, 60 rd	2.75" sq column cust lower ht, adj glides	8 x 8	4	BPMOT4S03SSLGME	1,220
	48 x 48, 60 rd	2.75" sq column x 27.75"H, 2" black casters	8 x 8	4	BPMOT4S03SSDCME	1,090
	48 x 48, 60 rd	2.75" sq column cust higher ht, 2" black casters	8 x 8	4	BPMOT4S03SSHCME	1,620
	48 x 48, 60 rd	2.75" sq column cust lower ht, 2" black casters	8 x 8	4	BPMOT4S03SSLCME	1,320
	48 x 48, 60 rd	2.75" sq column x 27.75"H, 2" silver/black casters	8 x 8	4	BPMOT4S03SSDPME	1,130
	48 x 48, 60 rd	2.75" sq column cust higher ht, 2" silver/black casters	8 x 8	4	BPMOT4S03SSHPME	1,660
	48 x 48, 60 rd	2.75" sq column cust lower ht, 2" silver/black casters	8 x 8	4	BPMOT4S03SSLPME	1,380
Moto single base (1)						
2 x 2 inch	n/a	2" sq column x 27.75"H, adj glide	6 x 6	1	BPMOT1S02SSDGME	210
	n/a	2" sq column cust higher ht, adj glide	6 x 6	1	BPMOT1S02SSHGME	320
	n/a	2" sq column cust lower ht, adj glide	6 x 6	1	BPMOT1S02SSLGME	280
	n/a	2" sq column x 27.75"H, 2" black caster	6 x 6	1	BPMOT1S02SSDCME	240
	n/a	2" sq column cust higher ht, 2" black caster	6 x 6	1	BPMOT1S02SSHCME	340
	n/a	2" sq column cust lower ht, 2" black caster	6 x 6	1	BPMOT1S02SSLCME	300
	n/a	2" sq column x 27.75"H, 2" silver/black caster	6 x 6	1	BPMOT1S02SSDPME	250
	n/a	2" sq column cust higher ht, 2" silver/black caster	6 x 6	1	BPMOT1S02SSHPME	350
	n/a	2" sq column cust lower ht, 2" silver/black caster	6 x 6	1	BPMOT1S02SSLPME	310
2.75 x 2.75 inch	n/a	2.75" sq column x 27.75"H, adj glide	8 x 8	1	BPMOT1S03SSDGME	250
	n/a	2.75" sq column cust higher ht, adj glide	8 x 8	1	BPMOT1S03SSHGME	390
	n/a	2.75" sq column cust lower ht, adj glide	8 x 8	1	BPMOT1S03SSLGME	310
	n/a	2.75" sq column x 27.75"H, 2" black casters	8 x 8	1	BPMOT1S03SSDCME	280
	n/a	2.75" sq column cust higher ht, 2" black casters	8 x 8	1	BPMOT1S03SSHCME	410
	n/a	2.75" sq column cust lower ht, 2" black casters	8 x 8	1	BPMOT1S03SSLCME	330
	n/a	2.75" sq column x 27.75"H, 2" silver/black casters	8 x 8	1	BPMOT1S03SSDPME	290
	n/a	2.75" sq column cust higher ht, 2" silver/black casters	8 x 8	1	BPMOT1S03SSHPME	420
	n/a	2.75" sq column cust lower ht, 2" silver / black casters	8 x 8	1	BPMOT1S03SSLPME	340

*Custom shorter or taller heights are available for Canty bases with a minimum quantity of 20 bases of the same size email service@symphonytables.com for more information and pricing. Wire management holes not available for the Canty bases.

(ME) Standard metal powder coat finishes :
Black Wrinkle (BW), Flat Black (FB), Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT), Metallic Silver (MS)

***Borne and Moto post legs need to be placed every 48"**

Corner mount plate option (Borne & Moto post bases):
Model number **OBPPCM4V** for a set of 4 post bases - **$180 list per set**
Model number **OBPPCM1V** for (1) post base - **$40 list per base**

Wire Management hole option:
Model # **OBWMHMOTO-1.5** for 1.5" dia. wire management mouse holes (top & bottom) for one 3" sq base column - **$60 list per base**
Model # **OBWMHMOTO** - for 1.25" dia. wire management mouse holes (top & bottom) for one 2" sq base column - **$60 list per base**

bases

Moto Frame - no stretcher

For complete custom lower height or custom higher height base model number:
1. Insert height selection:
SD seated height (27.75"H)
SC counter height (34.75"H)
SB bar height (40.75"H)

base	outside base dimensions	top size with 1" overhang on each side	model no.	seated height (27.75"H) list	counter height (34.75"H) list	bar height (40.75"H) list	glides or casters	finish
Moto Frame - no stretcher with glides								
(2.5 x 2.5 inch tubing)	22 x 22	24 x 24	BFMOT24024__GME	1,400	1,500	1,580	adj glides	standard metal
	22 x 34	24 x 36	BFMOT24036__GME	1,430	1,520	1,610	adj glides	standard metal
	22 x 40	24 x 42	BFMOT24042__GME	1,440	1,530	1,630	adj glides	standard metal
	22 x 46	24 x 48	BFMOT24048__GME	1,490	1,600	1,670	adj glides	standard metal
	22 x 58	24 x 60	BFMOT24060__GME	1,500	1,610	1,690	adj glides	standard metal
	22 x 70	24 x 72	BFMOT24072__GME	1,540	1,640	1,730	adj glides	standard metal
	28 x 28	30 x 30	BFMOT30030__GME	1,430	1,520	1,610	adj glides	standard metal
	28 x 34	30 x 36	BFMOT30036__GME	1,440	1,530	1,620	adj glides	standard metal
	28 x 40	30 x 42	BFMOT30042__GME	1,450	1,540	1,630	adj glides	standard metal
	28 x 46	30 x 48	BFMOT30048__GME	1,460	1,550	1,640	adj glides	standard metal
	28 x 58	30 x 60	BFMOT30060__GME	1,520	1,620	1,690	adj glides	standard metal
	28 x 70	30 x 72	BFMOT30072__GME	1,550	1,650	1,740	adj glides	standard metal
	34 x 34	36 x 36	BFMOT36036__GME	1,490	1,580	1,660	adj glides	standard metal
	34 x 40	36 x 42	BFMOT36042__GME	1,500	1,600	1,670	adj glides	standard metal
	34 x 46	36 x 48	BFMOT36048__GME	1,510	1,610	1,680	adj glides	standard metal
	34 x 58	36 x 60	BFMOT36060__GME	1,570	1,660	1,750	adj glides	standard metal
	34 x 70	36 x 72	BFMOT36072__GME	1,610	1,690	1,780	adj glides	standard metal
	40 x 40	42 x 42	BFMOT42042__GME	1,510	1,610	1,680	adj glides	standard metal
	40 x 46	42 x 48	BFMOT42048__GME	1,520	1,620	1,690	adj glides	standard metal
	40 x 58	42 x 60	BFMOT42060__GME	1,550	1,650	1,740	adj glides	standard metal
	40 x 70	42 x 72	BFMOT42072__GME	1,580	1,670	1,760	adj glides	standard metal
	46 x 46	48 x 48	BFMOT48048__GME	1,530	1,630	1,720	adj glides	standard metal
	46 x 58	48 x 60	BFMOT48060__GME	1,600	1,680	1,770	adj glides	standard metal
	46 x 70	48 x 72	BFMOT48060__GME	1,630	1,730	1,800	adj glides	standard metal
Moto Frame - no stretcher with 3.5"H industrial black locking casters								
(2.5 x 2.5 inch tubing)	22 x 22	24 x 24	BFMOT24024__CME	1,640	1,740	1,830	casters	standard metal
	22 x 34	24 x 36	BFMOT24036__CME	1,670	1,760	1,850	casters	standard metal
	22 x 40	24 x 42	BFMOT24042__CME	1,680	1,770	1,870	casters	standard metal
	22 x 46	24 x 48	BFMOT24048__CME	1,730	1,840	1,910	casters	standard metal
	22 x 58	24 x 60	BFMOT24060__CME	1,740	1,850	1,940	casters	standard metal
	22 x 70	24 x 72	BFMOT24072__CME	1,780	1,880	1,970	casters	standard metal
	28 x 28	30 x 30	BFMOT30030__CME	1,670	1,760	1,850	casters	standard metal
	28 x 34	30 x 36	BFMOT30036__CME	1,680	1,770	1,860	casters	standard metal
	28 x 40	30 x 42	BFMOT30042__CME	1,690	1,780	1,870	casters	standard metal
	28 x 46	30 x 48	BFMOT30048__CME	1,710	1,790	1,880	casters	standard metal
	28 x 58	30 x 60	BFMOT30060__CME	1,760	1,860	1,940	casters	standard metal
	28 x 70	30 x 72	BFMOT30072__CME	1,790	1,890	1,980	casters	standard metal
	34 x 34	36 x 36	BFMOT36036__CME	1,730	1,830	1,900	casters	standard metal
	34 x 40	36 x 42	BFMOT36042__CME	1,740	1,840	1,910	casters	standard metal
	34 x 46	36 x 48	BFMOT36048__CME	1,750	1,850	1,930	casters	standard metal
	34 x 58	36 x 60	BFMOT36060__CME	1,820	1,900	1,990	casters	standard metal
	34 x 70	36 x 72	BFMOT36072__CME	1,850	1,940	2,020	casters	standard metal
	40 x 40	42 x 42	BFMOT42042__CME	1,750	1,850	1,930	casters	standard metal
	40 x 46	42 x 48	BFMOT42048__CME	1,760	1,860	1,940	casters	standard metal
	40 x 58	42 x 60	BFMOT42060__CME	1,790	1,890	1,980	casters	standard metal
	40 x 70	42 x 72	BFMOT42072__CME	1,830	1,910	2,000	casters	standard metal
	46 x 46	48 x 48	BFMOT48048__CME	1,770	1,870	1,960	casters	standard metal
	46 x 58	48 x 60	BFMOT48060__CME	1,840	1,930	2,010	casters	standard metal
	46 x 70	48 x 72	BFMOT48060__CME	1,870	1,970	2,050	casters	standard metal

(ME) Standard metal powder coat finishes :
Black Wrinkle (BW), Flat Black (FB), Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT), Metallic Silver (MS).



Moto magnetic wire manager for a rectangular or square column:
Model number **OBWMMM18 - $120 list per base**
(wire management holes in the column are not available for the Moto Frame bases with 2.5 x 2.5 inch tubing)

bases

Moto II Frame - no stretcher

For complete custom lower height or custom higher height base model number:
1. Insert height selection:
SD seated height (27.75"H)
SC counter height (34.75"H)
SB bar height (40.75"H)

base	outside base dimensions	top size with 1.5" overhang on each side	model no.	seated height (27.75"H) list	counter height (34.75"H) list	bar height (40.75"H) list	glides or casters	finish
Moto II Frame - no stretcher with glides								
(2 x 2 inch tubing)	21 x 21	24 x 24	BFMO224024__GME	1,190	1,290	1,370	adj glides	standard metal
	21 x 27	24 x 30	BFMO224030__GME	1,210	1,310	1,390	adj glides	standard metal
	21 x 33	24 x 36	BFMO224036__GME	1,220	1,330	1,400	adj glides	standard metal
	21 x 39	24 x 42	BFMO224042__GME	1,240	1,340	1,410	adj glides	standard metal
	21 x 45	24 x 48	BFMO224048__GME	1,270	1,370	1,440	adj glides	standard metal
	21 x 51	24 x 54	BFMO224054__GME	1,280	1,380	1,460	adj glides	standard metal
	21 x 57	24 x 60	BFMO224060__GME	1,290	1,390	1,470	adj glides	standard metal
	21 x 63	24 x 66	BFMO224066__GME	1,300	1,410	1,480	adj glides	standard metal
	21 x 69	24 x 72	BFMO224072__GME	1,320	1,430	1,500	adj glides	standard metal
	27 x 27	30 x 30	BFMO230030__GME	1,230	1,340	1,410	adj glides	standard metal
	27 x 33	30 x 36	BFMO230036__GME	1,240	1,350	1,420	adj glides	standard metal
	27 x 39	30 x 42	BFMO230042__GME	1,260	1,360	1,440	adj glides	standard metal
	27 x 45	30 x 48	BFMO230048__GME	1,290	1,390	1,470	adj glides	standard metal
	27 x 51	30 x 54	BFMO230054__GME	1,310	1,410	1,480	adj glides	standard metal
	27 x 57	30 x 60	BFMO230060__GME	1,320	1,430	1,500	adj glides	standard metal
	27 x 63	30 x 66	BFMO230066__GME	1,340	1,450	1,520	adj glides	standard metal
	27 x 69	30 x 72	BFMO230072__GME	1,350	1,460	1,530	adj glides	standard metal
	33 x 33	36 x 36	BFMO236036__GME	1,280	1,390	1,460	adj glides	standard metal
	33 x 39	36 x 42	BFMO236042__GME	1,300	1,410	1,470	adj glides	standard metal
	33 x 45	36 x 48	BFMO236048__GME	1,310	1,420	1,490	adj glides	standard metal
	33 x 57	36 x 60	BFMO236060__GME	1,360	1,460	1,530	adj glides	standard metal
	33 x 63	36 x 66	BFMO236066__GME	1,370	1,480	1,550	adj glides	standard metal
	33 x 69	36 x 72	BFMO236072__GME	1,390	1,490	1,570	adj glides	standard metal
Moto II Frame - no stretcher with 3.5" industrial black locking casters								
(2 x 2 inch tubing)	21 x 21	24 x 24	BFMO224024__CME	1,610	1,710	1,790	casters	standard metal
	21 x 27	24 x 30	BFMO224030__CME	1,630	1,730	1,810	casters	standard metal
	21 x 33	24 x 36	BFMO224036__CME	1,640	1,750	1,820	casters	standard metal
	21 x 39	24 x 42	BFMO224042__CME	1,660	1,760	1,830	casters	standard metal
	21 x 45	24 x 48	BFMO224048__CME	1,690	1,790	1,860	casters	standard metal
	21 x 51	24 x 54	BFMO224054__CME	1,700	1,800	1,880	casters	standard metal
	21 x 57	24 x 60	BFMO224060__CME	1,710	1,810	1,890	casters	standard metal
	21 x 63	24 x 66	BFMO224066__CME	1,720	1,830	1,900	casters	standard metal
	21 x 69	24 x 72	BFMO224072__CME	1,740	1,850	1,920	casters	standard metal
	27 x 27	30 x 30	BFMO230030__CME	1,650	1,760	1,830	casters	standard metal
	27 x 33	30 x 36	BFMO230036__CME	1,660	1,770	1,840	casters	standard metal
	27 x 39	30 x 42	BFMO230042__CME	1,680	1,780	1,860	casters	standard metal
	27 x 45	30 x 48	BFMO230048__CME	1,710	1,810	1,890	casters	standard metal
	27 x 51	30 x 54	BFMO230054__CME	1,730	1,830	1,900	casters	standard metal
	27 x 57	30 x 60	BFMO230060__CME	1,740	1,850	1,920	casters	standard metal
	27 x 63	30 x 66	BFMO230066__CME	1,760	1,870	1,940	casters	standard metal
	27 x 69	30 x 72	BFMO230072__CME	1,770	1,880	1,950	casters	standard metal
	33 x 33	36 x 36	BFMO236036__CME	1,700	1,810	1,880	casters	standard metal
	33 x 39	36 x 42	BFMO236042__CME	1,720	1,830	1,890	casters	standard metal
	33 x 45	36 x 48	BFMO236048__CME	1,730	1,840	1,910	casters	standard metal
	33 x 57	36 x 60	BFMO236060__CME	1,780	1,880	1,950	casters	standard metal
	33 x 63	36 x 66	BFMO236066__CME	1,790	1,900	1,970	casters	standard metal
	33 x 69	36 x 72	BFMO236072__CME	1,810	1,910	1,990	casters	standard metal

(ME) Standard metal powder coat finishes :
Black Wrinkle (BW), Flat Black (FB), Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT), Metallic Silver (MS).

Wire Management hole option:
Model number **OBWMHMOTO** for 1.25" dia. wire management holes at the top and bottom of a MotoII Frame base - **$60 list per base**
(not available on the Moto Frame 2.5 x 2.5 inch tubing base)

bases

Moto Frame - single stretcher

For complete custom lower height or custom higher height base model number:
1. Insert height selection:
SD seated height (27.75"H)
SC counter height (34.75"H)
SB bar height (40.75"H)

base	outside base dimensions	top size with 1.5" overhang on each side	model no.	seated height (27.75"H) list	counter height (34.75"H) list	bar height (40.75"H) list	glides or casters	finish
Moto II Frame - single stretcher with glides								
(2 x 2 inch tubing)	21 x 27	24 x 30	BFMO324030 __ GME	1,590	1,690	1,760	adj glides	standard metal
	21 x 33	24 x 36	BFMO324036 __ GME	1,600	1,710	1,780	adj glides	standard metal
	21 x 39	24 x 42	BFMO324042 __ GME	1,620	1,730	1,800	adj glides	standard metal
	21 x 45	24 x 48	BFMO324048 __ GME	1,660	1,770	1,840	adj glides	standard metal
	21 x 51	24 x 54	BFMO324054 __ GME	1,700	1,800	1,870	adj glides	standard metal
	21 x 57	24 x 60	BFMO324060 __ GME	1,710	1,810	1,890	adj glides	standard metal
	21 x 63	24 x 66	BFMO324066 __ GME	1,730	1,840	1,910	adj glides	standard metal
	21 x 69	24 x 72	BFMO324072 __ GME	1,750	1,860	1,930	adj glides	standard metal
	21 x 81	24 x 84	BFMO324084 __ GME	1,940	2,040	2,120	adj glides	standard metal
	21 x 93	24 x 96	BFMO324096 __ GME	2,040	2,140	2,210	adj glides	standard metal
	27 x 33	30 x 36	BFMO330036 __ GME	1,640	1,750	1,820	adj glides	standard metal
	27 x 39	30 x 42	BFMO330042 __ GME	1,660	1,760	1,840	adj glides	standard metal
	27 x 45	30 x 48	BFMO330048 __ GME	1,700	1,800	1,870	adj glides	standard metal
	27 x 51	30 x 54	BFMO330054 __ GME	1,730	1,840	1,910	adj glides	standard metal
	27 x 57	30 x 60	BFMO330060 __ GME	1,750	1,860	1,930	adj glides	standard metal
	27 x 63	30 x 66	BFMO330066 __ GME	1,780	1,890	1,960	adj glides	standard metal
	27 x 69	30 x 72	BFMO330072 __ GME	1,790	1,900	1,970	adj glides	standard metal
	27 x 81	30 x 84	BFMO330084 __ GME	1,980	2,090	2,160	adj glides	standard metal
	27 x 93	30 x 96	BFMO330096 __ GME	2,080	2,180	2,260	adj glides	standard metal
	33 x 39	36 x 42	BFMO336042 __ GME	1,710	1,820	1,880	adj glides	standard metal
	33 x 45	36 x 48	BFMO336048 __ GME	1,730	1,840	1,910	adj glides	standard metal
	33 x 57	36 x 60	BFMO336060 __ GME	1,800	1,900	1,980	adj glides	standard metal
	33 x 63	36 x 66	BFMO336066 __ GME	1,820	1,930	2,000	adj glides	standard metal
	33 x 69	36 x 72	BFMO336072 __ GME	1,840	1,940	2,020	adj glides	standard metal
	33 x 81	36 x 84	BFMO336084 __ GME	2,030	2,140	2,210	adj glides	standard metal
	33 x 93	36 x 96	BFMO336096 __ GME	2,120	2,230	2,300	adj glides	standard metal
Moto II Frame - single stretcher with 3.5" industrial black locking casters								
(2 x 2 inch tubing)	21 x 27	24 x 30	BFMO324030 __ CME	1,980	2,080	2,160	casters	standard metal
	21 x 33	24 x 36	BFMO324036 __ CME	2,000	2,100	2,180	casters	standard metal
	21 x 39	24 x 42	BFMO324042 __ CME	2,020	2,120	2,190	casters	standard metal
	21 x 45	24 x 48	BFMO324048 __ CME	2,060	2,160	2,230	casters	standard metal
	21 x 51	24 x 54	BFMO324054 __ CME	2,090	2,190	2,260	casters	standard metal
	21 x 57	24 x 60	BFMO324060 __ CME	2,100	2,210	2,280	casters	standard metal
	21 x 63	24 x 66	BFMO324066 __ CME	2,120	2,230	2,300	casters	standard metal
	21 x 69	24 x 72	BFMO324072 __ CME	2,150	2,250	2,320	casters	standard metal
	21 x 81	24 x 84	BFMO324084 __ CME	2,330	2,440	2,510	casters	standard metal
	21 x 93	24 x 96	BFMO324096 __ CME	2,430	2,540	2,610	casters	standard metal
	27 x 33	30 x 36	BFMO330036 __ CME	2,030	2,140	2,210	casters	standard metal
	27 x 39	30 x 42	BFMO330042 __ CME	2,050	2,160	2,230	casters	standard metal
	27 x 45	30 x 48	BFMO330048 __ CME	2,090	2,190	2,260	casters	standard metal
	27 x 51	30 x 54	BFMO330054 __ CME	2,130	2,230	2,300	casters	standard metal
	27 x 57	30 x 60	BFMO330060 __ CME	2,150	2,250	2,330	casters	standard metal
	27 x 63	30 x 66	BFMO330066 __ CME	2,170	2,280	2,350	casters	standard metal
	27 x 69	30 x 72	BFMO330072 __ CME	2,190	2,290	2,360	casters	standard metal
	27 x 81	30 x 84	BFMO330084 __ CME	2,370	2,480	2,550	casters	standard metal
	27 x 93	30 x 96	BFMO330096 __ CME	2,470	2,580	2,650	casters	standard metal
	33 x 39	36 x 42	BFMO336042 __ CME	2,100	2,210	2,280	casters	standard metal
	33 x 45	36 x 48	BFMO336048 __ CME	2,120	2,230	2,300	casters	standard metal
	33 x 57	36 x 60	BFMO336060 __ CME	2,190	2,300	2,370	casters	standard metal
	33 x 63	36 x 66	BFMO336066 __ CME	2,210	2,320	2,390	casters	standard metal
	33 x 69	36 x 72	BFMO336072 __ CME	2,230	2,340	2,410	casters	standard metal
	33 x 81	36 x 84	BFMO336084 __ CME	2,420	2,530	2,600	casters	standard metal
	33 x 93	36 x 96	BFMO336096 __ CME	2,510	2,620	2,690	casters	standard metal

(ME) Standard metal powder coat finishes :
Black Wrinkle (BW), Flat Black (FB), Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT), Metallic Silver (MS).

Wire Management hole option:
Model number **OBWMHMOTO** for 1.25" dia. wire management holes at the top and bottom of a Moto II Frame base column (1) - **$60 list per base**

bases

Moto II Frame - dual stretcher

For complete custom lower height or custom higher height base model number:
1. Insert height selection:
SD seated height (27.75"H)
SC counter height (34.75"H)
SB bar height (40.75"H)

base	outside base dimensions	top size with 1.5" overhang on each side	model no.	seated height (27.75"H) list	counter height (34.75"H) list	bar height (40.75"H) list	glides or casters	finish
Moto II Frame - dual stretcher with glides								
(2 x 2 inch tubing)	39 x 39	42 x 42	BFMO342042 __ GME	2,130	2,210	2,290	adj glides	standard metal
	39 x 45	42 x 48	BFMO342048 __ GME	2,150	2,240	2,310	adj glides	standard metal
	39 x 51	42 x 54	BFMO342054 __ GME	2,190	2,280	2,350	adj glides	standard metal
	39 x 57	42 x 60	BFMO342060 __ GME	2,210	2,290	2,370	adj glides	standard metal
	39 x 63	42 x 66	BFMO342066 __ GME	2,240	2,330	2,400	adj glides	standard metal
	39 x 69	42 x 72	BFMO342072 __ GME	2,290	2,370	2,450	adj glides	standard metal
	39 x 81	42 x 84	BFMO342084 __ GME	2,330	2,410	2,490	adj glides	standard metal
	39 x 93	42 x 96	BFMO342096 __ GME	2,610	2,700	2,770	adj glides	standard metal
	45 x 45	48 x 48	BFMO348048 __ GME	2,170	2,250	2,330	adj glides	standard metal
	45 x 57	48 x 60	BFMO348060 __ GME	2,250	2,340	2,410	adj glides	standard metal
	45 x 63	48 x 66	BFMO348066 __ GME	2,280	2,360	2,440	adj glides	standard metal
	45 x 69	48 x 72	BFMO348072 __ GME	2,310	2,390	2,470	adj glides	standard metal
	45 x 81	48 x 84	BFMO348084 __ GME	2,340	2,420	2,500	adj glides	standard metal
	45 x 93	48 x 96	BFMO348096 __ GME	2,630	2,720	2,790	adj glides	standard metal
Moto III Frame - dual stretcher with 3.5" industrial black locking casters								
(2 x 2 inch tubing)	39 x 39	42 x 42	BFMO342042 __ CME	2,520	2,610	2,690	casters	standard metal
	39 x 45	42 x 48	BFMO342048 __ CME	2,540	2,630	2,700	casters	standard metal
	39 x 51	42 x 54	BFMO342054 __ CME	2,590	2,670	2,750	casters	standard metal
	39 x 57	42 x 60	BFMO342060 __ CME	2,600	2,690	2,760	casters	standard metal
	39 x 63	42 x 66	BFMO342066 __ CME	2,640	2,720	2,800	casters	standard metal
	39 x 69	42 x 72	BFMO342072 __ CME	2,680	2,770	2,840	casters	standard metal
	39 x 81	42 x 84	BFMO342084 __ CME	2,720	2,810	2,880	casters	standard metal
	39 x 93	42 x 96	BFMO342096 __ CME	3,000	3,090	3,170	casters	standard metal
	45 x 45	48 x 48	BFMO348048 __ CME	2,560	2,650	2,720	casters	standard metal
	45 x 57	48 x 60	BFMO348060 __ CME	2,640	2,730	2,810	casters	standard metal
	45 x 63	48 x 66	BFMO348066 __ CME	2,670	2,760	2,840	casters	standard metal
	45 x 69	48 x 72	BFMO348072 __ CME	2,700	2,790	2,860	casters	standard metal
	45 x 81	48 x 84	BFMO348084 __ CME	2,730	2,820	2,890	casters	standard metal
	45 x 93	48 x 96	BFMO348096 __ CME	3,020	3,110	3,180	casters	standard metal

(ME) Standard metal powder coat finishes :
Black Wrinkle (BW), Flat Black (FB), Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT), Metallic Silver (MS).

Wire Management hole option:
Model number **OBWMHMOTO** for 1.25" dia. wire management holes at the top and bottom of a Moto II Frame base column (1) - **$60 list per base**

base	angle	base description	mount plate	Qty	model no.	list for (1) post base
Krauss						
	22 degrees	2" x 2" x 16.75"H angled column	6 x 6	1	BPKRA12022SOGME	260
	22 degrees	2" x 2" x 27.75"H angled column	6 x 6	1	BPKRA12022SDGME	260
	22 degrees	2.75" x 2.75" x 16.75"H angled column	8 x 8	1	BPKRA13022SOGME	290
	22 degrees	2.75" x 2.75" x 27.75"H angled column	8 x 8	1	BPKRA13022SDGME	290
	30 degrees	**2.75" x 2.75" x 27.75"H angled column***	8 x 8	1	BPKRA13030SDGME	290


***2.75" 30 degree angle base shall be used with 42" or 48" deep rectangle tops**

(ME) Standard metal powder coat finishes :
Black Wrinkle (BW), Flat Black (FB),
Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT), Metallic Silver (MS).

* The above pricing for the **Krauss series angled post base** is for a single base. Due to the versatility of this base, please email service@symphonytables.com to verify how many bases you will need and quantity of bases required to support your top.

Note that the height of the base as well as the degree angle of the base will determine the top size that it will support. We encourage you to contact our support team to obtain a drawing to verify that the bases will fit under the intended top size.





Picture above shows two column legs in V Formation. Multiple variations can be used with this column. Pricing is done per column.




rectangle table with (4) Krauss 2.00 x 2.00 legs




rectangle table with (4) Krauss 2.75 x 2.75 legs


bases
post
Krauss




Suggested Max Top size of 42″ x 60″



Suggested Max Top size of 42″ x 60″



Suggested Max Top size of 48″ dia.



Suggested Max Top size of 60″ dia.

bases
post
Pyra


base	base description	base height	qty	model no.	list
Pyra					
	tapered angled post base with wire management in base, adj glides	27.75	4	BPPYR4STASDGME	1,030
	tapered angled post base with wire management in base, adj glides	34.75	4	BPPYR4STASCGME	1,170
	tapered angled post base with wire management in base, adj glides	40.75	4	BPPYR4STASBGME	1,320

reference illustrations to view the minumum and maximum top sizes for each base overall base height (27.75"H, 34.75"H, 40.75"H bases)
weight capacity is 200 lbs including the top for a set of 4 bases

(ME) Standard metal powder coat finishes :
Flat Black (FB), Furniture White (FW),
Medium Tone (MT), Metallic Silver (MS).

Note that the maximum table top diameter that 4 bases will hold is 60" round

ILLUSTRATION A




ROUND TOP CENTER CONFIGURATION

42"H legs
X: 8.75"
Y: 48" *(minimum table top size)*

36" H legs
X: 6.8125"
Y: 46" *(minimum table top size)*

29" H legs
X: 4.75"
Y: 40" *(minimum table top size)*

ILLUSTRATION B



SQUARE TOP CENTER CONFIGURATION

42"
X: 8.75"
Y: 48" *(minimum table top size)*

36"
X: 6.8125"
Y: 46" *(minimum table top size)*

29"
X: 4.75"
Y: 40" *(minimum table top size)*







ILLUSTRATION C




SQUARE TOP CORNER CONFIGURATION

42"H legs
X: 11.5"
Y: 38" *minimum table top size*

36" H legs
X: 9.5"
Y: 36" *minimum table top size*

29"H legs
X: 7.375"
Y: 32" *minimum table top size*

Maximum tabletop diameter is 60".



MOUNTING PLATE



* top size range: 42 x 42 up to 60 x 60


power/data
+ wire mangement

power supply location chart
long ways on top

Our main focus is integrating technology into tables for learning and meeting environments. We invite you to email service@symphonytables.com for help with specifying your project. For the additional resources, please visit www.symphonytables.com.

Please specify the power supply location cut out on your PO:


POWER MODULE LOCATIONS FOR UNITS RUNNING LONG WAYS ON THE TOP:



PFCC (1 front center)


PFLL (1 front left)


PFRR (1 front right)



PFLR (1 front left & 1 front right)



PFC2 (1 front left center & 1 front right center)


PCCC (1 center)


PFLC (1 front left center)


PFRC (1 front right center)


PCLC (1 left center)


PCLR (1 left center & 1 right



PCRC (1 right center)

Note that power supplies cannot be placed over metal base plates, contact service@symphonytables.com to ensure that the power supply location will work with your base placement and all of the other options / accessories specified on the table.


power supply location chart
short ways on top

Please specify the power supply location cut out on your PO:


POWER MODULE LOCATIONS FOR UNITS RUNNING SHORT WAYS ON THE TOP:




PC3L (1 CENTERED ON THE TOP RUNNING SHORT WAYS - 3" AWAY FROM LEFT SIDE OF TOP)




PC3R (1 CENTERED ON THE TOP RUNNING SHORT WAYS - 3" AWAY FROM RIGHT SIDE OF TOP)


PCS2 (1 LEFT CENTERED AND 1 RIGHT CENTER ON THE TOP RUNNING SHORT WAYS)


PCSL (1 CENTERED ON THE LEFT SIDE OF THE TOP RUNNING SHORT WAYS)


PCCS (1 CENTERED ON THE TOP RUNNING SHORT WAYS)


PCSR (1 CENTERED ON THE RIGHT SIDE OF THE TOP RUNNING SHORT WAYS)


Note that power supplies cannot be placed over metal base plates, contact service@symphonytables.com to ensure that the power supply location will work with your base placement and all of the other options / accessories specified on the table.

power/data modules


Ariba in surface

module	description	# of ports	model no.	cord length	finish code	list
Ariba in surface single-sided unit						
 2 port	2 power 3"D x 4.5"W table top cut out, specify location cut out shall have 1/4" radius corners	2	OPPARI2P0A0D06GW	6 ft.	GW	330
			OPPARI2P0A0D06GB	6 ft.	GB	330
			OPPARI2P0A0D06GS	6 ft.	GS	330
			OPPARI2P0A0D10GW	10 ft.	GW	350
			OPPARI2P0A0D10GB	10 ft.	GB	350
			OPPARI2P0A0D10GS	10 ft.	GS	350
	1 power, 1 USB-4C 3"D x 4.5"W table top cut out, specify location cut out shall have 1/4" radius corners	2	OPPARI1P4C0D06GW	6 ft.	GW	570
			OPPARI1P4C0D06GB	6 ft.	GB	570
			OPPARI1P4C0D06GS	6 ft.	GS	570
			OPPARI1P4C0D10GW	10 ft.	GW	590
			OPPARI1P4C0D10GB	10 ft.	GB	590
			OPPARI1P4C0D10GS	10 ft.	GS	590
	1 power, 1 USB-A+C 3"D x 4.5"W table top cut out, specify location cut out shall have 1/4" radius corners	2	OPPARI1PAC0D06GW	6 ft.	GW	520
			OPPARI1PAC0D06GB	6 ft.	GB	520
			OPPARI1PAC0D06GS	6 ft.	GS	520
			OPPARI1PAC0D10GW	10 ft.	GW	540
			OPPARI1PAC0D10GB	10 ft.	GB	540
			OPPARI1PAC0D10GS	10 ft.	GS	540
	1 power, 1 dual C+A 3"D x 4.5"W table top cut out, specify location cut out shall have 1/4" radius corners	2	OPPARI1P2C1A06GW	6 ft.	GW	570
			OPPARI1P2C1A06GB	6 ft.	GB	570
			OPPARI1P2C1A06GS	6 ft.	GS	570
			OPPARI1P2C1A10GW	10 ft.	GW	590
			OPPARI1P2C1A10GB	10 ft.	GB	590
			OPPARI1P2C1A10GS	10 ft.	GS	590
 4 port	3 power, 1 open data 3"D x 6-15/16"W table top cut out, specify location cut out shall have 3/8" radius corners	4	OPPARI3P0A1D06GW	6 ft.	GW	410
			OPPARI3P0A1D06GB	6 ft.	GB	410
			OPPARI3P0A1D06GS	6 ft.	GS	410
			OPPARI3P0A1D10GW	10 ft.	GW	430
			OPPARI3P0A1D10GB	10 ft.	GB	430
			OPPARI3P0A1D10GS	10 ft.	GS	430
	3 power, 1 USB-A+C 3"D x 6-15/16"W table top cut out, specify location cut out shall have 3/8" radius corners	4	OPPARI3PAC0D06GW	6 ft.	GW	560
			OPPARI3PAC0D06GB	6 ft.	GB	560
			OPPARI3PAC0D06GS	6 ft.	GS	560
			OPPARI3PAC0D10GW	10 ft.	GW	580
			OPPARI3PAC0D10GB	10 ft.	GB	580
			OPPARI3PAC0D10GS	10 ft.	GS	580
	2 power, 1 USB-A+C, 1 open data 3"D x 6-15/16"W table top cut out, specify location cut out shall have 3/8" radius corners	4	OPPARI2PAC1D06GW	6 ft.	GW	540
			OPPARI2PAC1D06GB	6 ft.	GB	540
			OPPARI2PAC1D06GS	6 ft.	GS	540
			OPPARI2PAC1D10GW	10 ft.	GW	560
			OPPARI2PAC1D10GB	10 ft.	GB	560
			OPPARI2PAC1D10GS	10 ft.	GS	560

Ariba 2 port in surface cut out information:



Ariba 4 port in surface cut out information:



ARIBA SERIES FINISH CODE LEGEND:



GW - Gloss White plastic finish, white cord



GB - Gloss Black plastic finish, black cord




GS - Gloss Storm plastic finish, black cord

power/data modules

Asti and Asti II in surface

Asti undermount

module	description	model no.	grommet finish	module finish	list
Asti in surface					
	2 power, 1 convenience outlet below the worksurface, 108 inch black cord 2 open data ports for RJ45 Cat 6 data (data jacks not included) 3"D x 5.25"W table top cut out size - specify placement	OPPAST2P0UDR91SB	silver	silver	470
		OPPAST2P0UDR91BB	black	black	470
		OPPAST2P0UDR91WW	white	white	470
		OPPAST2P0UDR91AB	brushed aluminum	black	560
		OPPAST2P0UDR91ST	stainless steel	black	560
	2 power, 1 USB-A+C, 1 convenience outlet below the worksurface, 108 inch black cord 2 open data ports for RJ45 Cat 6 data (data jacks not included) 3"D x 5.25"W table top cut out size - specify placement	OPPAST2PACDR91SB	silver	silver	670
		OPPAST2PACDR91BB	black	black	670
		OPPAST2PACDR91WW	white	white	670
		OPPAST2PACDR91AB	brushed aluminum	black	760
		OPPAST2PACDR91ST	stainless steel	black	760



ASTI SERIES FINISH CODE LEGEND:



SB - Silver grommet, silver module, black cord



BB - Black grommet, black module, black cord



WW - White grommet, white module, black cord



AB - Brushed Aluminum grommet, black module, black cord

ST - Stainless Steel grommet, black module, black cord

Asti undermount					
	2 power, 1 convenience outlet under surface mount power unit, 108" black cord, no cut out required	OPPASU3P0U0D9BB	n/a	black	330
		OPPASU3P0U0D9SB	n/a	silver	330

** You can daisy chain up to (4) Asti units with a 20 amp single circuit outlet

*** Ariba and Asti modules have many different configurations available within the family offering, including hardwired solutions, email service@symphonytables.com for assistance if you are looking for additional power/data/USB features for your project.

power/data modules


Aya

in surface

module	description	# of ports	model no.	cord length	finish code	list
Aya in surface - all units feature spill-proof technology that protects against electrical damage						
	2 power, 1 USB A+C 2"D x 5.25"W table top cut out, specify location	3	OPPAYA2PAC0D06MS	6 ft.	MS	550
			OPPAYA2PAC0D06MW	6 ft.	MW	550
			OPPAYA2PAC0D06MB	6 ft.	MB	550
			OPPAYA2PAC0D10MS	10 ft.	MS	570
			OPPAYA2PAC0D10MW	10 ft.	MW	570
			OPPAYA2PAC0D10MB	10 ft.	MB	570
	2 power, 1 USB-A+C, 1 open data 2"D x 6.75"W table top cut out, specify location	4	OPPAYA2PAC1D06MS	6 ft.	MS	570
			OPPAYA2PAC1D06MW	6 ft.	MW	570
			OPPAYA2PAC1D06MB	6 ft.	MB	570
			OPPAYA2PAC1D10MS	10 ft.	MS	590
			OPPAYA2PAC1D10MW	10 ft.	MW	590
			OPPAYA2PAC1D10MB	10 ft.	MB	590
	3 power, 1 open data 2"D x 6.75"W table top cut out, specify location	4	OPPAYA3P0A1D06MS	6 ft.	MS	410
			OPPAYA3P0A1D06MW	6 ft.	MW	410
			OPPAYA3P0A1D06MB	6 ft.	MB	410
			OPPAYA3P0A1D10MS	10 ft.	MS	430
			OPPAYA3P0A1D10MW	10 ft.	MW	430
			OPPAYA3P0A1D10MB	10 ft.	MB	430

Aya in surface cut out information:

# of ports	"X" Dim.
4	6.75"W



AYA SERIES FINISH CODE LEGEND:



MS - Matte storm plastic faceplate, clear anodized aluminum housing, black cord



MW - Matte white plastic faceplate, clear anodized aluminum housing, white cord



MB - Matte black plastic faceplate, clear anodized aluminum housing, black cord

** Aya modules have many different configurations available within the family offering, including hardwired solutions, email service@symphonytables.com for assistance if you are looking for additional power/data/USB features for your project.

power/data modules

Aya

freestanding and clamp mount

module	description	# of ports	model no.	cord length	finish code	list
Aya F (freestanding)						
	2 power, 1 USB-A+C	3	OPPAYF2PAC0D06MS	6 ft.	MS	550
			OPPAYF2PAC0D06MW	6 ft.	MW	550
			OPPAYF2PAC0D06MB	6 ft.	MB	550
			OPPAYF2PAC0D10MS	10 ft.	MS	570
			OPPAYF2PAC0D10MW	10 ft.	MW	570
			OPPAYF2PAC0D10MB	10 ft.	MB	570
Aya H (horizontal clamp mount)						
	2 power, 1 USB-A+C	3	OPPAYH2PAC0D06MS	6 ft.	MS	550
			OPPAYH2PAC0D06MW	6 ft.	MW	550
			OPPAYH2PAC0D06MB	6 ft.	MB	550
			OPPAYH2PAC0D10MS	10 ft.	MS	570
			OPPAYH2PAC0D10MW	10 ft.	MW	570
			OPPAYH2PAC0D10MB	10 ft.	MB	570

AYA SERIES FINISH CODE LEGEND:



MS - Matte storm plastic faceplate, clear anodized aluminum housing, black cord



MW - Matte white plastic faceplate, clear anodized aluminum housing, white cord



MB - Matte black plastic faceplate, clear anodized aluminum housing, black cord

** Aya modules have many different configurations available within the family offering, including hardwired solutions, email service@symphonytables.com for assistance if you are looking for additional power/data/USB features for your project.

power/data modules

Beni in surface
single-sided unit

module	description	# of ports	model no.	cord length	finish code	list
Beni in surface single-sided unit						
	2 power 4"D x 5"W table top cut out, specify location	2	OPPBEN2P0A0D06SS	6 ft.	SS	560
			OPPBEN2P0A0D06SW	6 ft.	SW	560
			OPPBEN2P0A0D06SB	6 ft.	SB	560
			OPPBEN2P0A0D10SS	10 ft.	SS	580
			OPPBEN2P0A0D10SW	10 ft.	SW	580
			OPPBEN2P0A0D10SB	10 ft.	SB	580
	2 power, 1 USB-A+C 4"D x 6.5"W table top cut out, specify location	3	OPPBEN2PAC0D06SS	6 ft.	SS	800
			OPPBEN2PAC0D06SW	6 ft.	SW	800
			OPPBEN2PAC0D06SB	6 ft.	SB	800
			OPPBEN2PAC0D10SS	10 ft.	SS	820
			OPPBEN2PAC0D10SW	10 ft.	SW	820
			OPPBEN2PAC0D10SB	10 ft.	SB	820
	2 power, 1 USB-A+C, 1 dual USB-C 45w 4"D x 8"W table top cut out, specify location	4	OPPBEN2P1A1C06SS	6 ft.	SS	1,020
			OPPBEN2P1A1C06SW	6 ft.	SW	1,020
			OPPBEN2P1A1C06SB	6 ft.	SB	1,020
			OPPBEN2P1A1C10SS	10 ft.	SS	1,040
			OPPBEN2P1A1C10SW	10 ft.	SW	1,040
			OPPBEN2P1A1C10SB	10 ft.	SB	1,040
	2 power, 1 USB-A+C, 1 HDMI 4"D x 8"W table top cut out, specify location	4	OPPBEN2P1A1H06SS	6 ft.	SS	840
			OPPBEN2P1A1H06SW	6 ft.	SW	840
			OPPBEN2P1A1H06SB	6 ft.	SB	840
			OPPBEN2P1A1H10SS	10 ft.	SS	860
			OPPBEN2P1A1H10SW	10 ft.	SW	860
			OPPBEN2P1A1H10SB	10 ft.	SB	860
	2 power, 1 USB-A+C, 1 open data 4"D x 8"W table top cut out, specify location	4	OPPBEN2PAC1D06SS	6 ft.	SS	720
			OPPBEN2PAC1D06SW	6 ft.	SW	720
			OPPBEN2PAC1D06SB	6 ft.	SB	720
			OPPBEN2PAC1D10SS	10 ft.	SS	740
			OPPBEN2PAC1D10SW	10 ft.	SW	740
			OPPBEN2PAC1D10SB	10 ft.	SB	740
	2 power, 2 open data ports 4"D x 11"W table top cut out, specify location	4	OPPBEN2P0A2D06SS	6 ft.	SS	580
			OPPBEN2P0A2D06SW	6 ft.	SW	580
			OPPBEN2P0A2D06SB	6 ft.	SB	580
			OPPBEN2P0A2D10SS	10 ft.	SS	600
			OPPBEN2P0A2D10SW	10 ft.	SW	600
			OPPBEN2P0A2D10SB	10 ft.	SB	600
	2 power, 1 USB-A+C, 3 open data 4"D x 11"W table top cut out, specify location	6	OPPBEN2P1A3D06SS	6 ft.	SS	880
			OPPBEN2P1A3D06SW	6 ft.	SW	880
			OPPBEN2P1A3D06SB	6 ft.	SB	880
			OPPBEN2P1A3D10SS	10 ft.	SS	900
			OPPBEN2P1A3D10SW	10 ft.	SW	900
			OPPBEN2P1A3D10SB	10 ft.	SB	900
	3 power, 3 open data ports 4"D x 11"W table top cut out, specify location	6	OPPBEN3P0A3D06SS	6 ft.	SS	670
			OPPBEN3P0A3D06SW	6 ft.	SW	670
			OPPBEN3P0A3D06SB	6 ft.	SB	670
			OPPBEN3P0A3D10SS	10 ft.	SS	690
			OPPBEN3P0A3D10SW	10 ft.	SW	690
			OPPBEN3P0A3D10SB	10 ft.	SB	690

BENI SERIES FINISH CODE LEGEND:




SS - Silver anodized aluminum case finish, silver trim finish, black simplex finish, black cord

SW - Silver anodized aluminum case finish, white trim finish, white simplex finish, white cord

SB - Silver anodized aluminum case finish, black trim finish, black simplex finish, black cord

Beni in surface single-sided cut out information:





# of ports.	"X" Dim.
2	5"
3	6.5"
4	8"
6	11"



** Beni has many different configurations available within the family offering, including a hardwired solution, shared media solutions and upgraded equipment that will allow the units to daisy chain (for an upcharge), email service@symphonytables.com for assistance if you are looking for additional power/data/USB features for your project.


power/data modules

Beni in surface
back -to-back and side-to-side

module	description	# of ports	model no.	cord length	finish code	list
Beni in surface back-to-back unit						
(there are 2 cords standard per unit) 	Each side contains: 2 power, 1 USB-A+C, 1 open data total of 4 power, 2 USB-A+C, 2 open data per unit 7-11/16"D x 8"W table top cut out, specify location	8 (4/side)	OPPBEB4P2AC2D06SS	6 ft.	SS	1,530
			OPPBEB4P2AC2D06SW	6 ft.	SW	1,530
			OPPBEB4P2AC2D06SB	6 ft.	SB	1,530
			OPPBEB4P2AC2D10SS	10 ft.	SS	1,550
			OPPBEB4P2AC2D10SW	10 ft.	SW	1,550
			OPPBEB4P2AC2D10SB	10 ft.	SB	1,550
(there are 2 cords standard per unit) 	Each side contains: 2 power, 2 open data ports total of 4 power, 4 open data ports per unit 7-11/16"D x 8"W table top cut out, specify location	8 (4/side)	OPPBEB4P0A4D06SS	6 ft.	SS	1,210
			OPPBEB4P0A4D06SW	6 ft.	SW	1,210
			OPPBEB4P0A4D06SB	6 ft.	SB	1,210
			OPPBEB4P0A4D10SS	10 ft.	SS	1,230
			OPPBEB4P0A4D10SW	10 ft.	SW	1,230
			OPPBEB4P0A4D10SB	10 ft.	SB	1,230
(there are 2 cords standard per unit) 	Each side contains: 2 power, 1 USB-A+C, 1 dual USB-C 45w total of 4 power, 2 USB-A+C, 2 USB-C 45w per 7-11/16"D x 8"W table top cut out, specify location	8 (4/side)	OPPBEB4P2AC2C06SS	6 ft.	SS	2,140
			OPPBEB4P2AC2C06SW	6 ft.	SW	2,140
			OPPBEB4P2AC2C06SB	6 ft.	SB	2,110
			OPPBEB4P2AC2C10SS	10 ft.	SS	2,160
			OPPBEB4P2AC2C10SW	10 ft.	SW	2,160
			OPPBEB4P2AC2C10SB	10 ft.	SB	2,160
(there are 2 cords standard per unit) 	Side 1 contains: 2 power, 1 USB-A+C, 1 HDMI Side 2 contains: 2 power, 1 USB-A+C, 1 open data total of 4 power, 2 USB-A+C, 1 HDMI, 1 open data per unit 7-11/16"D x 8"W table top cut out, specify location	8 (4/side)	OPPBEB4P2AC1H1D06SS	6 ft.	SS	1,630
			OPPBEB4P2AC1H1D06SW	6 ft.	SW	1,630
			OPPBEB4P2AC1H1D06SB	6 ft.	SB	1,630
			OPPBEB4P2AC1H1D10SS	10 ft.	SS	1,650
			OPPBEB4P2AC1H1D10SW	10 ft.	SW	1,650
			OPPBEB4P2AC1H1D10SB	10 ft.	SB	1,650

Beni Back-To-Back cut out information:

# of ports.	"X" Dim.
8 (4 ports / side)	8"



BENI SERIES FINISH CODE LEGEND:



SS - Silver anodized aluminum case finish, silver trim finish, black simplex finish, black cord

SW - Silver anodized aluminum case finish, white trim finish, white simplex finish, white cord

SB - Silver anodized aluminum case finish, black trim finish, black simplex finish, black cord


*Beni back-to-back units are also available with a single circuit breaker cord instead of 2 cords per unit, please email service@symphonytables.com for pricing.

** Beni has many different configurations available within the family offering, including a hardwired solution, shared media solutions and upgraded equipment that will allow the units to daisy chain (for an upcharge), email service@symphonytables.com for assistance if you are looking for additional power/data/USB features for your project.

power/data modules
Circo in surface

module	description	# of ports	model no.	cord length	finish code	list
Circo in surface						
	2 power 3" diameter cut out, specify location	2	OPPCIR2P0A0D06MF	6 ft.	MF	290
			OPPCIR2P0A0D06MS	6 ft.	MS	290
			OPPCIR2P0A0D06MW	6 ft.	MW	290
			OPPCIR2P0A0D06MB	6 ft.	MB	290
			OPPCIR2P0A0D10MF	10 ft.	MF	310
			OPPCIR2P0A0D10MS	10 ft.	MS	310
			OPPCIR2P0A0D10MW	10 ft.	MW	310
			OPPCIR2P0A0D10MB	10 ft.	MB	310
	1 power, 1 USB-A+C 3" diameter cut out, specify location	2	OPPCIR1PAC0D06MF	6 ft.	MF	430
			OPPCIR1PAC0D06MS	6 ft.	MS	430
			OPPCIR1PAC0D06MW	6 ft.	MW	430
			OPPCIR1PAC0D06MB	6 ft.	MB	430
			OPPCIR1PAC0D10MF	10 ft.	MF	450
			OPPCIR1PAC0D10MS	10 ft.	MS	450
			OPPCIR1PAC0D10MW	10 ft.	MW	450
			OPPCIR1PAC0D10MB	10 ft.	MB	450
Circo in surface with convenience outlet						
	2 power, 1 convenience outlet below the worksurface 3" diameter cut out, specify location	2	OPPCIR2P0A0D106MF	6 ft.	MF	310
			OPPCIR2P0A0D106MS	6 ft.	MS	310
			OPPCIR2P0A0D106MW	6 ft.	MW	310
			OPPCIR2P0A0D106MB	6 ft.	MB	310
			OPPCIR2P0A0D110MF	10 ft.	MF	330
			OPPCIR2P0A0D110MS	10 ft.	MS	330
			OPPCIR2P0A0D110MW	10 ft.	MW	330
			OPPCIR2P0A0D110MB	10 ft.	MB	330
	1 power, 1 USB-A+C, 1 convenience outlet below the worksurface 3" diameter cut out, specify location	2	OPPCIR1PAC0D106MF	6 ft.	MF	450
			OPPCIR1PAC0D106MS	6 ft.	MS	450
			OPPCIR1PAC0D106MW	6 ft.	MW	450
			OPPCIR1PAC0D106MB	6 ft.	MB	450
			OPPCIR1PAC0D110MF	10 ft.	MF	470
			OPPCIR1PAC0D110MS	10 ft.	MS	470
			OPPCIR1PAC0D110MW	10 ft.	MW	470
			OPPCIR1PAC0D110MB	10 ft.	MB	470

Circo in surface cut out information:



CIRCO SERIES FINISH CODE LEGEND:



ME - Matte Fog powdercoat finish, fog simplex finish, black cord



MS - Matte Storm powdercoat finish, storm simplex finish, black cord



MW - Matte White powdercoat finish, white simplex finish, white cord (black portion shown in image will screw in under the table top)




MB - Matte Black powdercoat finish, black simplex finish, black cord

power/data modules
Felino in surface

module	description	# of ports	model no.	cord length	finish code	list
Felino in Surface						
	3 power 4.5" diameter cut out required, specify location	3	OPPFEL3P0A0D06FF	6 ft.	FF	390
			OPPFEL3P0A0D06SS	6 ft.	SS	390
			OPPFEL3P0A0D06WW	6 ft.	WW	390
			OPPFEL3P0A0D06BB	6 ft.	BB	390
			OPPFEL3P0A0D10FF	10 ft.	FF	410
			OPPFEL3P0A0D10SS	10 ft.	SS	410
			OPPFEL3P0A0D10WW	10 ft.	WW	410
			OPPFEL3P0A0D10BB	10 ft.	BB	410
	2 power, 1 USB-A+C, one blank 4.5" diameter cut out required, specify location	3	OPPFEL2PAC0D06FF	6 ft.	FF	480
			OPPFEL2PAC0D06SS	6 ft.	SS	480
			OPPFEL2PAC0D06WW	6 ft.	WW	480
			OPPFEL2PAC0D06BB	6 ft.	BB	480
			OPPFEL2PAC0D10FF	10 ft.	FF	500
			OPPFEL2PAC0D10SS	10 ft.	SS	500
			OPPFEL2PAC0D10WW	10 ft.	WW	500
			OPPFEL2PAC0D10BB	10 ft.	BB	500

Felino in surface cut out information:



FELINO SERIES FINISH CODE LEGEND:



FF - Soft touch fog plastic finish, white cord



SS - Soft touch storm plastic finish, black cord



WW - Soft touch white plastic finish, white cord



BB - Soft touch black plastic finish, black cord


power/data modules

Kita single-sided in surface

module	description	# of ports	model no.	cord length	finish code	list
Kita in surface single-sided unit						
	2 power, 1 USB-A+C, 1 open data port 5"D x 8"W table top cut out, specify location	4	OPPKIT2PAC1D06ST	6 ft.	ST	810
			OPPKIT2PAC1D06SW	6 ft.	SW	810
			OPPKIT2PAC1D06SB	6 ft.	SB	810
			OPPKIT2PAC1D10ST	10 ft.	ST	830
			OPPKIT2PAC1D10SW	10 ft.	SW	830
			OPPKIT2PAC1D10SB	10 ft.	SB	830
	2 power, 1 USB-A+C, 1 HDMI 5"D x 8"W table top cut out, specify location	4	OPPKIT2PAC1H06ST	6 ft.	ST	940
			OPPKIT2PAC1H06SW	6 ft.	SW	940
			OPPKIT2PAC1H06SB	6 ft.	SB	940
			OPPKIT2PAC1H10ST	10 ft.	ST	960
			OPPKIT2PAC1H10SW	10 ft.	SW	960
			OPPKIT2PAC1H10SB	10 ft.	SB	960
	3 power, 1 open data port 5"D x 8"W table top cut out, specify location	4	OPPKIT3P0A1D06ST	6 ft.	ST	650
			OPPKIT3P0A1D06SW	6 ft.	SW	650
			OPPKIT3P0A1D06SB	6 ft.	SB	650
			OPPKIT3P0A1D10ST	10 ft.	ST	670
			OPPKIT3P0A1D10SW	10 ft.	SW	670
			OPPKIT3P0A1D10SB	10 ft.	SB	670
	2 power, 2 open data ports 5"D x 8"W table top cut out, specify location	4	OPPKIT2P0A2D06ST	6 ft.	ST	640
			OPPKIT2P0A2D06SW	6 ft.	SW	640
			OPPKIT2P0A2D06SB	6 ft.	SB	640
			OPPKIT2P0A2D10ST	10 ft.	ST	660
			OPPKIT2P0A2D10SW	10 ft.	SW	660
			OPPKIT2P0A2D10SB	10 ft.	SB	660
	3 power, 3 open data ports 5"D x 11"W table top cut out, specify location	6	OPPKIT3P0A3D06ST	6 ft.	ST	690
			OPPKIT3P0A3D06SW	6 ft.	SW	690
			OPPKIT3P0A3D06SB	6 ft.	SB	690
			OPPKIT3P0A3D10ST	10 ft.	ST	710
			OPPKIT3P0A3D10SW	10 ft.	SW	710
			OPPKIT3P0A3D10SB	10 ft.	SB	710
	2 power, 1 USB-A+C, 1 dual USB-C 45w, 2 open data ports	6	OPPKIT2PAC1C2D06ST	6 ft.	ST	1,140
			OPPKIT2PAC1C2D06SW	6 ft.	SW	1,140
			OPPKIT2PAC1C2D06SB	6 ft.	SB	1,140
			OPPKIT2PAC1C2D10ST	10 ft.	ST	1,160
			OPPKIT2PAC1C2D10SW	10 ft.	SW	1,160
			OPPKIT2PAC1C2D10SB	10 ft.	SB	1,160

Kita SINGLE SIDED cut out information:

# of ports.	"X" Dim.
4	8"W
6	11"W



KITA SERIES FINISH CODE LEGEND:



ST - Silver anodized aluminum case finish, storm trim and simplex finish, black cord



SW - Silver anodized aluminum case finish, white trim and simplex finish, black cord




SB - Silver anodized aluminum case finish, black trim and simplex finish, black cord

** Kita has many different configurations available within the family offering, including a hardwired solution, shared media solutions and upgraded equipment that will allow the units to daisy chain (for an upcharge), email service@symphonytables.com for assistance if you are looking for additional power/data/USB features for your project.

power/data modules

Kita in surface back-to-back

module	description	# of ports	model no.	cord length	finish code	list
Kita back-to-back unit (there are 2 cords standard per unit)						
	Each side contains: 3 power, 1 open data port Total of 6 power, 2 open data ports per unit 9-13/16"D x 8"W table top cut out	8 (4/side)	OPPKIB6P0A2D06ST	6 ft.	ST	1,170
			OPPKIB6P0A2D06SW	6 ft.	SW	1,170
			OPPKIB6P0A2D06SB	6 ft.	SB	1,170
			OPPKIB6P0A2D10ST	10 ft.	ST	1,190
			OPPKIB6P0A2D10SW	10 ft.	SW	1,190
			OPPKIB6P0A2D10SB	10 ft.	SB	1,190
	Each side contains: 2 power, 1 USB-A+C, 1 open data port Total of 4 power, 2 USB-A+C, 2 open data ports per unit 9-13/16"D x 8"W table top cut out	8 (4/side)	OPPKIB4P2AC2D06ST	6 ft.	ST	1,470
			OPPKIB4P2AC2D06SW	6 ft.	SW	1,470
			OPPKIB4P2AC2D06SB	6 ft.	SB	1,470
			OPPKIB4P2AC2D10ST	10 ft.	ST	1,490
			OPPKIB4P2AC2D10SW	10 ft.	SW	1,490
			OPPKIB4P2AC2D10SB	10 ft.	SB	1,490
	Each side contains: 2 power, 2 open data ports Total of 4 power, 4 open data ports per unit 9-13/16"D x 8"W table top cut out	8 (4/side)	OPPKIB4P0A4D06ST	6 ft.	ST	1,140
			OPPKIB4P0A4D06SW	6 ft.	SW	1,140
			OPPKIB4P0A4D06SB	6 ft.	SB	1,140
			OPPKIB4P0A4D10ST	10 ft.	ST	1,160
			OPPKIB4P0A4D10SW	10 ft.	SW	1,160
			OPPKIB4P0A4D10SB	10 ft.	SB	1,160
	Side 1 contains: 2 power, 1 USB-A+C, 1 open data Side 2 contains: 2 power 1 USB-A+C, 1 HDMI Total of 4 power 2 USB-A+C, 1 open data, 1 HDMI per unit 9-13/16"D x 8"W table top cut out	8 (4/side)	OPPKIB4P2AC1D1H06ST	6 ft.	ST	1,620
			OPPKIB4P2AC1D1H06SW	6 ft.	SW	1,620
			OPPKIB4P2AC1D1H06SB	6 ft.	SB	1,620
			OPPKIB4P2AC1D1H10ST	10 ft.	ST	1,640
			OPPKIB4P2AC1D1H10SW	10 ft.	SW	1,640
			OPPKIB4P2AC1D1H10SB	10 ft.	SB	1,640
	Each side contains: 3 power, 3 open data ports Total of 6 power, 6 open data ports per unit 9-13/16"D x 11"W table top cut out	12 (6/side)	OPPKIB6P0A6D06ST	6 ft.	ST	1,270
			OPPKIB6P0A6D06SW	6 ft.	SW	1,270
			OPPKIB6P0A6D06SB	6 ft.	SB	1,270
			OPPKIB6P0A6D10ST	10 ft.	ST	1,290
			OPPKIB6P0A6D10SW	10 ft.	SW	1,290
			OPPKIB6P0A6D10SB	10 ft.	SB	1,290
	Each side contains: 3 power, 1 USB-A+C, 2 open data ports Total of 6 power, 2 USB-A+C, 4 open data ports per unit 9-13/16"D x 11"W table top cut out	12 (6/side)	OPPKIB6P2AC4D06ST	6 ft.	ST	1,650
			OPPKIB6P2AC4D06SW	6 ft.	SW	1,650
			OPPKIB6P2AC4D06SB	6 ft.	SB	1,650
			OPPKIB6P2AC4D10ST	10 ft.	ST	1,670
			OPPKIB6P2AC4D10SW	10 ft.	SW	1,670
			OPPKIB6P2AC4D10SB	10 ft.	SB	1,670
	Each side contains: 2 power, 1 USB-A+C, 1 dual USB-C 45W, 2 open data ports Total of 4 power, 2 USB-A+C, 2 dual USB-C 45w, 4 open per unit 9-13/16"D x 11"W table top cut out	12 (6/side)	OPPKIB4P2AC2C4D06ST	6 ft.	ST	2,160
			OPPKIB4P2AC2C4D06SW	6 ft.	SW	2,160
			OPPKIB4P2AC2C4D06SB	6 ft.	SB	2,160
			OPPKIB4P2AC2C4D10ST	10 ft.	ST	2,180
			OPPKIB4P2AC2C4D10SW	10 ft.	SW	2,180
			OPPKIB4P2AC2C4D10SB	10 ft.	SB	2,180
	Side 1 contains: 3 power, 1 USB-A+C, 2 open data ports Side 2 contains: 3 power, 1 USB-A+C, 1 open data, 1 HDMI Total of 6 power, 2 USB-A+C, 3 open data ports, 1 HDMI per unit 9-13/16"D x 11"W table top cut out	12 (6/side)	OPPKIB6P2AC3D1H06ST	6 ft.	ST	1,750
			OPPKIB6P2AC3D1H06SW	6 ft.	SW	1,750
			OPPKIB6P2AC3D1H06SB	6 ft.	SB	1,750
			OPPKIB6P2AC3D1H10ST	10 ft.	ST	1,770
			OPPKIB6P2AC3D1H10SW	10 ft.	SW	1,770
			OPPKIB6P2AC3D1H10SB	10 ft.	SB	1,770

Kita Back-To-Back cut out information:

# of ports.	"X" Dim.
8 (4 ports / side)	8"W
12 (6 ports / side)	11"W



KITA SERIES FINISH CODE LEGEND:



ST - Silver anodized aluminum case finish, storm trim and simplex finish, black cord



SW - Silver anodized aluminum case finish, white trim and simplex finish, black cord



SB - Silver anodized aluminum case finish, black trim and simplex finish, black cord

*Kita back-to-back units are also available with a single circuit breaker cord instead of 2 cords per unit, please email service@symphonytables.com for pricing.

** Kita has many different configurations available within the family offering, including a hardwired solution, shared media solutions and upgraded equipment that will allow the units to daisy chain (for an upcharge), email service@symphonytables.com for assistance if you are looking for additional power/data/USB features for your project.


power/data modules

Kita II single-sided in surface

module	description	# of ports	model no.	cord length	finish code	list
Kita II in surface single-sided unit						
	2 power, 1 USB-A+C, 1 open data port 4-7/8"D x 7-7/8"W table top cut out, specify	4	OPPKI22PAC1D06MF	6 ft.	MF	690
			OPPKI22PAC1D06MS	6 ft.	MS	690
			OPPKI22PAC1D06MW	6 ft.	MW	690
			OPPKI22PAC1D06MB	6 ft.	MB	690
			OPPKI22PAC1D10MF	10 ft.	MF	710
			OPPKI22PAC1D10MS	10 ft.	MS	710
			OPPKI22PAC1D10MW	10 ft.	MW	710
			OPPKI22PAC1D10MB	10 ft.	MB	710
	2 power, 1 USB-A+C, 1 HDMI 4-7/8"D x 7-7/8"W table top cut out, specify	4	OPPKI22PAC1H06MF	6 ft.	MF	790
			OPPKI22PAC1H06MS	6 ft.	MS	790
			OPPKI22PAC1H06MW	6 ft.	MW	790
			OPPKI22PAC1H06MB	6 ft.	MB	790
			OPPKI22PAC1H10MF	10 ft.	MF	810
			OPPKI22PAC1H10MS	10 ft.	MS	810
			OPPKI22PAC1H10MW	10 ft.	MW	810
			OPPKI22PAC1H10MB	10 ft.	MB	810
	3 power, 1 USB-A+C 4-7/8"D x 7-7/8"W table top cut out, specify	4	OPPKI23PAC0D06MF	6 ft.	MF	670
			OPPKI23PAC0D06MS	6 ft.	MS	670
			OPPKI23PAC0D06MW	6 ft.	MW	670
			OPPKI23PAC0D06MB	6 ft.	MB	670
			OPPKI23PAC0D10MF	10 ft.	MF	690
			OPPKI23PAC0D10MS	10 ft.	MS	690
			OPPKI23PAC0D10MW	10 ft.	MW	690
			OPPKI23PAC0D10MB	10 ft.	MB	690
Kita II + WIRELESS in surface single-sided unit						
	3 power, 1 USB-A+C, 3 Qi coils 4-7/8" x 10-7/8" table top cut out, specify location Note that the wireless unit required a total of 6 ports	6	OPPKIW2PAC1D06MF	6 ft.	MF	1,260
			OPPKIW2PAC1D06MS	6 ft.	MS	1,260
			OPPKIW2PAC1D06MW	6 ft.	MW	1,260
			OPPKIW2PAC1D06MB	6 ft.	MB	1,260
			OPPKIW2PAC1D10MF	10 ft.	MF	1,280
			OPPKIW2PAC1D10MS	10 ft.	MS	1,280
			OPPKIW2PAC1D10MW	10 ft.	MW	1,280
			OPPKIW2PAC1D10MB	10 ft.	MB	1,280
Kita II DEEP in surface single-sided unit						
	2 power, 1 USB-A+C, 1 open data 4-7/8" x 7-7/8" table top cut out, specify location  *MacBook power brick will fit inside the unit with door closed	4	OPPKID2PAC1D06MF	6 ft.	MF	780
			OPPKID2PAC1D06MS	6 ft.	MS	780
			OPPKID2PAC1D06MW	6 ft.	MW	780
			OPPKID2PAC1D06MB	6 ft.	MB	780
			OPPKID2PAC1D10MF	10 ft.	MF	800
			OPPKID2PAC1D10MS	10 ft.	MS	800
			OPPKID2PAC1D10MW	10 ft.	MW	800
			OPPKID2PAC1D10MB	10 ft.	MB	800

Kita II cut out information:

# of ports.	"X" Dim.
4	7-7/8"W
6.	10-7/8"W



KITA II & KITA II BACK-TO-BACK SERIES FINISH CODE LEGEND:

 MF - Matte fog powder coated aluminum with matte fog powder coat simplexes, window frames and end cap, white faceplate, black cord.

 MS - Matte storm powder coated aluminum with matte storm powder coat simplexes, window frames and end cap, white faceplate, black cord.

 MW - Matte white powder coated aluminum with matte white powder coat simplexes, window frames and end cap, white faceplate, black cord.

 MB - Matte black powder coated aluminum with matte black powder coat simplexes, window frames and end cap, black faceplate, black cord.

power/data modules

Kita II back-to-back in surface
Macht under surface mount

module	description	# of ports	model no.	cord length	finish code	list
Kita II back-to-back unit (there are 2 cords standard per unit)						
	Each side contains: 3 power, 1 open data port Total of 6 power, 2 open data ports per unit 9-3/4"D x 7-7/8"W table top cut out	8 (4/side)	OPPK2B6P0A2D06MF	6 ft.	MF	1,130
			OPPK2B6P0A2D06MS	6 ft.	MS	1,130
			OPPK2B6P0A2D06MW	6 ft.	MW	1,130
			OPPK2B6P0A2D06MB	6 ft.	MB	1,130
			OPPK2B6P0A2D10MF	10 ft.	MF	1,150
			OPPK2B6P0A2D10MS	10 ft.	MS	1,150
			OPPK2B6P0A2D10MW	10 ft.	MW	1,150
			OPPK2B6P0A2D10MB	10 ft.	MB	1,150
	Each side contains: 2 power, 1 USB-A+C, 1 open data port Total of 4 power, 2 USB-A+C, 2 open data ports per unit 9-3/4"D x 7-7/8"W table top cut out	8 (4/side)	OPPK2B4P2AC2D06MF	6 ft.	MW	1,570
			OPPK2B4P2AC2D06MS	6 ft.	MS	1,570
			OPPK2B4P2AC2D06MW	6 ft.	MW	1,570
			OPPK2B4P2AC2D06MB	6 ft.	MB	1,570
			OPPK2B4P2AC2D10MF	10 ft.	MF	1,590
			OPPK2B4P2AC2D10MS	10 ft.	MS	1,590
			OPPK2B4P2AC2D10MW	10 ft.	MW	1,590
			OPPK2B4P2AC2D10MB	10 ft.	MB	1,590
Kita II DEEP back-to-back (there is 1 single cord standard per unit)						
	Each side contains: 2 power, 1 USB-A+C, 1 open data port Total of 4 power, 2 USB-A+C, 2 open data ports per unit 9-3/4"D x 7-7/8"W table top cut out  *MacBook power brick will fit inside the unit with door closed	8 (4/side)	OPPK2D4P2AC2D06MF	6 ft.	MW	1,870
			OPPK2D4P2AC2D06MS	6 ft.	MS	1,870
			OPPK2D4P2AC2D06MW	6 ft.	MW	1,870
			OPPK2D4P2AC2D06MB	6 ft.	MB	1,870
			OPPK2D4P2AC2D10MF	10 ft.	MF	1,890
			OPPK2D4P2AC2D10MS	10 ft.	MS	1,890
			OPPK2D4P2AC2D10MW	10 ft.	MW	1,890
			OPPK2D4P2AC2D10MB	10 ft.	MB	1,890
	Each side contains: 3 power, 1 USB-A+C, 1 HDMI, 1 open data port Total of 6 power, 2 USB-A+C, 2 HDMI, 2 open data ports per unit 9-3/4"D x 10-7/8"W table top cut out  *MacBook power brick will fit inside the unit with door closed	12 (6/side)	OPPK2D6P2AC2H2D06MF	6 ft.	MW	2,400
			OPPK2D6P2AC2H2D06MS	6 ft.	MS	2,400
			OPPK2D6P2AC2H2D06MW	6 ft.	MW	2,400
			OPPK2D6P2AC2H2D06MB	6 ft.	MB	2,400
			OPPK2D6P2AC2H2D10MF	10 ft.	MF	2,420
			OPPK2D6P2AC2H2D10MS	10 ft.	MS	2,420
			OPPK2D6P2AC2H2D10MW	10 ft.	MW	2,420
			OPPK2D6P2AC2H2D10MB	10 ft.	MB	2,420

Kita II Back-To-Back cut out information:

# of ports.	"X" Dim.
8 (4 ports / side)	7-7/8"W
6 (6 ports / side)	10-7/8"W





KITA II BACK-TO-BACK SERIES FINISH CODE LEGEND:

 MF - Matte fog powder coated aluminum with matte fog powder coat simplexes, window frames and end cap, white faceplate, black cord.

 MS - Matte storm powder coated aluminum with matte storm powder coat simplexes, window frames and end cap, white faceplate, black cord.

 MW - Matte white powder coated aluminum with matte white powder coat simplexes, window frames and end cap, white faceplate, black cord.

 MB - Matte black powder coated aluminum with matte black powder coat simplexes, window frames and end cap, black faceplate, black cord.

Macht Under Surface Mount						
	6 power, black finish, 72" circuit breaker cord, slide mount	6	OPPMAC6P0A0D06BK	6 ft.	BK	300
	4 power, 2 open data, black finish, 72" circuit breaker cord, slide mount	6	OPPMAC4P0A2D06BK	6 ft.	BK	280

power/data modules
Mio single-sided in surface

module	description	# of ports	model no.	cord length	finish code	list
Mio in surface single-sided unit						
	3 power 4"D x 6.5"W table top cut out, specify location	3	OPPMIO3P0A0D06MS	6 ft.	MS	450
			OPPMIO3P0A0D06MW	6 ft.	MW	450
			OPPMIO3P0A0D06MB	6 ft.	MB	450
			OPPMIO3P0A0D06GS	6 ft.	GS	450
			OPPMIO3P0A0D10MS	10 ft.	MS	470
			OPPMIO3P0A0D10MW	10 ft.	MW	470
			OPPMIO3P0A0D10MB	10 ft.	MB	470
			OPPMIO3P0A0D10GS	10 ft.	GS	470
	2 power, 1 USB-A+C 4"D x 6.5"W table top cut out, specify location	3	OPPMIO2PAC0D06MS	6 ft.	MS	680
			OPPMIO2PAC0D06MW	6 ft.	MW	680
			OPPMIO2PAC0D06MB	6 ft.	MB	680
			OPPMIO2PAC0D06GS	6 ft.	GS	680
			OPPMIO2PAC0D10MS	10 ft.	MS	700
			OPPMIO2PAC0D10MW	10 ft.	MW	700
			OPPMIO2PAC0D10MB	10 ft.	MB	700
			OPPMIO2PAC0D10GS	10 ft.	GS	700
	3 power, 1 open data 4"D x 8"W table top cut out, specify location	4	OPPMIO3P0A1D06MS	6 ft.	MS	460
			OPPMIO3P0A1D06MW	6 ft.	MW	460
			OPPMIO3P0A1D06MB	6 ft.	MB	460
			OPPMIO3P0A1D06GS	6 ft.	GS	460
			OPPMIO3P0A1D10MS	10 ft.	MS	480
			OPPMIO3P0A1D10MW	10 ft.	MW	480
			OPPMIO3P0A1D10MB	10 ft.	MB	480
			OPPMIO3P0A1D10GS	10 ft.	GS	480
	2 power, 1 USB-A+C, 1 open data 4"D x 8"W table top cut out, specify location	4	OPPMIO2PAC1D06MS	6 ft.	MS	680
			OPPMIO2PAC1D06MW	6 ft.	MW	680
			OPPMIO2PAC1D06MB	6 ft.	MB	680
			OPPMIO2PAC1D06GS	6 ft.	GS	680
			OPPMIO2PAC1D10MS	10 ft.	MS	700
			OPPMIO2PAC1D10MW	10 ft.	MW	700
			OPPMIO2PAC1D10MB	10 ft.	MB	700
			OPPMIO2PAC1D10GS	10 ft.	GS	700
	2 power, 1 USB-A+C, 1 HDMI 4"D x 8"W table top cut out, specify location	4	OPPMIO2PAC1H06MS	6 ft.	MS	810
			OPPMIO2PAC1H06MW	6 ft.	MW	810
			OPPMIO2PAC1H06MB	6 ft.	MB	810
			OPPMIO2PAC1H06GS	6 ft.	GS	810
			OPPMIO2PAC1H10MS	10 ft.	MS	830
			OPPMIO2PAC1H10MW	10 ft.	MW	830
			OPPMIO2PAC1H10MB	10 ft.	MB	830
			OPPMIO2PAC1H10GS	10 ft.	GS	830

MIO SERIES FINISH CODE LEGEND:



MS - Matte storm powder coated aluminum with plastic storm simplexes, window frames and end cap, black cord.


MW - Matte white powder coated aluminum with plastic white simplexes, window frames and end cap, black cord.


MB - Matte black powder coated aluminum with plastic black simplexes, window frames and end cap, black cord.


GS - Gloss silver powder coated aluminum with plastic white simplexes, window frames and end cap, white cord.

FINISH AREAS




Powder coated Aluminum

Plastic Simplex End caps, Window Frames

Mio single-sided cut out information:

# of ports.	"X" Dim
2	5"
3	6.5"
4	8"



power/data modules
Mio back-to-back in surface

module	description	# of ports	model no.	cord length	finish code	list
Mio in surface back-to-back unit (2 cords per unit)						
	Each side contains: 3 power, 1 open data Total of 6 power, 2 open data per unit 7-11/16"D x 8"L table top cut out, specify location	8 (4/side)	OPPMIB6P0A2D06MS	6 ft.	MS	950
			OPPMIB6P0A2D06MW	6 ft.	MW	950
			OPPMIB6P0A2D06MB	6 ft.	MB	950
			OPPMIB6P0A2D10MS	10 ft.	MS	970
			OPPMIB6P0A2D10MW	10 ft.	MW	970
			OPPMIB6P0A2D10MB	10 ft.	MB	970
	Each side contains: 2 power, 1 USB-A+C, 1 open data Total of 4 power, 2 USB-A+C, 2 open data per unit 7-11/16"D x 8"L table top cut out, specify location	8 (4/side)	OPPMIB4P2AC2D06MS	6 ft.	MS	1,400
			OPPMIB4P2AC2D06MW	6 ft.	MW	1,400
			OPPMIB4P2AC2D06MB	6 ft.	MB	1,400
			OPPMIB4P2AC2D10MS	10 ft.	MS	1,420
			OPPMIB4P2AC2D10MW	10 ft.	MW	1,420
			OPPMIB4P2AC2D10MB	10 ft.	MB	1,420
	Each side contains: 2 power, 2 open data Total of 4 power, 2 open data per unit 7-11/16"D x 8"L table top cut out, specify location	8 (4/side)	OPPMIB4P0A4D06MS	6 ft.	MS	940
			OPPMIB4P0A4D06MW	6 ft.	MW	940
			OPPMIB4P0A4D06MB	6 ft.	MB	940
			OPPMIB4P0A4D10MS	10 ft.	MS	960
			OPPMIB4P0A4D10MW	10 ft.	MW	960
			OPPMIB4P0A4D10MB	10 ft.	MB	960
	Each side contains: 2 power, 1 USB-A+C, 1 dual charging USB-C 45w Total of 4 power, 2 USB-A+C, 2 dual USB-C 45w per unit 7-11/16"D x 8"L table top cut out, specify location	8 (4/side)	OPPMIB4P2AC2C06MS	6 ft.	MS	2,320
			OPPMIB4P2AC2C06MW	6 ft.	MW	2,320
			OPPMIB4P2AC2C06MB	6 ft.	MB	2,320
			OPPMIB4P2AC2C10MS	10 ft.	MS	2,340
			OPPMIB4P2AC2C10MW	10 ft.	MW	2,340
			OPPMIB4P2AC2C10MB	10 ft.	MB	2,340

MIO SERIES FINISH CODE LEGEND:


MS - Matte storm powder coated aluminum with plastic storm simplexes, window frames and end cap, black cord.


MW - Matte white powder coated aluminum with plastic white simplexes, window frames and end cap, black cord


MB - Matte black powder coated aluminum with plasticblack simplexes, window frames and end cap, black cord.

FINISH AREAS




Powder coated Aluminum

Plastic Simplex End caps, Window Frames

Mio Back-To-Back cut out information:

# of ports.	"X" Dim.
8 (4 ports / side)	8"




power/data modules

Neto clamp, in surface and under mount

module	description	# of ports	model no.	cord length	finish code	list
Neto edge mount with clamp						
	3 power	3	OPPNEE3P0A0D06ST	6 ft.	ST	380
			OPPNEE3P0A0D06SW	6 ft.	SW	380
			OPPNEE3P0A0D06SB	6 ft.	SB	380
			OPPNEE3P0A0D10ST	10 ft.	ST	400
			OPPNEE3P0A0D10SW	10 ft.	SW	400
			OPPNEE3P0A0D10SB	10 ft.	SB	400
	2 power, 1 USB-A+C	3	OPPNEE2PAC0D06ST	6 ft.	ST	600
			OPPNEE2PAC0D06SW	6 ft.	SW	600
			OPPNEE2PAC0D06SB	6 ft.	SB	600
			OPPNEE2PAC0D10ST	10 ft.	ST	620
			OPPNEE2PAC0D10SW	10 ft.	SW	620
			OPPNEE2PAC0D10SB	10 ft.	SB	620
	2 power, 1 dual USB-C 45w	3	OPPNEE2P0A1C06ST	6 ft.	ST	830
			OPPNEE2P0A1C06SW	6 ft.	SW	830
			OPPNEE2P0A1C06SB	6 ft.	SB	830
			OPPNEE2P0A1C10ST	10 ft.	ST	850
			OPPNEE2P0A1C10SW	10 ft.	SW	850
			OPPNEE2P0A1C10SB	10 ft.	SB	850
Neto under mount						
	3 power 1-15/16" x 6-5/16" table top cut out, specify	3	OPPNEU3P0A0D06ST	6 ft.	ST	380
			OPPNEU3P0A0D06SW	6 ft.	SW	380
			OPPNEU3P0A0D06SB	6 ft.	SB	380
			OPPNEU3P0A0D10ST	10 ft.	ST	400
			OPPNEU3P0A0D10SW	10 ft.	SW	400
			OPPNEU3P0A0D10SB	10 ft.	SB	400
	2 power, 1 USB-A+C	3	OPPNEU2PAC0D06ST	6 ft.	ST	600
			OPPNEU2PAC0D06SW	6 ft.	SW	600
			OPPNEU2PAC0D06SB	6 ft.	SB	600
			OPPNEU2PAC0D10ST	10 ft.	ST	620
			OPPNEU2PAC0D10SW	10 ft.	SW	620
			OPPNEU2PAC0D10SB	10 ft.	SB	620
	2 power, 1 dual USB-C 45w	3	OPPNEU2P0A1C06ST	6 ft.	ST	830
			OPPNEU2P0A1C06SW	6 ft.	SW	830
			OPPNEU2P0A1C06SB	6 ft.	SB	830
			OPPNEU2P0A1C10ST	10 ft.	ST	850
			OPPNEU2P0A1C10SW	10 ft.	SW	850
			OPPNEU2P0A1C10SB	10 ft.	SB	850
Neto in surface						
	3 power 1-15/16" x 6-5/16" table top cut out, specify	3	OPPNET3P0A0D06ST	6 ft.	ST	380
			OPPNET3P0A0D06SW	6 ft.	SW	380
			OPPNET3P0A0D06SB	6 ft.	SB	380
			OPPNET3P0A0D10ST	10 ft.	ST	400
			OPPNET3P0A0D10SW	10 ft.	SW	400
			OPPNET3P0A0D10SB	10 ft.	SB	400
	2 power, 1 USB-A+C 1-15/16" x 6-5/16" table top cut out, specify	3	OPPNET2PAC0D06ST	6 ft.	ST	600
			OPPNET2PAC0D06SW	6 ft.	SW	600
			OPPNET2PAC0D06SB	6 ft.	SB	600
			OPPNET2PAC0D10ST	10 ft.	ST	620
			OPPNET2PAC0D10SW	10 ft.	SW	620
			OPPNET2PAC0D10SB	10 ft.	SB	620
	2 power, 1 dual USB-C 45w 1-15/16" x 6-5/16" table top cut out, specify	3	OPPNET2P0A1C06ST	6 ft.	ST	830
			OPPNET2P0A1C06SW	6 ft.	SW	830
			OPPNET2P0A1C06SB	6 ft.	SB	830
			OPPNET2P0A1C10ST	10 ft.	ST	850
			OPPNET2P0A1C10SW	10 ft.	SW	850
			OPPNET2P0A1C10SB	10 ft.	SB	850

Neto in surface cut out information:

# of ports.	"X" Dim.
2	4-7/8"
3	6-5/16"



NETO EDGE MOUNT FINISH CODE LEGEND:


ST - Storm molded plastic faceplate and endcaps, Silver anodized aluminum housing and mount, black cord



SW - White molded plastic faceplate and endcaps, Silver anodized aluminum housing and mount, white cord


SB - Black molded plastic faceplate and endcaps, Silver anodized aluminum housing and mount, black cord

power/data modules

Ocho

above surface clamp mount, in surface flush, in surface pop up , under surface

module	description	# of ports	model no.	cord length	finish code	list
Ocho above surface clamp mount	1 power, 1 USB-A 2.4 amp, 1 USB-C 60w	2	OPPOCA1PAC06B	6 ft.	B	490
			OPPOCA1PAC06G	6 ft.	G	490
			OPPOCA1PAC06S	6 ft.	S	490
			OPPOCA1PAC06W	6 ft.	W	490
			OPPOCA1PAC10B	10 ft.	B	510
			OPPOCA1PAC10G	10 ft.	G	510
			OPPOCA1PAC10S	10 ft.	S	510
			OPPOCA1PAC10W	10 ft.	W	510
	2 power, 1 USB-A 2.4 amp, 1 USB-C 60w	3	OPPOCA2PAC06B	6 ft.	B	520
			OPPOCA2PAC06G	6 ft.	G	520
			OPPOCA2PAC06S	6 ft.	S	520
			OPPOCA2PAC06W	6 ft.	W	520
			OPPOCA2PAC10B	10 ft.	B	540
			OPPOCA2PAC10G	10 ft.	G	540
			OPPOCA2PAC10S	10 ft.	S	540
			OPPOCA2PAC10W	10 ft.	W	540
 *image shows blank insert instead of HDMI insert	3 power, 1 USB-A 2.4 amp, 1 USB-C 60w, 1 HDMI	5	OPPOCA3PACH06B	6 ft.	B	590
			OPPOCA3PACH06G	6 ft.	G	590
			OPPOCA3PACH06S	6 ft.	S	590
			OPPOCA3PACH06W	6 ft.	W	590
			OPPOCA3PACH10B	10 ft.	B	610
			OPPOCA3PACH10G	10 ft.	G	610
			OPPOCA3PACH10S	10 ft.	S	610
			OPPOCA3PACH10W	10 ft.	W	610
Ocho flush in surface	2 power, 1 USB-A 2.4 amp, 1 USB-C 60w 2.19" x 6" table top cut out, specify location	3	OPPOCF2PAC06B	6 ft.	B	490
			OPPOCF2PAC06G	6 ft.	G	490
			OPPOCF2PAC06S	6 ft.	S	490
			OPPOCF2PAC06W	6 ft.	W	490
			OPPOCF2PAC10B	10 ft.	B	510
			OPPOCF2PAC10G	10 ft.	G	510
			OPPOCF2PAC10S	10 ft.	S	510
			OPPOCF2PAC10W	10 ft.	W	510
 *image shows blank insert instead of HDMI insert	3 power, 1 USB-A 2.4 amp, 1 USB-C 60w, 1 HDMI 2.19" x 8.5" table top cut out, specify location	5	OPPOCF3PACH06B	6 ft.	B	560
			OPPOCF3PACH06G	6 ft.	G	560
			OPPOCF3PACH06S	6 ft.	S	560
			OPPOCF3PACH06W	6 ft.	W	560
			OPPOCF3PACH10B	10 ft.	B	580
			OPPOCF3PACH10G	10 ft.	G	580
			OPPOCF3PACH10S	10 ft.	S	580
			OPPOCF3PACH10W	10 ft.	W	580
Ocho in surface pop-up	2 power 1 USB-A+C 4.746"D x 6.79"W table top cut out, specify location	3	OPPOCH2PAC06B	6 ft.	B	570
			OPPOCH2PAC06G	6 ft.	G	570
			OPPOCH2PAC06S	6 ft.	S	570
			OPPOCH2PAC06W	6 ft.	W	570
			OPPOCH2PAC10B	10 ft.	B	590
			OPPOCH2PAC10G	10 ft.	G	590
			OPPOCH2PAC10S	10 ft.	S	590
			OPPOCH2PAC10W	10 ft.	W	590
Ocho under surface mount	2 power, 1 USB-A 2.4 amp, 1 USB-C 60w	3	OPPOCU2PAC06B	6 ft.	B	520
			OPPOCU2PAC06G	6 ft.	G	520
			OPPOCU2PAC06S	6 ft.	S	520
			OPPOCU2PAC06W	6 ft.	W	520
			OPPOCU2PAC10B	10 ft.	B	540
			OPPOCU2PAC10G	10 ft.	G	540
			OPPOCU2PAC10S	10 ft.	S	540
			OPPOCU2PAC10W	10 ft.	W	540
 *image shows blank insert instead of HDMI insert	3 power, 1 USB-A 2.4 amp, 1 USB-C 60w, 1 HDMI	5	OPPOCU3PACH06B	6 ft.	B	590
			OPPOCU3PACH06G	6 ft.	G	590
			OPPOCU3PACH06S	6 ft.	S	590
			OPPOCU3PACH06W	6 ft.	W	590
			OPPOCU3PACH10B	10 ft.	B	610
			OPPOCU3PACH10G	10 ft.	G	610
			OPPOCU3PACH10S	10 ft.	S	610
			OPPOCU3PACH10W	10 ft.	W	610

OCHO SERIES FINISH CODE LEGEND:


B - Black plastic face, black metal trim, black cord




G - Grey plastic face, silver metal trim, black cord


S - White plastic face, silver metal trim, white cord



W - White plastic face, white metal trim, white cord

power/data modules

Ovi in surface

module	description	model no.	cord length	finish code	list
Ovi with convenience outlet(s) - all units feature spill-resistant technology that protects against electrical damage					
	2 power, 1 convenience outlet below the worksurface 2"D x 5.25"W table top cut out size - specify placement ** You can daisy chain up to (4) Ovi units with a 20 amp single circuit outlet	OPPOVI2P0U91SB OPPOVI2P0U91BB OPPOVI2P0U91GW OPPOVI2P0U91AB	9 ft. 9 ft. 9 ft. 9 ft.	SB BB GW AB	430 430 430 530
	2 power, 1 USB-A+C, 2 convenience outlets below the worksurface 2"D x 6.75"W table top cut out size - specify placement ** You can daisy chain up to (4) Ovi units with a 20 amp single circuit outlet	OPPOVI2PAC92SB OPPOVI2PAC92BB OPPOVI2PAC92GW OPPOVI2PAC92AB	9 ft. 9 ft. 9 ft. 9 ft.	SB BB GW AB	790 790 790 880
	2 power, 1 dual charging USB-A, 2 convenience outlets below the 2"D x 7.25"W table top cut out size - specify placement ** You can daisy chain up to (4) Ovi units with a 20 amp single circuit outlet (email service@symphonytables.com to check availability) - we have limited stock for Ovi 2 power with dual USB-A available	OPPOVI2P1U92SB OPPOVI2P1U92BB	9 ft. 9 ft.	SB BB	790 790

Ovi in surface cut out:



* REFERENCE THE CUT OUT SIZE UNDER EACH OVI POWER MODULE FOR THE VALUE OF "X"

OVI SERIES FINISH CODE LEGEND:

- SB - Silver powdercoat finish, black simplex finish
- BB - black powdercoat finish, black simplex finish
- GW - Gloss white powdercoat finish, white simplex finish
- AB - brushed aluminum finish, black simplex finish

power/data modules

Palla in surface, Pila freestanding, Power Strip Versie under mount

module	description	model no.	cord length	finish code	list
Palla					
	3 power 3" diameter table top cut out size, specify location	OPPPAL3P0A0D06SS OPPPAL3P0A0D06WW OPPPAL3P0A0D06BB	6 ft. 6 ft. 6 ft.	SS WW BB	250 250 250
		OPPPAL3P0A0D10SS OPPPAL3P0A0D10WW OPPPAL3P0A0D10BB	10 ft. 10 ft. 10 ft.	SS WW BB	270 270 270
	2 power, 1 USB-A+C 3" diameter table top cut out size, specify location	OPPPAL2PAC0D06SS OPPPAL2PAC0D06WW OPPPAL2PAC0D06BB	6 ft. 6 ft. 6 ft.	SS WW BB	460 460 460
		OPPPAL2PAC0D10SS OPPPAL2PAC0D10WW OPPPAL2PAC0D10BB	10 ft. 10 ft. 10 ft.	SS WW BB	480 480 480

PALLA SERIES FINISH CODE LEGEND:

- SS - Storm case, trim, and simplex finish, black cord
- WW - White case, trim, and simplex finish, white cord
- BB - Black case, trim, and simplex finish, black cord

Pila Freestanding					
	3 power, 2 USB-A, 1 USB-C 18W 12" diameter x 28-1/4"H	OPPPIL3P2A1C10SS OPPPIL3P2A1C10WW OPPPIL3P2A1C10BB	10 ft. 10 ft. 10 ft.	SS WW BB	1,860 1,860 1,860

PILA SERIES FINISH CODE LEGEND:



SS - Storm trim in molded plastic, Storm base and neck in powder coated aluminum, black cord



WW - White trim in molded plastic, White base and neck in powder coated aluminum, white cord



BB - Black trim in molded plastic, Black base and neck in powder coated aluminum, black cord

Power strip (under mount)					
	6-outlet, UL tested/listed	OPPSTR6P0D06B OPPSTR6P0D15B	6 ft. 15 ft.	black black	120 200
		OPPSTR6P0D06G OPPSTR6P0D15G	6 ft. 15 ft.	grey grey	120 200
Versie under mount					
	2 power	OPPVER2P0A0D06BK OPPVER2P0A0D10BK	6 ft. 10 ft.	BK BK	190 210
	1 power, 1 USB-A+C	OPPVER1PAC0D06BK OPPVER1PAC0D10BK	6 ft. 10 ft.	BK BK	420 440
	1 power, 1 open data	OPPVER1P0A1D06BK OPPVER1P0A1D10BK	6 ft. 10 ft.	BK BK	190 210

power/data modules

Versie in surface

Zig freestanding

module	description	model no.	cord length	finish code	list
Versie in surface					
	2 power 2"D x 3.25"W table top cut out required, specify location	OPPVES2P0A0D06MS	6 ft.	MS	410
		OPPVES2P0A0D06MW	6 ft.	MW	410
		OPPVES2P0A0D06MB	6 ft.	MB	410
		OPPVES2P0A0D10MS	10 ft.	MS	430
		OPPVES2P0A0D10MW	10 ft.	MW	430
		OPPVES2P0A0D10MB	10 ft.	MB	430
	1 power, 1 USB-A+C 2"D x 3.25"W table top cut out required, specify location		6 ft.	MS	620
		OPPVES1PAC0D06MW	6 ft.	MW	620
		OPPVES1PAC0D06MB	6 ft.	MB	620
		OPPVES1PAC0D10MS	10 ft.	MS	640
		OPPVES1PAC0D10MW	10 ft.	MW	640
		OPPVES1PAC0D10MB	10 ft.	MB	640
Zig freestanding					
	1 power, 1 USB-A+C	OPPZIG1PAC0D09BW	9 ft.	BW	550
		OPPZIG1PAC0D09WB	9 ft.	WB	550
		OPPZIG1PAC0D09BB	9 ft.	BB	550

VERSIE IN SURFACE SERIES FINISH CODE LEGEND:



MS- Matte Storm finish, black cord



MW - Matte White finish, black cord



MB - Matte Black finish, black cord

**these finishes are not available for the Versie undermount unit

ZIG SERIES FINISH CODE LEGEND:



BW - Beech wood case, White trim/simplex finish, solid dusk braided cord







WB - Walnut wood case, Black trim/simplex finish, black and white pinstripe cord

BB - Black wood case, Black trim/simplex finish, black and white pinstripe cord

	description	model no.	list
	**Zoey wire management hole** the cord will route through the mouse hole and exit at the bottom of the column (1) 1.5" hole at the top / inside of 1 column for a single T or C type base (2) 1.5" holes at the top / inside of each column for a set of (2) T or C type bases (1) 1.25" hole at the top / inside of 1 column for Zoey TT, X, 4X, Y or YY bases (not available for adj ht bases)	 OBTWMH1Z OBTWMH2Z OBWMZCONF	 50 100 50
	**Ria / Keller wire mangement holes for one single column of a T, C, TT, or 4X base** wire management mouse holes (top & bottom) for one base Each hole is a 1.5" x 2.25" oval. Removeable grommets narrow the hole to 1.25" diameter Note that the wire management grommet cannot be made with the polished finish, specify black or white (not available for adj ht bases)	OBTWMH2RG	130
	**Ria / Keller wire management cone shaped top plate and WM hole** metal cone-shaped top plate conceals and protects center mounted power module in surface Concealed wires exit down inside the base column and out at the bottom of the base column Available for single column Ria and Keller X and Y bases Note that the cone cannot be made with the polished finish black or white paint is available for the cone with a polished base Circo in surface power unit can be used with this cone wire manager (not available for adj ht bases)	OBXWMPCC	350
	**Ria / Keller wire management box shaped top plate and WM hole** metal box-shaped top plate conceals and protects center mounted power module in surface Concealed wires exit down inside the base column and out at the bottom of the base column Available for single column Ria and Keller X and Y bases Note that the box cannot be made with the polished finish black or white paint is available for the box with a polished base Inside dimensions: 9.5" x 9.5" x 2.75"H, 1.75" access hole in top plate to column (not available for adj ht bases)	OBXWMPBB	470
	**Moto Magnetic wire manager for a square or rectangular column** standard dimensions: 17 3/4" length, 2" width, 1.06" depth large area for wire management of multiple power and cord sizes easy installation and reposition to any metal surface ** specify metal finish - not available in a polished or wrinkle finish	OBWMMM18	120
	Moto wire management holes for T, C, X, post or Moto II frame base 1.25" dia. wire management mouse holes (top & bottom) for one 2" sq base column 1.5" dia. wire management mouse holes (top & bottom) for one 3" sq base column (not available for adj ht bases or Moto Frame bases with 2.5 x 2.5 tubing)	 OBWMHMOTO OBWMHMOTO-1.5	 60 60
	Novi T or C type bases wire management holes for one single column Each hole is a 1.5" x 2.25" oval. Removeable grommets narrow the hole to 1.25" diameter Note that the wire management grommet cannot be made with the polished finish, specify black or white (not available for adj ht or polished chrome bases)	OBTWMNOVI	160
	**Nantes disc / Marius disc / Moto X / Novi X** power box mounting plate with (1) 1.25" mouse hole in the column near the bottom for the cord to exit to a wall or floor outlet away from the base -Power Box Dimensions 12" x 12", 3" high from top of the column to table top -Power Box Hole Dimensions: 2" dia. on a 3" column, 3 1/2" dia on a 4" column -Bottom Hole Dimensions: 1 1/2" dia. hole on a 3" column, 2" dia. hole on a 4" column	OBWMPD1H	140
	**Nantes / Marius** power box mounting plate with wire management hole centered under the disc base wire management hole in the center of a Nantes / Marius disc base for floor access -3" column has a 1 7/8" dia thru hole at bottom / center -4" column has a 2 1/4" dia thru hole at the bottom / center	OBDWMPDHCHF	230

***Please note that power supply units and cords vary in size and shape. Please email service@symphonytables.com to ensure that your power supply and cord will work with the table specifications and desired wire management options.**

	description	model no.	list
	**metal snap on** (not available for adjustable ht bases) easy to attach, access, or move metal finish to match base, SPECIFY FINISH (not available in a polished or wrinkle finish) 2" round column version 3" round column version ** Can be used with any base that has a 2" or 3" round column	 AWMRM2NB AWMRM3NB	 90 100
	**universal wire manager** black (B) 26" silver (S) 26" double stick tape is used to adhere the wire manager to the base	 OBTWMUPB OBTWMUPS	 60 60
	**J channel black nylon wire manager with double stick tape** 2.5" x 1" x 71" long 2.5" x 1" x 59" long 2.5" x 1" x 47" long 2.5" x 1" x 35" long 2.5" x 1" x 23" long	 AWMJCH72 AWMJCH60 AWMJCH48 AWMJCH36 AWMJCH24	 210 170 150 110 90
	**large J channel 72" wire manager with double stick tape** Black nylon 3 1/4" x 1" x 71" long additional lengths available	AWMJP72B	250
			
	**Metal J-style wire manager** **Standard metal powder coat finishes** Flat Black, Furniture White, Inner Tone, Light Tone, Medium Tone, and Metallic Silver (not for use with flip nest tables)	 36"W x 4.93"D x 6"H 47"W x 4.93"D x 6"H 59"W x 4.93"D x 6"H 71"W x 4.93"D x 6"H	 AWMMJCM36 AWMMJCM47 AWMMJCM59 AWMMJCM71	 260 290 300 360
	**36" wire management basket** sturdy basket made of high quality powder coated steel, black finish 36" long x 5.75"D x 3.5"H exterior dimensions	AWMWB36B	230
	**wire clip set** perfect for single power cord or small group of data cords cables easily installed or removed without removing clip .4" wide x 1.156" long with .50" cable bundle diameter natural nylon set of (10) includes (10) wood screws to attach under surface additional sizes available	AWMCL10N	40
	**Spiral wire manager** mounted under the worksurface for wire management to the floor, easy to install for use under fixed worksurface up to 30"H black finish silver finish white finish	 AWMVSL-BK AWMVSL-S AWMVSL-W	 180 180 180
	**Spine wire manager** mounted under the worksurface for wire management to the floor, conceals wires inside easy to install, 3 colors available, for fixed or adjustable height tables up to 51"H black finish silver finish white finish	 AWMVSP-BK AWMVSP-S AWMVSP-W	 230 230 230

round grommets




description	model no.	list
nylon 2" diameter, black	OTGRD2NB	60
nylon 2" diameter, white	OTGRD2NW	60
nylon 2" diameter, silver	OTGRD2NS	60



nylon 3" diameter, black	OTGRD3NB	60
nylon 3" diameter, white	OTGRD3NW	60
nylon 3" diameter, silver	OTGRD3NS	60

Specify the grommet location on your PO, note that the above pricing is for a single (1) grommet, if you specify a grommet location that shows (2) grommets then you will need to include 2 grommets per table on your PO.
Email service@symphonytables.com for assistance.

GROMMET LOCATIONS




GFCC (1 front center)




GFLL (1 front left)




GFRR (1 front right)



GFLR (1 front left & 1 front right)



GFC2 (1 front left center & 1 front right center)



GCCC (1 center)




GFLC (1 front left center)




GFRC (1 front right center)



GCLC (1 left center)



GCLR (1 left center & 1 right center)



GCRC (1 right center)

rectangular grommets





Asti metal 3.39" x 5.68" grommet with flush hinged door		list
flush hinged door, black finish	OTGRADMB	150
flush hinged door, silver finish	OTGRADMS	150
flush hinged door, white finish	OTGRADMW	150
flush hinged door, Brushed Aluminum finish	OTGRADBA	240
flushhinged door, Stainless Steel finish	OTGRADSS	240

3" x 5.25" cut out required

Specify the grommet location on your PO, note that the above pricing is for a single (1) grommet, if you specify a grommet location that shows (2) grommets then you will need to include 2 grommets per table on your PO.
Email service@symphonytables.com for assistance.



PFCC (1 front center)




PFLL (1 front left)



PFRR (1 front right)



PFLR (1 front left & 1 front right)



PFC2 (1 front left center & 1 front right center)



PCCC (1 center)




PFLC (1 front left center)



PFRC (1 front right center)



PCLC (1 left center)



PCLR (1 left center & 1 right



PCRC (1 right center)

3"

3"



PC3L (1 CENTERED ON THE TOP RUNNING SHORT WAYS - 3" AWAY FROM LEFT SIDE OF TOP)



PC3R (1 CENTERED ON THE TOP RUNNING SHORT WAYS - 3" AWAY FROM RIGHT SIDE OF TOP)



PCS2 (1 LEFT CENTERED AND 1 RIGHT CENTER ON THE TOP RUNNING SHORT WAYS)



PCSL (1 CENTERED ON THE LEFT SIDE OF THE TOP RUNNING SHORT WAYS)




PCCS (1 CENTERED ON THE TOP RUNNING SHORT WAYS)



PCSR (1 CENTERED ON THE RIGHT SIDE OF THE TOP RUNNING SHORT WAYS)

modesty panels
fixed

material	description	width	model no.	list
laminate fixed (LX)	**8" high fixed laminate modesty panel**			
	Select laminate and edge color			
	3/8" thick particle board laminated with 0.050" thick plastic	35.5	OMLX836	240
	available with PVC or laminate edge	41.5	OMLX842	310
	Attaches with "L" bracket fixed hardware	47.5	OMLX848	320
		53.5	OMLX854	430
		59.5	OMLX860	440
		65.5	OMLX866	510
		71.5	OMLX872	520
	**laminate fixed modesty wire channel**			list
	60" x 3" x 3" black	59.5	AWMLXWC5	230
	72" x 3" x 3" black	71.5	AWMLXWC6	250
	attaches to inside of laminate modesty with factory installed double sided tape			
	additional lengths available			
perforated metal fixed (MP)	**9" high perforated metal fixed modesty panel**	width	model no.	list
	Inside metal wire raceway included			
	20 gauge fabricated steel	35.75	OMMP936	610
		47.75	OMMP948	650
	(ME) Standard metal powder coat finishes :	59.75	OMMP960	720
	Flat Black (FB), Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT), Metallic Silver (MS).	71.75	OMMP972	840
solid metal fixed (MS)	**9" high solid metal fixed modesty panel**	width	model no.	list
	Inside metal wire raceway included			
	20 gauge fabricated steel	35.75	OMMS936	600
		47.75	OMMS948	640
	(ME) Standard metal powder coat finishes :	59.75	OMMS960	710
	Flat Black (FB), Furniture White (FW), Inner Tone (IT), Light Tone (LT), Medium Tone (MT), Metallic Silver (MS).	71.75	OMMS972	830
acrylic (ACR)	**12"H clear frosted acrylic modesty panel with hanging brackets**	width	model no.	list
for fixed, flip nest and adj ht				
 	37" long x 12"H for a 48 inch long top	37	OMACR1248	420
	49" long x 12"H for a 60 inch long top	49	OMACR1260	480
	61" long x 12"H for a 48 inch long top	61	OMACR1272	560

We recommend using tops with 90 degree corners to allow the modesty to be flush with the front (PVEA for example).
For tops with radiused corners, the modesty must be positioned back from the front edge.

*** Contact customer service to ensure that any power or accessories you plan to specify will work with this modesty panel and your base selection, email service@symphonytables.com**


modesty panels
for flip/nest tables

material	description	width	model no.	list
fabric hanging (FH)	**10" high fabric hanging modesty panel**			
	Black mesh fabric with black liner	35.75	OMFH1036	290
	Additional non-standard widths available up to 72" wide.	41.75	OMFH1042	300
	Steel rod frame	47.75	OMFH1048	320
	Pivot hardware allows modesty to swing & fold for easy storage	53.75	OMFH1054	330
	Hidden wire raceway on inside is secured with multiple Velcro strips.	59.75	OMFH1060	340
		65.75	OMFH1066	350
		71.75	OMFH1072	360
laminate hanging (LH)	**8" high hanging laminate modesty panel (Do not use with C bases)**	width	model no.	list
 	Select laminate and edge color			
	3/8" thick particle board laminated with 0.050" thick plastic laminate	35.5	OMLH836	450
	available with PVC or laminate edge	41.5	OMLH842	520
	attaches with Nester series hanging modesty panel bracket	47.5	OMLH848	530
		53.5	OMLH854	640
	**Do not use the laminate hanging modesty panel for Zoey or Keller flip	59.5	OMLH860	650
	nest tables over 24" deep, 24" deep tops are OK but any other size	65.5	OMLH866	720
*the modesty panel will flip "DOWN" (do not use with C type bases)	over 24" could result in the modesty panel hitting the legs when the table is in the nested position.	71.5	OMLH872	730
laminate reverse hinge (RH)	**8" high reverse hinge laminate modesty panel**	width	model no.	list
 	**for Zoey / Keller over 24" deep or flip nest base table - the modesty panel shall flip "UP" when the table is in the nested position**	35.5	OMRH836	520
		41.5	OMRH842	590
	Select laminate and edge color	47.5	OMRH848	600
	3/8" thick particle board laminated with 0.050" thick plastic laminate	53.5	OMRH854	710
	available with PVC or laminate edge	59.5	OMRH860	720
	attaches with Reverse hinge modesty panel bracket	65.5	OMRH866	790
	For Zoey or Keller flip nest tables that are over 24" deep or ANY "C"	71.5	OMRH872	800
* modesty panel will flip "UP"	type base flip / nest table so the modesty panel will flip up instead of down			
perforated metal for flip nest (PH)	**9" high perforated metal modesty panel**	width	model no.	list
 	.125 diameter holes on a 2 x 2 inch grid			
	reverse hinge modesty panel bracket			
		47-7/8	OMPH948	730
	(ME) Standard metal powder coat finishes :	59-7/8	OMPH960	780
	Flat Black (FB) or Metallic Silver (MS). **Additional powder coat metal finishes are available on orders with a quantity of 10+ modesty panels in the same size and finish	71-7/8	OMPH972	860
* modesty panel will flip "UP"				

We recommend using tops with 90 degree corners to allow the modesty to be flush with the front (PVEA for example).
For tops with radiused corners, the modesty must be positioned back from the front edge.

*** Contact customer service to ensure that any power or accessories you plan to specify will work with this modesty panel and your base selection, email service@symphonytables.com**


locks
anti-sag bars

Table Locks, Plates & Brackets	description	model no.	list
	**Small Table Lock Set** 3" x 6" heavy-duty 11 gauge steel plate set includes 2 plates, 8 knobs (4 per plate), inserts for each seam plates retract and hide away when not in use Black finish	OTL2P8KB	290
	**Large Plate Lock** 4" x 12" heavy-duty 11 gauge steel plate includes 1 plate, 4 knobs, inserts for each seam one plate attaches tables up to 42" deep plates retract and hide away when not in use Black finish	OTL1P4KB	70
	**Clic Table Lock Set** twist and lock into place set includes four components (two locks) for each seam and (8) screws zinc finish 3.5" diameter	OTLCLICZ	150
	**Fixed Plate Set (set of 20 plates per box)** 3" x 6" heavy-duty 1/8" thick steel plates includes 20 plates and wood screws (no longer sold individually) Black finish	OTL2PWSB20	360

Typical Configurations



8 sets



5 sets



3 sets

	**Rectangular Tube with End Caps and screws**		
	42 inch rectangular tube (mounts under top) with end caps and screws	OTRT1E42	160
	54 inch rectangular tube (mounts under top) with end caps and screws	OTRT1E54	170
	70 inch rectangular tube (mounts under top) with end caps and screws	OTRT1E70	190
	83 inch rectangular tube (mounts under top) with end caps and screws	OTRT1E83	240

Email service@symphonytables.com to confirm that the table ganging devices, top stiffeners or brackets will fit on the top with all other components specified for the table.

anti-sag bars
brackets

Table Locks, Plates & Brackets	description	model no.	list
	**Anti-sag bars**		
	37 inch anti sag bar (mounts under top) with 14 black wood screws	OTAS1E37	130
	43 inch anti sag bar (mounts under top) with 18 black wood screws	OTAS1E43	130
	49 inch anti sag bar (mounts under top) with 30 black wood screws	OTAS1E49	140
	55 inch anti sag bar (mounts under top) with 22 black wood screws	OTAS1E55	170
	61 inch anti sag bar (mounts under top) with 22 black wood screws	OTAS1E61	180
	67 inch anti sag bar (mounts under top) with 26 black wood screws	OTAS1E67	190
	73 inch anti sag bar (mounts under top) with 26 black wood screws	OTAS1E73	220
	79 inch anti sag bar (mounts under top) with 30 black wood screws	OTAS1E79	230
	85 inch anti sag bar (mounts under top) with 30 black wood screws	OTAS1E85	240
	14-guage rectangular black steel bar mounted under the top All surfaces 54" or longer include top stiffeners with the top pricing.		

Note:
The pricing listed on this page for top stiffeners includes a broken carton charge due to quantities under 10. As a result, this list price is **higher than the cost calculated when stiffeners are included with the top pricing** in the Surfaces price list.

Please **do not use the prices on this page to determine deductions** for top stiffeners on surfaces that already include them.

	Brackets hardware to attach to wall not included. Black metal finish		
	Angle Mount Bracket (1) 10 inches long, 1.5 x 1.5 inch 16 gauge formed steel.	ASANGLEMB10	70
	Cantilever Wall Mount Bracket 15.25W x 21L x 15.25H supports tops up to 30W x 36L	ASCWMB1521	330
	Cantilever Wall Mount Bracket 15.25W x 29L x 15.25H supports tops up to 36W x 48L	ASCWMB1529	340
	Cantilever Wall Mount Bracket 15.25W x 47L x 15.25H supports tops up to 36W x 60L	ASCWMB1547	360

Email service@symphonytables.com to confirm that the table ganging devices, top stiffeners or brackets will fit on the top with all other components specified for the table.

For complete credenza model number, insert laminate grade selection:
M melamine / low pressure laminate (LPL)
1 grade 1 laminate (HPL)
2 grade 2 laminate (HPL)

credenza	dimensions	description	model no.	melamine list	grade 1 list	grade 2 list
	24 x 36 x 30H	2 door, 1 adj shelves with silver bar pulls	ASCR243630__	4,310	5,660	6,560
	24 x 36 x 36H	2 door, 1 adj shelves with silver bar pulls	ASCR243636__	4,470	5,890	6,830
	24 x 36 x 36H	2 door, 2 drawer, 2 adj shelves with silver bar pulls	ASBC243636__	4,840	6,420	7,480
	24 x 48 x 30H	4 door, 2 adj shelves with silver bar pulls	ASCR244830__	4,690	6,210	7,220
	24 x 48 x 36H	4 door, 2 adj shelves with silver bar pulls	ASCR244836__	4,870	6,460	7,520
	24 x 48 x 36H	4 door, 4 drawer, 2 adj shelves with silver bar pulls	ASBC244836__	5,240	6,990	8,160
	24 x 60 x 30H	4 door, 2 adj shelves with silver bar pulls	ASCR246030__	5,650	7,470	8,690
	24 x 60 x 36H	4 door, 2 adj shelves with silver bar pulls	ASCR246036__	5,860	7,780	9,050
	24 x 60 x 36H	4 door, 4 drawer, 2 adj shelves with silver bar pulls	ASBC246036__	6,230	8,310	9,690
	24 x 72 x 30H	4 door, 2 adj shelves with silver bar pulls	ASCR247230__	6,310	8,420	9,820
	24 x 72 x 36H	4 door, 2 adj shelves with silver bar pulls	ASCR247236__	6,560	8,770	10,250
	24 x 72 x 36H	4 door, 4 drawer, 2 adj shelves with silver bar pulls	ASBC247236__	7,050	9,480	11,090
	24 x 84 x 30H	6 door, 3 adj shelves with silver bar pulls	ASCR248430__	8,180	11,000	12,870
	24 x 84 x 36H	6 door, 3 adj shelves with silver bar pulls	ASCR248436__	8,500	11,460	13,420
	24 x 84 x 36H	6 door, 6 drawer, 3 adj shelves with silver bar pulls	ASBC248436__	9,170	12,410	14,560
	24 x 96 x 30H	6 door, 3 adj shelves with silver bar pulls	ASCR249630__	8,230	11,040	12,920
	24 x 96 x 36H	6 door, 3 adj shelves with silver bar pulls	ASCR249636__	8,550	11,500	13,470
	24 x 96 x 36H	6 door, 6 drawer, 3 adj shelves with silver bar pulls	ASBC249636__	9,210	12,450	14,610

* credenzas come with silver lock cores

STOCK MELAMINE (LPL) COLORS:
DESIGNER WHITE, FROSTY WHITE, FASHION GRAY, SLATE GRAY, BLACK, FUSION MAPLE, KENSINGTON MAPLE, MONTICELLO MAPLE, RIVER CHERRY, WILD CHERRY, BLEACHED LEGNO, NEUTRAL TWILL, PRESTIGE WALNUT, SELECT CHERRY, CAFELLE
* The body of the credenza will be in LPL laminate and the top will be in HPL laminate. LPL laminate is rated for vertical surfaces.


Formica + Wilsonart HPL laminate finish grades listed on page 6-13. For additional laminate grades, contact Symphony

Credenza options:


Vent with black vent grills,
model number **OACREDVENT**, $60 list per vent


Grommet for wire management on the back of the credenza,
model number **OACREDGROM**, $40 list per grommet

* touch latch hardware and soft close hinges are available with an upcharge, contact service@symphonytables.com for pricing




Credenza standard specifications






*Credenza without doors image reflects a 48 inch to 72" long version with 2 adjustable shelves


36" L credenza with 2 doors
*available in 30"H or 36"H




48" - 72" L credenza with 4 doors
*available in 30"H or 36"H




48" - 72" L credenza with 4 doors
*available in 30"H or 36"H




36" L credenza with
2 doors and 2 drawers, 36"H




48" - 72"L credenza with
4 doors and 4 drawers, 36"H





84" - 96"L credenza with
6 doors and 6 drawers, 36"H




lectern

lectern	Description	model no.	laminate grade	list
	laminate lectern	ALLS4SDC242448M	melamine	3,550
	flat top surface	ALLS4SDC2424481	grade 1	4,660
	open shelf	ALLS4SDC2424482	grade 2	5,360
	two shelves behind locked hinded door			
	wire management holes			
	recessed black locking casters (4)			
	additional sizes, versions, options, configurations available			








STOCK MELAMINE (LPL) COLORS:
DESIGNER WHITE, FROSTY WHITE, FASHION GRAY, SLATE GRAY, BLACK, FUSION MAPLE, KENSINGTON MAPLE, MONTICELLO MAPLE, RIVER CHERRY, WILD CHERRY, BLEACHED LEGNO, NEUTRAL TWILL, PRESTIGE WALNUT, SELECT CHERRY, CAFELLE

Formica + Wilsonart HPL laminate finish grades listed on page 6-13. For additional laminate grades, contact Symphony

study carrel and screens







Study carrels, laminate & acrylic sreens are available, contact Symphony for pricing and more information

general information

Terms of Sale

All prices listed are delivered pricing to the 48 contiguous states. Orders shipped to Hawaii, Alaska, and Puerto Rico ship to the port of embarkation. Product specifications and pricing is based on the information at time of publication. Symphony reserves the right to make changes at any time without notice regarding product specifications and pricing. Terms are Net 30 from the date of shipment (net 10, 1% discount). Prices are subject to change annually for changes in accordance with state contract regulations. All customer/nonstandard products are subject to a fifty percent (50%) advance deposit. There will be a service charge of 1 1/2% per month on all invoices past due. Symphony reserves the right to use its own or commercial carriers for the “best way” to ship, at its sole discretion.

Quality Standards
Symphony Furniture products meet or exceed applicable ANSI/BIFMA durability and safety standards when properly installed with appropriate size base.

Warranty
All Symphony products are guaranteed against defect for a period of ten (10) years. Electrical items and height adjustment mechanisms are guaranteed against defect for a period of five (5) years. Symphony will replace or repair (at our discretion) without cost to our customers any item found to be defective as a result of defective material or workmanship. This excludes any item which has been abused or subjected to any use other than that which was originally intended for our product. Any repairs by our customer must receive specific written authorization from Symphony before work is initiated. This warranty is given to the initial purchaser and is valid for as long as the product is owned by the initial purchaser. The warranty, which runs from the date of manufacture, covers defects in materials and craftsmanship found during normal usage of the products during the warranty period. If a product is defective, and if written notice of the defect is given to Symphony within the warranty period, Symphony at its discretion will either repair or replace the defective product with a comparable component or product, or provide a refund of the purchase price. In no event shall liability under this warranty exceed the original purchase price. Warranty on plastic laminates is not covered by Symphony but is covered by laminate manufacturers under their specific warranty only. There are no other warranties expressed or implied. This warranty does not apply to damage caused by a carrier, alterations to the product not expressly authorized by Symphony. Symphony does not warrant the matching of color, grain, or texture except to within commercially acceptable standards. A product will not be considered defective, and Symphony will not be obligated to replace it, if that product is subject to any of Symphony’s written planning, installation or user guides, and is not installed or used as recommended.
Please note that all Losa tables and conference/media tables should not be moved as a complete unit after the product has been assembled. If it is moved, then this could result in the tables being "racked" which could also disrupt the top plate and/ or cam lock routing and predrilled holes. This type of damage is not covered under warranty. In order to move a table, you must unassembled the table completely and re-assemble it in the new location.

Minimum order/Freight Charge
Zone 1 orders less than $5,000 list (U.S.) - $200 net
Zone 2 orders less than $5,000 list (U.S.) - $260 net

Sales Policy
Possession of this price list does not constitute authority to purchase and/or sell products contained herein.
All orders are subject to acceptance by Symphony Furniture.
New Accounts
New accounts can only be established with:
Approval of Symphony sales representative
Valid purchase order
State Resale/Exemption Certificate or order will be charged the appropriate sales tax
Application & credit references
Payment in full (initial orders under $4,000 list) or 50% deposit in advance

terms and conditions

Taxes
Symphony requires a state Resale/Exemption Certificate on file in our main office. Sales made without a certificate will be charged the appropriate sales tax as required by law.

Freight Terms
Freight charges will be prepaid on all shipments unless special arrangements have been made. Normal delivery is dock to dock. Special requests, such as inside delivery, lift gate service; residential delivery, etc. are subject to additional charges. All accessorial charges not requested on purchase order will be the responsibility of the consignee. Symphony reserves the right to select the “best way” shipment method and means. Delivery date and times are at the discretion of the carrier within reasonable transit time unless special arrangements have been made between the customer and Symphony.

Acknowledgements
Every order is acknowledged. Orders will be manufactured and invoiced based upon the information on the acknowledgment. If there is any discrepancy, please notify Symphony immediately. Orders are accepted by Symphony per terms on the acknowledgment. All acknowledgements contain an estimated shipping date. Your order may actually ship earlier than the expected shipping date, depending on the backlog at the time. If you do not want the merchandise earlier than the specified date, please write “Do not ship for arrival before_____” on your purchase order.

Revised Orders
Orders requiring changes to the product or additional options will not incur additional costs unless orders have been processed. Orders revised after being manufactured are subject to additional charges.

Changes or Cancellations
Orders entered and acknowledged cannot be changed or cancelled without Symphony’s consent. The customer is responsible for all costs incurred, and a minimum cancellation or change charge of 25% will be invoiced if an order is cancelled or changed within 15 working days of shipment. Orders for nonstandard products are not cancelable.

Shipments on Hold
Any shipment placed on hold by customer’s request or due to balance owed, will be manufactured per the originally scheduled ship date. Storage charges will begin to accrue 7 days from that date. Any order held by our factory over 30 days will be billed and must be promptly paid even though shipment is held at factory at customer’s request.

Special or Additional Freight Charges
Symphony Furniture reserves the right to charge the following when incurring additional freight costs. Destination changes after product has shipped - $50.00 plus $2.00/mile after the first 10 miles. Wait time for delivery of greater then two hours - $130.00/hour. Trailer drop/switch delivery - $200.00/trailer. Deliveries Friday (after 3:00pm) through Sunday or Holidays - $600.00/day. Third party to pick up freight at the terminal - $200.00.

Redelivery of Freight
When redelivery of merchandise is required because customer is not ready to accept merchandise, and no notification of this fact is given to the factory at least two weeks prior to the scheduled ship date, the actual costs for freight, restocking and re-handling, plus 5% at the order value, will be billed to the customer.

Receipt of Order
1. Carefully inspect all incoming items
2. If an item is damaged, please note the damage on the delivery receipt.
3. Immediately contact the carrier to request an inspection and their freight claim form.
4. File the freight claim form with the carrier within five days of receipt.
5. If any item is missing or is not correct, please contact Symphony immediately.

Any concealed damages or shortage not reported with 5 business days from delivery shall be the sole responsibility of the customer.

terms and conditions

Shipment Damage Claims
Legal title of merchandise passes to the buyer upon acceptance of the carrier. All merchandise is packed to comply with carrier requirements. Shipments should be carefully inspected by the consignee before acceptance and the delivery carrier should be requested to record any damage or shortage. If further damage is found after delivery, immediate inspection by the delivering carrier should be requested. Notification of concealed damages must be made to the delivering carrier within 5 days after delivery of merchandise. Carrier liability ceases after this period. Damaged freight must be kept at the point of delivery in the original packing for inspection by the carrier. Please be advised that if the carrier obtains a clear receipt for shipment, they are no longer responsible for damage or shortages. Please note that electronically signing the carrier's tablet at the time of delivery means that you are accepting the delivery and no damages are being notated. If you see anything that indicates a shipment has been tampered with or shows signs of damage, then ask the driver to report it to the freight company and take pictures.

Shipment Shortage Claims
Shortage claims reported after 10 days beyond shipment date will not be honored.

Unopened Shipment Damage Claims
Neither Symphony nor the carrier is responsible for concealed damage claims if shipments are left unopened. Notification of concealed damages must be made to the delivering carrier within 5 days after delivery of merchandise. Refusal to accept an order from the carrier does not relieve you of the responsibility for payment, and may incur additional charges.

Lost Shipments
Symphony issues a bill of lading to consignee on the date of shipment. If shipment is not received within 20 days of shipment date, notify us. Symphony and the carrier do not assume obligation for lost or damaged shipment claims after 6 months of shipping date.

Title to Merchandise
Title to merchandise shall pass to the buyer upon delivery by Symphony to the carrier. For purposes of risk or loss, all shipments are F.O.B. factory. Buyer acknowledges that once Symphony delivers the goods to the carrier, title to the goods and risk of loss will pass to the buyer. If the goods are damaged by the carrier while in transit, the buyer has the sole obligation of seeking recourse from the carrier.

Returns
Symphony will not permit return of materials without written consent if materials shipped are as acknowledged. Return shipments when accepted are subject to a re-handling/restocking charge, in accordance with the state contract after the merchandise is received and inspected. All freight or express charges must be prepaid on return shipments; otherwise, they will not be accepted. Damaged materials and all items specially built to order cannot be returned under any conditions.

Repair and Replacement
Any labor charges for correcting a manufacturing problem must be submitted and approved before correction is undertaken, if the units are under warranty. Labor charges will not be paid if the estimate was not submitted and approved prior to labor being completed.

Contact Information
Symphony Furniture, 1720 Mars Hill Road, Suite 8-287, Acworth, GA 30101, GA 30318-1732
Phone: 866.507.7795
Fax: 888.683.0007
www.Symphonytables.com

table care and maintenance

Table Care and Maintenance

Laminate Surfaces, Vinyl & PVC edges
High-pressure laminate is durable and requires minimal maintenance. To clean the surface, use a damp cloth or sponge and a mild soap or detergent. Rinse with clean, clear water. Wipe the entire surface, moving with the pattern and follow with a clean, dry, soft cloth. When a wood edge exists, follow "Wood Edge and Veneer" instructions.

Difficult "stains" such as coffee or tea can be removed using a mild household cleaner/detergent and a soft bristle brush, repeating as necessary. If stain persists, use a paste of baking soda & water and apply with a soft bristled brush. Light scrubbing for 10-20 strokes should remove most stains (excessive scrubbing or exerting too much force may damage the surface, especially gloss finish surfaces). Any remaining stains may require the use of undiluted household bleach or nail polish remover. Apply to stain and let stand no longer than two minutes. Rinse thoroughly with warm water & wipe dry. Step may be repeated. However, prolonged exposure of bleach to surface will cause discoloration.

Abrasive pads, scouring powders or cleansers may permanently dull & scratch the surface making the laminate susceptible to staining. Harsh chemicals such as oven, toilet or drain cleaners will etch & discolor laminates. If spills of these products occur, remove immediately, rinse thoroughly, and wipe dry.

High pressure laminates have high heat resistance, however exposure to temperatures greater than 135 degrees C (275 degrees F) is not recommended. Prolonged exposure to temperatures above 65 degrees C (150 degrees F) may result in separation of the laminate from the substrate. Protect the surface from heat generating appliances by using a trivet or insulating pad.

Do not use sharp objects directly on the laminate surface. A counter saver or chopping block is recommended.

HP laminate have excellent impact resistance. However, heavy objects dropped on the surface may chip or crack the laminate.

Powder Coated Metal
Clean with a mild soap solution and rinse with clean clear water. Wipe the entire surface and follow with a clean, dry cloth to buff dry.

Chromed Metal
Clean with a wet cloth or window cleaner. For scuff marks or heavy soiling, apply a non-abrasive automotive chrome polish as directed.

Mechanical Parts
Clean any lint or debris from the moving parts of the tilt or folding mechanisms. Do not apply any lubricant.

Environmental Statement & Solutions

Everyone at Symphony shares the concern of protecting the environment. We use environmentally friendly materials in our products and processes wherever possible. Environmental awareness is something we strive to incorporate into every aspect of our lives. Recycled/recyclable packing/shipping materials are used whenever possible. All plastic, cardboard, scrap metal (steel, stainless steel, & aluminum), used oil, and wood pallets accumulated from the manufacturing process are recycled. All our marketing materials are printed on recycled/recyclable paper.
Symphony is committed to bringing you the designs & solutions needed for your project but also dedicated to preserving the Earth's natural resources for the future.

Surface Core or Substrate
Standard particleboard core
100% pre-consumer recycled wood fiber particle board certified by Scientific Certification Systems (SCS).
Particleboard is at least 90% wood fiber by weight.
Forest Stewardship Council (FSC); mixed credit available (optional).
Meets California Air Resources Board (CARB) Regulation 93120.2, Phase 1 emissions limits No Added Urea-Formaldehyde (NAUF) Particleboard (optional)
100% pre-consumer recycled wood fiber particle board certified by Scientific
Certification Systems (SCS) Particleboard is at least 90% wood fiber by weight
Forest Stewardship Council (FSC) Mixed Credit Available (optional)
Meets California Air Resources Board (CARB) Regulation 93120.2, Phase 1 emissions limits
No added urea-formaldehyde (NAUF); SCS certified.
Collaborative for High Performance Schools (CHPS) Section 01350 Compliant
Environmentally Preferable Product (EPP) Certified by the Composite Panel Association
Surface Material
High Pressure Laminate (HPL)
Wilsonart, Formica, Nevamar and Pionite laminates are GREENGUARD Indoor Air Quality Certified®
Wilsonart, Formica, and Pionite laminates are GREENGUARD for Children and Schools Certified®
Adhesives
Water based adhesive
Low VOC emissions
Does not contain urea-formaldehyde
Edge Materials
ABS Plastic edge - 2mm ABS plastic edges are available in an array of standard colors
- ABS is a recyclable plastic, unlike PVC material
- Chlorine Free Polymer can be incinerated
- Ecologically responsible chlorine-free polymer may be recycled or incinerated with general wood waste, reducing the amount going into landfills

Urethane edge
- Urethane is comprised of approximately 65% refined vegetable oil by weight.
- Vegetable oil is a rapidly renewable, natural material
- Extreme durability results in a longer lifespan than surfaces made from other materials.

Bases
Zoey
57% initial recycled content
99% recyclable
Polished aluminum environmentally friendly alternative to polished chrome Standards collection
Produced with a chemical vs. electrical deposition, and encompasses a chemical reaction to metal (ferrous) material

General
Most bases recyclable
Powder coat much more environmentally friendly alternative than liquid metal finishing (over-spray collections increase utilization to over 95%)
For LEED-CI V2.0 Credit and Point Information, visit www.symphonytables.com



SYMPHONY®

table environments

866-507-7795
fax 888-683-0007
SERVICE@SYMPHONYTABLES.COM
symphonytables.com