Symphony

COMPONENTS

2026 PRICE LIST

Version 05.14.26










table of contents

Essential Information	3
Formica laminate finishes	4
Losa Tables	
seated height with 12 inch high stretcher(s)	6
seated height with full height stretcher(s)	8
counter and bar height with 12 inch high stretcher(s)	12
counter and bar height with full height stretcher(s)	14
Sala Tables	18
Surfaces	19
surface and edge profile overview	20
surface shapes, dimensions, seating capacity	22
PVEA, PVRC, PVKN and PVKR round, squircle, square, rectangle	24
PVEA and PVKN 1 piece conference: rectangle, boat, oval, racetrack	28
PVEA and PVKN 2 piece conference: rectangle, boat, oval, racetrack	30
PVEA and PVKN 1 & 2 piece conference: arc trapezoid, arc rectangle	32
PVEA and PVKN media tops: half arc end, half boat, bullet, trapezoid	33
PVEA and PVKN media tops: Pic	34
PVEA quarter round, half round, crecent, trapezoid, corner-angled, corner-curved, corner-extended curved front, corner-120 degree, wedge	35
Bases	37
T fixed, single columr	38
fixed and nesting, double column	40
nesting, single column	41
nesting adjustable height	44
adjustable height	46
C fixed	52
nesting	54
adjustable height	56
X fixed	58
four column	63
flip	64
nesting flip	65
adjustable height and adjustable height flip top	66
Y fixed, flip, and adj ht	68
personal	70
disc fixed	78
adjustable height	81
occasional	82
conference, under table media base and media walls	84
post and frame bases	112
Power/data + Wire Management	
power supply location char	120
power/data modules (in alphabetical order)	122
wire management	142
grommets	144
modesty panels	146
Accessories	
locks, anti-sag bars and brackets	148
credenzas	150
lectern and misc accessories	152
General Information	
Terms & Conditions	156
Table Care and Maintenance	159

essential information

Minimum order / Freight charge

Orders for $5,000 or more list (contiguous U.S.): freight and minimum order charges included
Orders less than $5000 list (contiguous U.S.)
Zone 1 $200 net
Zone 2 $260 net



Special Charges

Custom metal finish: contact service@symphonytables.com for a quote

Lead Time

varies - please email service@symphonytables.com to confirm lead time

Please send purchase orders to service@symphonytables.com

Symphony Contact Information

phone 866-507-7795
fax 888-683-0007
service@symphonytables.com
www.SymphonyTables.com

Formica laminates by name
+ matching PVC edges

Formica Grade 1 Laminate Name	Laminate Number	Promoted Finish	3mm PVC edge
Black	909	58	std stock
Bleached Legno	8845	58	std stock
Blossom Cherrywood	758	58	std stock
Brite White	459	58	std stock
Chelsea Maple	9238	58	std stock
Dover White	7197	58	std stock
Fog	961	58	std stock
Folkstone	927	58	std stock
Graphite	837	58	std stock
Graystone	464	58	std stock
Natural Maple	756	58	std stock
Neutral Twill	8826	58	std stock
Pale Brushstroke	6997	58	std stock
Pecan Woodline	5883	58	std stock
Planked Coffee Oak	7413	58	std stock
Planked Raw Oak	7412	58	std stock
Planked Urban Oak	9312	58	std stock
Pumice	858	58	std stock
Sand Maple	9237	58	std stock
Select Cherry	7759	43	std stock
Storm	912	58	std stock
Thermo Walnut	6402	58	std stock
White	949	58	std stock
Wood Brushstroke	6998	58	std stock

Formica Grade 2 Laminate Name	Laminate Number	Promoted Finish	2mm PVC edge
Ceruse Gray Walnut	6994	26	std stock
Formal Walnut	5782	NG	std stock
Inked Oak	5792	PG	std stock
Pecan Walnut	6996	26	std stock
Scandi Rift Oak	8677	26	std stock

Formica Grade 2 Laminate Name	Laminate Number	Promoted Finish	3mm PVC edge
Aged Ash	8844	WR	std stock
Buff Elm	5793	NG	std stock
Cherry Walnut	6995	26	std stock
Millennium Oak	5887	26	std stock

All laminates are subject to a waste fee based on laminate sheet size availability.

Non-promoted Formica laminate finishes have an 8 sheet minimum. In addition, all 8 sheets must be the same size.

Contact Symphony for pricing and lead time information: service@symphonytables.com.

Please note: additonal laminates and finishes may be available with additional fees and/or extended lead times. Laminates and specific finishes may be discontinued by Formica. For the most up to date information, contact your Formica representative.

Formica laminates by number
+ matching PVC edges

Formica Grade 1 Laminate Number	Promoted Finish	Laminate Name	3mm PVC edge
459	58	Brite White	std stock
464	58	Graystone	std stock
756	58	Natural Maple	std stock
758	58	Blossom Cherrywood	std stock
837	58	Graphite	std stock
858	58	Pumice	std stock
909	58	Black	std stock
912	58	Storm	std stock
927	58	Folkstone	std stock
949	58	White	std stock
961	58	Fog	std stock
5883	58	Pecan Woodline	std stock
6402	58	Thermo Walnut	std stock
6997	58	Pale Brushstroke	std stock
6998	58	Wood Brushstroke	std stock
7197	58	Dover White	std stock
7412	58	Planked Raw Oak	std stock
7413	58	Planked Coffee Oak	std stock
7759	43	Select Cherry	std stock
8826	58	Neutral Twill	std stock
8845	58	Bleached Legno	std stock
9237	58	Sand Maple	std stock
9238	58	Chelsea Maple	std stock
9312	58	Planked Urban Oak	std stock

Formica Grade 2 Laminate Number	Promoted Finish	Laminate Name	3mm PVC edge
5793	NG	Buff Elm	std stock
5887	26	Millennium Oak	std stock
6995	26	Cherry Walnut	std stock
8844	WR	Aged Ash	std stock

Formica Grade 2 Laminate Number	Promoted Finish	Formica Grade 2 Laminate Name	2mm PVC edge
5782	NG	Formal Walnut	std stock
5792	PG	Inked Oak	std stock
6994	26	Ceruse Gray Walnut	std stock
6996	26	Pecan Walnut	std stock
8677	26	Scandi Rift Oak	std stock

All laminates are subject to a waste fee based on laminate sheet size availability.

Non-promoted Formica laminate finishes have an 8 sheet minimum. In addition, all 8 sheets must be the same size.

Contact Symphony for pricing and lead time information: service@symphonytables.com.

Please note: additonal laminates and finishes may be available with additional fees and/or extended lead times. Laminates and specific finishes may be discontinued by Formica. For the most up to date information, contact your Formica representative.


tables

Losa seated height
12”H stretcher(s)

For complete model number:
1. insert 2 letter stretcher option code:
XC - (1) 12" high stretcher centered under each piece of the top
XO - (1) 12" high stretcher offset under each piece of the top
specify offset stretcher placement - 1" or 6" from approach edge of top
2XC - (2) 12" high stretchers centered under each piece of the top
stretchers come standard 6" apart for tables that are 24", 30" or 36" deep


Losa 30"H table

XC (1) 12"H stretcher centered under each piece of the top




XO (1) 12"H stretcher offset under each piece of the top.
specify 1" or 6" offset

stretcher panel 1" offset



stretcher panel 6" offset



2XC (2) 12"H stretchers centered under each piece of the top 6" apart



dimensions	1, 2 or 3 piece top	model no.	grade 1 list	grade 2 list	Grain Match Fee GR1	Grain Match Fee GR2
24 x 48 x 30H	1	TLLOS24048S__PV	1,950	2,220		
24 x 54 x 30H	1	TLLOS24054S__PV	2,030	2,320		
24 x 60 x 30H	1	TLLOS24060S__PV	2,030	2,320		
24 x 66 x 30H	1	TLLOS24066S__PV	2,140	2,450		
24 x 72 x 30H	1	TLLOS24072S__PV	2,140	2,450		
24 x 84 x 30H	1	TLLOS24084S__PV	2,390	2,720		
24 x 96 x 30H	1	TLLOS24096S__PV	2,500	2,850		
30 x 48 x 30H	1	TLLOS30048S__PV	2,050	2,350		
30 x 54 x 30H	1	TLLOS30054S__PV	2,150	2,450		
30 x 60 x 30H	1	TLLOS30060S__PV	2,230	2,560		
30 x 66 x 30H	1	TLLOS30066S__PV	2,310	2,650		
30 x 72 x 30H	1	TLLOS30072S__PV	2,310	2,650		
30 x 84 x 30H	1	TLLOS30084S__PV	2,570	2,940		
30 x 96 x 30H	1	TLLOS30096S__PV	2,670	3,060		
36 x 48 x 30H	1	TLLOS36048S__PV	2,170	2,460		
36 x 54 x 30H	1	TLLOS36054S__PV	2,260	2,570		
36 x 60 x 30H	1	TLLOS36060S__PV	2,350	2,670		
36 x 66 x 30H	1	TLLOS36066S__PV	2,430	2,770		
36 x 72 x 30H	1	TLLOS36072S__PV	2,620	2,980		
36 x 84 x 30H	1	TLLOS36084S__PV	2,770	3,160		
36 x 96 x 30H	1	TLLOS36096S__PV	2,860	3,260	GR1	GR2
24 x 120 x 30H	2	TLLOS24120S__PV	3,640	4,040	180	220
24 x 144 x 30H	2	TLLOS24144S__PV	3,840	4,290	220	260
24 x 192 x 30H	2	TLLOS24192S__PV	4,580	5,170	290	350
30 x 120 x 30H	2	TLLOS30120S__PV	4,060	4,500	230	280
30 x 144 x 30H	2	TLLOS30144S__PV	4,510	4,990	270	330
30 x 192 x 30H	2	TLLOS30192S__PV	5,310	5,960	360	440
36 x 120 x 30H	2	TLLOS36120S__PV	4,400	4,870	270	330
36 x 144 x 30H	2	TLLOS36144S__PV	4,800	5,300	320	400
36 x 192 x 30H	2	TLLOS36192S__PV	5,630	6,290	430	530
24 x 216 x 30H	3	TLLOS24216S__PV	5,510	6,170	320	400
24 x 240 x 30H	3	TLLOS24240S__PV	5,880	6,620	360	440
30 x 216 x 30H	3	TLLOS30216S__PV	6,040	6,770	410	500
30 x 240 x 30H	3	TLLOS30240S__PV	6,440	7,250	450	550
36 x 216 x 30H	3	TLLOS36216S__PV	6,370	7,110	490	590
36 x 240 x 30H	3	TLLOS36240S__PV	6,780	7,610	540	660

Wire Management 3-sided Chase options:



Losa 3 sided laminate wire management chase with latches for 1 end panel base*
Seated height chase (6"W x 3"D x 16.56"H) model # **OBLOSWM3SCE30-6 - $330 list**
Losa 3 sided laminate wire management chase with latches for both end panel bases
Seated height chase (6"W x 3"D x 16.56"H) model # **OBLOSWM3SC2E30-6 - $660 list**
Losa 3 sided laminate wire management chase with latches for 1 middle support panel base*
Seated height chase (6"W x 3"D x 16.56"H) model # **OBLOSWM3SCM30-6 - $330 list**
**** for tables with offset stretchers, specify which panel and the placement of the wire manager (user left or right)***

Wire Management Mouse Hole options:



Losa wire management mouse hole (1) stretcher at the top / center - model # **OBOLOSWMMHS - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the top / center
model # **OBOLOSWMHPT - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the bottom / center
model # **OBOLOSWMHPB - $20 list**

Wire Management cut out options for end /middle panels:



Losa wire management notched cut out for power supply (1) stretcher at top / center
model # **OBOLOSWMNCOS - $60 list**



Losa wire management notched cut out for power supply (1) end panel or middle support panel at top / center
model # **OBOLOSWMNCOP - $60 list**



Losa wire management cut out (1) on the end panel 18" at center from the bottom center of the panel
model # **OBOLOSWMCOEP - $60 list**

******specify which panel or stretcher shall have the mouse hole or cut out on your PO***

Please contact service@symphonytables.com to make sure that your power and/or wire managment solution will work with the Losa table specification.
We are able to modify this table with a custom solution to fit your projects needs.


Formica HPL laminate finish grades listed on pages 4-5 For additional laminate grades, contact Symphony.


Grain Match fees for 2 and 3 piece tops with a wood grain laminate
See above chart for pricing in blue, use model number OTGRMTCH with the top depth x length-Gr1 or Gr2 - for example OTGRMTCH36120-GR1


tables

Losa seated height
12”H stretchers

Losa 30"H table	dimensions	model no.	grade 1 list	grade 2 list	Grain Match Fee GR1	Grain Match Fee GR2
1 piece top - (2) 12"H stretchers centered under the top stretchers 12" apart	42 x 48 x 30H	TLLOS42048S2XCPV	2,230	2,530		
	42 x 54 x 30H	TLLOS42054S2XCPV	2,330	2,650		
	42 x 60 x 30H	TLLOS42060S2XCPV	2,420	2,760		
	42 x 66 x 30H	TLLOS42066S2XCPV	2,500	2,860		
	42 x 72 x 30H	TLLOS42072S2XCPV	2,700	3,070		
	42 x 84 x 30H	TLLOS42084S2XCPV	2,850	3,260		
	42 x 96 x 30H	TLLOS42096S2XCPV	3,020	3,450		
	48 x 54 x 30H	TLLOS48054S2XCPV	2,560	2,930		
	48 x 60 x 30H	TLLOS48060S2XCPV	2,670	3,060		
	48 x 66 x 30H	TLLOS48066S2XCPV	2,760	3,170		
	48 x 72 x 30H	TLLOS48072S2XCPV	2,970	3,400		
	48 x 84 x 30H	TLLOS48084S2XCPV	3,000	3,430		
	48 x 96 x 30H	TLLOS48096S2XCPV	3,020	3,450		
	54 x 60 x 30H	TLLOS54060S2XCPV	3,400	3,860		
	54 x 66 x 30H	TLLOS54066S2XCPV	3,510	4,000		
	54 x 72 x 30H	TLLOS54072S2XCPV	3,630	4,140		
	54 x 84 x 30H	TLLOS54084S2XCPV	3,650	4,170		
	54 x 96 x 30H	TLLOS54096S2XCPV	3,690	4,210		
	60 x 66 x 30H	TLLOS60066S2XCPV	3,750	4,240		
	60 x 72 x 30H	TLLOS60072S2XCPV	3,860	4,370		
	60 x 84 x 30H	TLLOS60084S2XCPV	3,890	4,400		
	60 x 96 x 30H	TLLOS60096S2XCPV	3,920	4,440	GR1	GR2
2 piece top - (2) 12"H stretchers centered under each piece of the top stretchers 12" apart	42 x 120 x 30H	TLLOS42120S2XCPV	4,870	5,380	320	390
	42 x 144 x 30H	TLLOS42144S2XCPV	5,350	5,910	380	460
	42 x 192 x 30H	TLLOS42192S2XCPV	6,280	7,020	500	620
	48 x 120 x 30H	TLLOS48120S2XCPV	4,870	5,380	360	440
	48 x 144 x 30H	TLLOS48144S2XCPV	5,350	5,910	430	530
	48 x 192 x 30H	TLLOS48192S2XCPV	6,390	7,140	580	700
	54 x 120 x 30H	TLLOS54120S2XCPV	5,850	6,460	410	500
	54 x 144 x 30H	TLLOS54144S2XCPV	6,140	6,810	490	600
	54 x 192 x 30H	TLLOS54192S2XCPV	7,240	8,130	650	800
	60 x 120 x 30H	TLLOS60120S2XCPV	6,080	6,690	450	550
	60 x 144 x 30H	TLLOS60144S2XCPV	6,370	7,040	540	660
	60 x 192 x 30H	TLLOS60192S2XCPV	7,470	8,360	720	880
3 piece top - (2) 12"H stretchers centered under each piece of the top stretchers 12" apart	42 x 216 x 30H	TLLOS42216S2XCPV	7,070	7,910	570	700
	42 x 240 x 30H	TLLOS42240S2XCPV	7,530	8,470	630	770
	48 x 216 x 30H	TLLOS48216S2XCPV	7,070	7,910	650	800
	48 x 240 x 30H	TLLOS48240S2XCPV	7,530	8,930	720	880
	54 x 216 x 30H	TLLOS54216S2XCPV	8,460	9,530	730	890
	54 x 240 x 30H	TLLOS54240S2XCPV	9,010	10,190	810	990
	60 x 216 x 30H	TLLOS60216S2XCPV	8,690	9,760	810	990
	60 x 240 x 30H	TLLOS60240S2XCPV	9,240	10,430	900	1,100







Wire Management 3-sided Chase options:



Losa 3 sided laminate wire management chase with latches for 1 end panel base
Seated height chase (12"W x 3"D x 16.56"H) model # **OBLOSWM3SCE30-12 - $330 list**
Losa 3 sided laminate wire management chase with latches for both end panel bases
Seated height chase (12"W x 3"D x 16.56"H) model # **OBLOSWM3SC2E30-12 - $660 list**
Losa 3 sided laminate wire management chase with latches for 1 middle support panel base
Seated height chase (12"W x 3"D x 16.56"H) model # **OBLOSWM3SCM30-12 - $330 list**

Wire Management Mouse Hole options:



Losa wire management mouse hole (1) stretcher at the top / center - model # **OBOLOSWMMHS - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the top / center
model # **OBOLOSWMHPT - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the bottom / center
model # **OBOLOSWMHPB - $20 list**

Wire Management cut out options for end /middle panels:



Losa wire management notched cut out for power supply (1) stretcher at top / center - model # **OBOLOSWMNCOS - $60 list**



Losa wire management notched cut out for power supply (1) end panel or middle support panel at top / center
model # **OBOLOSWMNCOP - $60 list**



Losa wire management cut out (1) on the end panel 18" at center from the bottom center of the panel
model # **OBOLOSWMCOEP - $60 list**

******specify which panel or stretcher shall have the mouse hole or cut out on your PO***

Please contact service@symphonytables.com to make sure that your power and/or wire managment solution will work with the Losa table specification.
We are able to modify this table with a custom solution to fit your projects needs.


tables


Losa seated height
full height stretcher

For complete model number:
1. insert 2 letter stretcher option code:
FC - (1) full height stretcher centered under each piece of the top
FO - (1) full height stretcher offset under each piece of the top
specify offset stretcher placement - 1" or 6" from approach edge of top

FC (1) full height stretcher centered under each piece of the top








FO (1) full height stretcher offset under each piece of the top
specify 1" or 6" offset

stretcher panel 1" offset








stretcher panel 6" offset







Losa 30"H table	dimensions	1, 2 or 3 piece top	model no.	grade 1 list	grade 2 list		
	24 x 48 x 30H	1	TLLOS24048S__PV	2,220	2,530		
	24 x 54 x 30H	1	TLLOS24054S__PV	2,330	2,660		
	24 x 60 x 30H	1	TLLOS24060S__PV	2,360	2,690		
	24 x 66 x 30H	1	TLLOS24066S__PV	2,500	2,860		
	24 x 72 x 30H	1	TLLOS24072S__PV	2,520	2,890		
	24 x 84 x 30H	1	TLLOS24084S__PV	2,810	3,220		
	24 x 96 x 30H	1	TLLOS24096S__PV	2,970	3,400		
	30 x 48 x 30H	1	TLLOS30048S__PV	2,330	2,660		
	30 x 54 x 30H	1	TLLOS30054S__PV	2,450	2,800		
	30 x 60 x 30H	1	TLLOS30060S__PV	2,560	2,930		
	30 x 66 x 30H	1	TLLOS30066S__PV	2,660	3,060		
	30 x 72 x 30H	1	TLLOS30072S__PV	2,690	3,090		
	30 x 84 x 30H	1	TLLOS30084S__PV	3,000	3,430		
	30 x 96 x 30H	1	TLLOS30096S__PV	3,150	3,610		
	36 x 48 x 30H	1	TLLOS36048S__PV	2,450	2,780		
	36 x 54 x 30H	1	TLLOS36054S__PV	2,560	2,910		
	36 x 60 x 30H	1	TLLOS36060S__PV	2,670	3,050		
	36 x 66 x 30H	1	TLLOS36066S__PV	2,780	3,170		
	36 x 72 x 30H	1	TLLOS36072S__PV	3,000	3,410	**Grain Match Fee**	
	36 x 84 x 30H	1	TLLOS36084S__PV	3,190	3,650		
	36 x 96 x 30H	1	TLLOS36096S__PV	3,330	3,810	GR1	GR2
	24 x 120 x 30H	2	TLLOS24120S__PV	4,210	4,710	180	220
	24 x 144 x 30H	2	TLLOS24144S__PV	4,510	5,070	220	260
	24 x 192 x 30H	2	TLLOS24192S__PV	5,450	6,190	290	350
	30 x 120 x 30H	2	TLLOS30120S__PV	4,630	5,160	230	280
	30 x 144 x 30H	2	TLLOS30144S__PV	5,180	5,780	270	330
	30 x 192 x 30H	2	TLLOS30192S__PV	6,180	6,980	360	440
	36 x 120 x 30H	2	TLLOS36120S__PV	4,970	5,530	270	330
	36 x 144 x 30H	2	TLLOS36144S__PV	5,470	6,090	320	400
	36 x 192 x 30H	2	TLLOS36192S__PV	6,490	7,310	430	530
	24 x 216 x 30H	3	TLLOS24216S__PV	6,470	7,310	320	400
	24 x 240 x 30H	3	TLLOS24240S__PV	6,940	7,870	360	440
	30 x 216 x 30H	3	TLLOS30216S__PV	7,000	7,910	410	500
	30 x 240 x 30H	3	TLLOS30240S__PV	7,510	8,510	450	550
	36 x 216 x 30H	3	TLLOS36216S__PV	7,330	8,250	490	590
	36 x 240 x 30H	3	TLLOS36240S__PV	7,840	8,860	540	660

Wire Management Door option:



Losa wire management door with finger pull for 1 full height stretcher**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD1 - $200 list**
Losa wire management door with finger pull for 2 full height stretchers**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD2 - $400 list**
Losa wire management door with finger pull for 3 full height stretchers**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD3 - $600 list**

****specify placement and confirm which panel shall receive the door for tables with multiple stretchers***

Wire Management Mouse Hole options:



Losa wire management mouse hole (1) stretcher at the top / center - model # **OBOLOSWMMHS - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the top / center model # **OBOLOSWMHPT - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the bottom / center model # **OBOLOSWMHPB - $20 list**

Wire Management cut out options for end /middle panels:



Losa wire management notched cut out for power supply (1) stretcher at top / center
model # **OBOLOSWMNCOS - $60 list**



Losa wire management notched cut out for power supply (1) end panel or middle support panel at top / center
model # **OBOLOSWMNCOP - $60 list**



Losa wire management cut out (1) on the end panel 18" at center from the bottom center of the panel
model # **OBOLOSWMCOEP - $60 list**

****specify which panel or stretcher shall have the mouse hole or cut out on your PO***


Please contact service@symphonytables.com to make sure that your power and/or wire managment solution will work with the Losa table specification.
We are able to modify this table with a custom solution to fit your projects needs.


Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.


Grain Match fees for 2 and 3 piece tops with a wood grain laminate
See above chart for pricing in blue, use model number OTGRMTCH with the top depth x length-Gr1 or Gr2 - for example OTGRMTCH36120-GR1

tables

Losa seated height
full height stretchers







Losa 30"H table	dimensions	1, 2 or 3 piece top	model no.	grade 1 list	grade 2 list		
(2) full height stretchers centered under each piece of the top stretchers 6" apart	24 x 48 x 30H	1	TLLOS24048S2FCPV	2,500	2,850		
	24 x 54 x 30H	1	TLLOS24054S2FCPV	2,640	3,010		
	24 x 60 x 30H	1	TLLOS24060S2FCPV	2,680	3,060		
	24 x 66 x 30H	1	TLLOS24066S2FCPV	2,850	3,260		
	24 x 72 x 30H	1	TLLOS24072S2FCPV	2,900	3,320		
	24 x 84 x 30H	1	TLLOS24084S2FCPV	3,240	3,710		
	24 x 96 x 30H	1	TLLOS24096S2FCPV	3,450	3,950		
	30 x 48 x 30H	1	TLLOS30048S2FCPV	2,610	2,980		
	30 x 54 x 30H	1	TLLOS30054S2FCPV	2,750	3,140		
	30 x 60 x 30H	1	TLLOS30060S2FCPV	2,890	3,310		
	30 x 66 x 30H	1	TLLOS30066S2FCPV	3,020	3,460		
	30 x 72 x 30H	1	TLLOS30072S2FCPV	3,060	3,520		
	30 x 84 x 30H	1	TLLOS30084S2FCPV	3,420	3,930		
	30 x 96 x 30H	1	TLLOS30096S2FCPV	3,620	4,170		
	36 x 48 x 30H	1	TLLOS36048S2FCPV	2,730	3,090		
	36 x 54 x 30H	1	TLLOS36054S2FCPV	2,870	3,260		
	36 x 60 x 30H	1	TLLOS36060S2FCPV	3,000	3,420		
	36 x 66 x 30H	1	TLLOS36066S2FCPV	3,130	3,580		
	36 x 72 x 30H	1	TLLOS36072S2FCPV	3,370	3,840	**Grain Match Fee**	
	36 x 84 x 30H	1	TLLOS36084S2FCPV	3,620	4,140		
	36 x 96 x 30H	1	TLLOS36096S2FCPV	3,810	4,360	GR1	GR2
	24 x 120 x 30H	2	TLLOS24120S2FCPV	4,780	5,380	180	220
	24 x 144 x 30H	2	TLLOS24144S2FCPV	5,180	5,860	220	260
	24 x 192 x 30H	2	TLLOS24192S2FCPV	6,310	7,210	290	350
	30 x 120 x 30H	2	TLLOS30120S2FCPV	5,200	5,830	230	280
	30 x 144 x 30H	2	TLLOS30144S2FCPV	5,850	6,560	270	330
	30 x 192 x 30H	2	TLLOS30192S2FCPV	7,040	8,000	360	440
	36 x 120 x 30H	2	TLLOS36120S2FCPV	5,550	6,200	270	330
	36 x 144 x 30H	2	TLLOS36144S2FCPV	6,140	6,870	320	400
	36 x 192 x 30H	2	TLLOS36192S2FCPV	7,360	8,330	430	530
	24 x 216 x 30H	3	TLLOS24216S2FCPV	7,430	8,450	320	400
	24 x 240 x 30H	3	TLLOS24240S2FCPV	8,000	9,130	360	440
	30 x 216 x 30H	3	TLLOS30216S2FCPV	7,970	9,040	410	500
	30 x 240 x 30H	3	TLLOS30240S2FCPV	8,570	9,760	450	550
	36 x 216 x 30H	3	TLLOS36216S2FCPV	8,300	9,390	490	590
	36 x 240 x 30H	3	TLLOS36240S2FCPV	8,900	10,120	540	660

Wire Management Door option:



Losa wire management door with finger pull for 1 full height stretcher**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD1 - $200 list**
Losa wire management door with finger pull for 2 full height stretchers**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD2 - $400 list**
Losa wire management door with finger pull for 3 full height stretchers**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD3 - $600 list**

****specify placement and confirm which panel shall receive the door for tables with multiple stretchers***

Wire Management Mouse Hole options:



Losa wire management mouse hole (1) stretcher at the top / center - model # **OBOLOSWMMHS - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the top / center - model # **OBOLOSWMHPT - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the bottom / center model # **OBOLOSWMHPB - $20 list**

Wire Management cut out options for end /middle panels:



Losa wire management notched cut out for power supply (1) stretcher at top / center
model # **OBOLOSWMNCOS - $60 list**



Losa wire management notched cut out for power supply (1) end panel or middle support panel at top / center
model # **OBOLOSWMNCOP - $60 list**



Losa wire management cut out (1) on the end panel 18" at center from the bottom center of the panel
model # **OBOLOSWMCOEP - $60 list**

****specify which panel or stretcher shall have the mouse hole or cut out on your PO***

Please contact service@symphonytables.com to make sure that your power and/or wire managment solution will work with the Losa table specification.
We are able to modify this table with a custom solution to fit your projects needs.

Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.

Grain Match fees for 2 and 3 piece tops with a wood grain laminate
See above chart for pricing in blue, use model number OTGRMTCH with the top depth x length-Gr1 or Gr2 - for example OTGRMTCH36120-GR1

tables

Losa seated height
full height stretchers

Losa 30"H table	dimensions	model no.	grade 1 list	grade 2 list	Grain Match Fee GR1	Grain Match Fee GR2
1 piece top - (2) full height stretchers centered under the top stretchers 12" apart	42 x 48 x 30H	TLLOS42048S2FCPV	2,790	3,170		
	42 x 54 x 30H	TLLOS42054S2FCPV	2,930	3,340		
	42 x 60 x 30H	TLLOS42060S2FCPV	3,070	3,500		
	42 x 66 x 30H	TLLOS42066S2FCPV	3,200	3,660		
	42 x 72 x 30H	TLLOS42072S2FCPV	3,450	3,940		
	42 x 84 x 30H	TLLOS42084S2FCPV	3,700	4,240		
	42 x 96 x 30H	TLLOS42096S2FCPV	3,970	4,560		
	48 x 54 x 30H	TLLOS48054S2FCPV	3,170	3,620		
	48 x 60 x 30H	TLLOS48060S2FCPV	3,320	3,800		
	48 x 66 x 30H	TLLOS48066S2FCPV	3,470	3,980		
	48 x 72 x 30H	TLLOS48072S2FCPV	3,720	4,270		
	48 x 84 x 30H	TLLOS48084S2FCPV	3,850	4,410		
	48 x 96 x 30H	TLLOS48096S2FCPV	3,970	4,560		
	54 x 60 x 30H	TLLOS54060S2FCPV	4,050	4,610		
	54 x 66 x 30H	TLLOS54066S2FCPV	4,220	4,810		
	54 x 72 x 30H	TLLOS54072S2FCPV	4,380	5,000		
	54 x 84 x 30H	TLLOS54084S2FCPV	4,500	5,160		
	54 x 96 x 30H	TLLOS54096S2FCPV	4,630	5,310		
	60 x 66 x 30H	TLLOS60066S2FCPV	4,450	5,040		
	60 x 72 x 30H	TLLOS60072S2FCPV	4,610	5,240		
	60 x 84 x 30H	TLLOS60084S2FCPV	4,740	5,390		
	60 x 96 x 30H	TLLOS60096S2FCPV	4,870	5,540		
2 piece top - (2) full height stretchers centered under each piece of the top stretchers 12" apart	42 x 120 x 30H	TLLOS42120S2FCPV	6,020	6,720	320	390
	42 x 144 x 30H	TLLOS42144S2FCPV	6,690	7,480	380	460
	42 x 192 x 30H	TLLOS42192S2FCPV	8,010	9,070	500	620
	48 x 120 x 30H	TLLOS48120S2FCPV	6,020	6,720	360	440
	48 x 144 x 30H	TLLOS48144S2FCPV	6,690	7,480	430	530
	48 x 192 x 30H	TLLOS48192S2FCPV	8,130	9,180	580	700
	54 x 120 x 30H	TLLOS54120S2FCPV	6,990	7,790	410	500
	54 x 144 x 30H	TLLOS54144S2FCPV	7,480	8,380	490	600
	54 x 192 x 30H	TLLOS54192S2FCPV	8,970	10,170	650	800
	60 x 120 x 30H	TLLOS60120S2FCPV	7,220	8,030	450	550
	60 x 144 x 30H	TLLOS60144S2FCPV	7,710	8,610	540	660
	60 x 192 x 30H	TLLOS60192S2FCPV	9,200	10,400	720	880
3 piece top - (2) full height stretchers centered under each piece of the top stretchers 12" apart	42 x 216 x 30H	TLLOS42216S2FCPV	9,000	10,190	570	700
	42 x 240 x 30H	TLLOS42240S2FCPV	9,660	10,980	630	770
	48 x 216 x 30H	TLLOS48216S2FCPV	9,000	10,190	650	800
	48 x 240 x 30H	TLLOS48240S2FCPV	9,660	10,980	720	880
	54 x 216 x 30H	TLLOS54216S2FCPV	10,390	11,810	730	890
	54 x 240 x 30H	TLLOS54240S2FCPV	11,140	12,710	810	990
	60 x 216 x 30H	TLLOS60216S2FCPV	10,620	12,040	810	990
	60 x 240 x 30H	TLLOS60240S2FCPV	11,370	12,940	900	1,100

Wire Management Door option:

Losa wire management door with finger pull for 1 full height stretcher**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD1 - $200 list**
Losa wire management door with finger pull for 2 full height stretchers**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD2 - $400 list**
Losa wire management door with finger pull for 3 full height stretchers**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD3 - $600 list**

specify placement and confirm which panel shall receive the door for tables with multiple stretchers

Wire Management Mouse Hole options:

Losa wire management mouse hole (1) stretcher at the top / center - model # **OBOLOSWMMHS - $20 list**

Losa wire management mouse hole (1) in the end panel or middle support panel at the top / center model # **OBOLOSWMHPT - $20 list**

Losa wire management mouse hole (1) in the end panel or middle support panel at the bottom / center model # **OBOLOSWMHPB - $20 list**

Wire Management cut out options for end /middle panels:

Losa wire management notched cut out for power supply (1) stretcher at top / center model # **OBOLOSWMNCOS - $60 list**

Losa wire management notched cut out for power supply (1) end panel or middle support panel at top / center - model # **OBOLOSWMNCOP - $60 list**

Losa wire management cut out (1) on the end panel 18" at center from the bottom center of the panel model # **OBOLOSWMCOEP - $60 list**

****specify which panel or stretcher shall have the mouse hole or cut out on your PO***

Please contact service@symphonytables.com to make sure that your power and/or wire managment solution will work with the Losa table specification.
We are able to modify this table with a custom solution to fit your projects needs.

Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.

Grain Match fees for 2 and 3 piece tops with a wood grain laminate
See above chart for pricing in blue, use model number OTGRMTCH with the top depth x length-Gr1 or Gr2 - for example OTGRMTCH36120-GR1


This page was intentionally left blank.

Losa counter and bar height
12”H stretcher(s)

For complete model number:
1. insert 1 letter height code:
C - 36" counter height
B - 42" bar height


2. insert 2 letter stretcher option code:
XC - (1) 12" high stretcher centered under each piece of the top
XO - (1) 12" high stretcher offset under each piece of the top
****specify offset stretcher placement - 1" or 6" from approach edge of top***
2XC - (2) 12" high stretchers centered under each piece of the top
stretchers come standard 6" apart for tops that are 24", 30" or 36" deep

XC (1) 12"H stretcher centered under each piece of the top




XO (1) 12"H stretcher offset under each piece of the top.
specify 1" or 6" offset

stretcher panel 1" offset




stretcher panel 6" offset

2XC (2) 12"H stretchers centered under each piece of the top 6" apart



Losa table	dimensions	1, 2 or 3 piece top	model no.	grade 1 list	grade 2 list		
	24 x 48	1	TLLOS24048 _ __ PV	2,080	2,370		
	24 x 54	1	TLLOS24054 _ __ PV	2,170	2,480		
	24 x 60	1	TLLOS24060 _ __ PV	2,170	2,480		
	24 x 66	1	TLLOS24066 _ __ PV	2,290	2,630		
	24 x 72	1	TLLOS24072 _ __ PV	2,290	2,630		
	24 x 84	1	TLLOS24084 _ __ PV	2,550	2,910		
	24 x 96	1	TLLOS24096 _ __ PV	2,670	3,060		
	30 x 48	1	TLLOS30048 _ __ PV	2,250	2,590		
	30 x 54	1	TLLOS30054 _ __ PV	2,360	2,710		
	30 x 60	1	TLLOS30060 _ __ PV	2,360	2,710		
	30 x 66	1	TLLOS30066 _ __ PV	2,490	2,870		
	30 x 72	1	TLLOS30072 _ __ PV	2,490	2,870		
	30 x 84	1	TLLOS30084 _ __ PV	2,760	3,170		
	30 x 96	1	TLLOS30096 _ __ PV	2,870	3,300		
	36 x 48	1	TLLOS36048 _ __ PV	2,310	2,630		
	36 x 54	1	TLLOS36054 _ __ PV	2,410	2,750		
	36 x 60	1	TLLOS36060 _ __ PV	2,510	2,860		
	36 x 66	1	TLLOS36066 _ __ PV	2,590	2,970		
	36 x 72	1	TLLOS36072 _ __ PV	2,800	3,190	**Grain Match Fee**	
	36 x 84	1	TLLOS36084 _ __ PV	2,960	3,390		
	36 x 96	1	TLLOS36096 _ __ PV	3,060	3,510	GR1	GR2
	24 x 120	2	TLLOS24120 _ __ PV	3,850	4,290	180	220
	24 x 144	2	TLLOS24144 _ __ PV	4,070	4,560	220	260
	24 x 192	2	TLLOS24192 _ __ PV	4,880	5,530	290	350
	30 x 120	2	TLLOS30120 _ __ PV	4,280	4,760	230	280
	30 x 144	2	TLLOS30144 _ __ PV	4,750	5,280	270	330
	30 x 192	2	TLLOS30192 _ __ PV	5,640	6,350	360	440
	36 x 120	2	TLLOS36120 _ __ PV	4,630	5,140	270	330
	36 x 144	2	TLLOS36144 _ __ PV	5,050	5,600	320	400
	36 x 192	2	TLLOS36192 _ __ PV	5,960	6,690	430	530
	24 x 216	3	TLLOS24216 _ __ PV	5,850	6,580	320	400
	24 x 240	3	TLLOS24240 _ __ PV	6,250	7,070	360	440
	30 x 216	3	TLLOS30216 _ __ PV	6,410	7,210	410	500
	30 x 240	3	TLLOS30240 _ __ PV	6,850	7,740	450	550
	36 x 216	3	TLLOS36216 _ __ PV	6,740	7,570	490	590
	36 x 240	3	TLLOS36240 _ __ PV	7,200	8,110	540	660

Wire Management 3-sided Chase options:



Losa 3 sided laminate wire management chase with latches for 1 end panel base*
Counter height chase (22.56"H) model # **OBLOSWM3SCE36-6 - $350 list**
Bar height chase (28.56"H) model # **OBLOSWM3SCE42-6 - $370 list**
Losa 3 sided laminate wire management chase with latches for both end panel bases
Counter height chase (22.56"H) model # **OBLOSWM3SC2E36-6 - $700 list**
Bar height chase (28.56"H) model # **OBLOSWM3SC2E42-6 - $740 list**
Losa 3 sided laminate wire management chase with latches for 1 middle panel base*
Counter height chase (22.56"H) model # **OBLOSWM3SCM36-6 - $350 list**
Bar height chase (28.56"H) model # **OBLOSWM3SCM42-6 - $370 list**
*** for tables with offset stretchers, specify which panel and the placement of the wire manager (user left or right)***

Wire Management Mouse Hole options:



Losa wire management mouse hole (1) stretcher at the top / center - model # **OBOLOSWMMHS - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the top / center
model # **OBOLOSWMHPT - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the bottom / center - model # **OBOLOSWMHPB - $20 list**

Wire Management cut out options for end /middle panels:



Losa wire management notched cut out for power supply (1) stretcher at top / center
model # **OBOLOSWMNCOS - $60 list**



Losa wire management notched cut out for power supply (1) end panel or middle support panel at top / center
model # **OBOLOSWMNCOP - $60 list**



Losa wire management cut out (1) on the end panel 18" at center from the bottom center of the panel
model # **OBOLOSWMCOEP - $60 list**

****specify which panel or stretcher shall have the mouse hole or cut out on your PO***


Please contact service@symphonytables.com to make sure that your power and/or wire managment solution will work with the Losa table specification.
We are able to modify this table with a custom solution to fit your projects needs.

Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.

Grain Match fees for 2 and 3 piece tops with a wood grain laminate
See above chart for pricing in blue, use model number OTGRMTCH with the top depth x length-Gr1 or Gr2 - for example OTGRMTCH36120-GR1

Losa counter and bar height
12”H stretchers

For complete model number - insert 1 letter height code:
C - 36" counter height
B - 42" bar height

Losa table - stretchers 12" apart	dimensions	model no.	grade 1 list	grade 2 list		
1 piece top - (2) 12"H stretchers centered under the top	42 x 48	TLLOS42048 _ 2XCPV	2,380	2,710		
	42 x 54	TLLOS42054 _ 2XCPV	2,480	2,840		
	42 x 60	TLLOS42060 _ 2XCPV	2,580	2,960		
	42 x 66	TLLOS42066 _ 2XCPV	2,680	3,070		
	42 x 72	TLLOS42072 _ 2XCPV	2,880	3,290		
	42 x 84	TLLOS42084 _ 2XCPV	3,050	3,490		
	42 x 96	TLLOS42096 _ 2XCPV	3,240	3,720		
	48 x 54	TLLOS48054 _ 2XCPV	2,480	2,840		
	48 x 60	TLLOS48060 _ 2XCPV	2,580	2,960		
	48 x 66	TLLOS48066 _ 2XCPV	2,680	3,070		
	48 x 72	TLLOS48072 _ 2XCPV	2,880	3,290		
	48 x 84	TLLOS48084 _ 2XCPV	2,900	3,320		
	48 x 96	TLLOS48096 _ 2XCPV	3,240	3,720		
	54 x 60	TLLOS54060 _ 2XCPV	3,630	4,140		
	54 x 66	TLLOS54066 _ 2XCPV	3,760	4,300		
	54 x 72	TLLOS54072 _ 2XCPV	3,880	4,440		
	54 x 84	TLLOS54084 _ 2XCPV	3,910	4,480		
	54 x 96	TLLOS54096 _ 2XCPV	3,950	4,520		
	60 x 66	TLLOS60066 _ 2XCPV	3,990	4,530		
	60 x 72	TLLOS60072 _ 2XCPV	4,110	4,680	**Grain Match Fee**	
	60 x 84	TLLOS60084 _ 2XCPV	4,140	4,710		
	60 x 96	TLLOS60096 _ 2XCPV	4,180	4,760	GR1	GR2
2 piece top - (2) 12"H stretchers centered under each piece of the top	42 x 120	TLLOS42120 _ 2XCPV	5,120	5,680	320	390
	42 x 144	TLLOS42144 _ 2XCPV	5,620	6,240	380	460
	42 x 192	TLLOS42192 _ 2XCPV	6,640	7,460	500	620
	48 x 120	TLLOS48120 _ 2XCPV	5,120	5,680	360	440
	48 x 144	TLLOS48144 _ 2XCPV	5,620	6,240	430	530
	48 x 192	TLLOS48192 _ 2XCPV	6,760	7,580	580	700
	54 x 120	TLLOS54120 _ 2XCPV	6,150	6,830	410	500
	54 x 144	TLLOS54144 _ 2XCPV	6,470	7,210	490	600
	54 x 192	TLLOS54192 _ 2XCPV	7,680	8,660	650	800
	60 x 120	TLLOS60120 _ 2XCPV	6,380	7,060	450	550
	60 x 144	TLLOS60144 _ 2XCPV	6,710	7,440	540	660
	60 x 192	TLLOS60192 _ 2XCPV	7,920	8,900	720	880
3 piece top - (2) 12"H stretchers centered under each piece of the top	42 x 216	TLLOS42216 _ 2XCPV	7,480	8,400	570	700
	42 x 240	TLLOS42240 _ 2XCPV	7,990	9,020	630	770
	48 x 216	TLLOS48216 _ 2XCPV	7,480	8,400	650	800
	48 x 240	TLLOS48240 _ 2XCPV	7,990	9,020	720	880
	54 x 216	TLLOS54216 _ 2XCPV	8,990	10,170	730	890
	54 x 240	TLLOS54240 _ 2XCPV	9,600	10,900	810	990
	60 x 216	TLLOS60216 _ 2XCPV	9,230	10,400	810	990
	60 x 240	TLLOS60240 _ 2XCPV	9,830	11,130	900	1,100

Wire Management 3-sided Chase options:



Losa 3 sided laminate wire management chase with latches for 1 end panel base
Counter height chase (22.56"H) model # **OBLOSWM3SCE36-12 - $350 list**
Bar height chase (28.56"H) model # **OBLOSWM3SCE42-12 - $370 list**
Losa 3 sided laminate wire management chase with latches for both end panel bases
Counter height chase (22.56"H) model # **OBLOSWM3SC2E36-12 - $700 list**
Bar height chase (28.56"H) model # **OBLOSWM3SC2E42-12 - $740 list**
Losa 3 sided laminate wire management chase with latches for 1 middle panel base
Counter height chase (22.56"H) model # **OBLOSWM3SCM36-12 - $350 list**
Bar height chase (28.56"H) model # **OBLOSWM3SCM42-12 - $370 list**

Wire Management Mouse Hole options:



Losa wire management mouse hole (1) stretcher at the top / center - model # **OBOLOSWMMHS - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the top / center - model # **OBOLOSWMHPT - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the bottom / center - model # **OBOLOSWMHPB - $20 list**

Wire Management cut out options for end /middle panels:



Losa wire management notched cut out for power supply (1) stretcher at top / center model # **OBOLOSWMNCOS - $60 list**



Losa wire management notched cut out for power supply (1) end panel or middle support panel at top / center
model # **OBOLOSWMNCOP - $60 list**



Losa wire management cut out (1) on the end panel 18" at center from the bottom center of the panel
model # **OBOLOSWMCOEP - $60 list**

****specify which panel or stretcher shall have the mouse hole or cut out on your PO***

tables


Losa counter and bar height
full height stretcher


For complete model number:
1. insert 1 letter height code:
C - 36" counter height
B - 42" bar height

2. insert 2 letter stretcher option code:
FC - (1) full height stretcher centered under each piece of the top
FO - (1) full height stretcher offset under each piece of the top
specify offset stretcher placement - 1" or 6" from approach edge of top

FC (1) full height stretcher centered under each piece of the top








FO (1) full height stretcher offset under each piece of the top
specify 1" or 6" offset

modesty panel 1" offset








modesty panel 6" offset







Losa table	dimensions	1, 2 or 3 piece top	model no.	grade 1 list	grade 2 list	Grain Match Fee GR1	Grain Match Fee GR2
	24 x 48	1	TLLOS24048 _ _ _ PV	2,350	2,690		
	24 x 54	1	TLLOS24054 _ _ _ PV	2,470	2,830		
	24 x 60	1	TLLOS24060 _ _ _ PV	2,490	2,850		
	24 x 66	1	TLLOS24066 _ _ _ PV	2,640	3,030		
	24 x 72	1	TLLOS24072 _ _ _ PV	2,670	3,060		
	24 x 84	1	TLLOS24084 _ _ _ PV	2,970	3,400		
	24 x 96	1	TLLOS24096 _ _ _ PV	3,150	3,610		
	30 x 48	1	TLLOS30048 _ _ _ PV	2,530	2,900		
	30 x 54	1	TLLOS30054 _ _ _ PV	2,660	3,050		
	30 x 60	1	TLLOS30060 _ _ _ PV	2,690	3,080		
	30 x 66	1	TLLOS30066 _ _ _ PV	2,840	3,270		
	30 x 72	1	TLLOS30072 _ _ _ PV	2,860	3,300		
	30 x 84	1	TLLOS30084 _ _ _ PV	3,190	3,660		
	30 x 96	1	TLLOS30096 _ _ _ PV	3,340	3,850		
	36 x 48	1	TLLOS36048 _ _ _ PV	2,590	2,950		
	36 x 54	1	TLLOS36054 _ _ _ PV	2,710	3,100		
	36 x 60	1	TLLOS36060 _ _ _ PV	2,830	3,240		
	36 x 66	1	TLLOS36066 _ _ _ PV	2,950	3,370		
	36 x 72	1	TLLOS36072 _ _ _ PV	3,170	3,620		
	36 x 84	1	TLLOS36084 _ _ _ PV	3,380	3,880		
	36 x 96	1	TLLOS36096 _ _ _ PV	3,540	4,060	GR1	GR2
	24 x 120	2	TLLOS24120 _ _ _ PV	4,420	4,960	180	220
	24 x 144	2	TLLOS24144 _ _ _ PV	4,740	5,340	220	260
	24 x 192	2	TLLOS24192 _ _ _ PV	5,750	6,550	290	350
	30 x 120	2	TLLOS30120 _ _ _ PV	4,850	5,430	230	280
	30 x 144	2	TLLOS30144 _ _ _ PV	5,420	6,070	270	330
	30 x 192	2	TLLOS30192 _ _ _ PV	6,500	7,370	360	440
	36 x 120	2	TLLOS36120 _ _ _ PV	5,200	5,810	270	330
	36 x 144	2	TLLOS36144 _ _ _ PV	5,720	6,390	320	400
	36 x 192	2	TLLOS36192 _ _ _ PV	6,830	7,710	430	530
	24 x 216	3	TLLOS24216 _ _ _ PV	6,810	7,720	320	400
	24 x 240	3	TLLOS24240 _ _ _ PV	7,310	8,320	360	440
	30 x 216	3	TLLOS30216 _ _ _ PV	7,370	8,340	410	500
	30 x 240	3	TLLOS30240 _ _ _ PV	7,910	8,990	450	550
	36 x 216	3	TLLOS36216 _ _ _ PV	7,710	8,700	490	590
	36 x 240	3	TLLOS36240 _ _ _ PV	8,260	9,370	540	660


Wire Management Door option:



Losa wire management door with finger pull for 1 full height stretcher**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD1** - $200 list
Losa wire management door with finger pull for 2 full height stretchers**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD2** - $400 list
Losa wire management door with finger pull for 3 full height stretchers**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD3** - $600 list

specify placement and confirm which panel shall receive the door for tables with multiple stretchers

Wire Management Mouse Hole options:



Losa wire management mouse hole (1) stretcher at the top / center - model # **OBOLOSWMMHS - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the top / center - model # **OBOLOSWMHPT - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the bottom / center - model # **OBOLOSWMHPB - $20 list**

Wire Management cut out options for end /middle panels:



Losa wire management notched cut out for power supply (1) stretcher at top / center
model # **OBOLOSWMNCOS - $60 list**



Losa wire management notched cut out for power supply (1) end panel or middle support panel at top / center
model # **OBOLOSWMNCOP - $60 list**



Losa wire management cut out (1) on the end panel 18" at center from the bottom center of the panel
model # **OBOLOSWMCOEP - $60 list**

specify which panel or stretcher shall have the mouse hole or cut out on your PO

Please contact service@symphonytables.com to make sure that your power and/or wire managment solution will work with the Losa table specification.
We are able to modify this table with a custom solution to fit your projects needs.

Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.

Grain Match fees for 2 and 3 piece tops with a wood grain laminate
See above chart for pricing in blue, use model number OTGRMTCH with the top depth x length-Gr1 or Gr2 - for example OTGRMTCH36120-GR1


tables


Losa counter and bar height
full height stretchers

For complete model number - insert 1 letter height code:
C - 36" counter height
B - 42" bar height

Losa table - stretchers 12" apart	dimensions	model no.	grade 1 list	grade 2 list	Grain Match Fee GR1	Grain Match Fee GR2
1 piece top - (2) full height stretchers centered under the top stretchers 12" apart	24 x 48	TLLOS24048 _ 2FCPV	2,630	3,000		
	24 x 54	TLLOS24054 _ 2FCPV	2,770	3,170		
	24 x 60	TLLOS24060 _ 2FCPV	2,820	3,230		
	24 x 66	TLLOS24066 _ 2FCPV	2,990	3,430		
	24 x 72	TLLOS24072 _ 2FCPV	3,040	3,490		
	24 x 84	TLLOS24084 _ 2FCPV	3,400	3,900		
	24 x 96	TLLOS24096 _ 2FCPV	3,620	4,170		
	30 x 48	TLLOS30048 _ 2FCPV	2,810	3,220		
	30 x 54	TLLOS30054 _ 2FCPV	2,960	3,400		
	30 x 60	TLLOS30060 _ 2FCPV	3,010	3,460		
	30 x 66	TLLOS30066 _ 2FCPV	3,190	3,670		
	30 x 72	TLLOS30072 _ 2FCPV	3,240	3,730		
	30 x 84	TLLOS30084 _ 2FCPV	3,610	4,150		
	30 x 96	TLLOS30096 _ 2FCPV	3,820	4,400		
	36 x 48	TLLOS36048 _ 2FCPV	2,870	3,260		
	36 x 54	TLLOS36054 _ 2FCPV	3,020	3,440		
	36 x 60	TLLOS36060 _ 2FCPV	3,160	3,610		
	36 x 66	TLLOS36066 _ 2FCPV	3,300	3,780		
	36 x 72	TLLOS36072 _ 2FCPV	3,550	4,060		
	36 x 84	TLLOS36084 _ 2FCPV	3,810	4,370		
	36 x 96	TLLOS36096 _ 2FCPV	4,010	4,610	GR1	GR2
2 piece top - (2) full height stretchers centered under each piece of the top stretchers 12" apart	24 x 120	TLLOS24120 _ 2FCPV	4,990	5,630	180	220
	24 x 144	TLLOS24144 _ 2FCPV	5,410	6,130	220	260
	24 x 192	TLLOS24192 _ 2FCPV	6,610	7,580	290	350
	30 x 120	TLLOS30120 _ 2FCPV	5,420	6,100	230	280
	30 x 144	TLLOS30144 _ 2FCPV	6,090	6,860	270	330
	30 x 192	TLLOS30192 _ 2FCPV	7,370	8,390	360	440
	36 x 120	TLLOS36120 _ 2FCPV	5,780	6,480	270	330
	36 x 144	TLLOS36144 _ 2FCPV	6,390	7,170	320	400
	36 x 192	TLLOS36192 _ 2FCPV	7,700	8,740	430	530
3 piece top - (2) full height stretchers centered under each piece of the top stretchers 12" apart	24 x 216	TLLOS24216 _ 2FCPV	7,770	8,860	320	400
	24 x 240	TLLOS24240 _ 2FCPV	8,380	9,580	360	440
	30 x 216	TLLOS30216 _ 2FCPV	8,330	9,480	410	500
	30 x 240	TLLOS30240 _ 2FCPV	8,970	10,250	450	550
	36 x 216	TLLOS36216 _ 2FCPV	8,670	9,840	490	590
	36 x 240	TLLOS36240 _ 2FCPV	9,320	10,620	540	660







Wire Management Door option:



Losa wire management door with finger pull for 1 full height stretcher**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD1** - $200 list
Losa wire management door with finger pull for 2 full height stretchers**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD2** - $400 list
Losa wire management door with finger pull for 3 full height stretchers**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD3** - $600 list

specify placement and confirm which panel shall receive the door for tables with multiple stretchers

Wire Management Mouse Hole options:



Losa wire management mouse hole (1) stretcher at the top / center - model # **OBOLOSWMMHS - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the top / center - model # **OBOLOSWMHPT - $20 list**



Losa wire management mouse hole (1) in the end panel or middle support panel at the bottom / center - model # **OBOLOSWMHPB - $20 list**

Wire Management cut out options for end /middle panels:



Losa wire management notched cut out for power supply (1) stretcher at top / center
model # **OBOLOSWMNCOS - $60 list**



Losa wire management notched cut out for power supply (1) end panel or middle support panel at top / center
model # **OBOLOSWMNCOP - $60 list**



Losa wire management cut out (1) on the end panel 18" at center from the bottom center of the panel
model # **OBOLOSWMCOEP - $60 list**

specify which panel or stretcher shall have the mouse hole or cut out on your PO

Please contact service@symphonytables.com to make sure that your power and/or wire managment solution will work with the Losa table specification.
We are able to modify this table with a custom solution to fit your projects needs.


Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.

Grain Match fees for 2 and 3 piece tops with a wood grain laminate
See above chart for pricing in blue, use model number OTGRMTCH with the top depth x length-Gr1 or Gr2 - for example OTGRMTCH36120-GR1

tables

Losa counter and bar height full height stretchers

For complete model number - insert 1 letter height code:
C - 36" counter height
B - 42" bar height

Losa table - stretchers 12" apart	dimensions	model no.	grade 1 list	grade 2 list	Grain Match Fee GR1	Grain Match Fee GR2
1 piece top - (2) full height stretchers centered under the top	42 x 48	TLLOS42048 _ 2FCPV	2,940	3,340		
	42 x 54	TLLOS42054 _ 2FCPV	3,090	3,530		
	42 x 60	TLLOS42060 _ 2FCPV	3,240	3,700		
	42 x 66	TLLOS42066 _ 2FCPV	3,380	3,870		
	42 x 72	TLLOS42072 _ 2FCPV	3,630	4,160		
	42 x 84	TLLOS42084 _ 2FCPV	3,900	4,480		
	42 x 96	TLLOS42096 _ 2FCPV	4,190	4,820		
	48 x 54	TLLOS48054 _ 2FCPV	3,090	3,530		
	48 x 60	TLLOS48060 _ 2FCPV	3,240	3,700		
	48 x 66	TLLOS48066 _ 2FCPV	3,380	3,870		
	48 x 72	TLLOS48072 _ 2FCPV	3,630	4,160		
	48 x 84	TLLOS48084 _ 2FCPV	3,750	4,300		
	48 x 96	TLLOS48096 _ 2FCPV	4,190	4,820		
	54 x 60	TLLOS54060 _ 2FCPV	4,290	4,890		
	54 x 66	TLLOS54066 _ 2FCPV	4,460	5,110		
	54 x 72	TLLOS54072 _ 2FCPV	4,630	5,310		
	54 x 84	TLLOS54084 _ 2FCPV	4,760	5,470		
	54 x 96	TLLOS54096 _ 2FCPV	4,900	5,630		
	60 x 66	TLLOS60066 _ 2FCPV	4,690	5,340		
	60 x 72	TLLOS60072 _ 2FCPV	4,870	5,540		
	60 x 84	TLLOS60084 _ 2FCPV	5,000	5,700		
	60 x 96	TLLOS60096 _ 2FCPV	5,130	5,860		
2 piece top - (2) full height stretchers centered under each piece of the top	42 x 120	TLLOS42120 _ 2FCPV	6,270	7,020	320	390
	42 x 144	TLLOS42144 _ 2FCPV	6,960	7,810	380	460
	42 x 192	TLLOS42192 _ 2FCPV	8,380	9,510	500	620
	48 x 120	TLLOS48120 _ 2FCPV	6,270	7,020	360	440
	48 x 144	TLLOS48144 _ 2FCPV	6,960	7,810	430	530
	48 x 192	TLLOS48192 _ 2FCPV	8,490	9,620	580	700
	54 x 120	TLLOS54120 _ 2FCPV	7,300	8,160	410	500
	54 x 144	TLLOS54144 _ 2FCPV	7,810	8,780	490	600
	54 x 192	TLLOS54192 _ 2FCPV	9,410	10,710	650	800
	60 x 120	TLLOS60120 _ 2FCPV	7,530	8,390	450	550
	60 x 144	TLLOS60144 _ 2FCPV	8,050	9,020	540	660
	60 x 192	TLLOS60192 _ 2FCPV	9,650	10,940	720	880
3 piece top - (2) full height stretchers centered under each piece of the top	42 x 216	TLLOS42216 _ 2FCPV	9,410	10,680	570	700
	42 x 240	TLLOS42240 _ 2FCPV	10,120	11,530	630	770
	48 x 216	TLLOS48216 _ 2FCPV	9,410	10,680	650	800
	48 x 240	TLLOS48240 _ 2FCPV	10,120	11,530	720	880
	54 x 216	TLLOS54216 _ 2FCPV	10,920	12,450	730	890
	54 x 240	TLLOS54240 _ 2FCPV	11,730	13,420	810	990
	60 x 216	TLLOS60216 _ 2FCPV	11,150	12,680	810	990
	60 x 240	TLLOS60240 _ 2FCPV	11,960	13,650	900	1,100

Wire Management Door option:



Losa wire management door with finger pull for 1 full height stretcher**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD1** - $200 list
Losa wire management door with finger pull for 2 full height stretchers**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD2** - $400 list
Losa wire management door with finger pull for 3 full height stretchers**
(door dimensions: 10.5"W x 12.5"H) model # **OBOLOSWMD3** - $600 list

***specify placement and confirm which panel shall receive the door for tables with multiple stretchers*

Wire Management Mouse Hole options:


Losa wire management mouse hole (1) stretcher at the top / center - model # **OBOLOSWMMHS** - $20 list


Losa wire management mouse hole (1) in the end panel or middle support panel at the top / center - model # **OBOLOSWMHPT** - $20 list


Losa wire management mouse hole (1) in the end panel or middle support panel at the bottom / center - model # **OBOLOSWMHPB** - $20 list

Wire Management cut out options for end /middle panels:


Losa wire management notched cut out for power supply (1) stretcher at top / center
model # **OBOLOSWMNCOS** - $60 list


Losa wire management notched cut out for power supply (1) end panel or middle support panel at top / center
model # **OBOLOSWMNCOP** - $60 list


Losa wire management cut out (1) on the end panel 18" at center from the bottom center of the panel
model # **OBOLOSWMCOEP - $60 list**

specify which panel or stretcher shall have the mouse hole or cut out on your PO

Please contact service@symphonytables.com to make sure that your power and/or wire managment solution will work with the Losa table specification.
We are able to modify this table with a custom solution to fit your projects needs.

Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.

Grain Match fees for 2 and 3 piece tops with a wood grain laminate
See above chart for pricing in blue, use model number OTGRMTCH with the top depth x length-Gr1 or Gr2 - for example OTGRMTCH36120-GR1

This page was intentionally left blank.

tables
Sala occasional

For complete model number:
1. insert base code:
S = no plinth base
P = 3/4" plinth base

2. insert laminate grade code:
1 = grade 1 laminate
2 = grade 2 laminate

shape	dimension	height	model no.	**S** = no plinth base grade 1	**S** = no plinth base grade 2	**P** = 3/4" plinth base grade 1	**P** = 3/4" plinth base grade 2
cylinder 	18	15	TLSAL180015 __ G __	1,070	1,290	1,310	1,520
	24	15	TLSAL240015 __ G __	1,230	1,480	1,470	1,720
	30	15	TLSAL300015 __ G __	1,530	1,850	1,810	2,120
	36	15	TLSAL360015 __ G __	1,760	2,130	2,070	2,420
	18	20	TLSAL180020 __ G __	1,120	1,350	1,350	1,580
	24	20	TLSAL240020 __ G __	1,320	1,590	1,560	1,820
	30	20	TLSAL300020 __ G __	1,610	1,950	1,890	2,210
	36	20	TLSAL360020 __ G __	1,880	2,280	2,190	2,570
	18	24	TLSAL180024 __ G __	1,150	1,380	1,380	1,610
	24	24	TLSAL240024 __ G __	1,390	1,670	1,630	1,910
	30	24	TLSAL300024 __ G __	1,660	2,020	1,940	2,280
	36	24	TLSAL360024 __ G __	2,010	2,450	2,320	2,720
oval 	20x36	15	TLSAL203615 __ G __	2,160	2,600	2,430	2,940
	22x40	15	TLSAL224015 __ G __	2,430	2,930	2,730	3,310
	24x46	15	TLSAL244615 __ G __	2,660	3,220	2,990	3,630
	20x36	20	TLSAL203620 __ G __	2,260	2,730	2,530	3,070
	22x40	20	TLSAL224020 __ G __	2,530	3,060	2,840	3,450
	24x46	20	TLSAL244620 __ G __	2,780	3,360	3,110	3,770
	20x36	24	TLSAL203624 __ G __	2,370	2,870	2,640	3,200
	22x40	24	TLSAL224024 __ G __	2,670	3,230	2,980	3,620
	24x46	24	TLSAL244624 __ G __	2,880	3,490	3,210	3,910
square corner cube 	18x18	15	TLSAL181815 __ G __	1,450	1,760	1,680	2,050
	24x24	15	TLSAL242415 __ G __	1,690	2,060	1,940	2,370
	30x30	15	TLSAL303015 __ G __	1,980	2,410	2,250	2,750
	36x36	15	TLSAL363615 __ G __	2,280	2,780	2,590	3,170
	18x18	20	TLSAL181820 __ G __	1,520	1,850	1,750	2,130
	24x24	20	TLSAL242420 __ G __	1,780	2,160	2,030	2,480
	30x30	20	TLSAL303020 __ G __	2,140	2,620	2,420	2,960
	36x36	20	TLSAL363620 __ G __	2,460	3,010	2,770	3,390
	18x18	24	TLSAL181824 __ G __	1,560	1,900	1,790	2,190
	24x24	24	TLSAL242424 __ G __	1,870	2,280	2,130	2,600
	30x30	24	TLSAL303024 __ G __	2,240	2,740	2,520	3,080
	36x36	24	TLSAL363624 __ G __	2,660	3,260	2,980	3,650
square corner rectangle	24x30	15	TLSAL243015 __ G __	1,800	2,200	2,080	2,550
	24x48	15	TLSAL244815 __ G __	2,010	2,460	2,330	2,850
	24x30	20	TLSAL243020 __ G __	1,970	2,410	2,240	2,750
	24x48	20	TLSAL244820 __ G __	2,320	2,840	2,630	3,230
	24x30	24	TLSAL243024 __ G __	2,160	2,640	2,430	2,990
	24x48	24	TLSAL244824 __ G __	2,560	3,140	2,870	3,530

Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.

Sala bases feature a non-adjustable plastic tack glide.

surfaces

Standard particleboard
The standard core consists of 1 .125" thick, 45 lb. industrial grade western particleboard. This meets or exceeds requirements of ANSA A 208 1979, 1-M-3 and is TECO tested per ASTM D-1037. The core is laminated with a .040" thick high pressure laminate top, while the underside has a .035" Polybak Ultra backing sheet applied.

High Pressure Laminate (HPL) surface
Symphony produces tops with virtually any laminate.
Our graded in program features Formica laminates in grade 1 or grade 2. Waste fees may apply.

To verify pricing and lead-times, please email service@symphonytables.com for assistance.

To check availability or to order any samples please contact the laminate companies directly.

www.Formica.com	800-FORMICA
www.Nevamar.com	800-638-4380
www.Wilsonart.com	800-433-3222
www.Pionite.com	800-746-6483




PVEA eased edge band is banded with 3mm extruded synthetic PVC molding. The molding at top and bottom edges feature a slight radius, adding comfort. The 90 degree corners create a seamless table to table fit. Dimensions: 1.19" high x .0125" deep.



PVKN edge is banded with .462 high rigid 3mm extruded synthetic PVC molding. The top edge molding features a slight radius, adding comfort. The bottom of the edge features exposed MDF core sanded smooth with a wax coating, the slanted edge has a 20 degree angle. The 90 degree corners create a seamless table to table fit. Dimensions: 1.19" high x .2" deep.



PVKN-P edge is banded with .462 high rigid 3mm extruded synthetic PVC molding. The top edge molding features a slight radius, adding comfort. The bottom of the edge is painted in black or white paint, the slanted edge has a 20 degree angle. The 90 degree corners create a seamless table to table fit. Dimensions: 1.19" high x .2" deep.



.
PVC edge finishes to match Fomica laminates:

3mm PVC edges: Aged Ash, Black, Bleached Legno, Blossom Cherrywood, Brite White, Buff Elm, Chelsea Maple, Cherry Walnut, Dover White, Fog, Folkstone, Graphite, Graystone, Millennium Oak, Natural Maple, Neutral Twill, Pale Brushstroke, Pecan Woodline, Planked Coffee Oak, Planked Raw Oak, Planked Urban Oak, Prestige Walnut, Pumice, Sand Maple, Select Cherry, Storm, Thermo Walnut, White, Wood Brushstroke

2mm PVC edges: Ceruse Grey Walnut, Formal Walnut, Inked Oak, Pecan Walnut, Scandi Rift Oak

***Note that this list is subject to change at any time depending on the availability of the edge from the top plant or the edge manufacturer.**

surfaces
shapes, dimensions, weight, seating capacity

shape		A x B	seats	approximate weight (lbs)
round (RD)		24 dia.	2	18
		30 dia.	2	28
		36 dia.	3	41
		42 dia.	4	55
		48 dia.	4-5	72
		54 dia.	5	91
		60 dia.	6-7	113
square (SQ)		24 x 24	2	18
		30 x 30	2	28
		36 x 36	4	42
		42 x 42	4	55
		48 x 48	4	72
		60 x 60	6-8	113
rectangle (RE)		18 x 48	1	27
	*	18 x 60	2	34
	*	18 x 72	2	41
	*	18 x 84	2-3	48
	*	18 x 90	3	51
	*	18 x 96	3	54
		24 x 30	1	23
		24 x 36	1	27
		24 x 42	1	32
		24 x 48	1	36
	*	24 x 60	2	45
	*	24 x 66	2	50
	*	24 x 72	2	54
	*	24 x 84	2-3	63
	*	24 x 90	3	68
	*	24 x 96	3	72
		30 x 36	2	34
		30 x 42	2	40
		30 x 48	2-4	45
	**	30 x 60	4	57
	**	30 x 66	4-6	62
	**	30 x 72	6	68
	**	30 x 84	2-3	79
	**	30 x 90	3	85
	**	30 x 96	3	90
		36 x 42	2	48
		36 x 48	2-4	54
	**	36 x 60	4-6	68
	**	36 x 72	6-8	81
	**	36 x 84	6-8	95
	**	36 x 90	6-8	102
	**	36 x 96	8-10	108
	2+	36 x 120	8-10	135
	**	42 x 60	6	79
	**	42 x 72	6-8	95
	**	42 x 84	6-8	111
	**	42 x 96	8-10	126
	2+	42 x 120	8-10	158
	2+	42 x 144	10	190
	**	48 x 72	6	108
	**	48 x 84	6-8	126
	**	48 x 96	8-10	144
	2+	48 x 120	8-10	180
	2+	48 x 144	10	216
	2+	48 x 168	10	252
	**	60 x 96	8-10	180
	2+	60 x 120	10-12	225
	2+	60 x 144	10-12	270
	2+	60 x 168	12	315

shape		A x B	seats	approximate weight (lbs)
racetrack (RA).	**	36 x 72	4	81
	**	36 x 84	6	95
	**	36 x 96	6-8	108
	2+	36 x 120	8	135
	**	42 x 72	6	95
	**	42 x 96	8	126
	2+	42 x 120	8	158
	**	48 x 96	8-10	144
	2+	48 x 120	8-10	180
	2+	48 x 144	10	216
	2+	48 x 168	10	252
	**	60 x 96	8-10	180
	2+	60 x 120	10-12	225
	2+	60 x 144	10-12	270
	2+	60 x 168	12	315
boat (BO).	**	36 x 72	4	81
	**	36 x 84	6	95
	2+	36 x 96	6-8	108
	**	42 x 96	8	126
	**	48 x 96	8-10	144
	2+	48 x 120	8-10	180
	**	60 x 96	8-10	180
	2+	60 x 120	10-12	225
	2+	60 x 144	10-12	270
	2+	60 x 168	12	315
oval (OV).	**	36 x 72	4	81
	**	36 x 84	6	95
	**	36 x 96	6-8	108
	2+	36 x 120	8	135
	**	42 x 72	6	95
	**	42 x 96	8	126
	**	48 x 96	8-10	144
	2+	48 x 120	8-10	180
	2+	48 x 144	10	216
	2+	48 x 168	10	252
	**	60 x 96	8-10	180
	2+	60 x 120	10-12	225
	2+	60 x 144	10-12	270
	2+	60 x 168	12	315

*** 1 support bar included**
**** 2 support bars included**
2+ 2 piece top with bars + table lock set included

*** 120" - 144" two piece tops can be produced as one piece upon request with additional packaging and freight charges

Seating capacity is a guide only. Capacity will vary according to seating width, design and layout. Capacity based on 30" minimum width per seat and use on all potential sides.


For unusual shapes and other special pricing, email service@symphonytables.com for assistance.

surfaces
additional shapes, dimensions

shape	A x B x C
quarter round (QR)	18 x 18 x 25.5
	24 x 24 x 34
	30 x 30 x 42.5
half round (HA)	18 x 36
	24 x 48
	30 x 60
crescent (CR)	18 x 36 x 51
	24 x 48 x 68
	24 x 60 x 94
	30 x 60 x 96
trapezoid (TR)	24 x 48 x 21
	30 x 60 x 26
	30 x 72 x 31
corner - angled (CA)	24 x 36
	24 x 42
	24 x 48
corner - curved (CC)	24 x 36
	24 x 42
	24 x 48

shape	A x B x C
corner - extended (CE)	24 x 60 x 36
curved front	24 x 72 x 36
	24 x 60 x 48
	24 x 72 x 48
	24 x 36 x 60
	24 x 36 x 72
	24 x 48 x 60
	24 x 48 x 72
corner - 120 degree (12)	24 x 36
	24 x 42
	24 x 48
wedge (WE)	24 x 36 x 30
	24 x 42 x 30
	24 x 48 x 30
	24 x 60 x 30
	30 x 36 x 24
	30 x 42 x 24
	30 x 48 x 24
	30 x 60 x 24

PVEA & PVRC 3mm eased edge
round, squircle, square and small rectangle

shape	dimension	model no.	grade 1 list	grade 2 list
round (PVEA edge)	18	SLRD18000PVEA	260	300
	20	SLRD20000PVEA	280	320
	24	SLRD24000PVEA	310	340
	30	SLRD30000PVEA	410	460
	36	SLRD36000PVEA	520	590
	42	SLRD42000PVEA	770	890
	48	SLRD48000PVEA	800	910
	54	SLRD54000PVEA	1,150	1,340
	60	SLRD60000PVEA	1,180	1,360
squircle (PVEA edge)	30 x 30	SLSC30030PVEA	410	460
	36 x 36	SLSC36036PVEA	520	590
	42 x 42	SLSC42042PVEA	770	890
	48 x 48	SLSC48048PVEA	800	910
	54 x 54	SLSC54054PVEA	1,150	1,340
	60 x 60	SLSC60060PVEA	1,180	1,360
square (PVEA edge)	18 x 18	SLSQ18018PVEA	260	300
90 degree corners	20 x 20	SLSQ20020PVEA	280	320
	24 x 24	SLSQ24024PVEA	310	340
	30 x 30	SLSQ30030PVEA	410	460
	36 x 36	SLSQ36036PVEA	520	590
	42 x 42	SLSQ42042PVEA	770	890
	48 x 48	SLSQ48048PVEA	800	910
	54 x 54	SLSQ54054PVEA	1,150	1,340
	60 x 60	SLSQ60060PVEA	1,180	1,360
square (PVRC edge)	18 x 18	SLSQ18018PVRC	280	320
3" radius corners	20 x 20	SLSQ20020PVRC	300	340
	24 x 24	SLSQ24024PVRC	330	370
	30 x 30	SLSQ30030PVRC	440	490
	36 x 36	SLSQ36036PVRC	560	640
	42 x 42	SLSQ42042PVRC	830	960
	48 x 48	SLSQ48048PVRC	850	980
	54 x 54	SLSQ54054PVRC	1,240	1,450
	60 x 60	SLSQ60060PVRC	1,270	1,470
rectangle (PVEA)	12 x 18	SLRE12018PVEA	240	280
90 degree corners	14 x 20	SLRE14020PVEA	260	300
				
rectangle (PVRC edge)	12 x 18	SLRE12018PVRC	260	300
3" radius corners	14 x 20	SLRE14020PVRC	280	320
				


Additonal edge profiles and top dimensions are available. Please contact Symphony for details.

Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.

PVKN & PVKR 3mm knife edge
round, squircle, square and small rectangle

shape	dimension	model no. (raw MDF edge)	grade 1 list (raw MDF edge)	grade 2 list (raw MDF edge)	model no. (painted edge)	grade 1 list (black or white painted edge)	grade 2 list (black or white painted edge)
round (PVKN edge)	18	SLRD18000PVKN	350	410	SLRD18000PVKN-P	420	480
	20	SLRD20000PVKN	380	430	SLRD20000PVKN-P	460	510
	24	SLRD24000PVKN	400	450	SLRD24000PVKN-P	500	550
	30	SLRD30000PVKN	540	620	SLRD30000PVKN-P	660	740
	36	SLRD36000PVKN	690	800	SLRD36000PVKN-P	830	940
	42	SLRD42000PVKN	1,050	1,230	SLRD42000PVKN-P	1,220	1,400
	48	SLRD48000PVKN	1,080	1,250	SLRD48000PVKN-P	1,270	1,440
	54	SLRD54000PVKN	1,590	1,870	SLRD54000PVKN-P	1,800	2,080
	60	SLRD60000PVKN	1,620	1,890	SLRD60000PVKN-P	1,860	2,130
sqircle (PVKN edge)	30 x 30	SLSC30030PVKN	540	620	SLSC30030PVKN-P	660	740
	36 x 36	SLSC36036PVKN	690	800	SLSC36036PVKN-P	830	940
	42 x 42	SLSC42042PVKN	1,050	1,230	SLSC42042PVKN-P	1,220	1,400
	48 x 48	SLSC48048PVKN	1,080	1,250	SLSC48048PVKN-P	1,270	1,440
	54 x 54	SLSC54054PVKN	1,590	1,870	SLSC54054PVKN-P	1,800	2,080
	60 x 60	SLSC60060PVKN	1,620	1,890	SLSC60060PVKN-P	1,860	2,130
square (PVKN edge)	18 x 18	SLSQ18018PVKN	350	410	SLSQ18018PVKN-P	440	500
90 degree corners	20 x 20	SLSQ20020PVKN	380	430	SLSQ20020PVKN-P	480	530
	24 x 24	SLSQ24024PVKN	400	450	SLSQ24024PVKN-P	520	570
	30 x 30	SLSQ30030PVKN	540	620	SLSQ30030PVKN-P	690	770
	36 x 36	SLSQ36036PVKN	690	800	SLSQ36036PVKN-P	870	980
	42 x 42	SLSQ42042PVKN	1,050	1,230	SLSQ42042PVKN-P	1,260	1,440
	48 x 48	SLSQ48048PVKN	1,080	1,250	SLSQ48048PVKN-P	1,320	1,490
	54 x 54	SLSQ54054PVKN	1,590	1,870	SLSQ54054PVKN-P	1,860	2,140
	60 x 60	SLSQ60060PVKN	1,620	1,890	SLSQ60060PVKN-P	1,920	2,190
square (PVKR edge)	18 x 18	SLSQ18018PVKR	380	440	SLSQ18018PVKR-P	470	530
3" radius corners	20 x 20	SLSQ20020PVKR	400	470	SLSQ20020PVKR-P	500	570
	24 x 24	SLSQ24024PVKR	430	490	SLSQ24024PVKR-P	550	610
	30 x 30	SLSQ30030PVKR	580	660	SLSQ30030PVKR-P	730	810
	36 x 36	SLSQ36036PVKR	750	860	SLSQ36036PVKR-P	930	1,040
	42 x 42	SLSQ42042PVKR	1,140	1,330	SLSQ42042PVKR-P	1,350	1,540
	48 x 48	SLSQ48048PVKR	1,160	1,350	SLSQ48048PVKR-P	1,400	1,590
	54 x 54	SLSQ54054PVKR	1,730	2,030	SLSQ54054PVKR-P	2,000	2,300
	60 x 60	SLSQ60060PVKR	1,750	2,050	SLSQ60060PVKR-P	2,050	2,350
rectangle (PVKN)	12 x 18	SLRE12018PVKN	330	390	SLRE12018PVKN-P	410	470
90 degree corners	14 x 20	SLRE14020PVKN	350	410	SLRE14020PVKN-P	440	500
							
rectangle (PVKR edge)	12 x 18	SLRE12018PVKR	360	420	SLRE12018PVKR-P	440	500
3" radius corners	14 x 20	SLRE14020PVKR	380	440	SLRE14020PVKR-P	470	530
							

PVKN and PVKR edge detail:



PVEA & PVRC 3mm eased edge rectangle

shape		dimension	model no.	grade 1 list	grade 2 list
rectangle (PVEA edge) 90 degree corners		18 x 36	SLRE18036PVEA	300	360
		18 x 42	SLRE18042PVEA	350	410
		18 x 48	SLRE18048PVEA	370	430
		18 x 54	SLRE18054PVEA	530	600
	*	18 x 60	SLRE18060PVEA	540	610
	*	18 x 66	SLRE18066PVEA	580	660
	*	18 x 72	SLRE18072PVEA	600	690
	*	18 x 84	SLRE18084PVEA	750	860
	*	18 x 90	SLRE18090PVEA	790	900
	*	18 x 96	SLRE18096PVEA	800	910
		24 x 30	SLRE24030PVEA	320	370
		24 x 36	SLRE24036PVEA	340	390
		24 x 42	SLRE24042PVEA	360	420
		24 x 48	SLRE24048PVEA	390	450
		24 x 54	SLRE24054PVEA	540	620
	*	24 x 60	SLRE24060PVEA	550	620
	*	24 x 66	SLRE24066PVEA	590	670
	*	24 x 72	SLRE24072PVEA	610	700
	*	24 x 84	SLRE24084PVEA	760	870
	*	24 x 90	SLRE24090PVEA	810	920
	*	24 x 96	SLRE24096PVEA	820	930
		30 x 36	SLRE30036PVEA	420	490
		30 x 42	SLRE30042PVEA	440	510
		30 x 48	SLRE30048PVEA	470	540
		30 x 54	SLRE30054PVEA	690	780
	**	30 x 60	SLRE30060PVEA	710	800
	**	30 x 66	SLRE30066PVEA	770	870
	**	30 x 72	SLRE30072PVEA	810	910
	**	30 x 84	SLRE30084PVEA	1,110	1,260
	**	30 x 90	SLRE30090PVEA	1,140	1,280
	**	30 x 96	SLRE30096PVEA	1,150	1,300
rectangle (PVRC edge) 3" radius corners		18 x 36	SLRE18036PVRC	330	370
		18 x 42	SLRE18042PVRC	380	450
		18 x 48	SLRE18048PVRC	400	470
		18 x 54	SLRE18054PVRC	570	650
	*	18 x 60	SLRE18060PVRC	580	660
	*	18 x 66	SLRE18066PVRC	620	710
	*	18 x 72	SLRE18072PVRC	650	730
	*	18 x 84	SLRE18084PVRC	800	920
	*	18 x 90	SLRE18090PVRC	840	970
	*	18 x 96	SLRE18096PVRC	850	980
		24 x 30	SLRE24030PVRC	340	390
		24 x 36	SLRE24036PVRC	370	420
		24 x 42	SLRE24042PVRC	390	460
		24 x 48	SLRE24048PVRC	420	490
		24 x 54	SLRE24054PVRC	580	660
	*	24 x 60	SLRE24060PVRC	590	670
	*	24 x 66	SLRE24066PVRC	630	720
	*	24 x 72	SLRE24072PVRC	650	740
	*	24 x 84	SLRE24084PVRC	820	930
	*	24 x 90	SLRE24090PVRC	870	990
	*	24 x 96	SLRE24096PVRC	880	1000
		30 x 36	SLRE30036PVRC	460	530
		30 x 42	SLRE30042PVRC	480	560
		30 x 48	SLRE30048PVRC	500	590
		30 x 54	SLRE30054PVRC	740	840
	**	30 x 60	SLRE30060PVRC	750	850
	**	30 x 66	SLRE30066PVRC	820	930
	**	30 x 72	SLRE30072PVRC	860	970
	**	30 x 84	SLRE30084PVRC	1,180	1,340
	**	30 x 90	SLRE30090PVRC	1,210	1,370
	**	30 x 96	SLRE30096PVRC	1,230	1,390

Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.

* **1 support bar included** ** **2 support bars included**

PVKN & PVKR 3mm knife edge rectangle

shape		dimension	model no. (raw MDF edge)	grade 1 list (raw MDF edge)	grade 2 list (raw MDF edge)	model no. (painted edge)	grade 1 list (black or white painted edge)	grade 2 list (black or white painted edge)
rectangle (PVKN edge) 90 degree corners		18 x 36	SLRE18036PVKN	340	400	SLRE18036PVKN-P	450	500
		18 x 42	SLRE18042PVKN	490	580	SLRE18042PVKN-P	630	710
		18 x 48	SLRE18048PVKN	520	600	SLRE18048PVKN-P	670	760
		18 x 54	SLRE18054PVKN	710	820	SLRE18054PVKN-P	880	990
	*	18 x 60	SLRE18060PVKN	720	830	SLRE18060PVKN-P	910	1,020
	*	18 x 66	SLRE18066PVKN	780	900	SLRE18066PVKN-P	990	1,110
	*	18 x 72	SLRE18072PVKN	800	920	SLRE18072PVKN-P	1,030	1,150
	*	18 x 84	SLRE18084PVKN	1,010	1,170	SLRE18084PVKN-P	1,280	1,430
	*	18 x 90	SLRE18090PVKN	1,060	1,230	SLRE18090PVKN-P	1,350	1,520
	*	18 x 96	SLRE18096PVKN	1,070	1,240	SLRE18096PVKN-P	1,380	1,540
		24 x 30	SLRE24030PVKN	430	500	SLRE24030PVKN-P	560	630
		24 x 36	SLRE24036PVKN	460	540	SLRE24036PVKN-P	620	700
		24 x 42	SLRE24042PVKN	500	590	SLRE24042PVKN-P	680	760
		24 x 48	SLRE24048PVKN	540	630	SLRE24048PVKN-P	740	830
		24 x 54	SLRE24054PVKN	720	830	SLRE24054PVKN-P	950	1,060
	*	24 x 60	SLRE24060PVKN	730	840	SLRE24060PVKN-P	980	1,100
	*	24 x 66	SLRE24066PVKN	790	910	SLRE24066PVKN-P	1,070	1,190
	*	24 x 72	SLRE24072PVKN	810	930	SLRE24072PVKN-P	1,120	1,240
	*	24 x 84	SLRE24084PVKN	1,020	1,180	SLRE24084PVKN-P	1,380	1,540
	*	24 x 90	SLRE24090PVKN	1,080	1,250	SLRE24090PVKN-P	1,470	1,630
	*	24 x 96	SLRE24096PVKN	1,090	1,260	SLRE24096PVKN-P	1,500	1,670
		30 x 36	SLRE30036PVKN	580	680	SLRE30036PVKN-P	770	870
		30 x 42	SLRE30042PVKN	610	710	SLRE30042PVKN-P	830	940
		30 x 48	SLRE30048PVKN	650	760	SLRE30048PVKN-P	900	1,010
		30 x 54	SLRE30054PVKN	910	1,040	SLRE30054PVKN-P	1,200	1,330
	**	30 x 60	SLRE30060PVKN	920	1,060	SLRE30060PVKN-P	1,240	1,380
	**	30 x 66	SLRE30066PVKN	1,000	1,150	SLRE30066PVKN-P	1,360	1,500
	**	30 x 72	SLRE30072PVKN	1,050	1,190	SLRE30072PVKN-P	1,430	1,580
	**	30 x 84	SLRE30084PVKN	1,460	1,680	SLRE30084PVKN-P	1,910	2,120
	**	30 x 90	SLRE30090PVKN	1,490	1,710	SLRE30090PVKN-P	1,970	2,190
	**	30 x 96	SLRE30096PVKN	1,500	1,720	SLRE30096PVKN-P	2,020	2,230
rectangle (PVKR edge) 3" radius corners		18 x 36	SLRE18036PVKR	370	440	SLRE18036PVKR-P	480	530
		18 x 42	SLRE18042PVKR	530	630	SLRE18042PVKR-P	670	760
		18 x 48	SLRE18048PVKR	560	660	SLRE18048PVKR-P	710	810
		18 x 54	SLRE18054PVKR	760	880	SLRE18054PVKR-P	940	1,060
	*	18 x 60	SLRE18060PVKR	770	900	SLRE18060PVKR-P	970	1,090
	*	18 x 66	SLRE18066PVKR	840	970	SLRE18066PVKR-P	1,050	1,180
	*	18 x 72	SLRE18072PVKR	860	990	SLRE18072PVKR-P	1,090	1,220
	*	18 x 84	SLRE18084PVKR	1,090	1,260	SLRE18084PVKR-P	1,350	1,530
	*	18 x 90	SLRE18090PVKR	1,140	1,330	SLRE18090PVKR-P	1,430	1,620
	*	18 x 96	SLRE18096PVKR	1,150	1,340	SLRE18096PVKR-P	1,460	1,650
		24 x 30	SLRE24030PVKR	460	540	SLRE24030PVKR-P	590	670
		24 x 36	SLRE24036PVKR	500	590	SLRE24036PVKR-P	660	740
		24 x 42	SLRE24042PVKR	540	640	SLRE24042PVKR-P	720	810
		24 x 48	SLRE24048PVKR	580	680	SLRE24048PVKR-P	790	890
		24 x 54	SLRE24054PVKR	780	900	SLRE24054PVKR-P	1,010	1,130
	*	24 x 60	SLRE24060PVKR	780	910	SLRE24060PVKR-P	1,040	1,160
	*	24 x 66	SLRE24066PVKR	850	980	SLRE24066PVKR-P	1,130	1,260
	*	24 x 72	SLRE24072PVKR	870	1,000	SLRE24072PVKR-P	1,180	1,310
	*	24 x 84	SLRE24084PVKR	1,100	1,270	SLRE24084PVKR-P	1,460	1,630
	*	24 x 90	SLRE24090PVKR	1,170	1,350	SLRE24090PVKR-P	1,550	1,740
	*	24 x 96	SLRE24096PVKR	1,180	1,360	SLRE24096PVKR-P	1,590	1,770
		30 x 36	SLRE30036PVKR	630	740	SLRE30036PVKR-P	820	930
		30 x 42	SLRE30042PVKR	660	780	SLRE30042PVKR-P	890	1,000
		30 x 48	SLRE30048PVKR	700	820	SLRE30048PVKR-P	960	1,080
		30 x 54	SLRE30054PVKR	980	1,120	SLRE30054PVKR-P	1,260	1,410
	**	30 x 60	SLRE30060PVKR	990	1,140	SLRE30060PVKR-P	1,310	1,450
	**	30 x 66	SLRE30066PVKR	1,080	1,240	SLRE30066PVKR-P	1,430	1,590
	**	30 x 72	SLRE30072PVKR	1,120	1,280	SLRE30072PVKR-P	1,500	1,660
	**	30 x 84	SLRE30084PVKR	1,570	1,810	SLRE30084PVKR-P	2,020	2,250
	**	30 x 90	SLRE30090PVKR	1,600	1,840	SLRE30090PVKR-P	2,080	2,320
	**	30 x 96	SLRE30096PVKR	1,610	1,850	SLRE30096PVKR-P	2,120	2,360

Additonal edge profiles and top dimensions are available. Please contact Symphony for details.

PVEA 3mm eased edge

1 piece conference: rectangle, boat, oval, racetrack

For complete model number:
1. insert 2 character top shape code (rectangle **RE** , boat **BO**, oval **OV**, or racetrack **RA**)
For example 36" x 42" rectangle top #SL**RE**36042PVEA



rectangle (RE) boat (BO) oval (OV) racetrack (RA)

edge		dimension	model no.	grade 1 list	grade 2 list
PVEA					
		36 x 42	SL_ _36042PVEA	510	590
		36 x 48	SL_ _36048PVEA	560	650
	**	36 x 54	SL_ _36054PVEA	830	890
	**	36 x 60	SL_ _36060PVEA	840	900
	**	36 x 66	SL_ _36066PVEA	910	1,000
	**	36 x 72	SL_ _36072PVEA	940	1,040
	**	36 x 84	SL_ _36084PVEA	1,260	1,400
	**	36 x 90	SL_ _36090PVEA	1,310	1,440
	**	36 x 96	SL_ _36096PVEA	1,320	1,460
		42 x 48	SL_ _42048PVEA	710	830
	**	42 x 54	SL_ _42054PVEA	870	960
	**	42 x 60	SL_ _42060PVEA	1,040	1,150
	**	42 x 66	SL_ _42066PVEA	1,190	1,340
	**	42 x 72	SL_ _42072PVEA	1,240	1,380
	**	42 x 84	SL_ _42084PVEA	1,600	1,790
	**	42 x 90	SL_ _42090PVEA	1,650	1,830
	**	42 x 96	SL_ _42096PVEA	1,660	1,860
	**	48 x 54	SL_ _48054PVEA	1,040	1,140
	**	48 x 60	SL_ _48060PVEA	1,050	1,150
	**	48 x 66	SL_ _48066PVEA	1,210	1,340
	**	48 x 72	SL_ _48072PVEA	1,240	1,380
	**	48 x 84	SL_ _48084PVEA	1,600	1,790
	**	48 x 90	SL_ _48090PVEA	1,650	1,830
	**	48 x 96	SL_ _48096PVEA	1,660	1,860
	**	54 x 60	SL_ _54060PVEA	1,430	1,610
	**	54 x 66	SL_ _54066PVEA	1,460	1,630
	**	54 x 72	SL_ _54072PVEA	1,510	1,680
	**	54 x 84	SL_ _54084PVEA	1,930	2,160
	**	54 x 90	SL_ _54090PVEA	2,010	2,260
	**	54 x 96	SL_ _54096PVEA	2,030	2,280
	**	60 x 66	SL_ _60066PVEA	1,460	1,630
	**	60 x 72	SL_ _60072PVEA	1,510	1,680
	**	60 x 84	SL_ _60084PVEA	1,930	2,160
	**	60 x 90	SL_ _60090PVEA	2,010	2,260
	**	60 x 96	SL_ _60096PVEA	2,030	2,280

Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.

**** 2 support bars included**

Radius corners available for rectangle and boat shaped tops - contact Symphony for details and pricing.

PVKN 3mm knife edge

1 piece conference: rectangle, boat, oval, racetrack

For complete model number:
1. insert 2 character top shape code (rectangle **RE** , boat **BO**, oval **OV**, or racetrack **RA**)
For example 36" x 42" rectangle top #SL**RE**36042PVEA




rectangle (RE) boat (BO) oval (OV) racetrack (RA)

edge		dimension	model no. (natural waxed MDF edge)	grade 1 list (natural waxed MDF edge)	grade 2 list (natural waxed MDF edge)	model no. (painted edge)	grade 1 list (black or white painted edge)	grade 2 list (black or white painted edge)
PVKN								
		36 x 42	SL_ _36042PVKN	700	830	SL_ _36042PVKN-P	900	1,030
		36 x 48	SL_ _36048PVKN	780	910	SL_ _36048PVKN-P	990	1,120
	**	36 x 54	SL_ _36054PVKN	1,050	1,210	SL_ _36054PVKN-P	1,280	1,440
	**	36 x 60	SL_ _36060PVKN	1,060	1,220	SL_ _36060PVKN-P	1,300	1,460
	**	36 x 66	SL_ _36066PVKN	1,170	1,360	SL_ _36066PVKN-P	1,430	1,620
	**	36 x 72	SL_ _36072PVKN	1,210	1,400	SL_ _36072PVKN-P	1,480	1,670
	**	36 x 84	SL_ _36084PVKN	1,640	1,900	SL_ _36084PVKN-P	1,940	2,200
	**	36 x 90	SL_ _36090PVKN	1,680	1,940	SL_ _36090PVKN-P	2,000	2,260
	**	36 x 96	SL_ _36096PVKN	1,710	1,970	SL_ _36096PVKN-P	2,040	2,300
		42 x 48	SL_ _42048PVKN	990	1,170	SL_ _42048PVKN-P	1,220	1,400
	**	42 x 54	SL_ _42054PVKN	1,130	1,300	SL_ _42054PVKN-P	1,370	1,540
	**	42 x 60	SL_ _42060PVKN	1,350	1,570	SL_ _42060PVKN-P	1,610	1,830
	**	42 x 66	SL_ _42066PVKN	1,580	1,850	SL_ _42066PVKN-P	1,850	2,120
	**	42 x 72	SL_ _42072PVKN	1,620	1,880	SL_ _42072PVKN-P	1,910	2,170
	**	42 x 84	SL_ _42084PVKN	2,120	2,470	SL_ _42084PVKN-P	2,440	2,790
	**	42 x 90	SL_ _42090PVKN	2,160	2,510	SL_ _42090PVKN-P	2,490	2,840
	**	42 x 96	SL_ _42096PVKN	2,190	2,530	SL_ _42096PVKN-P	2,540	2,880
	**	48 x 54	SL_ _48054PVKN	1,340	1,560	SL_ _48054PVKN-P	1,600	1,820
	**	48 x 60	SL_ _48060PVKN	1,350	1,570	SL_ _48060PVKN-P	1,620	1,840
	**	48 x 66	SL_ _48066PVKN	1,580	1,850	SL_ _48066PVKN-P	1,870	2,140
	**	48 x 72	SL_ _48072PVKN	1,620	1,880	SL_ _48072PVKN-P	1,920	2,180
	**	48 x 84	SL_ _48084PVKN	2,120	2,470	SL_ _48084PVKN-P	2,450	2,800
	**	48 x 90	SL_ _48090PVKN	2,160	2,510	SL_ _48090PVKN-P	2,510	2,860
	**	48 x 96	SL_ _48096PVKN	2,190	2,530	SL_ _48096PVKN-P	2,550	2,890
	**	54 x 60	SL_ _54060PVKN	1,980	2,340	SL_ _54060PVKN-P	2,240	2,600
	**	54 x 66	SL_ _54066PVKN	2,000	2,360	SL_ _54066PVKN-P	2,280	2,640
	**	54 x 72	SL_ _54072PVKN	2,020	2,380	SL_ _54072PVKN-P	2,320	2,680
	**	54 x 84	SL_ _54084PVKN	2,590	3,060	SL_ _54084PVKN-P	2,920	3,380
	**	54 x 90	SL_ _54090PVKN	2,680	3,160	SL_ _54090PVKN-P	3,030	3,490
	**	54 x 96	SL_ _54096PVKN	2,690	3,170	SL_ _54096PVKN-P	3,070	3,520
	**	60 x 66	SL_ _60066PVKN	2,000	2,360	SL_ _60066PVKN-P	2,300	2,650
	**	60 x 72	SL_ _60072PVKN	2,020	2,380	SL_ _60072PVKN-P	2,330	2,690
	**	60 x 84	SL_ _60084PVKN	2,590	3,060	SL_ _60084PVKN-P	2,930	3,390
	**	60 x 90	SL_ _60090PVKN	2,680	3,160	SL_ _60090PVKN-P	3,050	3,510
	**	60 x 96	SL_ _60096PVKN	2,690	3,170	SL_ _60096PVKN-P	3,080	3,530

Formica HPL laminate finish grades listed on pages 4-5 For additional laminate grades, contact Symphony.

**** 2 support bars included**

Radius corners available for rectangle and boat shaped tops - contact Symphony for details and pricing.



surfaces

PVEA 3mm eased edge

2 piece conference: rectangle, boat, oval, racetrack

For complete model number:
1. insert 2 character top shape code (rectangle **RE** , boat **BO**, oval **OV**, or racetrack **RA**)
For example 36" x 42" rectangle top #SL**RE**36042PVEA



rectangle (RE) boat (BO) oval (OV) racetrack (RA)

edge		dimension	model no.	PVEA grade 1 list	PVEA grade 2 list	grain match model no.	grain match grade 1 list upcharge	grain match grade 2 list upcharge
PVEA								
	2+	36 x 120	SL_ _36120PVEA	1,560	1,730	OTGRMTCH36120	270	330
	2+	36 x 144	SL_ _36144PVEA	1,770	1,950	OTGRMTCH36144	320	400
	2+	42 x 120	SL_ _42120PVEA	1,940	2,180	OTGRMTCH42120	320	390
	2+	42 x 144	SL_ _42144PVEA	2,310	2,590	OTGRMTCH42144	380	460
	2+	42 x 168	SL_ _42168PVEA	2,730	3,090	OTGRMTCH42168	440	540
	2+	42 x 192	SL_ _42192PVEA	3,120	3,540	OTGRMTCH42192	500	620
	2+	48 x 120	SL_ _48120PVEA	1,960	2,190	OTGRMTCH48120	360	440
	2+	48 x 144	SL_ _48144PVEA	2,310	2,590	OTGRMTCH48144	430	530
	2+	48 x 168	SL_ _48168PVEA	2,750	3,090	OTGRMTCH48168	500	620
	2+	48 x 192	SL_ _48192PVEA	3,140	3,540	OTGRMTCH48192	580	700
	2+	54 x 120	SL_ _54120PVEA	2,350	2,650	OTGRMTCH54120	410	500
	2+	54 x 144	SL_ _54144PVEA	2,800	3,170	OTGRMTCH54144	490	600
	2+	54 x 168	SL_ _54168PVEA	3,680	4,190	OTGRMTCH54168	570	700
	2+	54 x 192	SL_ _54192PVEA	3,770	4,290	OTGRMTCH54192	650	800
	2+	60 x 120	SL_ _60120PVEA	2,350	2,650	OTGRMTCH60120	450	550
	2+	60 x 144	SL_ _60144PVEA	2,800	3,170	OTGRMTCH60144	540	660
	2+	60 x 168	SL_ _60168PVEA	3,680	4,190	OTGRMTCH60168	630	770
	2+	60 x 192	SL_ _60192PVEA	3,770	4,290	OTGRMTCH60192	720	880


Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.

2+ 2 piece top with bars + table lock set included

Grain Match fees for 2 piece tops with a wood grain laminate
See above chart, use model number OTGRMTCH with the top depth x length-Gr1 or Gr2 - for example OTGRMTCH36120-GR1

Radius corners available for rectangle and boat shaped tops - contact Symphony for pricing.

PVKN or PVKN-P EDGE DETAIL (pricing on opposite page)



PVKN EXPOSED MDF CORE SANDED SMOOTH WITH A WAX COATING
PVKN-P PAINTED KNIFE EDGE - SPECIFY BLACK OR WHITE PAINT

surfaces

PVKN 3mm knife edge

2 piece conference: rectangle, boat, oval, racetrack

For complete model number:
1. insert 2 character top shape code (rectangle **RE** , boat **BO**, oval **OV**, or racetrack **RA**)
For example 36" x 42" rectangle top #SL**RE**36042PVEA



rectangle (RE) boat (BO) oval (OV) racetrack (RA)

edge		dimension	model no. (natural waxed MDF edge)	grade 1 list (natural waxed MDF edge)	grade 2 list (natural waxed MDF edge)	grain match model no.	grain match grade 1 list upcharge	grain match grade 2 list upcharge
PVKN (natural waxed MDF)								
	2+	36 x 120	SL_ _36120PVKN	2,040	2,370	OTGRMTCH36120	270	330
	2+	36 x 144	SL_ _36144PVKN	2,300	2,670	OTGRMTCH36144	320	400
	2+	42 x 120	SL_ _42120PVKN	2,570	3,010	OTGRMTCH42120	320	390
	2+	42 x 144	SL_ _42144PVKN	3,090	3,610	OTGRMTCH42144	380	460
	2+	42 x 168	SL_ _42168PVKN	3,670	4,270	OTGRMTCH42168	440	540
	2+	42 x 192	SL_ _42192PVKN	4,190	4,890	OTGRMTCH42192	500	620
	2+	48 x 120	SL_ _48120PVKN	2,570	3,010	OTGRMTCH48120	360	440
	2+	48 x 144	SL_ _48144PVKN	3,090	3,610	OTGRMTCH48144	430	530
	2+	48 x 168	SL_ _48168PVKN	3,670	4,270	OTGRMTCH48168	500	620
	2+	48 x 192	SL_ _48192PVKN	4,190	4,890	OTGRMTCH48192	580	700
	2+	54 x 120	SL_ _54120PVKN	3,230	3,830	OTGRMTCH54120	410	500
	2+	54 x 144	SL_ _54144PVKN	3,850	4,560	OTGRMTCH54144	490	600
	2+	54 x 168	SL_ _54168PVKN	5,090	6,040	OTGRMTCH54168	570	700
	2+	54 x 192	SL_ _54192PVKN	5,110	6,060	OTGRMTCH54192	650	800
	2+	60 x 120	SL_ _60120PVKN	3,230	3,830	OTGRMTCH60120	450	550
	2+	60 x 144	SL_ _60144PVKN	3,850	4,560	OTGRMTCH60144	540	660
	2+	60 x 168	SL_ _60168PVKN	5,090	6,040	OTGRMTCH60168	630	770
	2+	60 x 192	SL_ _60192PVKN	5,110	6,060	OTGRMTCH60192	720	880

edge		dimension	model no. (painted edge)	grade 1 list (painted edge)	grade 2 list (painted edge)	grain match model no.	grain match grade 1 list upcharge	grain match grade 2 list upcharge
PVKN-P (painted)								
	2+	36 x 120	SL_ _36120PVKN-P	2,430	2,760	OTGRMTCH36120	270	330
	2+	36 x 144	SL_ _36144PVKN-P	2,750	3,120	OTGRMTCH36144	320	400
	2+	42 x 120	SL_ _42120PVKN-P	2,980	3,420	OTGRMTCH42120	320	390
	2+	42 x 144	SL_ _42144PVKN-P	3,560	4,080	OTGRMTCH42144	380	460
	2+	42 x 168	SL_ _42168PVKN-P	4,200	4,800	OTGRMTCH42168	440	540
	2+	42 x 192	SL_ _42192PVKN-P	4,780	5,480	OTGRMTCH42192	500	620
	2+	48 x 120	SL_ _48120PVKN-P	2,990	3,430	OTGRMTCH48120	360	440
	2+	48 x 144	SL_ _48144PVKN-P	3,570	4,090	OTGRMTCH48144	430	530
	2+	48 x 168	SL_ _48168PVKN-P	4,210	4,810	OTGRMTCH48168	500	620
	2+	48 x 192	SL_ _48192PVKN-P	4,800	5,500	OTGRMTCH48192	580	700
	2+	54 x 120	SL_ _54120PVKN-P	3,640	4,230	OTGRMTCH54120	410	500
	2+	54 x 144	SL_ _54144PVKN-P	4,310	5,030	OTGRMTCH54144	490	600
	2+	54 x 168	SL_ _54168PVKN-P	5,600	6,560	OTGRMTCH54168	570	700
	2+	54 x 192	SL_ _54192PVKN-P	5,730	6,640	OTGRMTCH54192	650	800
	2+	60 x 120	SL_ _60120PVKN-P	3,650	4,250	OTGRMTCH60120	450	550
	2+	60 x 144	SL_ _60144PVKN-P	4,330	5,040	OTGRMTCH60144	540	660
	2+	60 x 168	SL_ _60168PVKN-P	5,620	6,570	OTGRMTCH60168	630	770
	2+	60 x 192	SL_ _60192PVKN-P	5,750	6,650	OTGRMTCH60192	720	880

Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.

2+ 2 piece top with bars + table lock set included

Grain Match fees for 2 piece tops with a wood grain laminate
See above chart, use model number OTGRMTCH with the top depth x length-Gr1 or Gr2 - for example OTGRMTCH36120-GR1

Radius corners available for rectangle and boat shaped tops - contact Symphony for pricing.

PVEA 3mm eased edge and PVKN knife edge

conference: arc trapezoid & arc rectangle


For complete model number insert 2 character edge code: (PVEA for eased or PVKN for knife edge)

shape		dimension	model no.	PVEA grade 1 list	PVEA grade 2 list	PVKN grade 1 list	PVKN grade 2 list	PVKN-P grade 1 list	PVKN-P grade 2 list	grain match model no.	grain match grade 1 list upcharge	grain match grade 2 list upcharge
arc trapezoid												
	**	60 x 96	SLAT60096PV_ _	2,230	2,510	2,960	3,450	3,350	3,830	-	-	-
	2+	60 x 120	SLAT60120PV_ _	2,590	2,920	3,530	4,180	3,950	4,600	OTGRMTCH60120	450	550
	2+	60 x 144	SLAT60144PV_ _	3,080	3,490	4,210	4,990	4,680	5,470	OTGRMTCH60144	540	660
	2+	60 x 168	SLAT60168PV_ _	4,050	4,610	5,560	6,610	6,090	7,140	OTGRMTCH60168	630	770
	2+	60 x 192	SLAT60192PV_ _	4,150	4,720	5,620	6,630	6,260	7,220	OTGRMTCH60192	720	880
arc rectangle												
	**	42 x 72	SLAR42072PV_ _	1,360	1,520	1,780	2,080	2,070	2,360	-	-	-
	**	42 x 84	SLAR42084PV_ _	1,760	1,970	2,330	2,720	2,650	3,040	-	-	-
	**	42 x 90	SLAR42090PV_ _	1,820	2,010	2,380	2,760	2,710	3,090	-	-	-
	**	42 x 96	SLAR42096PV_ _	1,830	2,050	2,410	2,780	2,760	3,130	-	-	-
	2+	42 x 120	SLAR42120PV_ _	2,130	2,400	2,830	3,350	3,240	3,730	OTGRMTCH42120	320	390
	2+	42 x 144	SLAR42144PV_ _	2,540	2,850	3,400	4,000	3,870	4,440	OTGRMTCH42144	380	460
	2+	42 x 168	SLAR42168PV_ _	3,000	3,400	4,040	4,700	4,570	5,230	OTGRMTCH42168	440	540
	2+	42 x 192	SLAR42192PV_ _	3,430	3,890	4,610	5,380	5,200	5,970	OTGRMTCH42192	500	620
	**	48 x 72	SLAR48072PV_ _	1,360	1,520	1,780	2,080	2,080	2,370	-	-	-
	**	48 x 84	SLAR48084PV_ _	1,760	1,970	2,330	2,720	2,660	3,050	-	-	-
	**	48 x 90	SLAR48090PV_ _	1,820	2,010	2,380	2,760	2,730	3,110	-	-	-
	**	48 x 96	SLAR48096PV_ _	1,830	2,050	2,410	2,780	2,770	3,140	-	-	-
	2+	48 x 120	SLAR48120PV_ _	2,160	2,410	2,830	3,350	3,250	3,740	OTGRMTCH48120	360	440
	2+	48 x 144	SLAR48144PV_ _	2,540	2,850	3,400	4,000	3,880	4,450	OTGRMTCH48144	430	530
	2+	48 x 168	SLAR48168PV_ _	3,030	3,400	4,040	4,700	4,580	5,240	OTGRMTCH48168	500	620
	2+	48 x 192	SLAR48192PV_ _	3,450	3,890	4,610	5,380	5,220	5,990	OTGRMTCH48192	580	700
	**	54 x 72	SLAR54072PV_ _	1,660	1,850	2,200	2,600	2,510	2,890	-	-	-
	**	54 x 84	SLAR54084PV_ _	2,120	2,380	2,820	3,330	3,170	3,660	-	-	-
	**	54 x 90	SLAR54090PV_ _	2,210	2,490	2,940	3,440	3,300	3,780	-	-	-
	**	54 x 96	SLAR54096PV_ _	2,230	2,510	2,960	3,450	3,340	3,820	-	-	-
	2+	54 x 120	SLAR54120PV_ _	2,590	2,920	3,530	4,180	3,940	4,590	OTGRMTCH54120	410	500
	2+	54 x 144	SLAR54144PV_ _	3,080	3,490	4,210	4,990	4,670	5,450	OTGRMTCH54144	490	600
	2+	54 x 168	SLAR54168PV_ _	4,050	4,610	5,560	6,610	6,080	7,130	OTGRMTCH54168	570	700
	2+	54 x 192	SLAR54192PV_ _	4,150	4,720	5,620	6,630	6,240	7,210	OTGRMTCH54192	650	800
	**	60 x 72	SLAR60072PV_ _	1,660	1,850	2,200	2,600	2,530	2,910	-	-	-
	**	60 x 84	SLAR60084PV_ _	2,120	2,380	2,820	3,330	3,180	3,670	-	-	-
	**	60 x 90	SLAR60090PV_ _	2,210	2,490	2,940	3,440	3,320	3,790	-	-	-
	**	60 x 96	SLAR60096PV_ _	2,230	2,510	2,960	3,450	3,350	3,830	-	-	-
	2+	60 x 120	SLAR60120PV_ _	2,590	2,920	3,530	4,180	3,970	4,600	OTGRMTCH60120	450	550
	2+	60 x 144	SLAR60144PV_ _	3,080	3,490	4,210	4,990	4,700	5,470	OTGRMTCH60144	540	660
	2+	60 x 168	SLAR60168PV_ _	4,050	4,610	5,560	6,610	6,110	7,140	OTGRMTCH60168	630	770
	2+	60 x 192	SLAR60192PV_ _	4,150	4,720	5,620	6,630	6,260	7,220	OTGRMTCH60192	720	880

Formica HPL laminate finish grades listed on pages 4-5.
For additional laminate grades, contact Symphony.

**** 2 support bars included**
2+ 2 piece top with bars + table lock set included

Grain Match fees for 2 piece tops with a wood grain laminate
See above chart, use model number OTGRMTCH with the top depth x length-Gr1 or Gr2 - for example OTGRMTCH36120-GR1



PVKN EXPOSED MDF CORE SANDED SMOOTH WITH A WAX COATING

PVKN-P PAINTED KNIFE EDGE - SPECIFY BLACK OR WHITE PAINT

PVEA 3mm eased and PVKN knife edge

media: half arced rectangle, half boat, trapezoid media, bullet media

For complete model number:
1. insert 2 character top shape code (half arced rectangle HR , half boat HB, trapezoid media TM, or bullet media BM)
2. insert 2 character edge shape code (PVEA eased or PVKN knife)
For example 48" x 72" trapezoid media top #SLTM48072PVEA


half arced rectangle (HR)


half boat (HB)


trapezoid media (TM)



bullet media (BM)

	dimension	model no.	PVEA grade 1 list	PVEA grade 2 list	PVKN grade 1 list	PVKN grade 2 list	PVKN-P grade 1 list	PVKN-P grade 2 list	grain match model no.	grain match grade 1 list upcharge	grain match grade 2 list upcharge
**	36 x 72	SL_ _36072PV_ _	1,030	1,140	1,330	1,540	1,600	1,810	-	-	-
**	36 x 84	SL_ _36084PV_ _	1,390	1,540	1,800	2,090	2,100	2,390	-	-	-
**	36 x 90	SL_ _36090PV_ _	1,440	1,580	1,850	2,130	2,170	2,450	-	-	-
**	36 x 96	SL_ _36096PV_ _	1,450	1,610	1,880	2,170	2,210	2,500	-	-	-
2+	36 x 120	SL_ _36120PV_ _	1,720	1,900	2,240	2,610	2,630	3,000	OTGRMTCH36120	270	330
2+	36 x 144	SL_ _36144PV_ _	1,950	2,150	2,530	2,940	2,980	3,390	OTGRMTCH36144	320	400
**	42 x 72	SL_ _42072PV_ _	1,360	1,520	1,780	2,080	2,070	2,360	-	-	-
**	42 x 84	SL_ _42084PV_ _	1,760	1,970	2,330	2,720	2,650	3,040	-	-	-
**	42 x 90	SL_ _42090PV_ _	1,820	2,010	2,380	2,760	2,710	3,090	-	-	-
**	42 x 96	SL_ _42096PV_ _	1,830	2,050	2,410	2,780	2,760	3,130	-	-	-
2+	42 x 120	SL_ _42120PV_ _	2,130	2,400	2,830	3,350	3,240	3,730	OTGRMTCH42120	320	390
2+	42 x 144	SL_ _42144PV_ _	2,540	2,850	3,400	4,000	3,870	4,440	OTGRMTCH42144	380	460
2+	42 x 168	SL_ _42168PV_ _	3,000	3,400	4,040	4,700	4,570	5,230	OTGRMTCH42168	440	540
2+	42 x 192	SL_ _42192PV_ _	3,430	3,890	4,610	5,380	5,200	5,970	OTGRMTCH42192	500	620
**	48 x 72	SL_ _48072PV_ _	1,360	1,520	1,780	2,080	2,080	2,370	-	-	-
**	48 x 84	SL_ _48084PV_ _	1,760	1,970	2,330	2,720	2,660	3,050	-	-	-
**	48 x 90	SL_ _48090PV_ _	1,820	2,010	2,380	2,760	2,730	3,110	-	-	-
**	48 x 96	SL_ _48096PV_ _	1,830	2,050	2,410	2,780	2,770	3,140	-	-	-
2+	48 x 120	SL_ _48120PV_ _	2,160	2,410	2,830	3,350	3,250	3,740	OTGRMTCH48120	360	440
2+	48 x 144	SL_ _48144PV_ _	2,540	2,850	3,400	4,000	3,880	4,450	OTGRMTCH48144	430	530
2+	48 x 168	SL_ _48168PV_ _	3,030	3,400	4,040	4,700	4,580	5,240	OTGRMTCH48168	500	620
2+	48 x 192	SL_ _48192PV_ _	3,450	3,890	4,610	5,380	5,220	5,990	OTGRMTCH48192	580	700
**	54 x 72	SL_ _54072PV_ _	1,660	1,850	2,200	2,600	2,510	2,890	-	-	-
**	54 x 84	SL_ _54084PV_ _	2,120	2,380	2,820	3,330	3,170	3,660	-	-	-
**	54 x 90	SL_ _54090PV_ _	2,210	2,490	2,940	3,440	3,300	3,780	-	-	-
**	54 x 96	SL_ _54096PV_ _	2,230	2,510	2,960	3,450	3,340	3,820	-	-	-
2+	54 x 120	SL_ _54120PV_ _	2,590	2,920	3,530	4,180	3,940	4,590	OTGRMTCH54120	410	500
2+	54 x 144	SL_ _54144PV_ _	3,080	3,490	4,210	4,990	4,670	5,450	OTGRMTCH54144	490	600
2+	54 x 168	SL_ _54168PV_ _	4,050	4,610	5,560	6,610	6,080	7,130	OTGRMTCH54168	570	700
2+	54 x 192	SL_ _54192PV_ _	4,150	4,720	5,620	6,630	6,240	7,210	OTGRMTCH54192	650	800
**	60 x 72	SL_ _60072PV_ _	1,660	1,850	2,200	2,600	2,530	2,910	-	-	-
**	60 x 84	SL_ _60084PV_ _	2,120	2,380	2,820	3,330	3,180	3,670	-	-	-
**	60 x 90	SL_ _60090PV_ _	2,210	2,490	2,940	3,440	3,320	3,790	-	-	-
**	60 x 96	SL_ _60096PV_ _	2,230	2,510	2,960	3,450	3,350	3,830	-	-	-
2+	60 x 120	SL_ _60120PV_ _	2,590	2,920	3,530	4,180	3,970	4,600	OTGRMTCH60120	450	550
2+	60 x 144	SL_ _60144PV_ _	3,080	3,490	4,210	4,990	4,700	5,470	OTGRMTCH60144	540	660
2+	60 x 168	SL_ _60168PV_ _	4,050	4,610	5,560	6,610	6,110	7,140	OTGRMTCH60168	630	770
2+	60 x 192	SL_ _60192PV_ _	4,150	4,720	5,620	6,630	6,260	7,220	OTGRMTCH60192	720	880

Formica HPL laminate finish grades listed on pages 4-5.
For additional laminate grades, contact Symphony.

**** 2 support bars included**
2+ 2 piece top with bars + table lock set included

Grain Match fees for 2 piece tops with a wood grain laminate
See above chart, use model number OTGRMTCH with the top depth x length-Gr1 or Gr2 - for example OTGRMTCH36120-GR1




PVKN EXPOSED MDF CORE SANDED SMOOTH WITH A WAX COATING

PVKN-P PAINTED KNIFE EDGE - SPECIFY BLACK OR WHITE PAINT

surfaces

PVEA 3mm eased edge and PVKN knife edge
media: pic

shape		dimension	model no.	PVEA grade 1 list	PVEA grade 2 list	PVKN grade 1 list	PVKN grade 2 list	PVKN-P grade 1 list	PVKN-P grade 2 list	grain match model no.	grain match grade 1 list upcharge	grain match grade 2 list upcharge
Pic	**	48 x 72	SLPI48072PV _ _	1,360	1,520	1,780	2,080	2,080	2,370	-	-	-
	**	48 x 96	SLPI48096PV _ _	1,830	2,050	2,410	2,780	2,770	3,140	-	-	-
	**	60 x 156	SLPI60156PV _ _	4,050	4,610	5,560	6,610	6,110	7,140	OTGRMTCH60168	630	770



Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.

**** 2 support bars included** **2+ 2 piece top with bars + table lock set included**

surfaces

PVEA 3mm eased edge
additional shapes

shape		dimensions	model no.	PVEA grade 1 list	PVEA grade 2 list
quarter round		18 x 18	SLQR18018PVEA	190	220
		24 x 24	SLQR24024PVEA	310	350
		30 x 30	SLQR30030PVEA	440	510
half round		18 x 36	SLHA18036PVEA	300	350
		24 x 48	SLHA24048PVEA	480	560
	*	30 x 60	SLHA30060PVEA	770	890
crescent		18 x 36	SLCR18036PVEA	340	390
		24 x 48	SLCR24048PVEA	570	650
	*	24 x 60	SLCR24060PVEA	760	850
	*	30 x 60	SLCR30060PVEA	870	980
trapezoid		24 x 48	SLTR24048PVEA	480	560
	*	30 x 60	SLTR30060PVEA	770	890
	*	30 x 72	SLTR30072PVEA	930	1,080
corner - angled front		24 x 36	SLCA24036PVEA	520	600
		24 x 42	SLCA24042PVEA	740	870
		24 x 48	SLCA24048PVEA	760	890
corner - curved front		24 x 36	SLCC24036PVEA	520	600
		24 x 42	SLCC24042PVEA	740	870
		24 x 48	SLCC24048PVEA	760	890
corner - extended curved front	*	24 x 36 x 60	SLCE243660PVEA	890	1,030
	*	24 x 36 x 72	SLCE243672PVEA	1,050	1,230
	*	24 x 48 x 60	SLCE244860PVEA	1,180	1,380
	*	24 x 48 x 72	SLCE244872PVEA	1,400	1,630
	*	24 x 60 x 36	SLCE246036PVEA	890	1,030
	*	24 x 72 x 36	SLCE247236PVEA	1,050	1,230
	*	24 x 60 x 48	SLCE246048PVEA	1,180	1,380
	*	24 x 72 x 48	SLCE247248PVEA	1,400	1,630
corner - 120 degree		24 x 36	SL1224036PVEA	1,360	1,600
		24 x 42	SL1224042PVEA	1,770	2,090
		24 x 48	SL1224048PVEA	1,820	2,140
wedge		24 x 30 x 36	SLWE243036PVEA	450	530
		24 x 30 x 42	SLWE243042PVEA	590	690
		24 x 30 x 48	SLWE243048PVEA	590	690
	*	24 x 30 x 60	SLWE243060PVEA	740	850
		30 x 24 x 36	SLWE302436PVEA	450	530
		30 x 24 x 42	SLWE302442PVEA	590	690
		30 x 24 x 48	SLWE302448PVEA	590	690
	*	30 x 24 x 60	SLWE302460PVEA	740	850

Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.

*** 1 support bar included**

bases

bases

T fixed single column sets

Keller, Ria, Novi

base	base dim.	max top support	base set qty	base set model no.	glides or casters	standard (ME) finish list	polished (PO / PC) finish list
Keller	15	20 x 96	2	BTKEL20096SDG	adj glides	620	1,470
	20	24 x 96	2	BTKEL24096SDG	adj glides	660	1,510
	26	36 x 96	2	BTKEL36096SDG	adj glides	720	1,570
	33	42 x 96	2	BTKEL42096SDG	adj glides	890	1,740
	38	48 x 96	2	BTKEL48096SDG	adj glides	1,060	1,910
	15	20 x 96	2	BTKEL20096SDC	2" black hard casters	720	1,570
	20	24 x 96	2	BTKEL24096SDC	2" black hard casters	760	1,610
	26	36 x 96	2	BTKEL36096SDC	2" black hard casters	820	1,670
	33	42 x 96	2	BTKEL42096SDC	2" black hard casters	990	1,840
	38	48 x 96	2	BTKEL48096SDC	2" black hard casters	1,160	2,010
	15	20 x 96	2	BTKEL20096SDS	2" black soft casters	760	1,610
	20	24 x 96	2	BTKEL24096SDS	2" black soft casters	800	1,650
	26	36 x 96	2	BTKEL36096SDS	2" black soft casters	860	1,710
	33	42 x 96	2	BTKEL42096SDS	2" black soft casters	1,030	1,880
	38	48 x 96	2	BTKEL48096SDS	2" black soft casters	1,200	2,050
Ria	15	20 x 96	2	BTRIA20096SDG	adj glides	590	1,440
	20	24 x 96	2	BTRIA24096SDG	adj glides	620	1,470
	26	36 x 96	2	BTRIA36096SDG	adj glides	670	1,520
	33	42 x 96	2	BTRIA42096SDG	adj glides	830	1,680
	38	48 x 96	2	BTRIA48096SDG	adj glides	1,010	1,860
	15	20 x 96	2	BTRIA20096SDC	2" black hard casters	690	1,540
	20	24 x 96	2	BTRIA24096SDC	2" black hard casters	720	1,570
	26	36 x 96	2	BTRIA36096SDC	2" black hard casters	770	1,620
	33	42 x 96	2	BTRIA42096SDC	2" black hard casters	930	1,780
	38	48 x 96	2	BTRIA48096SDC	2" black hard casters	1,110	1,960
	15	20 x 96	2	BTRIA20096SDS	2" black soft casters	730	1,580
	20	24 x 96	2	BTRIA24096SDS	2" black soft casters	760	1,610
	26	36 x 96	2	BTRIA36096SDS	2" black soft casters	810	1,660
	33	42 x 96	2	BTRIA42096SDS	2" black soft casters	970	1,820
	38	48 x 96	2	BTRIA48096SDS	2" black soft casters	1,150	2,000
Novi	18	20 x 96	2	BTNOV20096SDG	adj glides	620	940
	22	30 x 96	2	BTNOV30096SDG	adj glides	640	960
	26	36 x 96	2	BTNOV36096SDG	adj glides	660	980
	32	42 x 96	2	BTNOV42096SDG	adj glides	840	1,160
	18	20 x 96	2	BTNOV20096SDC	2" black locking casters	720	1,040
	22	30 x 96	2	BTNOV30096SDC	2" black locking casters	740	1,060
	26	36 x 96	2	BTNOV36096SDC	2" black locking casters	760	1,080
	32	42 x 96	2	BTNOV42096SDC	2" black locking casters	940	1,260
	18	20 x 96	2	BTNOV20096SDH	glides/concealed casters	760	n/a
	22	30 x 96	2	BTNOV30096SDH	glides/concealed casters	780	n/a
	26	36 x 96	2	BTNOV36096SDH	glides/concealed casters	800	n/a
	32	42 x 96	2	BTNOV42096SDH	glides/concealed casters	980	n/a

C hard casters
2" black dual wheel locking hard casters (for carpet)

S soft casters (Keller + Ria)
2" black dual wheel locking soft casters (for hard floors)

H Novi hidden/concealed casters
one T base per set has glides, the other base has hidden/concealed casters

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

polished aluminum / chrome finish (PO) - Keller & Ria
polished chrome finish (PC) - Novi

bases

T fixed single column sets

Zoey II, Moto, Moto 2

base	base dim.	max top support	base set qty	base set model no.	glides or casters	standard (ME) finish list
Zoey II	15	20 x 96	2	BTZOS20096SDG	adj glides	590
	21	24 x 96	2	BTZOS24096SDG	adj glides	620
	27	36 x 96	2	BTZOS36096SDG	adj glides	670
	33	42 x 96	2	BTZOS42096SDG	adj glides	830
	15	20 x 96	2	BTZOS20096SDC	3" black locking casters	690
	21	24 x 96	2	BTZOS24096SDC	3" black locking casters	720
	27	36 x 96	2	BTZOS36096SDC	3" black locking casters	770
	33	42 x 96	2	BTZOS42096SDC	3" black locking casters	930
	15	20 x 96	2	BTZOS20096SDP	3" premium locking casters	730
	21	24 x 96	2	BTZOS24096SDP	3" premium locking casters	760
	27	36 x 96	2	BTZOS36096SDP	3" premium locking casters	810
	33	42 x 96	2	BTZOS42096SDP	3" premium locking casters	970
				Wire mangement hole included in both columns for Zoey II single column T bases.		
Moto	18	24 x 96	2	BTMOT24096SDG	adj glides	780
	22	30 x 96	2	BTMOT30096SDG	adj glides	840
	26	36 x 96	2	BTMOT36096SDG	adj glides	890
	18	24 x 96	2	BTMOT24096SDC	2" black locking casters	880
	22	30 x 96	2	BTMOT30096SDC	2" black locking casters	940
	26	36 x 96	2	BTMOT36096SDC	2" black locking casters	990
	18	24 x 96	2	BTMOT24096SDP	2" premium locking casters	920
	22	30 x 96	2	BTMOT30096SDP	2" premium locking casters	980
	26	36 x 96	2	BTMOT36096SDP	2" premium locking casters	1,030
Moto 2	18	24 x 96	2	BTMO224096SDG	adj glides	620
	22	30 x 96	2	BTMO230096SDG	adj glides	640
	26	36 x 96	2	BTMO236096SDG	adj glides	690
	18	24 x 96	2	BTMO224096SDC	2" black locking casters	720
	22	30 x 96	2	BTMO230096SDC	2" black locking casters	740
	26	36 x 96	2	BTMO236096SDC	2" black locking casters	790
	18	24 x 96	2	BTMO224096SDP	2" premium locking casters	760
	22	30 x 96	2	BTMO230096SDP	2" premium locking casters	780
	26	36 x 96	2	BTMO236096SDP	2" premium locking casters	830

C casters
2" black dual wheel locking (all bases except Zoey)
3" black dual wheel locking (Zoey)

P premium casters
3" white dual wheel locking (Zoey)
2" silver/black dual wheel locking - (Moto, Moto 2)

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

Note that the fixed T bases cannot be spread more than 52" apart at center.

bases

Keller, Ria, Novi, Moto, Zoey II TT fixed
Novi double column nesting

base	base dim.	max top support	base set qty	base set model no.	glides or casters	standard (ME) finish list	polished (PO / PC) finish list
Keller 	34	48 x 96	2	BTKEL480962DG	adj glides	1,250	2,790
	34	48 x 144	3	BTKEL481442DG	adj glides	1,870	4,200
	34	48 x 192	4	BTKEL481922DG	adj glides	2,500	5,600
	40	60 x 96	2	BTKEL600962DG	adj glides	1,340	2,890
	40	60 x 144	3	BTKEL601442DG	adj glides	2,010	4,330
	40	60 x 192	4	BTKEL601922DG	adj glides	2,680	5,790
Ria 	34	48 x 96	2	BTRIA480962DG	adj glides	1,200	2,760
	34	48 x 144	3	BTRIA481442DG	adj glides	1,800	4,150
	34	48 x 192	4	BTRIA481922DG	adj glides	2,400	5,530
	40	60 x 96	2	BTRIA600962DG	adj glides	1,260	2,830
	40	60 x 144	3	BTRIA601442DG	adj glides	1,880	4,230
	40	60 x 192	4	BTRIA601922DG	adj glides	2,530	5,650
Novi 	36	48 x 96	2	BTNOV480962DG	adj glides	1,060	n/a
	36	48 x 144	3	BTNOV481442DG	adj glides	1,590	n/a
	42	60 x 96	2	BTNOV600962DG	adj glides	1,140	n/a
	42	60 x 144	3	BTNOV601442DG	adj glides	1,710	n/a
Moto 	26	36 x 96	2	BTMOT360962DG	adj glides	1,250	n/a
	26	36 x 144	3	BTMOT361442DG	adj glides	1,890	n/a
	32	42 x 96	2	BTMOT420962DG	adj glides	1,330	n/a
	32	42 x 144	3	BTMOT421442DG	adj glides	1,990	n/a
	32	42 x 192	4	BTMOT421922DG	adj glides	2,660	n/a
	36	48 x 96	2	BTMOT480962DG	adj glides	1,430	n/a
	36	48 x 144	3	BTMOT481442DG	adj glides	2,130	n/a
	36	48 x 192	4	BTMOT481922DG	adj glides	2,850	n/a
Zoey II double column T 	35	48 x 96	2	BTZOS480962DG	adj glides	1,310	n/a
	35	48 x 144	3	BTZOS481442DG	adj glides	1,960	n/a
	35	48 x 192	4	BTZOS481922DG	adj glides	2,620	n/a
	46	60 x 96	2	BTZOS600962DG	adj glides	1,430	n/a
	46	60 x 144	3	BTZOS601442DG	adj glides	2,130	n/a
	46	60 x 192	4	BTZOS601922DG	adj glides	2,850	n/a
 	Zoey II double column base sets shall have wire management hole in both columns in						
Novi Double Column with Nester Series beam 	32	48 x 48, 60rd	2	BTNOV480482NCME	3" black locking casters	2,210	n/a

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

polished aluminum / chrome finish (PO) - Keller & Ria
polished chrome finish (PC) - Novi

***Note that fixed double column T bases cannot be spread more than 52" apart at center.**

bases

T nesting sets
Keller, Ria, Novi

base	base dim.	max top support	base set qty	base set model no.	glides or casters	standard (ME) finish list	polished (PO / PC) finish list
Keller 	15	20 x 72	2	BTKEL20072NEG	adj glides	1,060	1,910
	20	24 x 72	2	BTKEL24072NEG	adj glides	1,110	1,960
	26	36 x 72	2	BTKEL36072NEG	adj glides	1,160	2,010
	15	20 x 72	2	BTKEL20072NEC	2" black hard casters	1,160	2,010
	20	24 x 72	2	BTKEL24072NEC	2" black hard casters	1,210	2,060
	26	36 x 72	2	BTKEL36072NEC	2" black hard casters	1,260	2,110
	15	20 x 72	2	BTKEL20072NES	2" black soft casters	1,200	2,050
	20	24 x 72	2	BTKEL24072NES	2" black soft casters	1,250	2,100
	26	36 x 72	2	BTKEL36072NES	2" black soft casters	1,300	2,150
Ria 	15	20 x 72	2	BTRIA20072NEG	adj glides	1,030	1,880
	20	24 x 72	2	BTRIA24072NEG	adj glides	1,070	1,920
	26	36 x 72	2	BTRIA36072NEG	adj glides	1,140	1,990
	15	20 x 72	2	BTRIA20072NEC	2" black hard casters	1,130	1,980
	20	24 x 72	2	BTRIA24072NEC	2" black hard casters	1,170	2,020
	26	36 x 72	2	BTRIA36072NEC	2" black hard casters	1,240	2,090
	15	20 x 72	2	BTRIA20072NES	2" black soft casters	1,170	2,020
	20	24 x 72	2	BTRIA24072NES	2" black soft casters	1,210	2,060
	26	36 x 72	2	BTRIA36072NES	2" black soft casters	1,280	2,130
Novi 	18	20 x 72	2	BTNOV20072NEG	adj glides	1,130	n/a
	22	30 x 72	2	BTNOV30072NEG	adj glides	1,140	n/a
	26	36 x 72	2	BTNOV36072NEG	adj glides	1,180	n/a
	18	20 x 72	2	BTNOV20072NEC	2" black locking casters	1,230	n/a
	22	30 x 72	2	BTNOV30072NEC	2" black locking casters	1,240	n/a
	26	36 x 72	2	BTNOV36072NEC	2" black locking casters	1,280	n/a
	18	20 x 72	2	BTNOV20072NEH	glides/concealed casters	1,270	n/a
	22	30 x 72	2	BTNOV30072NEH	glides/concealed casters	1,280	n/a
	26	36 x 72	2	BTNOV36072NEH	glides/concealed casters	1,320	n/a



C casters
2" black dual wheel locking hard casters (single column flip/nest bases)



S casters (Keller + Ria)
2" black dual wheel locking soft casters (for hard floors)



H Novi hidden/concealed casters
one T base per set has glides, the other base has hidden/concealed casters

KELLER, RIA, AND NOVI SINGLE T FLIP MECH IMAGE:




standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

polished aluminum / chrome finish (PO) - Keller & Ria

***bases cannot be spread more than 52" apart at center**

Zoey II

base	base dim.	max top support	base set qty	base set model no.	glides or casters	list
Zoey II with beam	15	20 x 36	2	BTZOS20036NBC	3" black locking casters	1,260
	21	24 x 36	2	BTZOS24036NBC	3" black locking casters	1,290
	27	30 x 36	2	BTZOS30036NBC	3" black locking casters	1,330
	15	20 x 48	2	BTZOS20048NBC	3" black locking casters	1,280
	21	24 x 48	2	BTZOS24048NBC	3" black locking casters	1,310
	27	30 x 48	2	BTZOS30048NBC	3" black locking casters	1,350
	15	20 x 54	2	BTZOS20054NBC	3" black locking casters	1,310
	21	24 x 54	2	BTZOS24054NBC	3" black locking casters	1,340
	27	30 x 54	2	BTZOS30054NBC	3" black locking casters	1,380
	15	20 x 60	2	BTZOS20060NBC	3" black locking casters	1,340
	21	24 x 60	2	BTZOS24060NBC	3" black locking casters	1,380
	27	30 x 60	2	BTZOS30060NBC	3" black locking casters	1,400
	33	36 x 60	2	BTZOS36060NBC	3" black locking casters	1,440
	15	20 x 66	2	BTZOS20066NBC	3" black locking casters	1,430
	21	24 x 66	2	BTZOS24066NBC	3" black locking casters	1,460
	27	30 x 66	2	BTZOS30066NBC	3" black locking casters	1,540
	33	36 x 66	2	BTZOS36066NBC	3" black locking casters	1,530
	15	20 x 72	2	BTZOS20072NBC	3" black locking casters	1,390
	21	24 x 72	2	BTZOS24072NBC	3" black locking casters	1,410
	27	30 x 72	2	BTZOS30072NBC	3" black locking casters	1,430
	33	36 x 72	2	BTZOS36072NBC	3" black locking casters	1,490
	15	20 x 84	2	BTZOS20084NBC	3" black locking casters	1,450
	21	24 x 84	2	BTZOS24084NBC	3" black locking casters	1,480
	15	20 x 96	2	BTZOS20096NBC	3" black locking casters	1,470
	21	24 x 96	2	BTZOS24096NBC	3" black locking casters	1,500
	15	20 x 36	2	BTZOS20036NBP	3" premium locking casters	1,300
	21	24 x 36	2	BTZOS24036NBP	3" premium locking casters	1,330
	27	30 x 36	2	BTZOS30036NBP	3" premium locking casters	1,370
	15	20 x 48	2	BTZOS20048NBP	3" premium locking casters	1,320
	21	24 x 48	2	BTZOS24048NBP	3" premium locking casters	1,350
	27	30 x 48	2	BTZOS30048NBP	3" premium locking casters	1,390
	15	20 x 54	2	BTZOS20054NBP	3" premium locking casters	1,350
	21	24 x 54	2	BTZOS24054NBP	3" premium locking casters	1,380
	27	30 x 54	2	BTZOS30054NBP	3" premium locking casters	1,420
	15	20 x 60	2	BTZOS20060NBP	3" premium locking casters	1,380
	21	24 x 60	2	BTZOS24060NBP	3" premium locking casters	1,420
	27	30 x 60	2	BTZOS30060NBP	3" premium locking casters	1,440
	33	36 x 60	2	BTZOS36060NBP	3" premium locking casters	1,480
	15	20 x 66	2	BTZOS20066NBP	3" premium locking casters	1,470
	21	24 x 66	2	BTZOS24066NBP	3" premium locking casters	1,500
	27	30 x 66	2	BTZOS30066NBP	3" premium locking casters	1,580
	33	36 x 66	2	BTZOS36066NBP	3" premium locking casters	1,570
	15	20 x 72	2	BTZOS20072NBP	3" premium locking casters	1,430
	21	24 x 72	2	BTZOS24072NBP	3" premium locking casters	1,450
	27	30 x 72	2	BTZOS30072NBP	3" premium locking casters	1,470
	33	36 x 72	2	BTZOS36072NBP	3" premium locking casters	1,530
	15	20 x 84	2	BTZOS20084NBP	3" premium locking casters	1,490
	21	24 x 84	2	BTZOS24084NBP	3" premium locking casters	1,520
	15	20 x 96	2	BTZOS20096NBP	3" premium locking casters	1,510
	21	24 x 96	2	BTZOS24096NBP	3" premium locking casters	1,540

C casters
3" black dual wheel locking

P premium casters

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

Moto 2

base	base dim.	max top support	base set qty	base set model no.	glides or casters	list
Moto 2 with beam (2" column)	18	24 x 60	2	BTMO224060NBG	adj glides	1,380
	22	30 x 60	2	BTMO230060NBG	adj glides	1,390
	26	36 x 60	2	BTMO236060NBG	adj glides	1,450
	18	24 x 66	2	BTMO224066NBG	adj glides	1,500
	22	30 x 66	2	BTMO230066NBG	adj glides	1,520
	26	36 x 66	2	BTMO236066NBG	adj glides	1,570
	18	24 x 72	2	BTMO224072NBG	adj glides	1,420
	22	30 x 72	2	BTMO230072NBG	adj glides	1,430
	26	36 x 72	2	BTMO236072NBG	adj glides	1,490
	18	24 x 60	2	BTMO224060NBC	2" black locking casters	1,480
	22	30 x 60	2	BTMO230060NBC	2" black locking casters	1,490
	26	36 x 60	2	BTMO236060NBC	2" black locking casters	1,550
	18	24 x 66	2	BTMO224066NBC	2" black locking casters	1,600
	22	30 x 66	2	BTMO230066NBC	2" black locking casters	1,620
	26	36 x 66	2	BTMO236066NBC	2" black locking casters	1,670
	18	24 x 72	2	BTMO224072NBC	2" black locking casters	1,520
	22	30 x 72	2	BTMO230072NBC	2" black locking casters	1,530
	26	36 x 72	2	BTMO236072NBC	2" black locking casters	1,590
	18	24 x 60	2	BTMO224060NBP	2" premium locking casters	1,520
	22	30 x 60	2	BTMO230060NBP	2" premium locking casters	1,530
	26	36 x 60	2	BTMO236060NBP	2" premium locking casters	1,590
	18	24 x 66	2	BTMO224066NBP	2" premium locking casters	1,640
	22	30 x 66	2	BTMO230066NBP	2" premium locking casters	1,660
	26	36 x 66	2	BTMO236066NBP	2" premium locking casters	1,710
	18	24 x 72	2	BTMO224072NBP	2" premium locking casters	1,560
	22	30 x 72	2	BTMO230072NBP	2" premium locking casters	1,570
	26	36 x 72	2	BTMO236072NBP	2" premium locking casters	1,630

C casters
2" black dual wheel locking

P premium casters
2" silver/black dual wheel locking

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

* Additional beam lengths are available, contact Symphony for pricing

bases

T nesting spring clip adjustable height sets
Keller, Ria, Novi

base	base dim.	max top support	base set qty	base set model no.	list	glides or casters	finish
Keller nesting/spring clip	15	20 x 72	2	BTKEL20072NSGME	1,420	adj glides	standard metal
	20	24 x 72	2	BTKEL24072NSGME	1,470	adj glides	standard metal
	26	36 x 72	2	BTKEL36072NSGME	1,520	adj glides	standard metal
	15	20 x 72	2	BTKEL20072NSCME	1,520	2" black hard casters	standard metal
	20	24 x 72	2	BTKEL24072NSCME	1,570	2" black hard casters	standard metal
	26	36 x 72	2	BTKEL36072NSCME	1,620	2" black hard casters	standard metal
	15	20 x 72	2	BTKEL20072NSSME	1,560	2" black soft casters	standard metal
	20	24 x 72	2	BTKEL24072NSSME	1,610	2" black soft casters	standard metal
	26	36 x 72	2	BTKEL36072NSSME	1,660	2" black soft casters	standard metal
Ria nesting/spring clip	15	20 x 72	2	BTRIA20072NSGME	1,390	adj glides	standard metal
	20	24 x 72	2	BTRIA24072NSGME	1,420	adj glides	standard metal
	26	36 x 72	2	BTRIA36072NSGME	1,480	adj glides	standard metal
	15	20 x 72	2	BTRIA20072NSCME	1,490	2" black hard casters	standard metal
	20	24 x 72	2	BTRIA24072NSCME	1,520	2" black hard casters	standard metal
	26	36 x 72	2	BTRIA36072NSCME	1,580	2" black hard casters	standard metal
	15	20 x 72	2	BTRIA20072NSSME	1,530	2" black soft casters	standard metal
	20	24 x 72	2	BTRIA24072NSSME	1,560	2" black soft casters	standard metal
	26	36 x 72	2	BTRIA36072NSSME	1,620	2" black soft casters	standard metal
Novi nesting/spring clip	18	20 x 72	2	BTNOV20072NSGME	1,450	adj glides	standard metal
	22	30 x 72	2	BTNOV30072NSGME	1,460	adj glides	standard metal
	26	36 x 72	2	BTNOV36072NSGME	1,500	adj glides	standard metal
	18	20 x 72	2	BTNOV20072NSCME	1,550	2" black locking casters	standard metal
	22	30 x 72	2	BTNOV30072NSCME	1,560	2" black locking casters	standard metal
	26	36 x 72	2	BTNOV36072NSCME	1,600	2" black locking casters	standard metal
	18	20 x 72	2	BTNOV20072NSHME	1,590	glides/concealed casters	standard metal
	22	30 x 72	2	BTNOV30072NSHME	1,600	glides/concealed casters	standard metal
	26	36 x 72	2	BTNOV36072NSHME	1,640	glides/concealed casters	standard metal



C casters
2" black dual wheel locking hard casters (for carpet)

S casters (Keller + Ria)
2" black dual wheel locking soft casters (for hard floors)



H Novi hidden/concealed casters
one T base per set has glides, the other base has hidden/concealed casters

Standard metal powder coat finishes (ME)
Black Wrinkle, Champagne, Flat Black, Furniture White, Medium Tone, and Metallic Silver

** Note that the inner column of Moto height adjustable bases are only available in Flat Black, White or Metallic Silver. Note that Moto White is a shade off and a little creamier than Furniture White. The Moto height adjustable bases inner and outer columns are only available in Flat Black, Moto White and Metallic Silver.



S Spring clip height adjustment
24.75" - 33.75" (Keller, Ria, and Novi)
range in 1" increments

bases

T nesting crank height adjustable sets
Moto

base	base dim.	max top support	base placement with beam	base set qty	base set model no.	list	glides or casters	finish
Moto nesting/crank retractable handle 3" column	18	24 x 48	30" O.C.	2	BTMOT24048NCGME	2,190	adj glides	standard metal
	18	24 x 54	36" O.C.	2	BTMOT24054NCGME	2,190	adj glides	standard metal
	18	24 x 60	42" O.C.	2	BTMOT24060NCGME	2,190	adj glides	standard metal
	18	24 x 66	48" O.C.	2	BTMOT24066NCGME	2,190	adj glides	standard metal
	18	24 x 72	54" O.C.	2	BTMOT24072NCGME	2,190	adj glides	standard metal
	22	30 x 48	30" O.C.	2	BTMOT30048NCGME	2,220	adj glides	standard metal
	22	30 x 54	36" O.C.	2	BTMOT30054NCGME	2,220	adj glides	standard metal
	22	30 x 60	42" O.C.	2	BTMOT30060NCGME	2,220	adj glides	standard metal
	22	30 x 66	48" O.C.	2	BTMOT30066NCGME	2,220	adj glides	standard metal
	22	30 x 72	54" O.C.	2	BTMOT30072NCGME	2,220	adj glides	standard metal
	26	36 x 48	30" O.C.	2	BTMOT36048NCGME	2,240	adj glides	standard metal
	26	36 x 54	36" O.C.	2	BTMOT36054NCGME	2,240	adj glides	standard metal
	26	36 x 60	42" O.C.	2	BTMOT36060NCGME	2,240	adj glides	standard metal
	26	36 x 66	48" O.C.	2	BTMOT36066NCGME	2,240	adj glides	standard metal
	26	36 x 72	54" O.C.	2	BTMOT36072NCGME	2,240	adj glides	standard metal
	18	24 x 48	30" O.C.	2	BTMOT24048NCCME	2,290	2" black locking casters	standard metal
	18	24 x 54	36" O.C.	2	BTMOT24054NCCME	2,290	2" black locking casters	standard metal
	18	24 x 60	42" O.C.	2	BTMOT24060NCCME	2,290	2" black locking casters	standard metal
	18	24 x 66	48" O.C.	2	BTMOT24066NCCME	2,290	2" black locking casters	standard metal
	18	24 x 72	54" O.C.	2	BTMOT24072NCCME	2,290	2" black locking casters	standard metal
	22	30 x 48	30" O.C.	2	BTMOT30048NCCME	2,320	2" black locking casters	standard metal
	22	30 x 54	36" O.C.	2	BTMOT30054NCCME	2,320	2" black locking casters	standard metal
	22	30 x 60	42" O.C.	2	BTMOT30060NCCME	2,320	2" black locking casters	standard metal
	22	30 x 66	48" O.C.	2	BTMOT30066NCCME	2,320	2" black locking casters	standard metal
	22	30 x 72	54" O.C.	2	BTMOT30072NCCME	2,320	2" black locking casters	standard metal
	26	36 x 48	30" O.C.	2	BTMOT36048NCCME	2,340	2" black locking casters	standard metal
	26	36 x 54	36" O.C.	2	BTMOT36054NCCME	2,340	2" black locking casters	standard metal
	26	36 x 60	42" O.C.	2	BTMOT36060NCCME	2,340	2" black locking casters	standard metal
	26	36 x 66	48" O.C.	2	BTMOT36066NCCME	2,340	2" black locking casters	standard metal
	26	36 x 72	54" O.C.	2	BTMOT36072NCCME	2,340	2" black locking casters	standard metal
	18	24 x 48	30" O.C.	2	BTMOT24048NCPME	2,330	2" premium locking casters	standard metal
	18	24 x 54	36" O.C.	2	BTMOT24054NCPME	2,330	2" premium locking casters	standard metal
	18	24 x 60	42" O.C.	2	BTMOT24060NCPME	2,330	2" premium locking casters	standard metal
	18	24 x 66	48" O.C.	2	BTMOT24066NCPME	2,330	2" premium locking casters	standard metal
	18	24 x 72	54" O.C.	2	BTMOT24072NCPME	2,330	2" premium locking casters	standard metal
	22	30 x 48	30" O.C.	2	BTMOT30072NCPME	2,360	2" premium locking casters	standard metal
	22	30 x 54	36" O.C.	2	BTMOT30072NCPME	2,360	2" premium locking casters	standard metal
	22	30 x 60	42" O.C.	2	BTMOT30072NCPME	2,360	2" premium locking casters	standard metal
	22	30 x 66	48" O.C.	2	BTMOT30072NCPME	2,360	2" premium locking casters	standard metal
	22	30 x 72	54" O.C.	2	BTMOT30072NCPME	2,360	2" premium locking casters	standard metal
	26	36 x 72	30" O.C.	2	BTMOT36072NCPME	2,380	2" premium locking casters	standard metal
	26	36 x 72	36" O.C.	2	BTMOT36072NCPME	2,380	2" premium locking casters	standard metal
	26	36 x 72	42" O.C.	2	BTMOT36072NCPME	2,380	2" premium locking casters	standard metal
	26	36 x 72	48" O.C.	2	BTMOT36072NCPME	2,380	2" premium locking casters	standard metal
	26	36 x 72	54" O.C.	2	BTMOT36072NCPME	2,380	2" premium locking casters	standard metal



* top not included



C casters
2" black dual wheel locking casters



P premium casters (Moto)
2" black/silver dual wheel locking

NC nesting crank height adjustment (Moto)
retractable handle
24" - 38" height range with glides
26" - 40" height range with casters
Columns inset 9" on center from edge of table top.

Standard metal powder coat finishes:
Flat Black, Moto White**, and Metallic Silver

** Note that Moto White is a shade off and a little creamier than Furniture White.

bases

T spring height adjustable sets
Keller, Ria, Novi

base		base dim.	max top support	base set qty	base set model no.	list	glides or casters	finish
Keller	spring clip	15	20 x 72	2	BTKEL20072SSGME	950	adj glides	standard metal
		20	24 x 72	2	BTKEL24072SSGME	990	adj glides	standard metal
		26	36 x 72	2	BTKEL36072SSGME	1,050	adj glides	standard metal
		33	42 x 72	2	BTKEL42072SSGME	1,220	adj glides	standard metal
		15	20 x 72	2	BTKEL20072SSCME	1,050	2" black hard casters	standard metal
		20	24 x 72	2	BTKEL24072SSCME	1,090	2" black hard casters	standard metal
		26	36 x 72	2	BTKEL36072SSCME	1,150	2" black hard casters	standard metal
		33	42 x 72	2	BTKEL42072SSCME	1,320	2" black hard casters	standard metal
		15	20 x 72	2	BTKEL20072SSSME	1,090	2" black soft casters	standard metal
		20	24 x 72	2	BTKEL24072SSSME	1,130	2" black soft casters	standard metal
		26	36 x 72	2	BTKEL36072SSSME	1,190	2" black soft casters	standard metal
		33	42 x 72	2	BTKEL42072SSSME	1,360	2" black soft casters	standard metal
Ria	spring clip	15	20 x 72	2	BTRIA20072SSGME	890	adj glides	standard metal
		20	24 x 72	2	BTRIA24072SSGME	910	adj glides	standard metal
		26	36 x 72	2	BTRIA36072SSGME	970	adj glides	standard metal
		33	42 x 72	2	BTRIA42072SSGME	1,130	adj glides	standard metal
		15	20 x 72	2	BTRIA20072SSCME	990	2" black hard casters	standard metal
		20	24 x 72	2	BTRIA24072SSCME	1,010	2" black hard casters	standard metal
		26	36 x 72	2	BTRIA36072SSCME	1,070	2" black hard casters	standard metal
		33	42 x 72	2	BTRIA42072SSCME	1,230	2" black hard casters	standard metal
		15	20 x 72	2	BTRIA20072SSSME	1,030	2" black soft casters	standard metal
		20	24 x 72	2	BTRIA24072SSSME	1,050	2" black soft casters	standard metal
		26	36 x 72	2	BTRIA36072SSSME	1,110	2" black soft casters	standard metal
		33	42 x 72	2	BTRIA42072SSSME	1,270	2" black soft casters	standard metal
Novi	spring clip	18	20 x 72	2	BTNOV20072SSGME	960	adj glides	standard metal
		22	30 x 72	2	BTNOV30072SSGME	990	adj glides	standard metal
		26	36 x 72	2	BTNOV36072SSGME	1,010	adj glides	standard metal
		32	42 x 72	2	BTNOV42072SSGME	1,200	adj glides	standard metal
		18	20 x 72	2	BTNOV20072SSCME	1,060	2" black locking casters	standard metal
		22	30 x 72	2	BTNOV30072SSCME	1,090	2" black locking casters	standard metal
		26	36 x 72	2	BTNOV36072SSCME	1,110	2" black locking casters	standard metal
		32	42 x 72	2	BTNOV42072SSCME	1,300	2" black locking casters	standard metal
		18	20 x 72	2	BTNOV20072SSHME	1,100	glides/concealed casters	standard metal
		22	30 x 72	2	BTNOV30072SSHME	1,130	glides/concealed casters	standard metal
		26	36 x 72	2	BTNOV36072SSHME	1,150	glides/concealed casters	standard metal
		32	42 x 72	2	BTNOV42072SSHME	1,340	glides/concealed casters	standard metal



C casters
2" black dual wheel locking hard casters (for carpet)

S casters (Keller + Ria)
2" black dual wheel locking soft casters (for hard floors)



S Spring clip height adjustment
24.75" - 33.75" (Keller, Ria, Rosanno, and Novi)
range in 1" increments

Standard metal powder coat finishes (ME)
Black Wrinkle, Champagne, Flat Black, Furniture White, Medium Tone, and Metallic Silver

This page was intentionally left blank.

base	base dim.	max top support	base set qty	base set model no.	list	glides or casters	finish
Moto (3" column)							
ratchet	18	24 x 72	2	BTMOT24072SRGME	1,170	adj glides	standard metal
	22	30 x 72	2	BTMOT30072SRGME	1,190	adj glides	standard metal
	26	36 x 72	2	BTMOT36072SRGME	1,230	adj glides	standard metal
	18	24 x 72	2	BTMOT24072SRCME	1,270	2" black locking casters	standard metal
	22	30 x 72	2	BTMOT30072SRCME	1,290	2" black locking casters	standard metal
	26	36 x 72	2	BTMOT36072SRCME	1,330	2" black locking casters	standard metal
	18	24 x 72	2	BTMOT24072SRPME	1,310	2" premium locking casters	standard metal
	22	30 x 72	2	BTMOT30072SRPME	1,330	2" premium locking casters	standard metal
	26	36 x 72	2	BTMOT36072SRPME	1,370	2" premium locking casters	standard metal
extended range crank	18	24 x 72	2	BTMOT24072SCEGME	1,530	adj glides	standard metal
	22	30 x 72	2	BTMOT30072SCEGME	1,540	adj glides	standard metal
	26	36 x 72	2	BTMOT36072SCEGME	1,600	adj glides	standard metal
	18	24 x 72	2	BTMOT24072SCECME	1,630	2" black locking casters	standard metal
	22	30 x 72	2	BTMOT30072SCECME	1,640	2" black locking casters	standard metal
	26	36 x 72	2	BTMOT36072SCECME	1,700	2" black locking casters	standard metal
	18	24 x 72	2	BTMOT24072SCEPME	1,670	2" premium locking casters	standard metal
	22	30 x 72	2	BTMOT30072SCEPME	1,680	2" premium locking casters	standard metal
	26	36 x 72	2	BTMOT36072SCEPME	1,740	2" premium locking casters	standard metal
middle range crank	18	24 x 72	2	BTMOT24072SCMGME	1,530	adj glides	standard metal
	22	30 x 72	2	BTMOT30072SCMGME	1,540	adj glides	standard metal
	26	36 x 72	2	BTMOT36072SCMGME	1,600	adj glides	standard metal
	18	24 x 72	2	BTMOT24072SCMCME	1,630	2" black locking casters	standard metal
	22	30 x 72	2	BTMOT30072SCMCME	1,640	2" black locking casters	standard metal
	26	36 x 72	2	BTMOT36072SCMCME	1,700	2" black locking casters	standard metal
	18	24 x 72	2	BTMOT24072SCMPME	1,670	2" premium locking casters	standard metal
	22	30 x 72	2	BTMOT30072SCMPME	1,680	2" premium locking casters	standard metal
	26	36 x 72	2	BTMOT36072SCMPME	1,740	2" premium locking casters	standard metal
short range crank	18	24 x 72	2	BTMOT24072SCSGME	1,530	adj glides	standard metal
	22	30 x 72	2	BTMOT30072SCSGME	1,540	adj glides	standard metal
	26	36 x 72	2	BTMOT36072SCSGME	1,600	adj glides	standard metal
	18	24 x 72	2	BTMOT24072SCSCME	1,630	2" black locking casters	standard metal
	22	30 x 72	2	BTMOT30072SCSCME	1,640	2" black locking casters	standard metal
	26	36 x 72	2	BTMOT36072SCSCME	1,700	2" black locking casters	standard metal
	18	24 x 72	2	BTMOT24072SCSPME	1,670	2" premium locking casters	standard metal
	22	30 x 72	2	BTMOT30072SCSPME	1,680	2" premium locking casters	standard metal
	26	36 x 72	2	BTMOT36072SCSPME	1,740	2" premium locking casters	standard metal



C casters
2" black dual wheel locking (Moto)
3" black dual wheel locking (Zoey)



P premium casters
2" silver/black dual wheel locking - (Moto)

Standard metal powder coat finishes:
Flat Black, Moto White**, and Metallic Silver

** Note that Moto White is a shade off and a little creamier than Furniture White.



R Ratchet height adjustment
base height range with glides 26" - 35.5" (9.45" range)
base height range with casters 28" - 37.5"
13 positions in 0.78 inch increments
Change positions by manually lifting the table top
Resets to lowest position when lifted to upper stop




C Crank adjustment
extended range: 26" - 43.75" (casters add 2")
middle range: 23.25" - 37" with glides (casters add 2")
short range: 19.75" - 30.5" with glides (casters add 2")
-screw thread adjustment with infinite stop positions
-adjust with manual crank handle which slides under table when not in use
-maximum lifting load 225 lbs for two columns (T base set)

Contact service@symphonytables.com for complete ordering instructions. Height adjustable bases require a higher level of product understanding and installation.

bases
T adjustable height sets
Moto

base	base dim.	frame width	top support	base set qty	base set model no.	list	glides or casters	finish
Moto (3" column)								
pneumatic counter balance	18	40.40	24 x 42-48	2	BTMOT24048SNGME	2,710	adj glides	standard metal
	18	48.27	24 x 54	2	BTMOT24054SNGME	2,730	adj glides	standard metal
	18	56.14	24 x 60	2	BTMOT24060SNGME	2,740	adj glides	standard metal
	18	64.02	24 x 66	2	BTMOT24066SNGME	2,770	adj glides	standard metal
	18	71.89	24 x 72	2	BTMOT24072SNGME	2,790	adj glides	standard metal
	18	40.40	24 x 42-48	2	BTMOT24048SNCME	2,810	2" black locking casters	standard metal
	18	48.27	24 x 54	2	BTMOT24054SNCME	2,830	2" black locking casters	standard metal
	18	56.14	24 x 60	2	BTMOT24060SNCME	2,840	2" black locking casters	standard metal
	18	64.02	24 x 66	2	BTMOT24066SNCME	2,870	2" black locking casters	standard metal
	18	71.89	24 x 72	2	BTMOT24072SNCME	2,890	2" black locking casters	standard metal
	18	40.40	24 x 42-48	2	BTMOT24048SNPME	2,850	2" premium locking casters	standard metal
	18	48.27	24 x 54	2	BTMOT24054SNPME	2,870	2" premium locking casters	standard metal
	18	56.14	24 x 60	2	BTMOT24060SNPME	2,880	2" premium locking casters	standard metal
	18	64.02	24 x 66	2	BTMOT24066SNPME	2,910	2" premium locking casters	standard metal
	18	71.89	24 x 72	2	BTMOT24072SNPME	2,930	2" premium locking casters	standard metal
	22	40.40	30 x 42-48	2	BTMOT30048SNGME	2,730	adj glides	standard metal
	22	48.27	30 x 54	2	BTMOT30054SNGME	2,760	adj glides	standard metal
	22	56.14	30 x 60	2	BTMOT30060SNGME	2,770	adj glides	standard metal
	22	64.02	30 x 66	2	BTMOT30066SNGME	2,790	adj glides	standard metal
	22	71.89	30 x 72	2	BTMOT30072SNGME	2,810	adj glides	standard metal
	22	40.40	30 x 42-48	2	BTMOT30048SNCME	2,830	2" black locking casters	standard metal
	22	48.27	30 x 54	2	BTMOT30054SNCME	2,860	2" black locking casters	standard metal
	22	56.14	30 x 60	2	BTMOT30060SNCME	2,870	2" black locking casters	standard metal
	22	64.02	30 x 66	2	BTMOT30066SNCME	2,890	2" black locking casters	standard metal
	22	71.89	30 x 72	2	BTMOT30072SNCME	2,910	2" black locking casters	standard metal
	22	40.40	30 x 42-48	2	BTMOT30048SNPME	2,870	2" premium locking casters	standard metal
	22	48.27	30 x 54	2	BTMOT30054SNPME	2,900	2" premium locking casters	standard metal
	22	56.14	30 x 60	2	BTMOT30060SNPME	2,910	2" premium locking casters	standard metal
	22	64.02	30 x 66	2	BTMOT30066SNPME	2,930	2" premium locking casters	standard metal
	22	71.89	30 x 72	2	BTMOT30072SNPME	2,950	2" premium locking casters	standard metal
	26	40.40	36 x 42-48	2	BTMOT36048SNGME	2,790	adj glides	standard metal
	26	48.27	36 x 54	2	BTMOT36054SNGME	2,810	adj glides	standard metal
	26	56.14	36 x 60	2	BTMOT36060SNGME	2,830	adj glides	standard metal
	26	64.02	36 x 66	2	BTMOT36066SNGME	2,840	adj glides	standard metal
	26	71.89	36 x 72	2	BTMOT36072SNGME	2,860	adj glides	standard metal
	26	40.40	36 x 42-48	2	BTMOT36048SNCME	2,890	2" black locking casters	standard metal
	26	48.27	36 x 54	2	BTMOT36054SNCME	2,910	2" black locking casters	standard metal
	26	56.14	36 x 60	2	BTMOT36060SNCME	2,930	2" black locking casters	standard metal
	26	64.02	36 x 66	2	BTMOT36066SNCME	2,940	2" black locking casters	standard metal
	26	71.89	36 x 72	2	BTMOT36072SNCME	2,960	2" black locking casters	standard metal
	26	40.40	36 x 42-48	2	BTMOT36048SNPME	2,930	2" premium locking casters	standard metal
	26	48.27	36 x 54	2	BTMOT36054SNPME	2,950	2" premium locking casters	standard metal
	26	56.14	36 x 60	2	BTMOT36060SNPME	2,970	2" premium locking casters	standard metal
	26	64.02	36 x 66	2	BTMOT36066SNPME	2,980	2" premium locking casters	standard metal
	26	71.89	36 x 72	2	BTMOT36072SNPME	3,000	2" premium locking casters	standard metal



detail of the mechanism



P Pneumatic counter balance (Moto)
base height range with glides 26" - 45.5" (19.5" range)
base height range with casters 28" - 47.5"
-Frame widths will accomodate tops from 42" - 72" long and 24" - 36" deep. We cannot modify the frame to fit tops that are any other size due to the components used to make the pneumatic counter balance adjustable bases.
-Must specify the weight of the top and all accessories that will be used on the bases so that the lift capacity can be set properly. Note that there is a minimum weight of 30 pounds for the counterbalance mechanism to work and a max weight of 183 lbs lift capacity for all items including the top.

Contact service@symphonytables.com for complete ordering instructions. Height adjustable bases require a higher level of product understanding and installation.

base	base dim.	max top support	base set qty	base set model no.	list	glides or casters	finish
Kenna T base sets							
							
Single Stage Electric							
basic up/down switch	22	24 x 48-72	2	BTKEN24072SEGME	1,430	adj glides	standard metal
	28	30 x 48-72	2	BTKEN30072SEGME	1,480	adj glides	standard metal
programmable switch	22	24 x 48-72	2	BTKEN24072SPGME	1,570	adj glides	standard metal
	28	30 x 48-72	2	BTKEN30072SPGME	1,590	adj glides	standard metal
*tables over 60"L require the Kenna horizontal wire manager							
Dual Stage Electric							
basic up/down switch	22	24 x 48-72	2	BTKEN24072DEGME	1,730	adj glides	standard metal
	28	30 x 48-72	2	BTKEN30072DEGME	1,790	adj glides	standard metal
programmable switch	22	24 x 48-72	2	BTKEN24072DPGME	1,870	adj glides	standard metal
	28	30 x 48-72	2	BTKEN30072DPGME	1,900	adj glides	standard metal
*tables over 60"L require the Kenna horizontal wire manager							
Kenna 90 degree 3 column: (2) T, (1) post base set							
							
basic up/down switch	22	24 x 48-72	2	BTKE324072SEGME	2,520	adj glides	standard metal
	28	30 x 48-72	2	BTKE330072SEGME	2,540	adj glides	standard metal
programmable switch	22	24 x 48-72	2	BTKE324072SPGME	2,620	adj glides	standard metal
	28	30 x 48-72	2	BTKE330072SPGME	2,640	adj glides	standard metal
* top not included *tables over 60"L require the Kenna horizontal wire manager							
Kenna 120 degree 3 column: (2) T, (1) post base set							
							
basic up/down switch	22	24 x 48-60	2	BTKE124060SEGME	2,520	adj glides	standard metal
	28	30 x 48-60	2	BTKE130060SEGME	2,540	adj glides	standard metal
programmable switch	22	24 x 48-60	2	BTKE124060SPGME	2,620	adj glides	standard metal
	28	30 x 48-60	2	BTKE130060SPGME	2,640	adj glides	standard metal
* top not included							



SEG Single Stage Electric adj. 27" - 46" (Kenna)
DEG Dual Stage Electric adj. 24" - 48" (Kenna)
- basic up / down switch / undersurface mount
- adjustment speed 1.375" per second



SPG Single Stage Electric adj. 27" - 46" (Kenna)
DPG Dual Stage Electric adj. 24" - 48" (Kenna)
- programmable keypad / under surface mount
- 4 preset programmable heights
- shelf stop and container stop feature that will stop raising or lowering the worksurface if there are items above or below the worksurface that could impact the table
- digital display
- adjustment speed 1.375" per second

Kenna Standard metal powder coat finishes (ME)
Flat Black, Furniture White, Medium Tone, and Metallic Silver



Kenna horizontal wire manager connects between the two table legs under the table top, manages wires and supports the worksurface
*for 2 column versions only - not available for 3 column units, only available in a black finish
48"-66" tops use model **# OTWMHAT4866 $120 list**
66"-72" tops use **model # OTWMHAT6672 $170 list**
***required on tables over 60"**



Kenna 23.5" vertical column wire manager
-bolts into the independent beam and slides around the upper column
-allows wires to hang loose so the table can still go up and down while organizing them
-can be painted to match base color
model # OBTVWMKEN23 $70 list

Kenna weight capacity:
- maximum lifting load 200 lbs. for (2) T or C bases
- maximum lifting load 250 lbs 3 column configurations with (2) T bases + (1) post base

base	base dim.	max top support	base set qty	base set model no.	list	glides	finish
Matt II Electric height adjustable T							
Single Stage Electric							
basic up/down switch	23	24 x 48-72	2	BTMA224072SEGFB	1,350	adj glides	flat black
	23	24 x 48-72	2	BTMA224072SEGFW	1,350	adj glides	furniture white
	23	24 x 48-72	2	BTMA224072SEGMS	1,350	adj glides	metallic silver
	28	30 x 48-72	2	BTMA230072SEGFB	1,360	adj glides	flat black
	28	30 x 48-72	2	BTMA230072SEGFW	1,360	adj glides	furniture white
	28	30 x 48-72	2	BTMA230072SEGMS	1,360	adj glides	metallic silver
programmable switch	23	24 x 48-72	2	BTMA224072SPGFB	1,450	adj glides	flat black
	23	24 x 48-72	2	BTMA224072SPGFW	1,450	adj glides	furniture white
	23	24 x 48-72	2	BTMA224072SPGMS	1,450	adj glides	metallic silver
	28	30 x 48-72	2	BTMA230072SPGFB	1,460	adj glides	flat black
	28	30 x 48-72	2	BTMA230072SPGFW	1,460	adj glides	furniture white
	28	30 x 48-72	2	BTMA230072SPGMS	1,460	adj glides	metallic silver
basic up/down switch w/ sensor control	23	24 x 48-72	2	BTMA324072SEGFB	1,460	adj glides	flat black
	23	24 x 48-72	2	BTMA324072SEGFW	1,460	adj glides	furniture white
	23	24 x 48-72	2	BTMA324072SEGMS	1,460	adj glides	metallic silver
	28	30 x 48-72	2	BTMA330072SEGFB	1,470	adj glides	flat black
	28	30 x 48-72	2	BTMA330072SEGFW	1,470	adj glides	furniture white
	28	30 x 48-72	2	BTMA330072SEGMS	1,470	adj glides	metallic silver
programmable switch w/ sensor control	23	24 x 48-72	2	BTMA324072SPGFB	1,550	adj glides	flat black
	23	24 x 48-72	2	BTMA324072SPGFW	1,550	adj glides	furniture white
	23	24 x 48-72	2	BTMA324072SPGMS	1,550	adj glides	metallic silver
	28	30 x 48-72	2	BTMA330072SPGFB	1,570	adj glides	flat black
	28	30 x 48-72	2	BTMA330072SPGFW	1,570	adj glides	furniture white
	28	30 x 48-72	2	BTMA330072SPGMS	1,570	adj glides	metallic silver
Dual Stage Electric							
basic up/down switch	23	24 x 48-72	2	BTMA224072DEGFB	1,590	adj glides	flat black
	23	24 x 48-72	2	BTMA224072DEGFW	1,590	adj glides	furniture white
	23	24 x 48-72	2	BTMA224072DEGMS	1,590	adj glides	metallic silver
	28	30 x 48-72	2	BTMA230072DEGFB	1,600	adj glides	flat black
	28	30 x 48-72	2	BTMA230072DEGFW	1,600	adj glides	furniture white
	28	30 x 48-72	2	BTMA230072DEGMS	1,600	adj glides	metallic silver
programmable switch	23	24 x 48-72	2	BTMA224072DPGFB	1,690	adj glides	flat black
	23	24 x 48-72	2	BTMA224072DPGFW	1,690	adj glides	furniture white
	23	24 x 48-72	2	BTMA224072DPGMS	1,690	adj glides	metallic silver
	28	30 x 48-72	2	BTMA230072DPGFB	1,700	adj glides	flat black
	28	30 x 48-72	2	BTMA230072DPGFW	1,700	adj glides	furniture white
	28	30 x 48-72	2	BTMA230072DPGMS	1,700	adj glides	metallic silver
basic up/down switch w/ sensor control	23	24 x 48-72	2	BTMA324072DEGFB	1,700	adj glides	flat black
	23	24 x 48-72	2	BTMA324072DEGFW	1,700	adj glides	furniture white
	23	24 x 48-72	2	BTMA324072DEGMS	1,700	adj glides	metallic silver
	28	30 x 48-72	2	BTMA330072DEGFB	1,710	adj glides	flat black
	28	30 x 48-72	2	BTMA330072DEGFW	1,710	adj glides	furniture white
	28	30 x 48-72	2	BTMA330072DEGMS	1,710	adj glides	metallic silver
programmable switch w/ sensor control	23	24 x 48-72	2	BTMA324072DPGFB	1,790	adj glides	flat black
	23	24 x 48-72	2	BTMA324072DPGFW	1,790	adj glides	furniture white
	23	24 x 48-72	2	BTMA324072DPGMS	1,790	adj glides	metallic silver
	28	30 x 48-72	2	BTMA330072DPGFB	1,810	adj glides	flat black
	28	30 x 48-72	2	BTMA330072DPGFW	1,810	adj glides	furniture white
	28	30 x 48-72	2	BTMA330072DPGMS	1,810	adj glides	metallic silver

* top not included



SEG Single Stage Electric adj. 26" - 45"
DEG Dual Stage Electric adj. 21.75" - 47.75"
- basic up / down switch / undersurface mount
- adjustment speed 1.375" per second



SPG Single Stage Electric adj. 26" - 45"
DPG Dual Stage Electric adj. 21.75" - 47.75"
-programmable keypad / under surface mount
-4 preset programmable heights
-digital display
-adjustment speed 1.375" per second

Matt II Standard metal finish options
FB Flat Black
FW Furniture White
MS Metallic Silver

Sensor control
Sensor - collision mitigation option significantly increases the safety of the height adjustable table. It detects collision when the table is moved and can significantly reduce damage to the table and the colliding object.

Matt II weight capacity:
- maximum lifting load 250 lbs. for (2) T bases (including the top)



bases

C fixed single column sets

Keller, Ria, Novi

base	base dim.	max top support	base set qty	base set model no.	glides or casters	standard (ME) finish list	(PO / PC) finish list
Keller	15	20 x 96	2	BCKEL20096SDG	adj glides	620	1,470
	22	24 x 96	2	BCKEL24096SDG	adj glides	670	1,520
	27	30 x 96	2	BCKEL30096SDG	adj glides	720	1,570
	15	20 x 96	2	BCKEL20096SDC	2" black hard casters	720	1,570
	22	24 x 96	2	BCKEL24096SDC	2" black hard casters	770	1,620
	27	30 x 96	2	BCKEL30096SDC	2" black hard casters	820	1,670
	15	20 x 96	2	BCKEL20096SDS	2" black soft casters	760	1,610
	22	24 x 96	2	BCKEL24096SDS	2" black soft casters	810	1,660
	27	30 x 96	2	BCKEL30096SDS	2" black soft casters	860	1,710
Ria	15	20 x 96	2	BCRIA20096SDG	adj glides	590	1,440
	22	24 x 96	2	BCRIA24096SDG	adj glides	620	1,470
	27	30 x 96	2	BCRIA30096SDG	adj glides	670	1,520
	15	20 x 96	2	BCRIA20096SDC	2" black hard casters	690	1,540
	22	24 x 96	2	BCRIA24096SDC	2" black hard casters	720	1,570
	27	30 x 96	2	BCRIA30096SDC	2" black hard casters	770	1,620
	15	20 x 96	2	BCRIA20096SDS	2" black soft casters	730	1,580
	22	24 x 96	2	BCRIA24096SDS	2" black soft casters	760	1,610
	27	30 x 96	2	BCRIA30096SDS	2" black soft casters	810	1,660
Novi	18	20 x 96	2	BCNOV20096SDG	adj glides	640	940
	22	24 x 96	2	BCNOV24096SDG	adj glides	660	960
	26	30 x 96	2	BCNOV30096SDG	adj glides	690	980
	18	20 x 96	2	BCNOV20096SDC	2" black locking casters	740	1,040
	22	24 x 96	2	BCNOV24096SDC	2" black locking casters	760	1,060
	26	30 x 96	2	BCNOV30096SDC	2" black locking casters	790	1,080
	18	20 x 96	2	BCNOV20096SDH	glides/concealed casters	780	n/a
	22	24 x 96	2	BCNOV24096SDH	glides/concealed casters	800	n/a
	26	30 x 96	2	BCNOV30096SDH	glides/concealed casters	830	n/a

C casters
2" black dual wheel locking hard casters (for carpet)

S casters (Keller/Ria)
2" black dual wheel locking soft casters (for hard floors)

H Novi hidden/concealed casters
one T base per set has glides, the other base has hidden/concealed casters (not available for polished finish)

Note that the fixed C bases cannot be spread more than 52" apart at center.

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

polished aluminum / chrome finish (PO) - Keller & Ria
polished chrome finish (PC) - Novi

bases

C fixed single column sets

Moto, Moto 2, Zoey II

base	base dim.	max top support	base set qty	base set model no.	glides or casters	standard (ME) finish list
Moto (3" column)	18	24 x 96	2	BCMOT24096SDG	adj glides	830
	22	30 x 96	2	BCMOT30096SDG	adj glides	870
	26	36 x 96	2	BCMOT36096SDG	adj glides	910
	18	24 x 96	2	BCMOT24096SDC	2" black locking casters	930
	22	30 x 96	2	BCMOT30096SDC	2" black locking casters	970
	26	36 x 96	2	BCMOT36096SDC	2" black locking casters	1,010
	18	24 x 96	2	BCMOT24096SDP	2" premium locking casters	970
	22	30 x 96	2	BCMOT30096SDP	2" premium locking casters	1,010
	26	36 x 96	2	BCMOT36096SDP	2" premium locking casters	1,050
Moto 2 (2" column)	18	24 x 96	2	BCMO224096SDG	adj glides	680
	22	30 x 96	2	BCMO230096SDG	adj glides	720
	26	36 x 96	2	BCMO236096SDG	adj glides	750
	18	24 x 96	2	BCMO224096SDC	2" black locking casters	780
	22	30 x 96	2	BCMO230096SDC	2" black locking casters	820
	26	36 x 96	2	BCMO236096SDC	2" black locking casters	850
	18	24 x 96	2	BCMO224096SDP	2" premium locking casters	820
	22	30 x 96	2	BCMO230096SDP	2" premium locking casters	860
	26	36 x 96	2	BCMO236096SDP	2" premium locking casters	890
Zoey II	18	20 x 96	2	BCZOS20096SDG	adj glides	590
	21	24 x 96	2	BCZOS24096SDG	adj glides	620
	27	30 x 96	2	BCZOS30096SDG	adj glides	670
	18	20 x 96	2	BCZOS20096SDC	3" black locking casters	690
	21	24 x 96	2	BCZOS24096SDC	3" black locking casters	720
	27	30 x 96	2	BCZOS30096SDC	3" black locking casters	770
	18	20 x 96	2	BCZOS20096SDP	3" premium locking casters	730
	21	24 x 96	2	BCZOS24096SDP	3" premium locking casters	760
	27	30 x 96	2	BCZOS30096SDP	3" premium locking casters	810

Wire mangement hole included in both columns for Zoey II single column

C casters
2" black dual wheel locking (Moto, Moto 2)
3" black dual wheel locking (Zoey)

P premium casters
2" silver/black dual wheel locking - (Moto, Moto 2)
3" white dual wheel locking (Zoey)

Note that the fixed C bases cannot be spread more than 52" apart at center.

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

bases

C nesting sets

Keller, Ria, Novi, Moto 2

base	base dim.	max top support	base set qty	base set model no.	glides or casters	standard (ME) finish list	polished (PO) finish list
Keller 	15	20 x 72	2	BCKEL20072NEG	adj glides	1,060	1,910
	22	24 x 72	2	BCKEL24072NEG	adj glides	1,110	1,960
	27	30 x 72	2	BCKEL30072NEG	adj glides	1,160	2,010
	15	20 x 72	2	BCKEL20072NEC	2" black hard casters	1,160	2,010
	22	24 x 72	2	BCKEL24072NEC	2" black hard casters	1,210	2,060
	27	30 x 72	2	BCKEL30072NEC	2" black hard casters	1,260	2,110
	15	20 x 72	2	BCKEL20072NES	2" black soft casters	1,200	2,050
	22	24 x 72	2	BCKEL24072NES	2" black soft casters	1,250	2,100
	27	30 x 72	2	BCKEL30072NES	2" black soft casters	1,300	2,150
Ria 	15	20 x 72	2	BCRIA20072NEG	adj glides	1,030	1,880
	22	24 x 72	2	BCRIA24072NEG	adj glides	1,060	1,910
	27	30 x 72	2	BCRIA30072NEG	adj glides	1,110	1,960
	15	20 x 72	2	BCRIA20072NEC	2" black hard casters	1,130	1,980
	22	24 x 72	2	BCRIA24072NEC	2" black hard casters	1,160	2,010
	27	30 x 72	2	BCRIA30072NEC	2" black hard casters	1,210	2,060
	15	20 x 72	2	BCRIA20072NES	2" black soft casters	1,170	2,020
	22	24 x 72	2	BCRIA24072NES	2" black soft casters	1,200	2,050
	27	30 x 72	2	BCRIA30072NES	2" black soft casters	1,250	2,100
Novi 	18	20 x 72	2	BCNOV20072NEG	adj glides	1,250	n/a
	22	24 x 72	2	BCNOV24072NEG	adj glides	1,280	n/a
	26	30 x 72	2	BCNOV30072NEG	adj glides	1,290	n/a
	18	20 x 72	2	BCNOV20072NEC	2" black locking casters	1,350	n/a
	22	24 x 72	2	BCNOV24072NEC	2" black locking casters	1,380	n/a
	26	30 x 72	2	BCNOV30072NEC	2" black locking casters	1,390	n/a
	18	20 x 72	2	BCNOV20072NEH	glides/concealed casters	1,390	n/a
	22	24 x 72	2	BCNOV24072NEH	glides/concealed casters	1,420	n/a
	26	30 x 72	2	BCNOV30072NEH	glides/concealed casters	1,430	n/a




C casters
2" black dual wheel locking hard casters (for carpet)

S casters (Keller/Ria)
2" black dual wheel locking soft casters (for hard floors)

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

polished aluminum / chrome finish (PO) - Keller & Ria

Note that the Keller, Ria and Novi single column series bases do not have a beam and therefore the bases cannot be spread more than 52" apart at center.

base	base dim.	max top support	base set qty	base set model no.	glides or casters	standard (ME) finish list	polished (PO) finish list
Moto 2 with beam 	18	24 x 60	2	BCMO224060NBG	adj glides	1,550	n/a
	18	24 x 66	2	BCMO224066NBG	adj glides	1,590	n/a
	18	24 x 72	2	BCMO224072NBG	adj glides	1,580	n/a
	22	30 x 60	2	BCMO230060NBG	adj glides	1,580	n/a
	22	30 x 66	2	BCMO230066NBG	adj glides	1,630	n/a
	22	30 x 72	2	BCMO230072NBG	adj glides	1,590	n/a
	18	24 x 60	2	BCMO224060NBC	2" black locking casters	1,650	n/a
	18	24 x 66	2	BCMO224066NBC	2" black locking casters	1,690	n/a
	18	24 x 72	2	BCMO224072NBC	2" black locking casters	1,680	n/a
	22	30 x 60	2	BCMO230060NBC	2" black locking casters	1,680	n/a
	22	30 x 66	2	BCMO230066NBC	2" black locking casters	1,730	n/a
	22	30 x 72	2	BCMO230072NBC	2" black locking casters	1,690	n/a
	18	24 x 60	2	BCMO224060NBP	2" premium locking casters	1,690	n/a
	18	24 x 66	2	BCMO224066NBP	2" premium locking casters	1,730	n/a
	18	24 x 72	2	BCMO224072NBP	2" premium locking casters	1,720	n/a
	22	30 x 60	2	BCMO230060NBP	2" premium locking casters	1,720	n/a
	22	30 x 66	2	BCMO230066NBP	2" premium locking casters	1,770	n/a
	22	30 x 72	2	BCMO230072NBP	2" premium locking casters	1,730	n/a



C casters
2" black dual wheel locking (Moto 2)

P premium casters
2" silver/black dual wheel locking (Moto 2)

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

* Additional beam lengths are available, contact Symphony for pricing

bases

C nesting sets

Zoey II

base	base dim.	max top support	base set qty	base set model no.	glides or casters	standard (ME) finish list
Zoey II with beam 	18	20 x 36	2	BCZOS20036NBC	3" black locking casters	1,270
	21	24 x 36	2	BCZOS24036NBC	3" black locking casters	1,290
	27	30 x 36	2	BCZOS30036NBC	3" black locking casters	1,330
	18	20 x 48	2	BCZOS20048NBC	3" black locking casters	1,290
	21	24 x 48	2	BCZOS24048NBC	3" black locking casters	1,310
	27	30 x 48	2	BCZOS30048NBC	3" black locking casters	1,350
	18	20 x 54	2	BCZOS20054NBC	3" black locking casters	1,320
	21	24 x 54	2	BCZOS24054NBC	3" black locking casters	1,340
	27	30 x 54	2	BCZOS30054NBC	3" black locking casters	1,380
	18	20 x 60	2	BCZOS20060NBC	3" black locking casters	1,390
	21	24 x 60	2	BCZOS24060NBC	3" black locking casters	1,410
	27	30 x 60	2	BCZOS30060NBC	3" black locking casters	1,430
	18	20 x 66	2	BCZOS20066NBC	3" black locking casters	1,430
	21	24 x 66	2	BCZOS24066NBC	3" black locking casters	1,470
	27	30 x 66	2	BCZOS30066NBC	3" black locking casters	1,500
	18	20 x 72	2	BCZOS20072NBC	3" black locking casters	1,410
	21	24 x 72	2	BCZOS24072NBC	3" black locking casters	1,430
	27	30 x 72	2	BCZOS30072NBC	3" black locking casters	1,450
	18	20 x 84	2	BCZOS20084NBC	3" black locking casters	1,430
	21	24 x 84	2	BCZOS24084NBC	3" black locking casters	1,450
	27	30 x 84	2	BCZOS30084NBC	3" black locking casters	1,470
	18	20 x 96	2	BCZOS20096NBC	3" black locking casters	1,450
	21	24 x 96	2	BCZOS24096NBC	3" black locking casters	1,470
	27	30 x 96	2	BCZOS30096NBC	3" black locking casters	1,490
	18	20 x 36	2	BCZOS20036NBP	3" premium locking casters	1,310
	21	24 x 36	2	BCZOS24036NBP	3" premium locking casters	1,330
	27	30 x 36	2	BCZOS30036NBP	3" premium locking casters	1,370
	18	20 x 48	2	BCZOS20048NBP	3" premium locking casters	1,330
	21	24 x 48	2	BCZOS24048NBP	3" premium locking casters	1,350
	27	30 x 48	2	BCZOS30048NBP	3" premium locking casters	1,390
	18	20 x 54	2	BCZOS20054NBP	3" premium locking casters	1,360
	21	24 x 54	2	BCZOS24054NBP	3" premium locking casters	1,380
	27	30 x 54	2	BCZOS30054NBP	3" premium locking casters	1,420
	18	20 x 60	2	BCZOS20060NBP	3" premium locking casters	1,430
	21	24 x 60	2	BCZOS24060NBP	3" premium locking casters	1,450
	27	30 x 60	2	BCZOS30060NBP	3" premium locking casters	1,470
	18	20 x 66	2	BCZOS20066NBP	3" premium locking casters	1,470
	21	24 x 66	2	BCZOS24066NBP	3" premium locking casters	1,510
	27	30 x 66	2	BCZOS30066NBP	3" premium locking casters	1,540
	18	20 x 72	2	BCZOS20072NBP	3" premium locking casters	1,450
	21	24 x 72	2	BCZOS24072NBP	3" premium locking casters	1,470
	27	30 x 72	2	BCZOS30072NBP	3" premium locking casters	1,490
	18	20 x 84	2	BCZOS20084NBP	3" premium locking casters	1,470
	21	24 x 84	2	BCZOS24084NBP	3" premium locking casters	1,490
	27	30 x 84	2	BCZOS30084NBP	3" premium locking casters	1,510
	18	20 x 96	2	BCZOS20096NBP	3" premium locking casters	1,490
	21	24 x 96	2	BCZOS24096NBP	3" premium locking casters	1,510
	27	30 x 96	2	BCZOS30096NBP	3" premium locking casters	1,530



Wire mangement hole included in both columns for Zoey II single column C bases.



C casters
2" black dual wheel locking (Moto 2)
3" black dual wheel locking (Zoey)

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

bases

C adjustable height sets

Keller, Ria, Novi, Moto, Kenna

base		base dim.	max top support	base set qty	base set model no.	list	glides or casters	finish
Keller	spring clip	15	20 x 72	2	BCKEL20072SSGME	920	adj glides	standard metal
		22	24 x 72	2	BCKEL24072SSGME	970	adj glides	standard metal
		27	30 x 72	2	BCKEL30072SSGME	1,020	adj glides	standard metal
		15	20 x 72	2	BCKEL20072SSCME	1,020	2" black hard casters	standard metal
		22	24 x 72	2	BCKEL24072SSCME	1,070	2" black hard casters	standard metal
		27	30 x 72	2	BCKEL30072SSCME	1,120	2" black hard casters	standard metal
		15	20 x 72	2	BCKEL20072SSSME	1,060	2" black soft casters	standard metal
		22	24 x 72	2	BCKEL24072SSSME	1,110	2" black soft casters	standard metal
		27	30 x 72	2	BCKEL30072SSSME	1,160	2" black soft casters	standard metal
Ria	spring clip	15	20 x 72	2	BCRIA20072SSGME	920	adj glides	standard metal
		22	24 x 72	2	BCRIA24072SSGME	950	adj glides	standard metal
		27	30 x 72	2	BCRIA30072SSGME	1,010	adj glides	standard metal
		15	20 x 72	2	BCRIA20072SSCME	1,020	2" black hard casters	standard metal
		22	24 x 72	2	BCRIA24072SSCME	1,050	2" black hard casters	standard metal
		27	30 x 72	2	BCRIA30072SSCME	1,110	2" black hard casters	standard metal
		15	20 x 72	2	BCRIA20072SSSME	1,060	2" black soft casters	standard metal
		22	24 x 72	2	BCRIA24072SSSME	1,090	2" black soft casters	standard metal
		27	30 x 72	2	BCRIA30072SSSME	1,150	2" black soft casters	standard metal
Novi	spring clip	18	20 x 72	2	BCNOV20072SSGME	960	adj glides	standard metal
		22	24 x 72	2	BCNOV24072SSGME	990	adj glides	standard metal
		26	30 x 72	2	BCNOV30072SSGME	1,010	adj glides	standard metal
		18	20 x 72	2	BCNOV20072SSCME	1,060	2" black locking casters	standard metal
		22	24 x 72	2	BCNOV24072SSCME	1,090	2" black locking casters	standard metal
		26	30 x 72	2	BCNOV30072SSCME	1,110	2" black locking casters	standard metal
Moto crank (3" column)		18	24 x 72	2	BCMOT24072S__GME	1,530	adj glides	standard metal
		22	30 x 72	2	BCMOT30072S__GME	1,540	adj glides	standard metal
		26	36 x 72	2	BCMOT36072S__GME	1,600	adj glides	standard metal
		18	24 x 72	2	BCMOT24072S__CME	1,630	2" black locking casters	standard metal
		22	30 x 72	2	BCMOT30072S__CME	1,640	2" black locking casters	standard metal
		26	36 x 72	2	BCMOT36072S__CME	1,700	2" black locking casters	standard metal
		18	24 x 72	2	BCMOT24072S__PME	1,670	2" premium locking casters	standard metal
		22	30 x 72	2	BCMOT30072S__PME	1,680	2" premium locking casters	standard metal
		26	36 x 72	2	BCMOT36072S__PME	1,740	2" premium locking casters	standard metal
Kenna Single Stage Electric								
	basic up/down switch	22	24 x 48-72	2	BCKEN24072SEGME	1,430	adj glides	standard metal
		28	30 x 48-72	2	BCKEN30072SEGME	1,480	adj glides	standard metal
	programmable switch	22	24 x 48-72	2	BCKEN24072SPGME	1,570	adj glides	standard metal
		28	30 x 48-72	2	BCKEN30072SPGME	1,590	adj glides	standard metal

*top not included

For complete crank height base model number:
1. Insert crank height range selection:
CE extended range (26"-43.75" with glides) - casters add 2"
CM middle range (23.75"-37" with glides) - casters add 2"
CS short range (19.75"-30.5" with glides) - casters add 2"

Moto adj ht metal powder coat finishes:
Flat Black, Moto White**, and Metallic Silver

** Note that Moto White is a shade off and a little creamier than Furniture White.

C casters
2" black dual wheel locking hard casters (for carpet)
S casters (Keller/Ria)
2" black dual wheel locking soft casters (for hard floors)

Standard metal powder coat finishes (Keller, Ria, Novi)
Champagne, Flat Black, Furniture White, Medium Tone, and Metallic Silver

*** Moto adjustable height bases are only available in Flat Black, Moto White, and Metallic Silver.*

S Spring clip height adjustment
24.75" - 33.75" height range (Ria, Keller, Novi)
six heights in 1" increments
available for C base tables up to 30" deep

C Crank adjustment (Moto)
3 height ranges available, note that casters add 2" to the overall height
-screw thread adjustment with infinite stop positions
-adjust with manual crank handle which slides under table when not in use
-maximum lifting load 225 lbs for two columns (C base set)

Standard metal powder coat finishes (Kenna)
Flat Black, Furniture White, Medium Tone, and Metallic Silver

SEG Single Stage Electric adj. 27" - 46" (Kenna)
- basic up / down switch / undersurface mount
- adjustment speed 1.375" per second

SPG Single Stage Electric adj. 27" - 46" (Kenna)
-programmable keypad / under surface mount
-4 preset programmable heights
-shelf stop and container stop feature that will stop raising or lowering the worksurface if there are items above or below the worksurface that could impact the table
-digital display
- adjustment speed 1.375" per second

Kenna weight capacity: maximum lifting load 200 lbs. for (2) C bases

bases

C adjustable height sets

Matt II

base	base dim.	max top support	base set qty	base set model no.	list	glides	finish
Matt II Electric height adjustable C							
Single Stage Electric							
basic up/down switch	23	24 x 48-72	2	BCMA224072SEGFB	1,350	adj glides	flat black
	23	24 x 48-72	2	BCMA224072SEGFW	1,350	adj glides	furniture white
	23	24 x 48-72	2	BCMA224072SEGMS	1,350	adj glides	metallic silver
	28	30 x 48-72	2	BCMA230072SEGFB	1,360	adj glides	flat black
	28	30 x 48-72	2	BCMA230072SEGFW	1,360	adj glides	furniture white
	28	30 x 48-72	2	BCMA230072SEGMS	1,360	adj glides	metallic silver
programmable switch	23	24 x 48-72	2	BCMA224072SPGFB	1,450	adj glides	flat black
	23	24 x 48-72	2	BCMA224072SPGFW	1,450	adj glides	furniture white
	23	24 x 48-72	2	BCMA224072SPGMS	1,450	adj glides	metallic silver
	28	30 x 48-72	2	BCMA230072SPGFB	1,460	adj glides	flat black
	28	30 x 48-72	2	BCMA230072SPGFW	1,460	adj glides	furniture white
	28	30 x 48-72	2	BCMA230072SPGMS	1,460	adj glides	metallic silver
basic up/down switch w/ sensor control	23	24 x 48-72	2	BCMA324072SEGFB	1,460	adj glides	flat black
	23	24 x 48-72	2	BCMA324072SEGFW	1,460	adj glides	furniture white
	23	24 x 48-72	2	BCMA324072SEGMS	1,460	adj glides	metallic silver
	28	30 x 48-72	2	BCMA330072SEGFB	1,470	adj glides	flat black
	28	30 x 48-72	2	BCMA330072SEGFW	1,470	adj glides	furniture white
	28	30 x 48-72	2	BCMA330072SEGMS	1,470	adj glides	metallic silver
programmable switch w/ sensor control	23	24 x 48-72	2	BCMA324072SPGFB	1,550	adj glides	flat black
	23	24 x 48-72	2	BCMA324072SPGFW	1,550	adj glides	furniture white
	23	24 x 48-72	2	BCMA324072SPGMS	1,550	adj glides	metallic silver
	28	30 x 48-72	2	BCMA330072SPGFB	1,570	adj glides	flat black
	28	30 x 48-72	2	BCMA330072SPGFW	1,570	adj glides	furniture white
	28	30 x 48-72	2	BCMA330072SPGMS	1,570	adj glides	metallic silver
Dual Stage Electric							
basic up/down switch	23	24 x 48-72	2	BCMA224072DEGFB	1,590	adj glides	flat black
	23	24 x 48-72	2	BCMA224072DEGFW	1,590	adj glides	furniture white
	23	24 x 48-72	2	BCMA224072DEGMS	1,590	adj glides	metallic silver
	28	30 x 48-72	2	BCMA230072DEGFB	1,600	adj glides	flat black
	28	30 x 48-72	2	BCMA230072DEGFW	1,600	adj glides	furniture white
	28	30 x 48-72	2	BCMA230072DEGMS	1,600	adj glides	metallic silver
programmable switch	23	24 x 48-72	2	BCMA224072DPGFB	1,690	adj glides	flat black
	23	24 x 48-72	2	BCMA224072DPGFW	1,690	adj glides	furniture white
	23	24 x 48-72	2	BCMA224072DPGMS	1,690	adj glides	metallic silver
	28	30 x 48-72	2	BCMA230072DPGFB	1,700	adj glides	flat black
	28	30 x 48-72	2	BCMA230072DPGFW	1,700	adj glides	furniture white
	28	30 x 48-72	2	BCMA230072DPGMS	1,700	adj glides	metallic silver
basic up/down switch w/ sensor control	23	24 x 48-72	2	BCMA324072DEGFB	1,700	adj glides	flat black
	23	24 x 48-72	2	BCMA324072DEGFW	1,700	adj glides	furniture white
	23	24 x 48-72	2	BCMA324072DEGMS	1,700	adj glides	metallic silver
	28	30 x 48-72	2	BCMA330072DEGFB	1,710	adj glides	flat black
	28	30 x 48-72	2	BCMA330072DEGFW	1,710	adj glides	furniture white
	28	30 x 48-72	2	BCMA330072DEGMS	1,710	adj glides	metallic silver
programmable switch w/ sensor control	23	24 x 48-72	2	BCMA324072DPGFB	1,790	adj glides	flat black
	23	24 x 48-72	2	BCMA324072DPGFW	1,790	adj glides	furniture white
	23	24 x 48-72	2	BCMA324072DPGMS	1,790	adj glides	metallic silver
	28	30 x 48-72	2	BCMA330072DPGFB	1,810	adj glides	flat black
	28	30 x 48-72	2	BCMA330072DPGFW	1,810	adj glides	furniture white
	28	30 x 48-72	2	BCMA330072DPGMS	1,810	adj glides	metallic silver

* top not included

SEG Single Stage Electric adj. 26" - 45"
DEG Dual Stage Electric adj. 21.75" - 47.75"
- basic up / down switch / undersurface mount
- adjustment speed 1.375" per second

SPG Single Stage Electric adj. 26" - 45"
DPG Dual Stage Electric adj. 21.75" - 47.75"
-programmable keypad / under surface mount
-4 preset programmable heights
-digital display
-adjustment speed 1.375" per second

Matt Standard metal finish options
FB Flat Black
FW Furniture White
MS Metallic Silver

Sensor control
Sensor - collision mitigation option significantly increases the safety of the height adjustable table. It detects collision when the table is moved and can significantly reduce damage to the table and the colliding object.

Matt weight capacity:
- maximum lifting load 250 lbs. for (2) C bases (including the top)

bases
X fixed
Keller

base		base dim.	max top support	base qty	base model no.	glides or casters	standard (ME) finish list	polished (PO) finish list
Keller	27.75"H X	20 x 20	24 x 24, 24 rd	1	BXKEL24024SDG	adj glides	530	1,000
		26 x 26	30 x 30, 36 rd	1	BXKEL30030SDG	adj glides	590	1,060
		33 x 33	36 x 36, 42 rd	1	BXKEL36036SDG	adj glides	660	1,130
		38 x 38	42 x 42, 48 rd	1	BXKEL42042SDG	adj glides	790	1,260
		20 x 20	24 x 24, 24 rd	1	BXKEL24024SDC	2" black hard casters	630	1,100
		26 x 26	30 x 30, 36 rd	1	BXKEL30030SDC	2" black hard casters	690	1,160
		33 x 33	36 x 36, 42 rd	1	BXKEL36036SDC	2" black hard casters	760	1,230
		38 x 38	42 x 42, 48 rd	1	BXKEL42042SDC	2" black hard casters	890	1,360
		20 x 20	24 x 24, 24 rd	1	BXKEL24024SDS	2" black soft casters	670	1,140
		26 x 26	30 x 30, 36 rd	1	BXKEL30030SDS	2" black soft casters	730	1,200
		33 x 33	36 x 36, 42 rd	1	BXKEL36036SDS	2" black soft casters	800	1,270
		38 x 38	42 x 42, 48 rd	1	BXKEL42042SDS	2" black soft casters	930	1,400



For complete custom lower height or custom higher height base model number:
1. Insert height selection:
SB bar height (40.75"H)
SH custom Higher fixed height - specify height
SL custom Lower fixed height - specify height

	bar or custom height	20 x 20	24 x 24, 24 rd	1	BXKEL24024_ _G	adj glides	630	1,350
		26 x 26	30 x 30, 36 rd	1	BXKEL30030_ _G	adj glides	690	1,410
		33 x 33	36 x 36, 42 rd	1	BXKEL36036_ _G	adj glides	760	1,480
		38 x 38	42 x 42, 48 rd	1	BXKEL42042_ _G	adj glides	890	1,610
		20 x 20	24 x 24, 24 rd	1	BXKEL24024_ _C	2" black hard casters	730	1,450
		26 x 26	30 x 30, 36 rd	1	BXKEL30030_ _C	2" black hard casters	790	1,510
		33 x 33	36 x 36, 42 rd	1	BXKEL36036_ _C	2" black hard casters	860	1,580
		38 x 38	42 x 42, 48 rd	1	BXKEL42042_ _C	2" black hard casters	990	1,710
		20 x 20	24 x 24, 24 rd	1	BXKEL24024_ _S	2" black soft casters	770	1,490
		26 x 26	30 x 30, 36 rd	1	BXKEL30030_ _S	2" black soft casters	830	1,550
		33 x 33	36 x 36, 42 rd	1	BXKEL36036_ _S	2" black soft casters	900	1,620
		38 x 38	42 x 42, 48 rd	1	BXKEL42042_ _S	2" black soft casters	1,030	1,750
Keller	27.75"H offset X	20 x 26	24 x 30	1	BXKEL24030SDG	adj glides	590	1,060
		20 x 33	24 x 36	1	BXKEL24036SDG	adj glides	620	1,090
		20 x 38	24 x 42	1	BXKEL24042SDG	adj glides	740	1,210
		26 x 33	30 x 36	1	BXKEL30036SDG	adj glides	650	1,120
		26 x 38	30 x 42	1	BXKEL30042SDG	adj glides	770	1,240
		33 x 38	36 x 42	1	BXKEL36042SDG	adj glides	780	1,250
		20 x 26	24 x 30	1	BXKEL24030SDC	2" black hard casters	690	1,160
		20 x 33	24 x 36	1	BXKEL24036SDC	2" black hard casters	720	1,190
		20 x 38	24 x 42	1	BXKEL24042SDC	2" black hard casters	840	1,310
		26 x 33	30 x 36	1	BXKEL30036SDC	2" black hard casters	750	1,220
		26 x 38	30 x 42	1	BXKEL30042SDC	2" black hard casters	870	1,340
		33 x 38	36 x 42	1	BXKEL36042SDC	2" black hard casters	880	1,350
		20 x 26	24 x 30	1	BXKEL24030SDS	2" black soft casters	730	1,200
		20 x 33	24 x 36	1	BXKEL24036SDS	2" black soft casters	760	1,230
		20 x 38	24 x 42	1	BXKEL24042SDS	2" black soft casters	880	1,350
		26 x 33	30 x 36	1	BXKEL30036SDS	2" black soft casters	790	1,260
		26 x 38	30 x 42	1	BXKEL30042SDS	2" black soft casters	910	1,380
		33 x 38	36 x 42	1	BXKEL36042SDS	2" black soft casters	920	1,390





C casters
2" black dual wheel locking hard casters (for carpet)

S casters
2" black dual wheel locking soft casters (for hard floors)

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

polished aluminum / chrome finish (PO) - Keller & Ria



Power module cone shaped top plate - **#OBXWMPCC $350 list**
metal cone-shaped top plate conceals and protects center mounted power module in surface.
Concealed wires exit down inside the base column and out at the bottom of the base column.
Available for single column Keller and Ria X bases

Note that the cone cannot be made with the polished finish, black or white paint is available for the cone with a polished base. The Circo power unit can be used with this cone wire manager.

Wire management hole set (2) in column - **#OBTWMH2G $50 list**
each hole is 1.25" x 2.25". Removeable grommets narrows hole to 1.25' diameter
Available for single column Keller and Ria X bases
Note that the wire management grommet cannot be made with the polished finish

bases
X fixed
Ria

base		base dim.	max top support	base qty	base model no.	glides or casters	standard (ME) finish list	polished (PO) finish list
Ria	27.75"H X	20 x 20	24 x 24, 24 rd	1	BXRIA24024SDG	adj glides	500	980
		26 x 26	30 x 30, 36 rd	1	BXRIA30030SDG	adj glides	550	1,030
		33 x 33	36 x 36, 42 rd	1	BXRIA36036SDG	adj glides	630	1,110
		38 x 38	42 x 42, 48 rd	1	BXRIA42042SDG	adj glides	750	1,230
		20 x 20	24 x 24, 24 rd	1	BXRIA24024SDC	2" black hard casters	600	1,080
		26 x 26	30 x 30, 36 rd	1	BXRIA30030SDC	2" black hard casters	650	1,130
		33 x 33	36 x 36, 42 rd	1	BXRIA36036SDC	2" black hard casters	730	1,210
		38 x 38	42 x 42, 48 rd	1	BXRIA42042SDC	2" black hard casters	850	1,330
		20 x 20	24 x 24, 24 rd	1	BXRIA24024SDS	2" black soft casters	640	1,120
		26 x 26	30 x 30, 36 rd	1	BXRIA30030SDS	2" black soft casters	690	1,170
		33 x 33	36 x 36, 42 rd	1	BXRIA36036SDS	2" black soft casters	770	1,250
		38 x 38	42 x 42, 48 rd	1	BXRIA42042SDS	2" black soft casters	890	1,370



For complete custom lower height or custom higher height base model number:
1. Insert height selection:
SB bar height (40.75"H)
SH custom Higher fixed height - specify height
SL custom Lower fixed height - specify height

	bar or custom height	20 x 20	24 x 24, 24 rd	1	BXRIA24024_ _G	adj glides	600	1,220
		26 x 26	30 x 30, 36 rd	1	BXRIA30030_ _G	adj glides	650	1,270
		33 x 33	36 x 36, 42 rd	1	BXRIA36036_ _G	adj glides	730	1,350
		38 x 38	42 x 42, 48 rd	1	BXRIA42042_ _G	adj glides	850	1,470
		20 x 20	24 x 24, 24 rd	1	BXRIA24024_ _C	2" black hard casters	700	1,320
		26 x 26	30 x 30, 36 rd	1	BXRIA30030_ _C	2" black hard casters	750	1,370
		33 x 33	36 x 36, 42 rd	1	BXRIA36036_ _C	2" black hard casters	830	1,450
		38 x 38	42 x 42, 48 rd	1	BXRIA42042_ _C	2" black hard casters	950	1,570
		20 x 20	24 x 24, 24 rd	1	BXRIA24024_ _S	2" black soft casters	740	1,360
		26 x 26	30 x 30, 36 rd	1	BXRIA30030_ _S	2" black soft casters	790	1,410
		33 x 33	36 x 36, 42 rd	1	BXRIA36036_ _S	2" black soft casters	870	1,490
		38 x 38	42 x 42, 48 rd	1	BXRIA42042_ _S	2" black soft casters	990	1,610
Ria	27.75"H offset X	20 x 26	24 x 30	1	BXRIA24030SDG	adj glides	530	1,010
		20 x 33	24 x 36	1	BXRIA24036SDG	adj glides	580	1,060
		20 x 38	24 x 42	1	BXRIA24042SDG	adj glides	660	1,140
		26 x 33	30 x 36	1	BXRIA30036SDG	adj glides	600	1,080
		26 x 38	30 x 42	1	BXRIA30042SDG	adj glides	670	1,150
		33 x 38	36 x 42	1	BXRIA36042SDG	adj glides	690	1,170
		20 x 26	24 x 30	1	BXRIA24030SDC	2" black hard casters	630	1,110
		20 x 33	24 x 36	1	BXRIA24036SDC	2" black hard casters	680	1,160
		20 x 38	24 x 42	1	BXRIA24042SDC	2" black hard casters	760	1,240
		26 x 33	30 x 36	1	BXRIA30036SDC	2" black hard casters	700	1,180
		26 x 38	30 x 42	1	BXRIA30042SDC	2" black hard casters	770	1,250
		33 x 38	36 x 42	1	BXRIA36042SDC	2" black hard casters	790	1,270
		20 x 26	24 x 30	1	BXRIA24030SDS	2" black soft casters	670	1,150
		20 x 33	24 x 36	1	BXRIA24036SDS	2" black soft casters	720	1,200
		20 x 38	24 x 42	1	BXRIA24042SDS	2" black soft casters	800	1,280
		26 x 33	30 x 36	1	BXRIA30036SDS	2" black soft casters	740	1,220
		26 x 38	30 x 42	1	BXRIA30042SDS	2" black soft casters	810	1,290
		33 x 38	36 x 42	1	BXRIA36042SDS	2" black soft casters	830	1,310





C casters
2" black dual wheel locking hard casters (for carpet)

S casters
2" black dual wheel locking soft casters (for hard floors)

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

polished aluminum / chrome finish (PO) - Keller & Ria



Power module cone shaped top plate - **#OBXWMPCC $350 list**
metal cone-shaped top plate conceals and protects center mounted power module in surface.
Concealed wires exit down inside the base column and out at the bottom of the base column.
Available for single column Keller and Ria X bases

Note that the cone cannot be made with the polished finish, black or white paint is available for the cone with a polished base. The Circo power unit can be used with this cone wire manager.

Wire management hole set (2) in column - **#OBTWMH2G $50 list**
each hole is 1.25" x 2.25". Removeable grommets narrows hole to 1.25' diameter
Available for single column Keller and Ria X bases
Note that the wire management grommet cannot be made with the polished finish

bases
X fixed
Novi

base		base dim.	max top support	base qty	base model no.	glides or casters	standard (**ME**) finish list	polished (**PC**) finish list
Novi fixed X	27.75"H	22 x 22	24 x 24, 24 rd	1	BXNOV24024SDG	adj glides	500	720
		26 x 26	30 x 30, 36 rd	1	BXNOV30030SDG	adj glides	510	730
		32 x 32	36 x 36, 42 rd	1	BXNOV36036SDG	adj glides	570	790
		38 x 38	42 x 42, 48 rd	1	BXNOV42042SDG	adj glides	640	860
		22 x 22	24 x 24, 24 rd	1	BXNOV24024SDC	2" black hard casters	600	820
		26 x 26	30 x 30, 36 rd	1	BXNOV30030SDC	2" black hard casters	610	830
		32 x 32	36 x 36, 42 rd	1	BXNOV36036SDC	2" black hard casters	670	890
		38 x 38	42 x 42, 48 rd	1	BXNOV42042SDC	2" black hard casters	740	960
		22 x 22	24 x 24, 24 rd	1	BXNOV24024SDS	2" black soft casters	640	860
		26 x 26	30 x 30, 36 rd	1	BXNOV30030SDS	2" black soft casters	650	870
		32 x 32	36 x 36, 42 rd	1	BXNOV36036SDS	2" black soft casters	710	930
		38 x 38	42 x 42, 48 rd	1	BXNOV42042SDS	2" black soft casters	780	1,000

For complete model number:
1. Insert height selection:
SB bar height (40.75"H)
SH custom Higher fixed height - specify height
SL custom Lower fixed height - specify height

Novi fixed X	22 x 22	24 x 24, 24 rd	1	BXNOV24024_ _G	adj glides	600	820
(specify height)	26 x 26	30 x 30, 36 rd	1	BXNOV30030_ _G	adj glides	610	830
	32 x 32	36 x 36, 42 rd	1	BXNOV36036_ _G	adj glides	670	890
	38 x 38	42 x 42, 48 rd	1	BXNOV42042_ _G	adj glides	740	960
	22 x 22	24 x 24, 24 rd	1	BXNOV24024_ _C	2" black hard casters	700	920
	26 x 26	30 x 30, 36 rd	1	BXNOV30030_ _C	2" black hard casters	710	930
	32 x 32	36 x 36, 42 rd	1	BXNOV36036_ _C	2" black hard casters	770	990
	38 x 38	42 x 42, 48 rd	1	BXNOV42042_ _C	2" black hard casters	840	1,060
	22 x 22	24 x 24, 24 rd	1	BXNOV24024_ _S	2" black soft casters	740	960
	26 x 26	30 x 30, 36 rd	1	BXNOV30030_ _S	2" black soft casters	750	970
	32 x 32	36 x 36, 42 rd	1	BXNOV36036_ _S	2" black soft casters	810	1,030
	38 x 38	42 x 42, 48 rd	1	BXNOV42042_ _S	2" black soft casters	880	1,100
Novi 27.75"h offset X	22 x 26	24 x 30	1	BXNOV24030SDG	adj glides	510	730
	26 x 36	30 x 42	1	BXNOV30042SDG	adj glides	560	780
	22 x 26	24 x 30	1	BXNOV24030SDC	2" black hard casters	610	830
	26 x 36	30 x 42	1	BXNOV30042SDC	2" black hard casters	660	880
	22 x 26	24 x 30	1	BXNOV24030SDS	2" black soft casters	650	870
	26 x 36	30 x 42	1	BXNOV30042SDS	2" black soft casters	700	920
Novi Scissor X - 27.75"H	26 x 26	24 x 36	1	BXNOS24036SDG	adj glides	540	760
	30 x 30	30 x 42	1	BXNOS30042SDG	adj glides	590	810
	32 x 32	30 x 48	1	BXNOS30048SDG	adj glides	610	830
	26 x 26	24 x 36	1	BXNOS24036SDC	2" black hard casters	640	860
	30 x 30	30 x 42	1	BXNOS30042SDC	2" black hard casters	690	910
	32 x 32	30 x 48	1	BXNOS30048SDC	2" black hard casters	710	930
	26 x 26	24 x 36	1	BXNOS24036SDS	2" black soft casters	680	900
	30 x 30	30 x 42	1	BXNOS30042SDS	2" black soft casters	730	950
	32 x 32	30 x 48	1	BXNOS30048SDS	2" black soft casters	750	970

For complete model number:
1. Insert height selection:
SB bar height (40.75"H)
SH custom Higher fixed height - specify height
SL custom Lower fixed height - specify height

Novi Scissor X	26 x 26	24 x 36	1	BXNOS24036__G	adj glides	640	860
(specify height)	30 x 30	30 x 42	1	BXNOS30042__G	adj glides	690	910
	32 x 32	30 x 48	1	BXNOS30048__G	adj glides	710	930
	26 x 26	24 x 36	1	BXNOS24036__C	2" black hard casters	740	960
	30 x 30	30 x 42	1	BXNOS30042__C	2" black hard casters	790	1,010
	32 x 32	30 x 48	1	BXNOS30048__C	2" black hard casters	810	1,030
	26 x 26	24 x 36	1	BXNOS24036__S	2" black soft casters	780	1,000
	30 x 30	30 x 42	1	BXNOS30042__S	2" black soft casters	830	1,050
	32 x 32	30 x 48	1	BXNOS30048__S	2" black soft casters	850	1,070

C casters
2" black dual wheel locking hard casters (for carpet)

S casters
2" black dual wheel locking soft casters (for hard floors)

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

polished chrome finish (PC) - Novi

bases
X fixed
Moto

base		base dim.	max top support	base qty	base model no.	glides or casters	standard (**ME**) finish list
Moto	27.75"H X	22 x 22	24 x 24, 30 rd	1	BXMOT24024SDG	adj glides	660
		26 x 26	30 x 30, 36 rd	1	BXMOT30030SDG	adj glides	700
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SDG	adj glides	760
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SDG	adj glides	780
		22 x 22	24 x 24, 30 rd	1	BXMOT24024SDC	2" black locking casters	760
		26 x 26	30 x 30, 36 rd	1	BXMOT30030SDC	2" black locking casters	800
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SDC	2" black locking casters	860
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SDC	2" black locking casters	880
		22 x 22	24 x 24, 30 rd	1	BXMOT24024SDP	2" premium locking casters	800
		26 x 26	30 x 30, 36 rd	1	BXMOT30030SDP	2" premium locking casters	840
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SDP	2" premium locking casters	900
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SDP	2" premium locking casters	920
	40.75"H X	22 x 22	24 x 24, 30 rd	1	BXMOT24024SBG	adj glides	760
		26 x 26	30 x 30, 36 rd	1	BXMOT30030SBG	adj glides	800
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SBG	adj glides	860
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SBG	adj glides	880
		22 x 22	24 x 24, 30 rd	1	BXMOT24024SBC	2" black locking casters	860
		26 x 26	30 x 30, 36 rd	1	BXMOT30030SBC	2" black locking casters	900
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SBC	2" black locking casters	960
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SBC	2" black locking casters	980
		22 x 22	24 x 24, 30 rd	1	BXMOT24024SBP	2" premium locking casters	900
		26 x 26	30 x 30, 36 rd	1	BXMOT30030SBP	2" premium locking casters	940
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SBP	2" premium locking casters	1,000
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SBP	2" premium locking casters	1,020
	custom higher height X	22 x 22	24 x 24, 30 rd	1	BXMOT24024SHG	adj glides	760
	(specify height)	26 x 26	30 x 30, 36 rd	1	BXMOT30030SHG	adj glides	800
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SHG	adj glides	860
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SHG	adj glides	880
		22 x 22	24 x 24, 30 rd	1	BXMOT24024SHC	2" black locking casters	860
		26 x 26	30 x 30, 36 rd	1	BXMOT30030SHC	2" black locking casters	900
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SHC	2" black locking casters	960
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SHC	2" black locking casters	980
		22 x 22	24 x 24, 30 rd	1	BXMOT24024SHP	2" premium locking casters	900
		26 x 26	30 x 30, 36 rd	1	BXMOT30030SHP	2" premium locking casters	940
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SHP	2" premium locking casters	1,000
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SHP	2" premium locking casters	1,020
	custom lower height X	22 x 22	24 x 24, 30 rd	1	BXMOT24024SLG	adj glides	760
	(specify height)	26 x 26	30 x 30, 36 rd	1	BXMOT30030SLG	adj glides	800
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SLG	adj glides	860
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SLG	adj glides	880
		22 x 22	24 x 24, 30 rd	1	BXMOT24024SLC	2" black locking casters	860
		26 x 26	30 x 30, 36 rd	1	BXMOT30030SLC	2" black locking casters	900
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SLC	2" black locking casters	960
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SLC	2" black locking casters	980
		22 x 22	24 x 24, 30 rd	1	BXMOT24024SLP	2" premium locking casters	900
		26 x 26	30 x 30, 36 rd	1	BXMOT30030SLP	2" premium locking casters	940
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SLP	2" premium locking casters	1,000
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SLP	2" premium locking casters	1,020

Casters (C)
2" black dual wheel locking

Premium Casters (P)
2" silver/black dual wheel locking

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

bases
X fixed
Zoey

base		base dim.	max top support	base qty	base model no.	glides or casters	standard (**ME**) finish list
Zoey	27.75"H X	21 x 21	24 x 24, 24 rd	1	BXZOE24024SDG	adj glides	620
		27 x 27	30 x 30, 36 rd	1	BXZOE30030SDG	adj glides	650
		33 x 33	36 x 36, 42 rd	1	BXZOE36036SDG	adj glides	690
		21 x 21	24 x 24, 24 rd	1	BXZOE24024SDC	3" black locking casters	720
		27 x 27	30 x 30, 36 rd	1	BXZOE30030SDC	3" black locking casters	750
		33 x 33	36 x 36, 42 rd	1	BXZOE36036SDC	3" black locking casters	790
		21 x 21	24 x 24, 24 rd	1	BXZOE24024SDP	3" premium locking casters	760
		27 x 27	30 x 30, 36 rd	1	BXZOE30030SDP	3" premium locking casters	790
		33 x 33	36 x 36, 42 rd	1	BXZOE36036SDP	3" premium locking casters	830
	40.75"H X	21 x 21	24 x 24, 24 rd	1	BXZOE24024SBG	adj glides	720
		27 x 27	30 x 30, 36 rd	1	BXZOE30030SBG	adj glides	750
		33 x 33	36 x 36, 42 rd	1	BXZOE36036SBG	adj glides	790
		21 x 21	24 x 24, 24 rd	1	BXZOE24024SBC	3" black locking casters	820
		27 x 27	30 x 30, 36 rd	1	BXZOE30030SBC	3" black locking casters	850
		33 x 33	36 x 36, 42 rd	1	BXZOE36036SBC	3" black locking casters	890
		21 x 21	24 x 24, 24 rd	1	BXZOE24024SBP	3" premium locking casters	860
		27 x 27	30 x 30, 36 rd	1	BXZOE30030SBP	3" premium locking casters	890
		33 x 33	36 x 36, 42 rd	1	BXZOE36036SBP	3" premium locking casters	930

For complete custom lower height or custom higher height base model number:
1. Insert height selection:
SH custom Higher fixed height - specify height
SL custom Lower fixed height - specify height

	custom height X	21 x 21	24 x 24, 24 rd	1	BXZOE24024_ _G	adj glides	720
		27 x 27	30 x 30, 36 rd	1	BXZOE30030_ _G	adj glides	750
		33 x 33	36 x 36, 42 rd	1	BXZOE36036_ _G	adj glides	790
		21 x 21	24 x 24, 24 rd	1	BXZOE24024_ _C	3" black locking casters	820
		27 x 27	30 x 30, 36 rd	1	BXZOE30030_ _C	3" black locking casters	850
		33 x 33	36 x 36, 42 rd	1	BXZOE36036_ _C	3" black locking casters	890
		21 x 21	24 x 24, 24 rd	1	BXZOE24024_ _P	3" premium locking casters	860
		27 x 27	30 x 30, 36 rd	1	BXZOE30030_ _P	3" premium locking casters	890
		33 x 33	36 x 36, 42 rd	1	BXZOE36036_ _P	3" premium locking casters	930
	27.75"H offset X	21 x 27	24 x 30	1	BXZOE24030SDG	adj glides	550
		27 x 33	30 x 36	1	BXZOE30036SDG	adj glides	600
		21 x 27	24 x 30	1	BXZOE24030SDC	3" black locking casters	650
		27 x 33	30 x 36	1	BXZOE30036SDC	3" black locking casters	700
		21 x 27	24 x 30	1	BXZOE24030SDP	3" premium locking casters	690
		27 x 33	30 x 36	1	BXZOE30036SDP	3" premium locking casters	740



Casters (C)
3" black dual wheel locking




Premium Casters (P)
3" white dual wheel locking

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

bases
four column X
Keller, Ria, Novi

base		base dim.	max top support	base qty	base model no.	glides or casters	standard (**ME**) finish list	polished (**PO**) finish list
Keller	27.75"H	38 x 38	48 x 48, 60 rd	1	BXKEL480484DG	adj glides	1,320	2,980
		46 x 46	54 x 54, 66 rd	1	BXKEL540544DG	adj glides	1,400	3,060
		58 x 58	60 x 60, 72 rd	1	BXKEL600604DG	adj glides	1,470	3,130
		38 x 38	48 x 48, 60 rd	1	BXKEL480484DC	2" black hard casters	1,420	3,080
		46 x 46	54 x 54, 66 rd	1	BXKEL540544DC	2" black hard casters	1,500	3,160
		58 x 58	60 x 60, 72 rd	1	BXKEL600604DC	2" black hard casters	1,570	3,230
		38 x 38	48 x 48, 60 rd	1	BXKEL480484DS	2" black soft casters	1,460	3,120
		46 x 46	54 x 54, 66 rd	1	BXKEL540544DS	2" black soft casters	1,540	3,200
		58 x 58	60 x 60, 72 rd	1	BXKEL600604DS	2" black soft casters	1,610	3,270
	custom taller height	38 x 38	48 x 48, 60 rd	1	BXKEL480484HG	adj glides	1,590	3,450
	(specify height)	46 x 46	54 x 54, 66 rd	1	BXKEL540544HG	adj glides	1,670	3,530
		58 x 58	60 x 60, 72 rd	1	BXKEL600604HG	adj glides	1,740	3,600
		38 x 38	48 x 48, 60 rd	1	BXKEL480484HC	2" black hard casters	1,690	3,550
		46 x 46	54 x 54, 66 rd	1	BXKEL540544HC	2" black hard casters	1,770	3,630
		58 x 58	60 x 60, 72 rd	1	BXKEL600604HC	2" black hard casters	1,840	3,700
		38 x 38	48 x 48, 60 rd	1	BXKEL480484HS	2" black soft casters	1,730	3,590
		46 x 46	54 x 54, 66 rd	1	BXKEL540544HS	2" black soft casters	1,810	3,670
		58 x 58	60 x 60, 72 rd	1	BXKEL600604HS	2" black soft casters	1,880	3,740
Ria	27.75"H	38 x 38	48 x 48, 60 rd	1	BXRIA480484DG	adj glides	1,260	2,920
		46 x 46	54 x 54, 66 rd	1	BXRIA540544DG	adj glides	1,340	3,000
		58 x 58	60 x 60, 72 rd	1	BXRIA600604DG	adj glides	1,450	3,110
		38 x 38	48 x 48, 60 rd	1	BXRIA480484DC	2" black hard casters	1,360	3,020
		46 x 46	54 x 54, 66 rd	1	BXRIA540544DC	2" black hard casters	1,440	3,100
		58 x 58	60 x 60, 72 rd	1	BXRIA600604DC	2" black hard casters	1,550	3,210
		38 x 38	48 x 48, 60 rd	1	BXRIA480484DS	2" black soft casters	1,400	3,060
		46 x 46	54 x 54, 66 rd	1	BXRIA540544DS	2" black soft casters	1,480	3,140
		58 x 58	60 x 60, 72 rd	1	BXRIA600604DS	2" black soft casters	1,590	3,250
	custom taller height	38 x 38	48 x 48, 60 rd	1	BXRIA480484HG	adj glides	1,490	3,620
	(specify height)	46 x 46	54 x 54, 66 rd	1	BXRIA540544HG	adj glides	1,570	3,700
		58 x 58	60 x 60, 72 rd	1	BXRIA600604HG	adj glides	1,680	3,810
		38 x 38	48 x 48, 60 rd	1	BXRIA480484HC	2" black hard casters	1,590	3,720
		46 x 46	54 x 54, 66 rd	1	BXRIA540544HC	2" black hard casters	1,670	3,800
		58 x 58	60 x 60, 72 rd	1	BXRIA600604HC	2" black hard casters	1,780	3,910
		38 x 38	48 x 48, 60 rd	1	BXRIA480484HS	2" black soft casters	1,630	3,760
		46 x 46	54 x 54, 66 rd	1	BXRIA540544HS	2" black soft casters	1,710	3,840
		58 x 58	60 x 60, 72 rd	1	BXRIA600604HS	2" black soft casters	1,820	3,950
Novi four column X		36 x 36	54 x 54, 60 rd	1	BXNOV540544DG	adj glides	950	n/a
27.75"H		36 x 36	54 x 54, 60 rd	1	BXNOV540544DC	2" black hard casters	1,080	n/a
		36 x 36	54 x 54, 60 rd	1	BXNOV540544DS	2" black soft casters	1,120	n/a
	custom taller height	36 x 36	54 x 54, 60 rd	1	BXNOV540544HG	adj glides	1,420	n/a
	(specify height)	36 x 36	54 x 54, 60 rd	1	BXNOV540544HC	2" black hard casters	1,540	n/a
		36 x 36	54 x 54, 60 rd	1	BXNOV540544HS	2" black soft casters	1,580	n/a



bases
flip X
Keller, Ria, Novi

base		base dim.	max top support	base qty	base model no.	glides or casters	standard (ME) finish list	polished (PO / PC) finish list
Keller	flip X	20 x 20	24 x 24, 24 rd	1	BXKEL24024FDG	adj glides	820	1,290
		26 x 26	30 x 30, 36 rd	1	BXKEL30030FDG	adj glides	880	1,350
		33 x 33	36 x 36, 42 rd	1	BXKEL36036FDG	adj glides	950	1,420
		38 x 38	42 x 42, 48 rd	1	BXKEL42042FDG	adj glides	1,070	1,540
		20 x 20	24 x 24, 24 rd	1	BXKEL24024FDC	2" black hard casters	920	1,390
		26 x 26	30 x 30, 36 rd	1	BXKEL30030FDC	2" black hard casters	980	1,450
		33 x 33	36 x 36, 42 rd	1	BXKEL36036FDC	2" black hard casters	1,050	1,520
		38 x 38	42 x 42	1	BXKEL42042FDC	2" black hard casters	1,170	1,640
		20 x 20	24 x 24, 24 rd	1	BXKEL24024FDS	2" black soft casters	960	1,430
		26 x 26	30 x 30, 36 rd	1	BXKEL30030FDS	2" black soft casters	1,020	1,490
		33 x 33	36 x 36, 42 rd	1	BXKEL36036FDS	2" black soft casters	1,090	1,560
		38 x 38	42 x 42	1	BXKEL42042FDS	2" black soft casters	1,210	1,680
Ria	flip X	20 x 20	24 x 24, 24 rd	1	BXRIA24024FDG	adj glides	760	1,240
		26 x 26	30 x 30, 36 rd	1	BXRIA30030FDG	adj glides	820	1,300
		33 x 33	36 x 36, 42 rd	1	BXRIA36036FDG	adj glides	900	1,380
		38 x 38	42 x 42, 48 rd	1	BXRIA42042FDG	adj glides	1,020	1,500
		20 x 20	24 x 24, 24 rd	1	BXRIA24024FDC	2" black hard casters	860	1,340
		26 x 26	30 x 30, 36 rd	1	BXRIA30030FDC	2" black hard casters	920	1,400
		33 x 33	36 x 36, 42 rd	1	BXRIA36036FDC	2" black hard casters	1,000	1,480
		38 x 38	42 x 42, 48 rd	1	BXRIA42042FDC	2" black hard casters	1,120	1,600
		20 x 20	24 x 24, 24 rd	1	BXRIA24024FDS	2" black soft casters	900	1,380
		26 x 26	30 x 30, 36 rd	1	BXRIA30030FDS	2" black soft casters	960	1,440
		33 x 33	36 x 36, 42 rd	1	BXRIA36036FDS	2" black soft casters	1,040	1,520
		38 x 38	42 x 42, 48 rd	1	BXRIA42042FDS	2" black soft casters	1,160	1,640
Novi	flip X	22 x 22	24 x 24, 24 rd	1	BXNOV24024FDG	adj glides	770	1,160
		26 x 26	30 x 30, 36 rd	1	BXNOV30030FDG	adj glides	830	1,210
		32 x 32	36 x 36, 42 rd	1	BXNOV36036FDG	adj glides	900	1,240
		22 x 22	24 x 24, 24 rd	1	BXNOV24024FDC	2" black locking casters	860	1,240
		26 x 26	30 x 30, 36 rd	1	BXNOV30030FDC	2" black locking casters	910	1,290
		32 x 32	36 x 36, 42 rd	1	BXNOV36036FDC	2" black locking casters	990	1,310
Moto	flip X	22 x 22	24 x 24, 30 rd	1	BXMOT24024FDG	adj glides	920	n/a
		26 x 26	30 x 30, 36 rd	1	BXMOT30030FDG	adj glides	980	n/a
		32 x 32	36 x 36, 42 rd	1	BXMOT36036FDG	adj glides	1,020	n/a
		22 x 22	24 x 24, 30 rd	1	BXMOT24024FDC	2" black locking casters	1,020	n/a
		26 x 26	30 x 30, 36 rd	1	BXMOT30030FDC	2" black locking casters	1,080	n/a
		32 x 32	36 x 36, 42 rd	1	BXMOT36036FDC	2" black locking casters	1,120	n/a
		22 x 22	24 x 24, 30 rd	1	BXMOT24024FDP	2" premium locking casters	1,060	n/a
		26 x 26	30 x 30, 36 rd	1	BXMOT30030FDP	2" premium locking casters	1,120	n/a
		32 x 32	36 x 36, 42 rd	1	BXMOT36036FDP	2" premium locking casters	1,160	n/a

C casters
2" black dual wheel locking hard casters (for carpet)

S casters (Keller & Ria)
2" black dual wheel locking soft casters (for hard floors)

Premium Casters (P):
2" silver/black dual wheel locking (Moto)

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

polished aluminum / chrome finish (PO) - Keller & Ria
polished chrome finish (PC) - Novi

bases
nesting flip X
Ria

base		base dim.	max top support	base qty	base model no.	glides or casters	standard (ME) finish list	polished (PO) finish list
Ria	nesting flip X	20 x 20	24 x 24, 24 rd	1	BXRIA24024NEG	adj glides	950	1,430
		26 x 26	30 x 30, 30 rd	1	BXRIA30030NEG	adj glides	1,010	1,490
		33 x 33	36 x 36, 36 rd	1	BXRIA36036NEG	adj glides	1,090	1,570
		20 x 20	24 x 24, 24 rd	1	BXRIA24024NEC	2" black hard casters	1,050	1,530
		26 x 26	30 x 30, 30 rd	1	BXRIA30030NEC	2" black hard casters	1,110	1,590
		33 x 33	36 x 36, 36 rd	1	BXRIA36036NEC	2" black hard casters	1,190	1,670
		20 x 20	24 x 24, 24 rd	1	BXRIA24024NES	2" black soft casters	1,090	1,570
		26 x 26	30 x 30, 30 rd	1	BXRIA30030NES	2" black soft casters	1,150	1,630
		33 x 33	36 x 36, 36 rd	1	BXRIA36036NES	2" black soft casters	1,230	1,710
	nesting flip offset X	20 x 26	24 x 30	1	BXRIA24030NEG	adj glides	1,010	1,490
		20 x 33	24 x 36	1	BXRIA24036NEG	adj glides	1,090	1,570
		20 x 26	24 x 30	1	BXRIA24030NEC	2" black hard casters	1,110	1,590
		20 x 33	24 x 36	1	BXRIA24036NEC	2" black hard casters	1,190	1,670
		20 x 26	24 x 30	1	BXRIA24030NES	2" black soft casters	1,150	1,630
		20 x 33	24 x 36	1	BXRIA24036NES	2" black soft casters	1,230	1,710

C casters
2" black dual wheel locking hard casters (for carpet)

S casters (Keller & Ria)
2" black dual wheel locking soft casters (for hard floors)

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

polished aluminum / chrome finish (PO) - Keller & Ria

bases

X adjustable height

Keller, Ria, Novi

base		base dim.	max top support	base qty	base model no.	glides or casters	list	finish
Keller	spring clip X	20 x 20	24 x 24, 24 rd	1	BXKEL24024SSGME	adj glides	850	standard metal
		26 x 26	30 x 30, 36 rd	1	BXKEL30030SSGME	adj glides	910	standard metal
		33 x 33	36 x 36, 42 rd	1	BXKEL36036SSGME	adj glides	980	standard metal
		20 x 20	24 x 24, 24 rd	1	BXKEL24024SSCME	2" black hard casters	950	standard metal
		26 x 26	30 x 30, 36 rd	1	BXKEL30030SSCME	2" black hard casters	1,010	standard metal
		33 x 33	36 x 36, 42 rd	1	BXKEL36036SSCME	2" black hard casters	1,080	standard metal
		20 x 20	24 x 24, 24 rd	1	BXKEL24024SSSME	2" black soft casters	990	standard metal
		26 x 26	30 x 30, 36 rd	1	BXKEL30030SSSME	2" black soft casters	1,050	standard metal
		33 x 33	36 x 36, 42 rd	1	BXKEL36036SSSME	2" black soft casters	1,120	standard metal
Ria	spring clip X	20 x 20	24 x 24, 24 rd	1	BXRIA24024SSGME	adj glides	850	standard metal
		26 x 26	30 x 30, 36 rd	1	BXRIA30030SSGME	adj glides	900	standard metal
		33 x 33	36 x 36, 42 rd	1	BXRIA36036SSGME	adj glides	990	standard metal
		20 x 20	24 x 24, 24 rd	1	BXRIA24024SSCME	2" black hard casters	950	standard metal
		26 x 26	30 x 30, 36 rd	1	BXRIA30030SSCME	2" black hard casters	1,000	standard metal
		33 x 33	36 x 36, 42 rd	1	BXRIA36036SSCME	2" black hard casters	1,090	standard metal
		20 x 20	24 x 24, 24 rd	1	BXRIA24024SSSME	2" black soft casters	990	standard metal
		26 x 26	30 x 30, 36 rd	1	BXRIA30030SSSME	2" black soft casters	1,040	standard metal
		33 x 33	36 x 36, 42 rd	1	BXRIA36036SSSME	2" black soft casters	1,130	standard metal
Novi	gas assisted spring clip	22 x 22	24 x 24, 24 rd	1	BXNOV24024SGGME	adj glides	1,090	standard metal
		26 x 26	30 x 30, 36 rd	1	BXNOV30030SGGME	adj glides	1,120	standard metal
		32 x 32	36 x 36, 42 rd	1	BXNOV36036SGGME	adj glides	1,170	standard metal
		22 x 22	24 x 24, 24 rd	1	BXNOV24024SGCME	2" black hard casters	1,190	standard metal
		26 x 26	30 x 30, 36 rd	1	BXNOV30030SGCME	2" black hard casters	1,220	standard metal
		32 x 32	36 x 36, 42 rd	1	BXNOV36036SGCME	2" black hard casters	1,270	standard metal
		22 x 22	24 x 24, 24 rd	1	BXNOV24024SGSME	2" black soft casters	1,230	standard metal
		26 x 26	30 x 30, 36 rd	1	BXNOV30030SGSME	2" black soft casters	1,260	standard metal
		32 x 32	36 x 36, 42 rd	1	BXNOV36036SGSME	2" black soft casters	1,310	standard metal

Standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Flat Black, Furniture White, Medium Tone, and Metallic Silver



Casters (C):
2" black dual wheel locking hard casters (for carpet)
3" black dual wheel locking (Zoey)
Casters (S) - Keller, Novi & Ria:
2" black dual wheel locking soft casters (for hard floors)



SS Spring clip height adjustment (Keller & Ria)
24.75" - 33.75" base height range with glides
26.75" - 35.75" base height range with casters
six heights in 1" increments



SG Gas assisted spring clip height adjustment (Novi)
27.75" - 39.75" height range with glides or casters
adjustable in 1" increments
gas assisted spring allows adjustment of inner column inner column runs on roller bearings

bases

X adjustable height

Moto

base		base dim.	max top support	base qty	base model no.	list	glides or casters	finish
Moto	ratchet X	22	24 x 24, 30 rd	1	BXMOT24024SRGME	960	adj glides	standard metal
		26	30 x 30, 36 rd	1	BXMOT30030SRGME	1,000	adj glides	standard metal
		22	24 x 24, 30 rd	1	BXMOT24024SRCME	1,060	2" black locking casters	standard metal
		26	30 x 30, 36 rd	1	BXMOT30030SRCME	1,100	2" black locking casters	standard metal
		22	24 x 24, 30 rd	1	BXMOT24024SRPME	1,100	2" premium locking casters	standard metal
		26	30 x 30, 36 rd	1	BXMOT30030SRPME	1,140	2" premium locking casters	standard metal
	crank X	22	24 x 24, 30 rd	1	BXMOT24024SCGME	1,100	adj glides	standard metal
		26	30 x 30, 36 rd	1	BXMOT30030SCGME	1,160	adj glides	standard metal
		22	24 x 24, 30 rd	1	BXMOT24024SCCME	1,200	2" black locking casters	standard metal
		26	30 x 30, 36 rd	1	BXMOT30030SCCME	1,260	2" black locking casters	standard metal
		22	24 x 24, 30 rd	1	BXMOT24024SCPME	1,240	2" premium locking casters	standard metal
		26	30 x 30, 36 rd	1	BXMOT30030SCPME	1,300	2" premium locking casters	standard metal
Moto pneumatic counter balance X		22 x 22	24 x 24, 30 rd	1	BXMOT24024S__GME	1,310	adj glides	standard metal
		26 x 26	30 x 30, 36 rd	1	BXMOT30030S__GME	1,350	adj glides	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036S__GME	1,390	adj glides	standard metal
		36 x 36	42 x 42, 48 rd	1	BXMOT42042S__GME	1,430	adj glides	standard metal
		22 x 22	24 x 24, 30 rd	1	BXMOT24024S__CME	1,410	2" black locking casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXMOT30030S__CME	1,450	2" black locking casters	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036S__CME	1,490	2" black locking casters	standard metal
		36 x 36	42 x 42, 48 rd	1	BXMOT42042S__CME	1,530	2" black locking casters	standard metal
		22 x 22	24 x 24, 30 rd	1	BXMOT24024S__PME	1,450	2" premium locking casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXMOT30030S__PME	1,490	2" premium locking casters	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036S__PME	1,530	2" premium locking casters	standard metal
		36 x 36	42 x 42, 48 rd	1	BXMOT42042S__PME	1,570	2" premium locking casters	standard metal
Moto pneumatic counter balance flip top X		22 x 22	24 x 24, 30 rd	1	BXMOT24024__DGME	1,550	adj glides	standard metal
		26 x 26	30 x 30, 36 rd	1	BXMOT30030__DGME	1,590	adj glides	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036__DGME	1,630	adj glides	standard metal
		22 x 22	24 x 24, 30 rd	1	BXMOT24024__DCME	1,650	2" black locking casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXMOT30030__DCME	1,690	2" black locking casters	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036__DCME	1,730	2" black locking casters	standard metal
		22 x 22	24 x 24, 30 rd	1	BXMOT24024__DPME	1,690	2" premium locking casters	standard metal
		26 x 26	30 x 30, 36 rd	1	BXMOT30030__DPME	1,730	2" premium locking casters	standard metal
		32 x 32	36 x 36, 42 rd	1	BXMOT36036__DPME	1,770	2" premium locking casters	standard metal

For complete model number- specify height range:
1. Insert adjustable height range selection:
EP extended height range (26" - 43.7" with glides or 28" - 45.7" with casters)
LP lower height range (17.5" - 27.25" with glides or 19.25" - 29.25" with casters)

Moto adjustable height standard metal powder coat finishes:
Flat Black, Moto White**, and Metallic Silver

** Note that Moto White is a shade off and a little creamier than Furniture White.

Casters (C):
2" black dual wheel locking (Moto)

Premium Casters (P):
2" silver/black dual wheel locking (Moto)

R Ratchet height adjustment (Moto)
26" - 35.5" base height range with glides
28" - 37.5" base height range with casters
13 positions in 0.78 inch increments
change positions by manually lifting the table top
resets to lowest position when lifted to upper stop

C Crank adjustment (Moto)
base height range with glides 26" - 43.75"
base height range with casters 28" - 45.75"
-screw thread adjustment with infinite stop positions
-adjust with manual crank handle which slides under table when not in use

EP Extended Pneumatic counter balance (Moto)
base height range with glides 26" - 43.7"
base height range with casters 28" - 45.7"
-Must specify the weight of the top and all accessories that will be used on the bases so that the lift capacity can be set properly - see below chart.

LP Lower Pneumatic counter balance (Moto)
base height range with glides 17.5" - 27.25
base height range with casters 19.25" - 29.25"
-Must specify the weight of the top and all accessories that will be used on the bases so that the lift capacity can be set properly - see below chart.

AVAILABLE LIFT CAPACITY

Specify	Pound Equivalent	Lift Range
150N	33 lbs.	1-44 lbs.
200N	44 lbs.	15-55 lbs.
250N	55 lbs.	26-66 lbs.
300N	66 lbs.	37-77 lbs.

bases
tripod Y
Keller

base	base dim.	max top support	base qty	base model no.	glides or casters	standard (ME) finish list	polished (PO) finish list
Keller fixed tripod Y 27.75"H	20 x 20	24 x 24, 24 rd	1	BYKEL24024SDG	adj glides	500	940
	26 x 26	30 x 30, 30 rd	1	BYKEL30030SDG	adj glides	550	990
	33 x 33	36 x 36, 36 rd	1	BYKEL36036SDG	adj glides	600	1,040
	20 x 20	24 x 24, 24 rd	1	BYKEL24024SDC	2" black hard casters	560	1,000
	26 x 26	30 x 30, 30 rd	1	BYKEL30030SDC	2" black hard casters	610	1,050
	33 x 33	36 x 36, 36 rd	1	BYKEL36036SDC	2" black hard casters	660	1,100
	20 x 20	24 x 24, 24 rd	1	BYKEL24024SDS	2" black soft casters	590	1,030
	26 x 26	30 x 30, 30 rd	1	BYKEL30030SDS	2" black soft casters	640	1,080
	33 x 33	36 x 36, 36 rd	1	BYKEL36036SDS	2" black soft casters	690	1,130
custom lower height	20 x 20	24 x 24, 24 rd	1	BYKEL24024SLG	adj glides	600	1,170
(specify height)	26 x 26	30 x 30, 30 rd	1	BYKEL30030SLG	adj glides	650	1,220
	33 x 33	36 x 36, 36 rd	1	BYKEL36036SLG	adj glides	700	1,270
	20 x 20	24 x 24, 24 rd	1	BYKEL24024SLC	2" black hard casters	660	1,230
	26 x 26	30 x 30, 30 rd	1	BYKEL30030SLC	2" black hard casters	710	1,280
	33 x 33	36 x 36, 36 rd	1	BYKEL36036SLC	2" black hard casters	760	1,330
	20 x 20	24 x 24, 24 rd	1	BYKEL24024SLS	2" black soft casters	690	1,260
	26 x 26	30 x 30, 30 rd	1	BYKEL30030SLS	2" black soft casters	740	1,310
	33 x 33	36 x 36, 36 rd	1	BYKEL36036SLS	2" black soft casters	790	1,360
flip Y	20 x 20	24 x 24, 24 rd	1	BYKEL24024FDG	adj glides	760	1,200
	26 x 26	30 x 30, 30 rd	1	BYKEL30030FDG	adj glides	810	1,250
	33 x 33	36 x 36, 36 rd	1	BYKEL36036FDG	adj glides	860	1,300
	20 x 20	24 x 24, 24 rd	1	BYKEL24024FDC	2" black hard casters	820	1,260
	26 x 26	30 x 30, 30 rd	1	BYKEL30030FDC	2" black hard casters	870	1,310
	33 x 33	36 x 36, 36 rd	1	BYKEL36036FDC	2" black hard casters	920	1,360
	20 x 20	24 x 24, 24 rd	1	BYKEL24024FDS	2" black soft casters	850	1,290
	26 x 26	30 x 30, 30 rd	1	BYKEL30030FDS	2" black soft casters	900	1,340
	33 x 33	36 x 36, 36 rd	1	BYKEL36036FDS	2" black soft casters	950	1,390





C casters (Keller & Ria)
2" black dual wheel locking hard casters (for carpet)
S casters (Keller & Ria)
2" black dual wheel locking soft casters (for hard floors)

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

polished aluminum / chrome finish (PO) - Keller & Ria



Power module cone shaped top plate - **#OBXWMPCC $350 list (only available for fixed Y bases)**
metal cone-shaped top plate conceals and protects center mounted power module in surface.
Concealed wires exit down inside the base column and out at the bottom of the base column.

Note that the cone cannot be made with the polished finish, black or white paint is available for the cone with a polished base.
The Circo power unit can be used with this cone wire manager.

Wire management hole set (2) in column - **#OBTWMH2G $50 list (only available for fixed Y bases)**
each hole is 1.25" x 2.25". Removeable grommets narrows hole to 1.25' diameter

bases
tripod Y
Ria

base	base dim.	max top support	base qty	base model no.	glides or casters	standard (ME) finish list	polished (PO / PC) finish list
Ria fixed tripod Y 27.75"H	20 x 20	24 x 24, 24 rd	1	BYRIA24024SDG	adj glides	470	910
	26 x 26	30 x 30, 30 rd	1	BYRIA30030SDG	adj glides	520	960
	33 x 33	36 x 36, 36 rd	1	BYRIA36036SDG	adj glides	570	1,010
	20 x 20	24 x 24, 24 rd	1	BYRIA24024SDC	2" black hard casters	530	970
	26 x 26	30 x 30, 30 rd	1	BYRIA30030SDC	2" black hard casters	580	1,020
	33 x 33	36 x 36, 36 rd	1	BYRIA36036SDC	2" black hard casters	630	1,070
	20 x 20	24 x 24, 24 rd	1	BYRIA24024SDS	2" black soft casters	560	1,000
	26 x 26	30 x 30, 30 rd	1	BYRIA30030SDS	2" black soft casters	610	1,050
	33 x 33	36 x 36, 36 rd	1	BYRIA36036SDS	2" black soft casters	660	1,100
custom lower height	20 x 20	24 x 24, 24 rd	1	BYRIA24024SLG	adj glides	570	1,010
(specify height)	26 x 26	30 x 30, 30 rd	1	BYRIA30030SLG	adj glides	620	1,060
	33 x 33	36 x 36, 36 rd	1	BYRIA36036SLG	adj glides	670	1,110
	20 x 20	24 x 24, 24 rd	1	BYRIA24024SLC	2" black hard casters	630	1,070
	26 x 26	30 x 30, 30 rd	1	BYRIA30030SLC	2" black hard casters	680	1,120
	33 x 33	36 x 36, 36 rd	1	BYRIA36036SLC	2" black hard casters	730	1,170
	20 x 20	24 x 24, 24 rd	1	BYRIA24024SLS	2" black soft casters	660	1,100
	26 x 26	30 x 30, 30 rd	1	BYRIA30030SLS	2" black soft casters	710	1,150
	33 x 33	36 x 36, 36 rd	1	BYRIA36036SLS	2" black soft casters	760	1,200
flip Y	20 x 20	24 x 24, 24 rd	1	BYRIA24024FDG	adj glides	740	1,180
	26 x 26	30 x 30, 30 rd	1	BYRIA30030FDG	adj glides	780	1,220
	33 x 33	36 x 36, 36 rd	1	BYRIA36036FDG	adj glides	840	1,280
	20 x 20	24 x 24, 24 rd	1	BYRIA24024FDC	2" black hard casters	800	1,240
	26 x 26	30 x 30, 30 rd	1	BYRIA30030FDC	2" black hard casters	840	1,280
	33 x 33	36 x 36, 36 rd	1	BYRIA36036FDC	2" black hard casters	900	1,340
	20 x 20	24 x 24, 24 rd	1	BYRIA24024FDS	2" black soft casters	830	1,270
	26 x 26	30 x 30, 30 rd	1	BYRIA30030FDS	2" black soft casters	870	1,310
	33 x 33	36 x 36, 36 rd	1	BYRIA36036FDS	2" black soft casters	930	1,370





C casters (Keller & Ria)
2" black dual wheel locking hard casters (for carpet)
S casters (Keller & Ria)
2" black dual wheel locking soft casters (for hard floors)

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

polished aluminum / chrome finish (PO) - Keller & Ria



Power module cone shaped top plate - **#OBXWMPCC $350 list (only available for fixed Y bases)**
metal cone-shaped top plate conceals and protects center mounted power module in surface.
Concealed wires exit down inside the base column and out at the bottom of the base column.

Note that the cone cannot be made with the polished finish, black or white paint is available for the cone with a polished base.
The Circo power unit can be used with this cone wire manager.

Wire management hole set (2) in column - **#OBTWMH2G $50 list (only available for fixed Y bases)**
each hole is 1.25" x 2.25". Removeable grommets narrows hole to 1.25' diameter

bases

personal workstation

Una fixed height, round column

base		base dim.	max top support	base qty	base model no.	glides or casters	standard (**ME**) finish list
Una fixed height round column (27.75"H)							
	V flip	18 x 30	24 x 30	1	BVUNAR2430FDG	adj glides	1,050
		18 x 30	24 x 30	1	BVUNAR2430FDC	2" black hard casters	1,130
		18 x 30	24 x 30	1	BVUNAR2430FDS	2" black soft casters	1,180
		18 x 30	24 x 30	1	BVUNAR2430FDP	2" premium hard casters	1,180
	V tilt	18 x 30	24 x 30	1	BVUNAR2430TDG	adj glides	1,080
		18 x 30	24 x 30	1	BVUNAR2430TDC	2" black hard casters	1,170
		18 x 30	24 x 30	1	BVUNAR2430TDS	2" black soft casters	1,210
		18 x 30	24 x 30	1	BVUNAR2430TDP	2" premium hard casters	1,210
	V fixed	18 x 30	24 x 30	1	BVUNAR2430SDG	adj glides	770
		18 x 30	24 x 30	1	BVUNAR2430SDC	2" black hard casters	860
		18 x 30	24 x 30	1	BVUNAR2430SDS	2" black soft casters	900
		18 x 30	24 x 30	1	BVUNAR2430SDP	2" premium hard casters	900
	H flip	18 x 30	24 x 36	1	BHUNAR2436FDG	adj glides	1,050
		18 x 30	24 x 36	1	BHUNAR2436FDC	2" black hard casters	1,130
		18 x 30	24 x 36	1	BHUNAR2436FDS	2" black soft casters	1,180
		18 x 30	24 x 36	1	BHUNAR2436FDP	2" premium hard casters	1,180
	H tilt	18 x 30	24 x 36	1	BHUNAR2436TDG	adj glides	1,080
		18 x 30	24 x 36	1	BHUNAR2436TDC	2" black hard casters	1,170
		18 x 30	24 x 36	1	BHUNAR2436TDS	2" black soft casters	1,210
		18 x 30	24 x 36	1	BHUNAR2436TDP	2" premium hard casters	1,210
	H fixed	18 x 30	24 x 36	1	BHUNAR2436SDG	adj glides	770
		18 x 30	24 x 36	1	BHUNAR2436SDC	2" black hard casters	860
		18 x 30	24 x 36	1	BHUNAR2436SDS	2" black soft casters	900
		18 x 30	24 x 36	1	BHUNAR2436SDP	2" premium hard casters	900
Una Fixed round column (custom height)							
	V flip	18 x 30	24 x 30	1	BVUNAR2430F_G	adj glides	1,140
		18 x 30	24 x 30	1	BVUNAR2430F_C	2" black hard casters	1,230
		18 x 30	24 x 30	1	BVUNAR2430F_S	2" black soft casters	1,280
		18 x 30	24 x 30	1	BVUNAR2430F_P	2" premium hard casters	1,280
	V tilt	18 x 30	24 x 30	1	BVUNAR2430T_G	adj glides	1,180
		18 x 30	24 x 30	1	BVUNAR2430T_C	2" black hard casters	1,270
		18 x 30	24 x 30	1	BVUNAR2430T_S	2" black soft casters	1,310
		18 x 30	24 x 30	1	BVUNAR2430T_P	2" premium hard casters	1,310
	V fixed	18 x 30	24 x 30	1	BVUNAR2430S_G	adj glides	870
		18 x 30	24 x 30	1	BVUNAR2430S_C	2" black hard casters	960
		18 x 30	24 x 30	1	BVUNAR2430S_S	2" black soft casters	1,000
		18 x 30	24 x 30	1	BVUNAR2430S_P	2" premium hard casters	1,000
	H flip	18 x 30	24 x 36	1	BHUNAR2436F_G	adj glides	1,140
		18 x 30	24 x 36	1	BHUNAR2436F_C	2" black hard casters	1,230
		18 x 30	24 x 36	1	BHUNAR2436F_S	2" black soft casters	1,280
		18 x 30	24 x 36	1	BHUNAR2436F_P	2" premium hard casters	1,280
	H tilt	18 x 30	24 x 36	1	BHUNAR2436T_G	adj glides	1,180
		18 x 30	24 x 36	1	BHUNAR2436T_C	2" black hard casters	1,270
		18 x 30	24 x 36	1	BHUNAR2436T_S	2" black soft casters	1,310
		18 x 30	24 x 36	1	BHUNAR2436T_P	2" premium hard casters	1,310
	H fixed	18 x 30	24 x 36	1	BHUNAR2436S_G	adj glides	870
		18 x 30	24 x 36	1	BHUNAR2436S_C	2" black hard casters	960
		18 x 30	24 x 36	1	BHUNAR2436S_S	2" black soft casters	1,000
		18 x 30	24 x 36	1	BHUNAR2436S_P	2" premium hard casters	1,000

For complete custom lower height or custom higher height base model number:
1. Insert height selection:
H custom higher fixed height - specify height
L custom lower fixed height - specify height. *20" minimum height with glides or 22" minimum height with casters



Casters
(C) 2" black dual wheel locking (hard casters for carpet)
(S) 2" black dual wheel locking (soft casters for hard flooring)



(P) 2" premium silver/black dual wheel locking (soft casters)

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

bases

personal workstation

Una fixed height, square column

base		base dim.	max top support	base qty	base model no.	glides or casters	standard (**ME**) finish list
Una fixed height square column (27.75"H)							
	V flip	18 x 30	24 x 30	1	BVUNAS2430FDG	adj glides	1,050
		18 x 30	24 x 30	1	BVUNAS2430FDC	2" black hard casters	1,130
		18 x 30	24 x 30	1	BVUNAS2430FDS	2" black soft casters	1,180
		18 x 30	24 x 30	1	BVUNAS2430FDP	2" premium hard casters	1,180
	V tilt	18 x 30	24 x 30	1	BVUNAS2430TDG	adj glides	1,080
		18 x 30	24 x 30	1	BVUNAS2430TDC	2" black hard casters	1,170
		18 x 30	24 x 30	1	BVUNAS2430TDS	2" black soft casters	1,210
		18 x 30	24 x 30	1	BVUNAS2430TDP	2" premium hard casters	1,210
	V fixed	18 x 30	24 x 30	1	BVUNAS2430SDG	adj glides	770
		18 x 30	24 x 30	1	BVUNAS2430SDC	2" black hard casters	860
		18 x 30	24 x 30	1	BVUNAS2430SDS	2" black soft casters	900
		18 x 30	24 x 30	1	BVUNAS2430SDP	2" premium hard casters	900
	H flip	18 x 30	24 x 36	1	BHUNAS2436FDG	adj glides	1,050
		18 x 30	24 x 36	1	BHUNAS2436FDC	2" black hard casters	1,130
		18 x 30	24 x 36	1	BHUNAS2436FDS	2" black soft casters	1,180
		18 x 30	24 x 36	1	BHUNAS2436FDP	2" premium hard casters	1,180
	H tilt	18 x 30	24 x 36	1	BHUNAS2436TDG	adj glides	1,080
		18 x 30	24 x 36	1	BHUNAS2436TDC	2" black hard casters	1,170
		18 x 30	24 x 36	1	BHUNAS2436TDS	2" black soft casters	1,210
		18 x 30	24 x 36	1	BHUNAS2436TDP	2" premium hard casters	1,210
	H fixed	18 x 30	24 x 36	1	BHUNAS2436SDG	adj glides	770
		18 x 30	24 x 36	1	BHUNAS2436SDC	2" black hard casters	860
		18 x 30	24 x 36	1	BHUNAS2436SDS	2" black soft casters	900
		18 x 30	24 x 36	1	BHUNAS2436SDP	2" premium hard casters	900
Una Fixed square column (custom height)							
	V flip	18 x 30	24 x 30	1	BVUNAS2430F_G	adj glides	1,140
		18 x 30	24 x 30	1	BVUNAS2430F_C	2" black hard casters	1,230
		18 x 30	24 x 30	1	BVUNAS2430F_S	2" black soft casters	1,280
		18 x 30	24 x 30	1	BVUNAS2430F_P	2" premium hard casters	1,280
	V tilt	18 x 30	24 x 30	1	BVUNAS2430T_G	adj glides	1,180
		18 x 30	24 x 30	1	BVUNAS2430T_C	2" black hard casters	1,270
		18 x 30	24 x 30	1	BVUNAS2430T_S	2" black soft casters	1,310
		18 x 30	24 x 30	1	BVUNAS2430T_P	2" premium hard casters	1,310
	V fixed	18 x 30	24 x 30	1	BVUNAS2430S_G	adj glides	870
		18 x 30	24 x 30	1	BVUNAS2430S_C	2" black hard casters	960
		18 x 30	24 x 30	1	BVUNAS2430S_S	2" black soft casters	1,000
		18 x 30	24 x 30	1	BVUNAS2430S_P	2" premium hard casters	1,000
	H flip	18 x 30	24 x 36	1	BHUNAS2436F_G	adj glides	1,140
		18 x 30	24 x 36	1	BHUNAS2436F_C	2" black hard casters	1,230
		18 x 30	24 x 36	1	BHUNAS2436F_S	2" black soft casters	1,280
		18 x 30	24 x 36	1	BHUNAS2436F_P	2" premium hard casters	1,280
	H tilt	18 x 30	24 x 36	1	BHUNAS2436T_G	adj glides	1,180
		18 x 30	24 x 36	1	BHUNAS2436T_C	2" black hard casters	1,270
		18 x 30	24 x 36	1	BHUNAS2436T_S	2" black soft casters	1,310
		18 x 30	24 x 36	1	BHUNAS2436T_P	2" premium hard casters	1,310
	H fixed	18 x 30	24 x 36	1	BHUNAS2436S_G	adj glides	870
		18 x 30	24 x 36	1	BHUNAS2436S_C	2" black hard casters	960
		18 x 30	24 x 36	1	BHUNAS2436S_S	2" black soft casters	1,000
		18 x 30	24 x 36	1	BHUNAS2436S_P	2" premium hard casters	1,000

For complete custom lower height or custom higher height base model number:
1. Insert height selection:
H custom higher fixed height - specify height
L custom lower fixed height - specify height. *20" minimum height with glides or 22" minimum height with casters



Casters
(C) 2" black dual wheel locking (hard casters for carpet)
(S) 2" black dual wheel locking (soft casters for hard flooring)



(P) 2" premium silver/black dual wheel locking

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

bases

personal workstation

Una fixed height wheel barrow, round column

base		base dim.	max top support	base qty	base model no.	glides / casters	standard (**ME**) finish list
Una fixed height wheel barrow round column (27.75"H)							
	H flip	18 x 30	24 x 36	1	BHUNAR2436FDH	2 adj glides / 2 casters	1,140
	H tilt	18 x 30	24 x 36	1	BHUNAR2436TDH	2 adj glides / 2 casters	1,180
	H fixed	18 x 30	24 x 36	1	BHUNAR2436SDH	2 adj glides / 2 casters	880
Una fixed height wheel barrow round column (custom taller height - specify height)							
	H flip	18 x 30	24 x 36	1	BHUNAR2436FHH	2 adj glides / 2 casters	1,240
	H tilt	18 x 30	24 x 36	1	BHUNAR2436THH	2 adj glides / 2 casters	1,280
	H fixed	18 x 30	24 x 36	1	BHUNAR2436SHH	2 adj glides / 2 casters	980
Una fixed height wheel barrow round column (custom lower height - specify height*)							
*20" minimum height with glides or 22" minimum height with casters							
	H flip	18 x 30	24 x 36	1	BHUNAR2436FLH	2 adj glides / 2 casters	1,240
	H tilt	18 x 30	24 x 36	1	BHUNAR2436TLH	2 adj glides / 2 casters	1,280
	H fixed	18 x 30	24 x 36	1	BHUNAR2436SLH	2 adj glides / 2 casters	980

* top not included

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

The Wheel Barrow base features 2 glides and 2 casters.



Symphony

bases

personal workstation

Una fixed height wheel barrow, square column

base		base dim.	max top support	base qty	base model no.	glides or casters	standard (**ME**) finish list
Una fixed height wheel barrow square column (27.75"H)							
	H flip	18 x 30	24 x 36	1	BHUNAS2436FDH	2 adj glides / 2 casters	1,140
	H tilt	18 x 30	24 x 36	1	BHUNAS2436TDH	2 adj glides / 2 casters	1,180
	H fixed	18 x 30	24 x 36	1	BHUNAS2436SDH	2 adj glides / 2 casters	880
Una fixed height wheel barrow square column (custom taller height - specify height)							
	H flip	18 x 30	24 x 36	1	BHUNAS2436FHH	2 adj glides / 2 casters	1,240
	H tilt	18 x 30	24 x 36	1	BHUNAS2436THH	2 adj glides / 2 casters	1,280
	H fixed	18 x 30	24 x 36	1	BHUNAS2436SHH	2 adj glides / 2 casters	980
Una fixed height wheel barrow square column (custom lower height - specify height*)							
*20" minimum height with glides or 22" minimum height with casters							
	H flip	18 x 30	24 x 36	1	BHUNAS2436FLH	2 adj glides / 2 casters	1,240
	H tilt	18 x 30	24 x 36	1	BHUNAS2436TLH	2 adj glides / 2 casters	1,280
	H fixed	18 x 30	24 x 36	1	BHUNAS2436SLH	2 adj glides / 2 casters	980

* top not included

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

The Wheel Barrow base features 2 glides and 2 casters..



Symphony

bases

personal workstation

Una pneumatic adjustable height

base		base dim.	max top support	base qty	base model no.	list	glides or casters	finish
Una pneumatic height adj round column								
	V flip	18 x 30	24 x 30	1	BVUNAR2430FPGME	1,680	adj glides	standard metal
		18 x 30	24 x 30	1	BVUNAR2430FPCME	1,770	2" black hard casters	standard metal
		18 x 30	24 x 30	1	BVUNAR2430FPSME	1,820	2" black soft casters	standard metal
		18 x 30	24 x 30	1	BVUNAR2430FPPME	1,820	2" premium hard casters	standard metal
		Una V flip adj height range with glides is 29.07-46.7" without the top Una V flip adj height range with 2" locking casters is 31.07 - 48.7" without the top						
		 Optional Drop Down Kit (only for use with the 2" locking caster option) lowers the height range to 30.02" - 47.65" without the top **model number OBUNADROP $60 list**						
	V tilt	18 x 30	24 x 30	1	BVUNAR2430TPGME	1,730	adj glides	standard metal
		18 x 30	24 x 30	1	BVUNAR2430TPCME	1,820	2" black hard casters	standard metal
		18 x 30	24 x 30	1	BVUNAR2430TPSME	1,860	2" black soft casters	standard metal
		18 x 30	24 x 30	1	BVUNAR2430TPPME	1,860	2" premium hard casters	standard metal
		Una V tilt adj height range with glides is 29.07-46.7" without the top Una V tilt adj height range with 2" locking casters is 31.07 - 48.7" without the top						
		 Optional Drop Down Kit (only for use with the 2" locking caster option) lowers the height range to 30.02" - 47.65" without the top **model number OBUNADROP $60 list**						
	V fixed	18 x 30	24 x 30	1	BVUNAR2430SPGME	1,530	adj glides	standard metal
		18 x 30	24 x 30	1	BVUNAR2430SPCME	1,620	2" black hard casters	standard metal
		18 x 30	24 x 30	1	BVUNAR2430SPSME	1,660	2" black soft casters	standard metal
		18 x 30	24 x 30	1	BVUNAR2430SPPME	1,660	2" premium hard casters	standard metal
		Una V adj height range with glides is 26.01-43.73" without the top Una V adj height range with 2" locking casters is 28.5 - 46.13" without the top						
		 Optional Drop Down Kit (only for use with the 2" locking caster option) lowers the height range to 27.14" - 44.17" without the top **model number OBUNADROP $60 list**						
	H flip	18 x 30	24 x 36	1	BHUNAR2436FPGME	1,680	adj glides	standard metal
		18 x 30	24 x 36	1	BHUNAR2436FPCME	1,770	2" black hard casters	standard metal
		18 x 30	24 x 36	1	BHUNAR2436FPSME	1,820	2" black soft casters	standard metal
		18 x 30	24 x 36	1	BHUNAR2436FPPME	1,820	2" premium hard casters	standard metal
		Una H flip adj height range with glides is 28.89-46.52" without the top Una H flip adj height range with 2" locking casters is 31.29 - 48.92" without the top						
		 Optional Drop Down Kit (only for use with the 2" locking caster option) lowers the height range to 30.02" - 47.65" without the top **model number OBUNADROP $60 list**						
	H tilt	18 x 30	24 x 36	1	BHUNAR2436TPGME	1,730	adj glides	standard metal
		18 x 30	24 x 36	1	BHUNAR2436TPCME	1,820	2" black hard casters	standard metal
		18 x 30	24 x 36	1	BHUNAR2436TPSME	1,860	2" black soft casters	standard metal
		18 x 30	24 x 36	1	BHUNAR2436TPPME	1,860	2" premium hard casters	standard metal
		Una H tilt adj height range with glides is 31.29-46.52" without the top Una H tilt adj height range with 2" locking casters is 31.29 - 48.92" without the top						
		 Optional Drop Down Kit (only for use with the 2" locking caster option) lowers the height range to 30.02" - 47.65" without the top **model number OBUNADROP $60 list**						
	H fixed	18 x 30	24 x 36	1	BHUNAR2436SPGME	1,530	adj glides	standard metal
		18 x 30	24 x 36	1	BHUNAR2436SPCME	1,620	2" black hard casters	standard metal
		18 x 30	24 x 36	1	BHUNAR2436SPSME	1,660	2" black soft casters	standard metal
		18 x 30	24 x 36	1	BHUNAR2436SPPME	1,660	2" premium hard casters	standard metal
		Una H adj height range with glides is 26.1-43.73" without the top Una H adj height range with 2" locking casters is 28.5 - 46.13" without the top						
		 Optional Drop Down Kit (only for use with the 2" locking caster option) lowers the height range to 27.14" - 44.77" without the top **model number OBUNADROP $60 list**						

*top not included

bases

personal workstation

Una pneumatic adjustable height

base		base dim.	max top support	base qty	base model no.	list	glides or casters	finish
Una pneumatic height adj square column								
	V fixed	18 x 30	24 x 30	1	BVUNAS2430SPGME	1,610	adj glides	standard metal
		18 x 30	24 x 30	1	BVUNAS2430SPCME	1,690	2" black hard casters	standard metal
		18 x 30	24 x 30	1	BVUNAS2430SPSME	1,740	2" black soft casters	standard metal
		18 x 30	24 x 30	1	BVUNAS2430SPPME	1,740	2" premium hard casters	standard metal
		Una V adj height range with glides is 26-43.63" without the top Una V adj height range with 2" locking casters is 28.4 - 46.03" without the top						
		 Optional Drop Down Kit (only for use with the 2" locking caster option) lowers the height range to 27.13" - 44.76" without the top **model number OBUNADROP $60 list**						
	H fixed	18 x 30	24 x 36	1	BHUNAS2436SPGME	1,610	adj glides	standard metal
		18 x 30	24 x 36	1	BHUNAS2436SPCME	1,690	2" black hard casters	standard metal
		18 x 30	24 x 36	1	BHUNAS2436SPSME	1,740	2" black soft casters	standard metal
		18 x 30	24 x 36	1	BHUNAS2436SPPME	1,740	2" premium hard casters	standard metal
		Una H adj height range with glides is 26-43.63" without the top Una H adj height range with 2" locking casters is 28.4 - 46.03" without the top						
		 Optional Drop Down Kit (only for use with the 2" locking caster option) lowers the height range to 27.14" - 44.77" without the top **model number OBUNADROP $60 list**						
Una wheel barrow pneumatic height adj round column								
	H flip	18 x 30	24 x 36	1	BHUNAR2436FPHME	1,790	2 adj glides / 2 casters	standard metal
		height range: 29.51" - 47.14" without the top						
	H tilt	18 x 30	24 x 36	1	BHUNAR2436TPHME	1,830	2 adj glides / 2 casters	standard metal
		height range: 29.51" - 47.14" without the top						
	H fixed	18 x 30	24 x 36	1	BHUNAR2436SPHME	1,640	2 adj glides / 2 casters	standard metal
		height range: 26.43" - 44.27" without the top						
Una wheel barrow pneumatic height adj square column								
	H fixed	18 x 30	24 x 36	1	BHUNAS2436SPHME	1,690	2 adj glides / 2 casters	standard metal
		height range: 26.63" - 44.26" without the top						



Casters
(C) 2" black dual wheel locking (hard casters for carpet)
(S) 2" black dual wheel locking (soft casters for hard flooring)



The Wheel Barrow base features 2 casters and 2

Standard metal powder coat finishes for Una adjustable height bases (ME):
Flat Black (FB), Furniture White (FW), Metallic Silver (MS).

Note that at least 24 x 30 top size is recommended for the Una series bases because the weight of the top is 22 lbs. This base has a lift range from 22 lbs to 44 lbs (including the top). If the accessories or items that will be placed on the base weigh over 22 lbs then please email service@symphontables.com for assistance.

Additionally, if a smaller woksurface than 24 x 30 is required then please email service@symphonytable.com for assistance to review options on how to add weight to a smaller top to meet hte 22 lb minimum requirement..

The weight of the top and all accessories that will be used on the base shall be advised on the purchase order. If the weight is set wrong then it will cause the table to lift up to fast or not work at all. Contact service@symphonytables.com for assistance.

bases

personal, fixed height

Dino, Nora, Papa

base		base dim.	column	max top support	base model no.	standard (**ME**) finish list	polished (**PC**) finish list
Dino fixed height							
	rectangle	9 x 12 x 25.25H	1.25" offset	12 x 18	BDDIN12018SDGME	430	n/a
		12 x 9 x 25.25H	1.25" offset	18 x 12	BDDIN18012SDGME	430	n/a
	round	12 dia. x 25.25H	1.25" offset	18 rd	BDDIN18000SDGME	430	n/a
		*Dino bases feature 1" x 3/16" soft plastic foot pads/felt pads, no adjustment					
Nora fixed height							
	rounded rectangle	10.5 x 15.5 x 24.5H	1.5" offset	14 x 20	BDNOR142024OG	950	1,630
	round	14 dia. x 24.5H	1.5" offset	20 rd	BDNOR20RD24OG	950	1,550
		14 dia. x 24.5H	1.5" centered	20 rd	BDNOR20RD24CG	950	1,550
	rounded square	15.5 sq. x 24.5H	1.5" centered	24 sq	BDNOR24RS24CG	1,040	1,760
		*Nora bases feature a plastic glide for carpet and hard floor surfaces, no adjustment					
Papa fixed height							
	U	13 x 15.75 x 24.5H "U"	2" offset	14 x 20	BDPAPU1420OGME	740	n/a
	C	12.75 x 16.75 x 24.5H "C"	2" offset	20 rd	BDPAPC20RDOGME	740	n/a
	H	14" x 24.5H "H"	2" offset	20 sq	BDPAPH20SQOGME	740	n/a
	round	14 dia. x 24.5H	2" offset	20 rd	BDPAP20RD24OG	740	1,310
		14 dia. x 24.5H	2" centered	20 rd	BDPAP20RD24CG	740	1,310

*Papa bases feature a plastic glide for carpet and hard floor surfaces, no adjustment

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

(PC) Polished chrome finish (Nora)




Optional Cup Holder - $130 list
model number **ASCUPHLDR**

bases

personal, adjustable height

Papa, Polo

base		base dim.	column	max top support	base model no.	list	finish
Papa spring clip adj ht							
	U	13 x 15.75 x 24.5H "U"	2" offset	14 x 20	BDPAPU1420SOGME	1,020	standard metal
	C	12.75 x 16.75 x 24.5H "C"	2" offset	18 rd	BDPAPC20RDSOGME	1,020	standard metal
	H	14" x 24.5H "H"	2" offset	20 sq	BDPAPH20SQSOGME	1,020	standard metal
	round	14 dia. x 24.5H	2" offset	20 rd	BDPAP20RD24SOGME	1,020	standard metal
		14 dia. x 24.5H	2" centered	20 rd	BDPAP20RD24SCGME	1,020	standard metal
		*Papa bases feature a plastic glide for carpet and hard floor surfaces, no adjustment					
Polo pneumatic adj ht							
	rectangle	9 x 12 x 25.25H	1.25" offset	12 x 18	BDPOL12018SPGME	780	standard metal
		12 x 9 x 25.25H	1.25" offset	18 x 12	BDPOL18012SPGME	780	standard metal
	round	12 dia. x 25.25H	1.25" offset	18 rd	BDPOL18000SPGME	780	standard metal
		*Polo bases feature a 20.25" - 30" pneumatic adjustable height range 1" x 3/16" soft plastic foot pads/felt pads, no adjustment					


(ME)standard metal powder coat finishes (Papa)
Black Wrinkle, Champagne, Flat Black, Furniture White, Medium Tone, Metallic Silver

(ME) Standard metal powder coat finishes (Polo)
Champagne, Flat Black, White, Metallic Silver

*** Note that the inner column of the Polo height adjustable base is only available in Flat Black, White or Metallic Silver. Note that Polo White is a shade off and a little creamier than Furniture White.*



Optional Cup Holder - $130 list
model number **ASCUPHLDR**



Papa
(SO) spring clip height adjustable offset column

(SC) spring clip height adjustable centered column

height range 17" - 24"

bases
fixed height disc
Bennett, Marius, Molly

base		base dim.	column	max top support	base model no.	glides	standard (ME) finish list
Bennett (square column)	27.75"H	16 x 16	3" sq	30 x 30, 36 rd	BDBEN30030SDG	adj glides	780
		20 x 20	3" sq	36 x 36, 42 rd	BDBEN36036SDG	adj glides	860
		26 x 26	3" sq	42 x 42, 48 rd	BDBEN42042SDG	adj glides	1,030
	40.75"H	16 x 16	3" sq	30 x 30, 36 rd	BDBEN30030SBG	adj glides	880
		20 x 20	3" sq	36 x 36, 42 rd	BDBEN36036SBG	adj glides	960
		26 x 26	3" sq	42 x 42, 48 rd	BDBEN42042SBG	adj glides	1,130
	custom higher height	16 x 16	3" sq	30 x 30, 36 rd	BDBEN30030SHG	adj glides	880
	(specify height)	20 x 20	3" sq	36 x 36, 42 rd	BDBEN36036SHG	adj glides	960
		26 x 26	3" sq	42 x 42, 48 rd	BDBEN42042SHG	adj glides	1,130
	custom lower height	16 x 16	3" sq	30 x 30, 36 rd	BDBEN30030SLG	adj glides	880
	(specify height)	20 x 20	3" sq	36 x 36, 42 rd	BDBEN36036SLG	adj glides	960
		26 x 26	3" sq	42 x 42, 48 rd	BDBEN42042SLG	adj glides	1,130
Marius square disc. (round column)	27.75"H	16 x 16	3" rd	30 x 30, 36 rd	BDMAR30030SDG	adj glides	780
		20 x 20	4" rd	36 x 36, 42 rd	BDMAR36036SDG	adj glides	860
		26 x 26	4" rd	42 x 42, 48 rd	BDMAR42042SDG	adj glides	1,030
		24 x 24	6" rd	48 x 48, 48 rd	BDMAR48048SDG	adj glides	1,390
	40.75"H	16 x 16	3" rd	30 x 30, 36 rd	BDMAR30030SBG	adj glides	910
		20 x 20	4" rd	36 x 36, 42 rd	BDMAR36036SBG	adj glides	990
		26 x 26	4" rd	42 x 42, 48 rd	BDMAR42042SBG	adj glides	1,170
		24 x 24	6" rd	48 x 48, 48 rd	BDMAR48048SBG	adj glides	1,750
	custom higher height	16 x 16	3" rd	30 x 30, 36 rd	BDMAR30030SHG	adj glides	910
	(specify height)	20 x 20	4" rd	36 x 36, 42 rd	BDMAR36036SHG	adj glides	990
		26 x 26	4" rd	42 x 42, 48 rd	BDMAR42042SHG	adj glides	1,170
		24 x 24	6" rd	48 x 48, 48 rd	BDMAR48048SHG	adj glides	1,750
	custom lower height	16 x 16	3" rd	30 x 30, 36 rd	BDMAR30030SLG	adj glides	910
	(specify height)	20 x 20	4" rd	36 x 36, 42 rd	BDMAR36036SLG	adj glides	990
		26 x 26	4" rd	42 x 42, 48 rd	BDMAR42042SLG	adj glides	1,170
		24 x 24	6" rd	48 x 48, 48 rd	BDMAR48048SLG	adj glides	1,520
Marius rectangle disc (round column)	27.75"H	18 x 28	6" rd	36 x 60	BDMAR36060SDG	adj glides	1,430
		26 x 30	6" rd	42 x 60	BDMAR42060SDG	adj glides	1,460
	40.75"H	18 x 28	6" rd	36 x 60	BDMAR36060SBG	adj glides	1,940
		26 x 30	6" rd	42 x 60	BDMAR42060SBG	adj glides	2,100
	custom higher height	18 x 28	6" rd	36 x 60	BDMAR36060SHG	adj glides	1,940
	(specify height)	24 x 28	6" rd	42 x 60	BDMAR42060SHG	adj glides	2,100
	custom lower height	18 x 28	6" rd	36 x 60	BDMAR36060SLG	adj glides	1,560
	(specify height)	26 x 30	6" rd	42 x 60	BDMAR42060SLG	adj glides	1,600
Molly (round column)	27.75"H	16 x 16	3" rd	30 x 30, 36 rd	BDMOL30030SDG	adj glides	780
		20 x 20	4" rd	36 x 36, 42 rd	BDMOL36036SDG	adj glides	860
		26 x 26	4" rd	42 x 42, 48 rd	BDMOL42042SDG	adj glides	1,030
	40.75"H	16 x 16	3" rd	30 x 30, 36 rd	BDMOL30030SBG	adj glides	880
		20 x 20	4" rd	36 x 36, 42 rd	BDMOL36036SBG	adj glides	960
		26 x 26	4" rd	42 x 42, 48 rd	BDMOL42042SBG	adj glides	1,130
	custom higher height	16 x 16	3" rd	30 x 30, 36 rd	BDMOL30030SHG	adj glides	880
	(specify height)	20 x 20	4" rd	36 x 36, 42 rd	BDMOL36036SHG	adj glides	960
		26 x 26	4" rd	42 x 42, 48 rd	BDMOL42042SHG	adj glides	1,130
	custom lower height	16 x 16	3" rd	30 x 30, 36 rd	BDMOL30030SLG	adj glides	880
	(specify height)	20 x 20	4" rd	36 x 36, 42 rd	BDMOL36036SLG	adj glides	960
		26 x 26	4" rd	42 x 42, 48 rd	BDMOL42042SLG	adj glides	1,130

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

bases
fixed height disc
Nantes II, Nantes C, Tondo

base		base dim.	column	max top support	base model no.	glides	standard (ME) finish list	polished (PC) finish list
Nantes II round disc. (round column)	27.75"H	17	3" rd	24 x 24, 30 rd	BDNA224024SDG	adj glides	770	n/a
		20	3" rd	30 x 30, 36 rd	BDNA230030SDG	adj glides	780	n/a
		24	4" rd	36 x 36, 42 rd	BDNA236036SDG	adj glides	860	n/a
		32	4" rd	42 x 42, 48 rd	BDNA242042SDG	adj glides	1,030	n/a
		32*	6" rd	48 x 48, 60 rd	BDNA248048SDG	adj glides	1,780	n/a
	40.75"H	17	3" rd	24 x 24, 30 rd	BDNA224024SBG	adj glides	870	n/a
		20	3" rd	30 x 30, 36 rd	BDNA230030SBG	adj glides	880	n/a
		24	4" rd	36 x 36, 42 rd	BDNA236036SBG	adj glides	960	n/a
		32	4" rd	42 x 42, 48 rd	BDNA242042SBG	adj glides	1,130	n/a
		32*	6" rd	48 x 48, 60 rd	BDNA248048SBG	adj glides	2,040	n/a
	custom higher height	17	3" rd	24 x 24, 30 rd	BDNA224024SHG	adj glides	870	n/a
	(specify height)	20	3" rd	30 x 30, 36 rd	BDNA230030SHG	adj glides	880	n/a
		24	4" rd	36 x 36, 42 rd	BDNA236036SHG	adj glides	960	n/a
		32	4" rd	42 x 42, 48 rd	BDNA242042SHG	adj glides	1,130	n/a
		32*	6" rd	48 x 48, 60 rd	BDNA248048SHG	adj glides	2,040	n/a
	custom lower height	17	3" rd	24 x 24, 30 rd	BDNA224024SLG	adj glides	870	n/a
	(specify height)	20	3" rd	30 x 30, 36 rd	BDNA230030SLG	adj glides	880	n/a
		24	4" rd	36 x 36, 42 rd	BDNA236036SLG	adj glides	960	n/a
*Note that the Nantes II 32 inch disc base with 6 inch column has a cover.		32	4" rd	42 x 42, 48 rd	BDNA242042SLG	adj glides	1,130	n/a
		32*	6" rd	48 x 48, 60 rd	BDNA248048SLG	adj glides	2,040	n/a
Nantes C round disc. w/ cover (round column)	27.75"H	20	3" rd	30 x 30, 36 rd	BDNAC30030SDGPC	adj glides	n/a	1,810
		24	4" rd	36 x 36, 42 rd	BDNAC36036SDGPC	adj glides	n/a	1,910
		32	4" rd	42 x 42, 48 rd	BDNAC42042SDGPC	adj glides	n/a	2,210
		32*	6" rd	48 x 48, 60 rd	BDNAC48048SDGPC	adj glides	n/a	3,070
	40.75"H	20	3" rd	30 x 30, 36 rd	BDNAC30030SBGPC	adj glides	n/a	2,070
		24	4" rd	36 x 36, 42 rd	BDNAC36036SBGPC	adj glides	n/a	2,170
		32	4" rd	42 x 42, 48 rd	BDNAC42042SBGPC	adj glides	n/a	2,470
		32*	6" rd	48 x 48, 60 rd	BDNAC48048SBGPC	adj glides	n/a	3,330
	custom higher height	20	3" rd	30 x 30, 36 rd	BDNAC30030SHGPC	adj glides	n/a	2,070
	(specify height)	24	4" rd	36 x 36, 42 rd	BDNAC36036SHGPC	adj glides	n/a	2,170
		32	4" rd	42 x 42, 48 rd	BDNAC42042SHGPC	adj glides	n/a	2,470
		32*	6" rd	48 x 48, 60 rd	BDNAC48048SHGPC	adj glides	n/a	3,330
	custom lower height	20	3" rd	30 x 30, 36 rd	BDNAC30030SLGPC	adj glides	n/a	2,070
	(specify height)	24	4" rd	36 x 36, 42 rd	BDNAC36036SLGPC	adj glides	n/a	2,170
*Note all Nantes C disc bases have a cover.		32	4" rd	42 x 42, 48 rd	BDNAC42042SLGPC	adj glides	n/a	2,470
		32*	6" rd	48 x 48, 60 rd	BDNAC48048SLGPC	adj glides	n/a	3,330
Tondo (round column)	27.75"H	22	3" rd	30 x 30, 36 rd	BDTON30030SDG	adj glides	870	1,510
		26	3" rd	36 x 36, 42 rd	BDTON36036SDG	adj glides	950	1,650
	40.75"H	22	3" rd	30 x 30, 36 rd	BDTON30030SBG	adj glides	970	1,610
		26	3" rd	36 x 36, 42 rd	BDTON36036SBG	adj glides	1,050	1,750
	custom higher height	22	3" rd	30 x 30, 36 rd	BDTON30030SHG	adj glides	970	1,610
	(specify height)	26	3" rd	36 x 36, 42 rd	BDTON36036SHG	adj glides	1,050	1,750
	custom lower height	22	3" rd	30 x 30, 36 rd	BDTON30030SLG	adj glides	970	1,610
	(specify height)	26	3" rd	36 x 36, 42 rd	BDTON36036SLG	adj glides	1,050	1,750

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

Premium polished finish for Nantes C & Tondo (PC)

bases

fixed height disc w/ wire management

Marius, Molly, Nantes II

base		base dim.	column	max top support	base model no.	glides	standard (ME) finish list
Marius fixed height square (round column)	27.75"H	16 x 16	3" rd	30 x 30, 36 rd	BDMAR30030PDG	adj glides	1,010
		20 x 20	4" rd	36 x 36, 42 rd	BDMAR36036PDG	adj glides	1,090
		26 x 26	4" rd	42 x 42, 48 rd	BDMAR42042PDG	adj glides	1,260
		24 x 24	6" rd	48 x 48, 48 rd	BDMAR48048PDG	adj glides	1,620
	40.75"H	16 x 16	3" rd	30 x 30, 36 rd	BDMAR30030PBG	adj glides	1,140
		20 x 20	4" rd	36 x 36, 42 rd	BDMAR36036PBG	adj glides	1,220
		26 x 26	4" rd	42 x 42, 48 rd	BDMAR42042PBG	adj glides	1,400
		24 x 24	6" rd	48 x 48, 48 rd	BDMAR48048PBG	adj glides	2,160
	custom higher height	16 x 16	3" rd	30 x 30, 36 rd	BDMAR30030PHG	adj glides	1,140
	(specify height)	20 x 20	4" rd	36 x 36, 42 rd	BDMAR36036PHG	adj glides	1,220
		26 x 26	4" rd	42 x 42, 48 rd	BDMAR42042PHG	adj glides	1,400
		24 x 24	6" rd	48 x 48, 48 rd	BDMAR48048PHG	adj glides	2,160
	custom lower height	16 x 16	3" rd	30 x 30, 36 rd	BDMAR30030PLG	adj glides	1,140
	(specify height)	20 x 20	4" rd	36 x 36, 42 rd	BDMAR36036PLG	adj glides	1,220
		26 x 26	4" rd	42 x 42, 48 rd	BDMAR42042PLG	adj glides	1,400
		24 x 24	6" rd	48 x 48, 48 rd	BDMAR48048PLG	adj glides	1,750
Marius fixed height rectangle (round column)	27.75"H	18 x 28	6" rd	36 x 60	BDMAR36060PDG	adj glides	1,660
		26 x 30	6" rd	42 x 60	BDMAR42060PDG	adj glides	1,690
	40.75"H	18 x 28	6" rd	36 x 60	BDMAR36060PBG	adj glides	2,150
		26 x 30	6" rd	42 x 60	BDMAR42060PBG	adj glides	2,510
	custom higher height	18 x 28	6" rd	36 x 60	BDMAR36060PHG	adj glides	2,150
	(specify height)	24 x 28	6" rd	42 x 60	BDMAR42060PHG	adj glides	2,510
	custom lower height	18 x 28	6" rd	36 x 60	BDMAR36060PLG	adj glides	1,790
	(specify height)	26 x 30	6" rd	42 x 60	BDMAR42060PLG	adj glides	1,830
Molly fixed height (round column)	27.75"H	16 x 16	3" rd	30 x 30, 36 rd	BDMOL30030PDG	adj glides	1,010
		20 x 20	4" rd	36 x 36, 42 rd	BDMOL36036PDG	adj glides	1,090
		26 x 26	4" rd	42 x 42, 48 rd	BDMOL42042PDG	adj glides	1,260
	40.75"H	16 x 16	3" rd	30 x 30, 36 rd	BDMOL30030PBG	adj glides	1,110
		20 x 20	4" rd	36 x 36, 42 rd	BDMOL36036PBG	adj glides	1,190
		26 x 26	4" rd	42 x 42, 48 rd	BDMOL42042PBG	adj glides	1,360
	custom higher height	16 x 16	3" rd	30 x 30, 36 rd	BDMOL30030PHG	adj glides	1,110
	(specify height)	20 x 20	4" rd	36 x 36, 42 rd	BDMOL36036PHG	adj glides	1,190
		26 x 26	4" rd	42 x 42, 48 rd	BDMOL42042PHG	adj glides	1,360
	custom lower height	16 x 16	3" rd	30 x 30, 36 rd	BDMOL30030PLG	adj glides	1,110
	(specify height)	20 x 20	4" rd	36 x 36, 42 rd	BDMOL36036PLG	adj glides	1,190
		26 x 26	4" rd	42 x 42, 48 rd	BDMOL42042PLG	adj glides	1,360
Nantes II fixed height round disc. (round column)	27.75"H	17	3" rd	24 x 24, 30 rd	BDNA224024PDG	adj glides	1,000
		20	3" rd	30 x 30, 36 rd	BDNA230030PDG	adj glides	1,010
		24	4" rd	36 x 36, 42 rd	BDNA236036PDG	adj glides	1,090
		32	4" rd	42 x 42, 48 rd	BDNA242042PDG	adj glides	1,260
	40.75"H	17	3" rd	24 x 24, 30 rd	BDNA224024PBG	adj glides	1,100
		20	3" rd	30 x 30, 36 rd	BDNA230030PBG	adj glides	1,110
		24	4" rd	36 x 36, 42 rd	BDNA236036PBG	adj glides	1,190
		32	4" rd	42 x 42, 48 rd	BDNA242042PBG	adj glides	1,360
	custom higher height	17	3" rd	24 x 24, 30 rd	BDNA224024PHG	adj glides	1,100
	(specify height)	20	3" rd	30 x 30, 36 rd	BDNA230030PHG	adj glides	1,110
		24	4" rd	36 x 36, 42 rd	BDNA236036PHG	adj glides	1,190
		32	4" rd	42 x 42, 48 rd	BDNA242042PHG	adj glides	1,360
	custom lower height	17	3" rd	24 x 24, 30 rd	BDNA224024PLG	adj glides	1,100
	(specify height)	20	3" rd	30 x 30, 36 rd	BDNA230030PLG	adj glides	1,110
		24	4" rd	36 x 36, 42 rd	BDNA236036PLG	adj glides	1,190
		32	4" rd	42 x 42, 48 rd	BDNA242042PLG	adj glides	1,360

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze



open top plate for 3" and 4" column Marius, Molly and Nantes bases




enclosed top plate for 6" column Marius bases


bases

Tondo fixed ht disc w/ wire mgmt disc

Bennett, Nantes II, Tondo pneumatic height adj disc

base		base dim.	column	max top support	base model no.	glides	standard (ME) finish list
Tondo fixed height (round column)	27.75"H	22	3" rd	30 x 30, 36 rd	BDTON30030PDG	adj glides	1,720
		26	3" rd	36 x 36, 42 rd	BDTON36036PDG	adj glides	1,860
	40.75"H	22	3" rd	30 x 30, 36 rd	BDTON30030PBG	adj glides	1,820
		26	3" rd	36 x 36, 42 rd	BDTON36036PBG	adj glides	1,960
	custom higher height	22	3" rd	30 x 30, 36 rd	BDTON30030PHG	adj glides	1,820
	(specify height)	26	3" rd	36 x 36, 42 rd	BDTON36036PHG	adj glides	1,960
	custom lower height	22	3" rd	30 x 30, 36 rd	BDTON30030PLG	adj glides	1,820
	(specify height)	26	3" rd	36 x 36, 42 rd	BDTON36036PLG	adj glides	1,960





standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

Bennett pneumatic adj ht (square column)		16 x 16	sq	30 x 30, 36 rd	BDBEN30030SPG	adj glides	1,530
		20 x 20	sq	36 x 36, 42 rd	BDBEN36036SPG	adj glides	1,620
		26 x 26	sq	42 x 42, 48 rd	BDBEN42042SPG	adj glides	1,780
Nantes II pneumatic adj ht (round column)		20	rd	30 x 30, 36 rd	BDNA230030SPG	adj glides	1,470
		24	rd	36 x 36, 42 rd	BDNA236036SPG	adj glides	1,890
		32	rd	42 x 42, 48 rd	BDNA242042SPG	adj glides	2,070





Bennett & Nantes II lift capacity can be set at 33, 44, 55 or 66 lbs. for a lift range between 28 - 76 lbs. See chart for details:

AVAILABLE LIFT CAPACITY

Specify	Pound Equivalent	Lift Range
150N	33 lbs.	28-38 lbs.
200N	44 lbs.	34-54 lbs.
250N	55 lbs.	45-65 lbs.
300N	66 lbs.	56-76 lbs.

Tondo pnuematic adj ht (round column)		22	rd	30 x 30, 36 rd	BDTON30030SPGME	adj glides	1,940
		26	rd	36 x 36, 42 rd	BDTON36036SPGME	adj glides	2,460



Tondo lift capacity can be set at 22, 33, or 44 lbs. for a lift range between 18 - 54 lbs. See chart for details:

AVAILABLE LIFT CAPACITY

Specify	Pound Equivalent	Lift Range
100N	22 lbs.	18-28 lbs.
150N	33 lbs.	28-38 lbs.
200N	44 lbs.	34-54 lbs.

Pneumatic Adjustable Height Standard metal powder coat finishes (ME):
Champagne, Flat Black , White, and Metallic Silver ***White is a shade off and a little creamier than Furniture White.*

Bennett, Nantes II and Tondo Pneumatic Height Adjustable Bases
P Glide (plastic glide guidance) or Roller (steel roller guidance) Lift height adjustment: 26.75" - 44.5" base height range (without table top) pneumatic cylinder assist with infinite stop positions, no bounce cylinder stop, and unintentional release resistant lever with cable release

The weight of the top and all accessories that will be used on the base shall be advised on the purchase order. If the weight is set wrong then it will cause the table to lift up to fast or not work at all. Contact service@symphonytables.com for assistance.

base		base dim.	column	max top support	base model no.	standard (ME) finish list	polished (PC/PO) finish list
Bennett (square column)		16 x 16	3" sq	30 x 30, 36 rd	BDBEN30030SLG	880	n/a
		20 x 20	3" sq	36 x 36, 42 rd	BDBEN36036SLG	960	n/a
		26 x 26	3" sq	42 x 42, 48 rd	BDBEN42042SLG	1,130	n/a
Keller occasional		15.25 x 15.25 x 15H	2.25"	20 rd	BXKEL2002015G	580	1,060
		15.25 x 15.25 x 17H	2.25"	20 rd	BXKEL2002017G	580	1,060
		15.25 x 15.25 x 19H	2.25"	20 rd	BXKEL2002019G	580	1,060
Keller (round column)		20 x 20	2.25" rd	24 x 24, 24 rd	BXKEL24024SLG	630	1,350
		26 x 26	2.25" rd	30 x 30, 36 rd	BXKEL30030SLG	690	1,410
		33 x 33	2.25" rd	36 x 36, 42 rd	BXKEL36036SLG	760	1,480
		38 x 38	2.25" rd	42 x 42, 48 rd	BXKEL42042SLG	890	1,610
(round column) square disc		16 x 16	3" rd	30 x 30, 36 rd	BDMAR30030SLG	910	n/a
		20 x 20	4" rd	36 x 36, 42 rd	BDMAR36036SLG	990	n/a
		26 x 26	4" rd	42 x 42, 48 rd	BDMAR42042SLG	1,170	n/a
		24 x 24	6" rd	48 x 48, 48 rd	BDMAR48048SLG	1,520	n/a
rectangle disc		18 x 28	6" rd	36 x 60	BDMAR36060SLG	1,560	n/a
		26 x 30	6" rd	42 x 60	BDMAR42060SLG	1,600	n/a
Molly (round column)		16 x 16	3" rd	30 x 30, 36 rd	BDMOL30030SLG	880	n/a
		20 x 20	4" rd	36 x 36, 42 rd	BDMOL36036SLG	960	n/a
		26 x 26	4" rd	42 x 42, 48 rd	BDMOL42042SLG	1,130	n/a
Moto (square column)		22 x 22	3" sq	24 x 24, 24 rd	BXMOT24024SLG	760	n/a
		26 x 26	3" sq	30 x 30, 36 rd	BXMOT30030SLG	800	n/a
		32 x 32	3" sq	36 x 36, 42 rd	BXMOT36036SLG	860	n/a
		36 x 36	3" sq	42 x 42, 48 rd	BXMOT42042SLG	880	n/a
Nantes II (round column)		20 dia.	3" rd	30 x 30, 36 rd	BDNA230030SLG	880	n/a
		24 dia.	4" rd	36 x 36, 42 rd	BDNA236036SLG	960	n/a
		32 dia.	4" rd	42 x 42, 48 rd	BDNA242042SLG	1,130	n/a
Ria (round column)		20 x 20	2.25" rd	24 x 24, 24 rd	BXRIA24024SLG	600	1,220
		26 x 26	2.25" rd	30 x 30, 36 rd	BXRIA30030SLG	650	1,270
		33 x 33	2.25" rd	36 x 36, 42 rd	BXRIA36036SLG	730	1,350
		38 x 38	2.25" rd	42 x 42, 48 rd	BXRIA42042SLG	850	1,470
Tondo		22 dia.	3" rd	30 x 30, 36 rd	BDTON30030SLG	970	1,460
		26 dia.	3" rd	36 x 36, 42 rd	BDTON36036SLG	1,050	1,600
Zoey		21 x 21	n/a	24 x 24, 24 rd	BXZOE24024SLG	720	n/a
		27 x 27	n/a	30 x 30, 36 rd	BXZOE30030SLG	750	n/a
		33 x 33	n/a	36 x 36, 42 rd	BXZOE36036SLG	780	n/a

L Specify custom lower base height. Note that a standard PVEA PVC edge top will add 1.25" to the overall height of the table

Examples:
16.75" base height + 1.25" top thickness = 18" overall table height
18.75" base height + 1.25" top thickness = 20" overall table height
22.75" base height + 1.25" top thickness = 24" overall table height

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

(PC) Polished chrome finish (Tondo)

(PO) Polished aluminum / chrome finish (Keller / Ria)

base		base dim.	column	max top support	base model no.	standard (ME) finish list
Nora occasional						
	round	14 dia. x 15H	1.5" centered	20 rd	BDNOR20RD15CG	950
		14 dia. x 17H	1.5" centered	20 rd	BDNOR20RD17CG	950
		14 dia. x 19H	1.5" centered	20 rd	BDNOR20RD19CG	950
		14 dia. x 21H	1.5" centered	20 rd	BDNOR20RD21CG	950
		18 dia. x 15H	1.5" centered	30 rd	BDNOR30RD15CG	1,140
		18 dia. x 17H	1.5" centered	30 rd	BDNOR30RD17CG	1,140
		18 dia. x 19H	1.5" centered	30 rd	BDNOR30RD19CG	1,140
		18 dia. x 21H	1.5" centered	30 rd	BDNOR30RD21CG	1,140
		23 dia. x 15H	3" centered	42 rd	BDNOR42RD15CG	1,160
		23 dia. x 17H	3" centered	42 rd	BDNOR42RD17CG	1,160
		23 dia. x 19H	3" centered	42 rd	BDNOR42RD19CG	1,160
		23 dia. x 21H	3" centered	42 rd	BDNOR42RD21CG	1,160
	rounded square	15.5 x 15.5 x 15H	1.5" centered	24 sq	BDNOR24RS15CG	970
		15.5 x 15.5 x 17H	1.5" centered	24 sq	BDNOR24RS17CG	970
		15.5 x 15.5 x 19H	1.5" centered	24 sq	BDNOR24RS19CG	970
		15.5 x 15.5 x 21H	1.5" centered	24 sq	BDNOR24RS21CG	970
		18 x 18 x 15H	3" centered	36 sq	BDNOR36RS15CG	1,050
		18 x 18 x 17H	3" centered	36 sq	BDNOR36RS17CG	1,050
		18 x 18 x 19H	3" centered	36 sq	BDNOR36RS19CG	1,050
		18 x 18 x 21H	3" centered	36 sq	BDNOR36RS21CG	1,050
	rounded rectangle	12 x 18 x 15H	1.5" centered	18 x 24	BDNOR1802415CG	1,020
		12 x 18 x 17H	1.5" centered	18 x 24	BDNOR1802417CG	1,020
		12 x 18 x 19H	1.5" centered	18 x 24	BDNOR1802419CG	1,020
		12 x 18 x 21H	1.5" centered	18 x 24	BDNOR1802421CG	1,020

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

FIXED BASE HEIGHT + 1.25" THICK TOP DIMENSIONS
Examples:
15" base height + 1.25" top thickness = 16.25" overall table height
17" base height + 1.25" top thickness = 18.25" overall table height
19" base height + 1.25" top thickness = 20.25" overall table height
21" base height + 1.25" top thickness = 22.25" overall table height

base		base dim.	qty	max top support	base set model no.	Grade 1 standard (**L1ME**) finish list	Grade 2 premium (**L2ME**) finish list
Bassa rectangular frame	laminate panel	18 x 6 x 27.75	2	36 x 96	BFBAS36096REG____	4,570	4,770
		18 x 6 x 27.75	3	36 x 144	BFBAS36144REG____	6,850	7,160
		18 x 6 x 27.75	4	36 x 192	BFBAS36192REG____	9,140	9,540
		24 x 6 x 27.75	2	48 x 96	BFBAS48096REG____	4,960	5,160
		24 x 6 x 27.75	3	48 x 144	BFBAS48144REG____	7,440	7,740
		24 x 6 x 27.75	4	48 x 192	BFBAS48192REG____	9,920	10,320
		34 x 6 x 27.75	2	60 x 96	BFBAS60096REG____	5,580	5,780
		34 x 6 x 27.75	3	60 x 144	BFBAS60144REG____	8,360	8,670
		34 x 6 x 27.75	4	60 x 192	BFBAS60192REG____	11,150	11,560
Bassa curved frame	laminate panel	20 x 6 x 27.75	2	36 x 96	BFBAS36096CUG____	4,570	4,770
		20 x 6 x 27.75	3	36 x 144	BFBAS36144CUG____	6,850	7,160
		20 x 6 x 27.75	4	36 x 192	BFBAS36192CUG____	9,140	9,540
		26 x 6 x 27.75	2	48 x 96	BFBAS48096CUG____	4,820	5,020
		26 x 6 x 27.75	3	48 x 144	BFBAS48144CUG____	7,230	7,530
		26 x 6 x 27.75	4	48 x 192	BFBAS48192CUG____	9,640	10,040
		36 x 6 x 27.75	2	60 x 96	BFBAS60096CUG____	5,940	6,140
		36 x 6 x 27.75	3	60 x 144	BFBAS60144CUG____	8,900	9,210
		36 x 6 x 27.75	4	60 x 192	BFBAS60192CUG____	11,870	12,280





Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

base		base dim.	qty	max top support	base set model no.	standard (**ME**) finish list
Bassa rectangular frame	solid metal panel	18 x 6 x 27.75	2	36 x 96	BFBAS36096REGSM	4,120
		18 x 6 x 27.75	3	36 x 144	BFBAS36144REGSM	6,170
		18 x 6 x 27.75	4	36 x 192	BFBAS36192REGSM	8,230
		24 x 6 x 27.75	2	48 x 96	BFBAS48096REGSM	4,270
		24 x 6 x 27.75	3	48 x 144	BFBAS48144REGSM	6,410
		24 x 6 x 27.75	4	48 x 192	BFBAS48192REGSM	8,540
		34 x 6 x 27.75	2	60 x 96	BFBAS60096REGSM	4,730
		34 x 6 x 27.75	3	60 x 144	BFBAS60144REGSM	6,990
		34 x 6 x 27.75	4	60 x 192	BFBAS60192REGSM	9,320
	perforated metal panel	18 x 6 x 27.75	2	36 x 96	BFBAS36096REGPM	4,120
		18 x 6 x 27.75	3	36 x 144	BFBAS36144REGPM	6,170
		18 x 6 x 27.75	4	36 x 192	BFBAS36192REGPM	8,230
		24 x 6 x 27.75	2	48 x 96	BFBAS48096REGPM	4,270
		24 x 6 x 27.75	3	48 x 144	BFBAS48144REGPM	6,410
		24 x 6 x 27.75	4	48 x 192	BFBAS48192REGPM	8,540
		34 x 6 x 27.75	2	60 x 96	BFBAS60096REGPM	4,730
		34 x 6 x 27.75	3	60 x 144	BFBAS60144REGPM	6,990
		34 x 6 x 27.75	4	60 x 192	BFBAS60192REGPM	9,320
Bassa curved frame	solid metal panel	20 x 6 x 27.75	2	36 x 96	BFBAS36096CUGSM	4,120
		20 x 6 x 27.75	3	36 x 144	BFBAS36144CUGSM	6,170
		20 x 6 x 27.75	4	36 x 192	BFBAS36192CUGSM	8,230
		26 x 6 x 27.75	2	48 x 96	BFBAS48096CUGSM	4,270
		26 x 6 x 27.75	3	48 x 144	BFBAS48144CUGSM	6,410
		26 x 6 x 27.75	4	48 x 192	BFBAS48192CUGSM	8,540
		36 x 6 x 27.75	2	60 x 96	BFBAS60096CUGSM	4,730
		36 x 6 x 27.75	3	60 x 144	BFBAS60144CUGSM	6,990
		36 x 6 x 27.75	4	60 x 192	BFBAS60192CUGSM	9,320
	perforated metal panel	20 x 6 x 27.75	2	36 x 96	BFBAS36096CUGPM	4,120
		20 x 6 x 27.75	3	36 x 144	BFBAS36144CUGPM	6,170
		20 x 6 x 27.75	4	36 x 192	BFBAS36192CUGPM	8,230
		26 x 6 x 27.75	2	48 x 96	BFBAS48096CUGPM	4,270
		26 x 6 x 27.75	3	48 x 144	BFBAS48144CUGPM	6,410
		26 x 6 x 27.75	4	48 x 192	BFBAS48192CUGPM	8,540
		36 x 6 x 27.75	2	60 x 96	BFBAS60096CUGPM	4,730
		36 x 6 x 27.75	3	60 x 144	BFBAS60144CUGPM	6,990
		36 x 6 x 27.75	4	60 x 192	BFBAS60192CUGPM	9,320










standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

bases
conference sets
Lastra

base		base dim.	qty	max top support	base set model no.	list	laminate grade
Lastra 6" rectangle	27.75"H	18 x 6	2	42 x 96	BLLAR420962DGL1	1,570	1
		18 x 6	3	42 x 144	BLLAR421443DGL1	2,360	1
		18 x 6	4	42 x 192	BLLAR421924DGL1	3,140	1
		18 x 6	2	42 x 96	BLLAR420962DGL2	1,830	2
		18 x 6	3	42 x 144	BLLAR421443DGL2	2,740	2
		18 x 6	4	42 x 192	BLLAR421924DGL2	3,660	2
		24 x 6	2	48 x 96	BLLAR480962DGL1	1,800	1
		24 x 6	3	48 x 144	BLLAR481443DGL1	2,700	1
		24 x 6	4	48 x 192	BLLAR481924DGL1	3,600	1
		24 x 6	2	48 x 96	BLLAR480962DGL2	2,100	2
		24 x 6	3	48 x 144	BLLAR481443DGL2	3,150	2
		24 x 6	4	48 x 192	BLLAR481924DGL2	4,190	2
		30 x 6	2	60 x 96	BLLAR600962DGL1	2,100	1
		30 x 6	3	60 x 144	BLLAR601443DGL1	3,160	1
		30 x 6	4	60 x 192	BLLAR601924DGL1	4,210	1
		30 x 6	2	60 x 96	BLLAR600962DGL2	2,460	2
		30 x 6	3	60 x 144	BLLAR601443DGL2	3,700	2
		30 x 6	4	60 x 192	BLLAR601924DGL2	4,920	2
Lastra 12" rectangle	27.75"H	18 x 12	2	42 x 108	BLLAR421082DGL1	1,910	1
		18 x 12	3	42 x 156	BLLAR421563DGL1	2,870	1
		18 x 12	4	42 x 228	BLLAR422284DGL1	3,830	1
		18 x 12	2	42 x 108	BLLAR421082DGL2	2,240	2
		18 x 12	3	42 x 156	BLLAR421563DGL2	3,360	2
		18 x 12	4	42 x 228	BLLAR422284DGL2	4,480	2
		24 x 12	2	48 x 108	BLLAR481082DGL1	2,150	1
		24 x 12	3	48 x 156	BLLAR481563DGL1	3,220	1
		24 x 12	4	48 x 228	BLLAR482284DGL1	4,300	1
		24 x 12	2	48 x 108	BLLAR481082DGL2	2,510	2
		24 x 12	3	48 x 156	BLLAR481562DGL2	3,770	2
		24 x 12	4	48 x 228	BLLAR482284DGL2	5,030	2
		30 x 12	2	60 x 108	BLLAR601082DGL1	2,480	1
		30 x 12	3	60 x 156	BLLAR601563DGL1	3,720	1
		30 x 12	4	60 x 228	BLLAR602284DGL1	4,960	1
		30 x 12	2	60 x 108	BLLAR601082DGL2	2,900	2
		30 x 12	3	60 x 156	BLLAR601563DGL2	4,350	2
		30 x 12	4	60 x 228	BLLAR602284DGL2	5,800	2
Lastra square	27.75"H	18 x 18	2	42 x 120	BLLAS42120D2GL1	2,270	1
		18 x 18	3	42 x 192	BLLAS42192D3GL1	3,400	1
		18 x 18	2	42 x 120	BLLAS42120D2GL2	2,670	2
		18 x 18	3	42 x 192	BLLAS42192D3GL2	4,000	2
		24 x 24	2	48 x 132	BLLAS48132D2GL1	2,420	1
		24 x 24	3	48 x 204	BLLAS48204D3GL1	3,630	1
		24 x 24	2	48 x 132	BLLAS48132D2GL2	2,830	2
		24 x 24	3	48 x 204	BLLAS48204D3GL2	4,240	2
		30 x 30	2	60 x 144	BLLAS60144D2GL1	2,810	1
		30 x 30	3	60 x 216	BLLAS60216D3GL1	4,220	1
		30 x 30	2	60 x 144	BLLAS60144D2GL2	3,290	2
		30 x 30	3	60 x 216	BLLAS60216D3GL2	4,940	2

Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.



Lastra hinged access door option:
14.75"H hinged access door (1) for a seated height base,
model **# OBLASDH129** - $190 list each
*Lastra wire management mouse holes come on BOTH SIDES at the top / center of all bases in the set unless the base is specified with no wire management mouse holes, please indicate that you do not want mouse holes on one or both sides of the base in **bold face ALL CAPS** on your PO.


* Lastra rectangle and square interior base dimensions are 1.5" less than the "W x D" dimension listed above for each base
* the bottom of the Lastra base is open to the floor

Symphony

bases
conference sets
Lastra

base		base dim.	qty	max top support	base set model no.	list	laminate grade
Lastra 6" rectangle	40.75"H	18 x 6	2	42 x 96	BLLAR420962HGL1	1,910	1
		18 x 6	3	42 x 144	BLLAR421443HGL1	2,870	1
		18 x 6	4	42 x 192	BLLAR421924HGL1	3,840	1
		18 x 6	2	42 x 96	BLLAR420962HGL2	2,260	2
		18 x 6	3	42 x 144	BLLAR421443HGL2	3,390	2
		18 x 6	4	42 x 192	BLLAR421924HGL2	4,510	2
		24 x 6	2	48 x 96	BLLAR480962HGL1	2,210	1
		24 x 6	3	48 x 144	BLLAR481443HGL1	3,130	1
		24 x 6	4	48 x 192	BLLAR481924HGL1	4,180	1
		24 x 6	2	48 x 96	BLLAR480962HGL2	2,440	2
		24 x 6	3	48 x 144	BLLAR481443HGL2	3,660	2
		24 x 6	4	48 x 192	BLLAR481924HGL2	4,880	2
		30 x 6	2	60 x 96	BLLAR600962HGL1	2,430	1
		30 x 6	3	60 x 144	BLLAR601443HGL1	3,650	1
		30 x 6	4	60 x 192	BLLAR601924HGL1	4,870	1
		30 x 6	2	60 x 96	BLLAR600962HGL2	2,850	2
		30 x 6	3	60 x 144	BLLAR601443HGL2	4,270	2
		30 x 6	4	60 x 192	BLLAR601924HGL2	5,690	2
Lastra 12" rectangle	40.75"H	18 x 12	2	42 x 108	BLLAR421082HGL1	2,260	1
		18 x 12	3	42 x 156	BLLAR421563HGL1	3,380	1
		18 x 12	4	42 x 228	BLLAR422284HGL1	4,500	1
		18 x 12	2	42 x 108	BLLAR421082HGL2	2,660	2
		18 x 12	3	42 x 156	BLLAR421563HGL2	3,990	2
		18 x 12	4	42 x 228	BLLAR422284HGL2	5,320	2
		24 x 12	2	48 x 108	BLLAR481082HGL1	2,660	1
		24 x 12	3	48 x 156	BLLAR481563HGL1	3,990	1
		24 x 12	4	48 x 228	BLLAR482284HGL1	5,320	1
		24 x 12	2	48 x 108	BLLAR481082HGL2	3,140	2
		24 x 12	3	48 x 156	BLLAR481563HGL2	4,720	2
		24 x 12	4	48 x 228	BLLAR482284HGL2	6,280	2
		30 x 12	2	60 x 108	BLLAR601082HGL1	3,400	1
		30 x 12	3	60 x 156	BLLAR601563HGL1	5,090	1
		30 x 12	4	60 x 228	BLLAR602284HGL1	6,800	1
		30 x 12	2	60 x 108	BLLAR601082HGL2	4,020	2
		30 x 12	3	60 x 156	BLLAR601563HGL2	6,030	2
		30 x 12	4	60 x 228	BLLAR602284HGL2	8,020	2
Lastra square	40.75"H	18 x 18	2	42 x 120	BLLAS42120H2GL1	2,520	1
		18 x 18	3	42 x 192	BLLAS42192H3GL1	3,780	1
		18 x 18	2	42 x 120	BLLAS42120H2GL2	2,970	2
		18 x 18	3	42 x 192	BLLAS42192H3GL2	4,450	2
		24 x 24	2	48 x 132	BLLAS48132H2GL1	2,630	1
		24 x 24	3	48 x 204	BLLAS48204H3GL1	3,950	1
		24 x 24	2	48 x 132	BLLAS48132H2GL2	3,090	2
		24 x 24	3	48 x 204	BLLAS48204H3GL2	4,630	2
		30 x 30	2	60 x 144	BLLAS60144H2GL1	3,280	1
		30 x 30	3	60 x 216	BLLAS60216H3GL1	4,920	1
		30 x 30	2	60 x 144	BLLAS60144H2GL2	3,850	2
		30 x 30	3	60 x 216	BLLAS60216H3GL2	5,780	2

Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.



Lastra hinged access door option:
15.75"H hinged access door (1) for a standing height base, model # OBLASDH142 - $210 list each

*Lastra wire management mouse holes come on BOTH SIDES at the top / center of all bases in the set unless the base is specified with no wire management mouse holes, please indicate that you do not want mouse holes on one or both sides of the base in **bold face ALL CAPS** on your PO.

* Lastra rectangle and square interior base dimensions are 1.5" less than the "W x D" dimension listed above for each base
* the bottom of the Lastra base is open to the floor

Symphony

bases

conference sets

Tambo cylinder

base		base dim.	qty	max top support	base set model no.	list	laminate grade
Tambo cylinder	27.75"H	18	2	42 x 120	BLTAM42120D2GL1	2,240	1
		18	3	42 x 192	BLTAM42192D3GL1	3,380	1
		18	2	42 x 120	BLTAM42120D2GL2	2,440	2
		18	3	42 x 192	BLTAM42192D3GL2	3,690	2
		24	2	48 x 132	BLTAM48132D2GL1	2,960	1
		24	3	48 x 204	BLTAM48204D3GL1	4,430	1
		24	2	48 x 132	BLTAM48132D2GL2	3,220	2
		24	3	48 x 204	BLTAM48204D3GL2	4,840	2
		30	2	60 x 144	BLTAM60144D2GL1	3,510	1
		30	3	60 x 216	BLTAM60216D3GL1	5,250	1
		30	2	60 x 144	BLTAM60144D2GL2	3,820	2
		30	3	60 x 216	BLTAM60216D3GL2	5,730	2
	40.75"H	18	2	42 x 120	BLTAM42120H2GL1	2,650	1
		18	3	42 x 192	BLTAM42192H3GL1	3,980	1
		18	2	42 x 120	BLTAM42120H2GL2	2,880	2
		18	3	42 x 192	BLTAM42192H3GL2	4,330	2
		24	2	48 x 132	BLTAM48132H2GL1	3,480	1
		24	3	48 x 204	BLTAM48204H3GL1	5,210	1
		24	2	48 x 132	BLTAM48132H2GL2	3,800	2
		24	3	48 x 204	BLTAM48204H3GL2	5,690	2
		30	2	60 x 144	BLTAM60144H2GL1	4,130	1
		30	3	60 x 216	BLTAM60216H3GL1	6,180	1
		30	2	60 x 144	BLTAM60144H2GL2	4,490	2
		30	3	60 x 216	BLTAM60216H3GL2	6,730	2


Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.


Tambo laminate base options:
10 x 10 side hinged curved access door for a cylinder base, model # **OBLTAMWMD** - $830 list per door
50 LB ballast bag (14x24x3H plastic rip stop material bag filled with small pebbles/stones), model # **OBLTAMBAL** - $230 list per bag


* Tambo cylinder bases have 4 metal top plates to mount the base to the top, there is a 12" hole centered at the top of the base and a 9.5" hole centered at the bottom of the base. Tambo bases do not come with wire management mouse holes.


This page was intentionally left blank.

base		base length	qty	base model no.	list	laminate grade
6" under table media	27.75"H	36	1	AMW360628FUT1	1,430	1
		42	1	AMW420628FUT1	1,920	1
		48	1	AMW480628FUT1	1,970	1
		54	1	AMW540628FUT1	2,310	1
		60	1	AMW600628FUT1	2,360	1
		36	1	AMW360628FUT2	1,680	2
		42	1	AMW420628FUT2	2,270	2
		48	1	AMW480628FUT2	2,310	2
		54	1	AMW540628FUT2	2,710	2
		60	1	AMW600628FUT2	2,760	2
	34.75"H	36	1	AMW360635FUT1	1,820	1
		42	1	AMW420635FUT1	2,440	1
		48	1	AMW480635FUT1	2,480	1
		54	1	AMW540635FUT1	2,910	1
		60	1	AMW600635FUT1	2,950	1
		36	1	AMW360635FUT2	2,140	2
		42	1	AMW420635FUT2	2,870	2
		48	1	AMW480635FUT2	2,920	2
		54	1	AMW540635FUT2	3,420	2
		60	1	AMW600635FUT2	3,460	2
	40.75"H	36	1	AMW360641FUT1	2,300	1
		42	1	AMW420641FUT1	3,080	1
		48	1	AMW480641FUT1	3,120	1
		54	1	AMW540641FUT1	3,650	1
		60	1	AMW600641FUT1	3,690	1
		36	1	AMW360641FUT2	2,710	2
		42	1	AMW420641FUT2	3,630	2
		48	1	AMW480641FUT2	3,680	2
		54	1	AMW540641FUT2	4,300	2
		60	1	AMW600641FUT2	4,340	2











Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.

Please specify a back option:




SOLID BACK

model number **OMWSOBK - $0 list**



BACK WITH (1) GROMMET)

model number **OMWGR1BK - $30 list**





BACK WITH (1) CUTOUT


model number **OMWCO1BK - $50 list**


*Note that top will be modified to fit the base if it is a tapering top. The wall end of the top will be 6" rectangle and then the top will start to taper.

base		base length	qty	base model no.	list	laminate grade
12" under table media	27.75"H	36	1	AMW361228FUT1	1,530	1
		42	1	AMW421228FUT1	2,110	1
		48	1	AMW481228FUT1	2,150	1
		54	1	AMW541228FUT1	2,580	1
		60	1	AMW601228FUT1	2,630	1
		36	1	AMW361228FUT2	1,810	2
		42	1	AMW421228FUT2	2,490	2
		48	1	AMW481228FUT2	2,530	2
		54	1	AMW541228FUT2	3,040	2
		60	1	AMW601228FUT2	3,090	2
	34.75"H	36	1	AMW361235FUT1	1,950	1
		42	1	AMW421235FUT1	2,670	1
		48	1	AMW481235FUT1	2,720	1
		54	1	AMW541235FUT1	3,250	1
		60	1	AMW601235FUT1	3,300	1
		36	1	AMW361235FUT2	2,300	2
		42	1	AMW421235FUT2	3,150	2
		48	1	AMW481235FUT2	3,200	2
		54	1	AMW541235FUT2	3,830	2
		60	1	AMW601235FUT2	3,880	2
	40.75"H	36	1	AMW361241FUT1	2,470	1
		42	1	AMW421241FUT1	3,370	1
		48	1	AMW481241FUT1	3,420	1
		54	1	AMW541241FUT1	4,090	1
		60	1	AMW601241FUT1	4,130	1
		36	1	AMW361241FUT2	2,910	2
		42	1	AMW421241FUT2	3,990	2
		48	1	AMW481241FUT2	4,040	2
		54	1	AMW541241FUT2	4,820	2
		60	1	AMW601241FUT2	4,870	2











Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.

Please specify a back option:




SOLID BACK

model number **OMWSOBK - $0 list**



BACK WITH (1) GROMMET)

model number **OMWGR1BK - $30 list**




BACK WITH (1) CUTOUT


model number **OMWCO1BK - $50 list**


*Note that top will be modified to fit the base if it is a tapering top. The wall end of the top will be 6" rectangle and then the top will start to taper.

Media Wall
6” deep

media wall		wall length	qty	wall model no.	list	laminate grade
6" deep media wall	72"H	36	1	AMW360672FWM1	2,800	1
		42	1	AMW420672FWM1	3,400	1
		48	1	AMW480672FWM1	3,490	1
		54	1	AMW540672FWM1	4,160	1
		60	1	AMW600672FWM1	4,250	1
		36	1	AMW360672FWM2	3,230	2
		42	1	AMW420672FWM2	3,930	2
		48	1	AMW480672FWM2	4,020	2
		54	1	AMW540672FWM2	4,780	2
		60	1	AMW600672FWM2	4,870	2
	84"H	36	1	AMW360684FWM1	3,350	1
		42	1	AMW420684FWM1	4,070	1
		48	1	AMW480684FWM1	4,160	1
		54	1	AMW540684FWM1	5,110	1
		60	1	AMW600684FWM1	5,210	1
		36	1	AMW360684FWM2	3,880	2
		42	1	AMW420684FWM2	4,720	2
		48	1	AMW480684FWM2	4,820	2
		54	1	AMW540684FWM2	5,910	2
		60	1	AMW600684FWM2	6,000	2











Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.


Please specify a back option:



model number **OMWSOBK - $0 list**




model number **OMWGR2BK - $70 list**





model number **OMWCO1BK - $60 list**

Media Wall
12” deep

media wall		wall length	qty	wall model no.	list	laminate grade
12" deep media wall	72"H	36	1	AMW361272FWM1	3,870	1
		42	1	AMW421272FWM1	4,730	1
		48	1	AMW481272FWM1	4,820	1
		54	1	AMW541272FWM1	5,710	1
		60	1	AMW601272FWM1	5,800	1
		36	1	AMW361272FWM2	4,520	2
		42	1	AMW421272FWM2	5,520	2
		48	1	AMW481272FWM2	5,620	2
		54	1	AMW541272FWM2	6,640	2
		60	1	AMW601272FWM2	6,730	2
	84"H	36	1	AMW361284FWM1	4,680	1
		42	1	AMW421284FWM1	5,710	1
		48	1	AMW481284FWM1	5,800	1
		54	1	AMW541284FWM1	7,110	1
		60	1	AMW601284FWM1	7,200	1
		36	1	AMW361284FWM2	5,480	2
		42	1	AMW421284FWM2	6,690	2
		48	1	AMW481284FWM2	6,780	2
		54	1	AMW541284FWM2	8,310	2
		60	1	AMW601284FWM2	8,400	2











Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.






bases

metal single base to use at the other end of a table with a under table media base or media wall

base	base dim.	qty	top depth	max top length when used with media wall	single base model no.	standard (**ME**) finish list	polished (**PO**) finish list
Keller single column T							
27.75"H	26 x 27.75H	1	36	72	BTKEL36000SDG	480	910
	33 x 27.75H	1	42	72	BTKEL42000SDG	570	1,000
	38 x 27.75H	1	48	72	BTKEL48000SDG	650	1,080
custom higher height	26	1	36	72	BTKEL36000SHG	580	1,120
(specify height)	33	1	42	72	BTKEL42000SHG	670	1,210
	38	1	48	72	BTKEL48000SHG	740	1,280
Keller double column T							
27.75"H	34 x 27.75H	1	48	72	BTKEL480002DG	620	1,400
	40 x 27.75H	1	60	72	BTKEL600002DG	670	1,450
custom higher height	34	1	48	72	BTKEL480002HG	790	1,800
(specify height)	40	1	60	72	BTKEL600002HG	840	1,850
Ria single column T							
27.75"H	26 x 27.75H	1	36	72	BTRIA36000SDG	360	790
	33 x 27.75H	1	42	72	BTRIA42000SDG	380	810
	38 x 27.75H	1	48	72	BTRIA48000SDG	430	860
custom higher height	26	1	36	72	BTRIA36000SHG	460	1,000
(specify height)	33	1	42	72	BTRIA42000SHG	480	1,020
	38	1	48	72	BTRIA48000SHG	530	1,070
Ria double column T							
27.75"H	34 x 27.75H	1	48	72	BTRIA480002DG	600	1,380
	40 x 27.75H	1	60	72	BTRIA600002DG	640	1,420
custom higher height	34	1	48	72	BTRIA480002HG	750	1,760
(specify height)	40	1	60	72	BTRIA600002HG	790	1,800
Moto 3" single column T							
27.75"H	26 x 27.75H	1	36	72	BTMOT36000SDG	450	n/a
custom higher height	26	1	36	72	BTMOT36000SHG	550	n/a
(specify height)							
Moto 3" double column T							
27.75"H	26 x 27.75H	1	36	72	BTMOT360002DG	630	n/a
	32 x 27,75H	1	42	72	BTMOT420002DG	660	n/a
	36 x 27.75H	1	48	72	BTMOT480002DG	720	n/a
custom higher height	26	1	36	72	BTMOT360002HG	830	n/a
(specify height)	32	1	42	72	BTMOT420002HG	860	n/a
	36	1	48	72	BTMOT480002HG	920	n/a
Zoey II single column T							
27.75"H	27 x 27.75H	1	36	72	BTZOS36000SDG	320	n/a
	33 x 27.75H	1	42	72	BTZOS42000SDG	340	n/a
Zoey II double column T							
27.75"H	35 x 27.75H	1	48	72	BTZOS48000SDGME	650	n/a
	46 x 27.75H	1	60	72	BTZOS60000SDGME	720	n/a



Wire mangement hole included in Zoey II single column T base.



Zoey II double column base shall have wire management holes in both columns in each base.

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

polished aluminum / chrome finish (PO) - Keller & Ria

bases

metal single base to use at the other end of a table with a under table media base or media wall

base	base dim.	qty	top depth	max top length when used with media wall	single base model no.	standard (**ME**) finish list
Bassa rectangular frame						
solid metal panel	18 x 6 x 27.75	1	36	72	BFBAS36000REGSM	2,060
	24 x 6 x 27.75	1	48	72	BFBAS48000REGSM	2,140
	34 x 6 x 27.75	1	60	72	BFBAS60000REGSM	2,330
perforated metal panel	18 x 6 x 27.75	1	36	72	BFBAS36000REGPM	2,060
	24 x 6 x 27.75	1	48	72	BFBAS48000REGPM	2,140
	34 x 6 x 27.75	1	60	72	BFBAS60000REGPM	2,330
laminate panel (grade 1)	18 x 6 x 27.75	1	36	72	BFBAS36000REGL1	2,280
	24 x 6 x 27.75	1	48	72	BFBAS48000REGL1	2,480
	34 x 6 x 27.75	1	60	72	BFBAS60000REGL1	2,790
laminate panel (grade 2)	18 x 6 x 27.75	1	36	72	BFBAS36000REGL2	2,390
	24 x 6 x 27.75	1	48	72	BFBAS48000REGL2	2,580
	34 x 6 x 27.75	1	60	72	BFBAS60000REGL2	2,890
Bassa curved frame						
solid metal panel	20 x 6 x 27.75	1	36	72	BFBAS36000CUGSM	2,060
	26 x 6 x 27.75	1	48	72	BFBAS48000CUGSM	2,140
	36 x 6 x 27.75	1	60	72	BFBAS60000CUGSM	2,330
perforated metal panel	20 x 6 x 27.75	1	36	72	BFBAS36000CUGPM	2,060
	26 x 6 x 27.75	1	48	72	BFBAS48000CUGPM	2,140
	36 x 6 x 27.75	1	60	72	BFBAS60000CUGPM	2,330
laminate panel (grade 1)	20 x 6 x 27.75	1	36	72	BFBAS36000CUGL1	2,280
	26 x 6 x 27.75	1	48	72	BFBAS48000CUGL1	2,410
	36 x 6 x 27.75	1	60	72	BFBAS60000CUGL1	2,970
laminate panel (grade 2)	20 x 6 x 27.75	1	36	72	BFBAS36000CUGL2	2,390
	26 x 6 x 27.75	1	48	72	BFBAS48000CUGL2	2,510
	36 x 6 x 27.75	1	60	72	BFBAS60000CUGL2	3,070

Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze


bases

single laminate conference or media base

Lastra

base		base dim. W x D x H	qty	top depth	max top length when used with media wall	single base model no.	list	laminate grade
Lastra 6" rectangle	27.75"H	18 x 6 x 27.75	1	42	72	BLLAR4206D1GL1	790	1
		24 x 6 x 27.75	1	48	72	BLLAR4806D1GL1	900	1
		30 x 6 x 27.75	1	60	72	BLLAR6006D1GL1	1,060	1
		18 x 6 x 27.75	1	42	72	BLLAR4206D1GL2	910	2
		24 x 6 x 27.75	1	48	72	BLLAR4806D1GL2	1,050	2
		30 x 6 x 27.75	1	60	72	BLLAR6006D1GL2	1,230	2
	40.75"H	18 x 6 x 40.75	1	42	72	BLLAR4206H1GL1	960	1
		24 x 6 x 40.75	1	48	72	BLLAR4806H1GL1	1,100	1
		30 x 6 x 40.75	1	60	72	BLLAR6006H1GL1	1,220	1
		18 x 6 x 40.75	1	42	72	BLLAR4206H1GL2	1,130	2
		24 x 6 x 40.75	1	48	72	BLLAR4806H1GL2	1,220	2
		30 x 6 x 40.75	1	60	72	BLLAR6006H1GL2	1,420	2
Lastra 12" rectangle	27.75"H	18 x 12 x 27.75	1	42	84	BLLAR4212D1GL1	960	1
		24 x 12 x 27.75	1	48	84	BLLAR4812D1GL1	1,070	1
		30 x 12 x 27.75	1	60	84	BLLAR6012D1GL1	1,240	1
		18 x 12 x 27.75	1	42	84	BLLAR4212D1GL2	1,120	2
		24 x 12 x 27.75	1	48	84	BLLAR4812D1GL2	1,260	2
		30 x 12 x 27.75	1	60	84	BLLAR6012D1GL2	1,450	2
	40.75"H	18 x 12 x 40.75	1	42	84	BLLAR4212H1GL1	1,130	1
		24 x 12 x 40.75	1	48	84	BLLAR4812H1GL1	1,330	1
		30 x 12 x 40.75	1	60	84	BLLAR6012H1GL1	1,690	1
		18 x 12 x 40.75	1	42	84	BLLAR4212H1GL2	1,330	2
		24 x 12 x 40.75	1	48	84	BLLAR4812H1GL2	1,570	2
		30 x 12 x 40.75	1	60	84	BLLAR6012H1GL2	2,010	2
Lastra square	27.75"H	18 x 18 x 27.75	1	36	84	BLLAS36036D1GL1	1,160	1
		20 x 20 x 27.75	1	42	84	BLLAS42042D1GL1	1,180	1
		24 x 24 x 27.75	1	48	90	BLLAS48048D1GL1	1,210	1
		30 x 30 x 27.75	1	54	96	BLLAS54054D1GL1	1,410	1
		36 x 36 x 27.75	1	60	102	BLLAS60060D1GL1	1,600	1
		18 x 18 x 27.75	1	36	72	BLLAS36036D1GL2	1,350	2
		20 x 20 x 27.75	1	42	84	BLLAS42042D1GL2	1,380	2
		24 x 24 x 27.75	1	48	90	BLLAS48048D1GL2	1,420	2
		30 x 30 x 27.75	1	54	96	BLLAS54054D1GL2	1,650	2
		36 x 36 x 27.75	1	60	102	BLLAS60060D1GL2	1,870	2
	40.75"H	18 x 18 x 40.75	1	30	72	BLLAS30030H1GL1	1,260	1
		20 x 20 x 40.75	1	36	72	BLLAS36036H1GL1	1,300	1
		24 x 24 x 40.75	1	42	78	BLLAS42042H1GL1	1,320	1
		30 x 30 x 40.75	1	48	84	BLLAS48048H1GL1	1,640	1
		36 x 36 x 40.75	1	54	90	BLLAS54054H1GL1	1,930	1
		18 x 18 x 40.75	1	30	72	BLLAS30030H1GL2	1,490	2
		20 x 20 x 40.75	1	36	72	BLLAS36036H1GL2	1,520	2
		24 x 24 x 40.75	1	42	78	BLLAS42042H1GL2	1,540	2
		30 x 30 x 40.75	1	48	84	BLLAS48048H1GL2	1,930	2
		36 x 36 x 40.75	1	54	90	BLLAS54054H1GL2	2,270	2

Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.



Lastra hinged access door option:
14.75"H hinged access door (1) for a seated height base, model **# OBLASDH129** - $190 list each
15.75"H hinged access door (1) for a standing height base, model # **OBLASDH142** - $210 list each

Lastra wire management mouse holes come on BOTH SIDES at the top / center of all bases in the set unless the base is specified with no wire management mouse holes, please indicate that you do not want mouse holes on one or both sides of the base in **bold face ALL CAPS** on your PO.

* Lastra rectangle and square interior base dimensions are 1.5" less than the "W x D" dimension listed for each base
** the bottom of the Lastra base is open to the floor

bases

single laminate conference or media base

Tambo

T base		base dim. W x D x H	qty	top depth	max top length when used with media wall	single base model no.	list	laminate grade
Tambo cylinder	27.75"H	18 dia. x 27.75	1	36	84	BLTAM36036D1GL1	1,130	1
		20 dia. x 27.75	1	42	84	BLTAM42042D1GL1	1,340	1
		24 dia. x 27.75	1	48	90	BLTAM48048D1GL1	1,470	1
		30 dia. x 27.75	1	54	96	BLTAM54054D1GL1	1,750	1
		36 dia. x 27.75	1	60	102	BLTAM60060D1GL1	2,330	1
		18 dia. x 27.75	1	36	84	BLTAM36036D1GL2	1,220	2
		20 dia. x 27.75	1	42	84	BLTAM42042D1GL2	1,460	2
		24 dia. x 27.75	1	48	90	BLTAM48048D1GL2	1,620	2
		30 dia. x 27.75	1	54	96	BLTAM54054D1GL2	1,910	2
		36 dia. x 27.75	1	60	102	BLTAM60060D1GL2	2,540	2
	40.75"H	18 dia. x 40.75	1	30	72	BLTAM30030H1GL1	1,330	1
		20 dia. x 40.75	1	36	72	BLTAM36036H1GL1	1,570	1
		24 dia. x 40.75	1	42	78	BLTAM42042H1GL1	1,740	1
		30 dia. x 40.75	1	48	84	BLTAM48048H1GL1	2,060	1
		36 dia. x 40.75	1	54	90	BLTAM54054H1GL1	2,730	1
		18 dia. x 40.75	1	30	72	BLTAM30030H1GL2	1,450	2
		20 dia. x 40.75	1	36	72	BLTAM36036H1GL2	1,730	2
		24 dia. x 40.75	1	42	78	BLTAM42042H1GL2	1,900	2
		30 dia. x 40.75	1	48	84	BLTAM48048H1GL2	2,240	2
		36 dia. x 40.75	1	54	90	BLTAM54054H1GL2	2,980	2



Formica HPL laminate finish grades listed on pages 4-5. For additional laminate grades, contact Symphony.

Tambo laminate base options:
10 x 10 side hinged curved access door for a cylinder base, model # **OBLTAMWMD** - $830 list per door
50 LB ballast bag (14x24x3H plastic rip stop material bag filled with small pebbles/stones), model # **OBLTAMBAL** - $230 list per bag

* Tambo cylinder bases have 4 metal top plates to mount the base to the top, there is a 12" hole centered at the top of the base and a 9.5" hole centered at the bottom of the base. Tambo bases do not come with wire management mouse holes.

bases

media, fixed and flip nest V

Keller

base	base dim.	max top support	base qty	base set model no.	glide/caster	standard (ME) finish list	polished (PO) finish list
Keller media base with perforated metal panels							
 27.75"H	51 x 51	48 x 60, 54 sq, 60 rd	1	BMKEL540544DG	adj glides	3,010	n/a
	56 x 56	60 x 72, 60 sq, 72 rd	1	BMKEL600604DG	adj glides	3,050	n/a
40.75"H	51 x 51	48 x 60, 54 sq, 60 rd	1	BMKEL540544BG	adj glides	3,560	n/a
	56 x 56	60 x 72, 60 sq, 72 rd	1	BMKEL600604BG	adj glides	3,600	n/a
Keller fixed V base set (no stretcher)							
 27.75"H	17.5	24 x 60	2	BVKEL24060SDG	adj glides	760	1,610
	23	30 x 60	2	BVKEL30060SDG	adj glides	790	1,640
	17.5	24 x 60	2	BVKEL24060SDC	2" black hard casters	860	1,710
	23	30 x 60	2	BVKEL30060SDC	2" black hard casters	890	1,740
	17.5	24 x 60	2	BVKEL24060SDS	2" black soft casters	900	1,750
*only available on tops up to 30 x 60	23	30 x 60	2	BVKEL30060SDS	2" black soft casters	930	1,780
Keller flip nest V base set (no stretcher)							
 27.75"H	17.5	24 x 60	2	BVKEL24060NEG	adj glides	1,250	2,100
	23	30 x 60	2	BVKEL30060NEG	adj glides	1,300	2,150
	17.5	24 x 60	2	BVKEL24060NEC	2" black hard casters	1,350	2,200
	23	30 x 60	2	BVKEL30060NEC	2" black hard casters	1,400	2,250
	17.5	24 x 60	2	BVKEL24060NES	2" black soft casters	1,390	2,240
*only available on tops up to 30 x 60	23	30 x 60	2	BVKEL30060NES	2" black soft casters	1,440	2,290



C casters
2" black dual wheel locking hard casters (for carpet)

S casters
2" black dual wheel locking soft casters (for hard floors)

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

polished aluminum / chrome finish (PO)
*polished finish is not available for Keller or Ria Media bases with perforated metal

The Keller & Ria Media bases feature a 10.5 x 10.5 " enclosure with the perforated metal panels.

Media Table Wall Support Bracket

Shall be used in peninsula applications for top sizes up to 48 x 60 for the 51 x 51 base or tops up to 60 x 72 with the 56 x 56 inch Ria or Keller Media base. Wall bracket must be secured to the wall studs with 5/16 diameter screws, dealer/installer shall provide the hardware.
Finish is Furniture White

Use the 33-7/8" long bracket for tops that are 42" - 48" where the top connects to the wall,
model **#OBMWB48, $350 list each**

Use the 50" long bracket for tops that are 54" - 60" where the top connects to the wall,
model **#OBMWB60, $450 list each**

bases

media, fixed and flip nest V

Ria

base	base dim.	max top support	base qty	base set model no.	glide/caster	standard (ME) finish list	polished (PO) finish list
Ria media base with perforated metal panels							
 27.75"H	51 x 51	48 x 60, 54 sq, 60 rd	1	BMRIA540544DG	adj glides	2,970	n/a
	56 x 56	60 x 72, 60 sq, 72 rd	1	BMRIA600604DG	adj glides	3,010	n/a
40.75"H	51 x 51	48 x 60, 54 sq, 60 rd	1	BMRIA540544BG	adj glides	3,520	n/a
	56 x 56	60 x 72, 60 sq, 72 rd	1	BMRIA600604BG	adj glides	3,560	n/a
Ria fixed V base set (no stretcher)							
 27.75"H	17.5	24 x 60	2	BVRIA24060SDG	adj glides	690	1,540
	23	30 x 60	2	BVRIA30060SDG	adj glides	730	1,580
	17.5	24 x 60	2	BVRIA24060SDC	2" black hard casters	790	1,640
	23	30 x 60	2	BVRIA30060SDC	2" black hard casters	830	1,680
	17.5	24 x 60	2	BVRIA24060SDS	2" black soft casters	830	1,680
*only available on tops up to 30 x 60	23	30 x 60	2	BVRIA30060SDS	2" black soft casters	870	1,720
Ria flip nest V base set (no stretcher)							
 27.75"H	17.5	24 x 60	2	BVRIA24060NEG	adj glides	1,210	2,060
	23	30 x 60	2	BVRIA30060NEG	adj glides	1,270	2,120
	17.5	24 x 60	2	BVRIA24060NEC	2" black hard casters	1,310	2,160
	23	30 x 60	2	BVRIA30060NEC	2" black hard casters	1,370	2,220
	17.5	24 x 60	2	BVRIA24060NES	2" black soft casters	1,350	2,200
*only available on tops up to 30 x 60	23	30 x 60	2	BVRIA30060NES	2" black soft casters	1,410	2,260



C casters
2" black dual wheel locking hard casters (for carpet)

S casters
2" black dual wheel locking soft casters (for hard floors)

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

polished aluminum / chrome finish (PO)
*polished finish is not available for Keller or Ria Media bases with perforated metal

The Keller & Ria Media bases feature a 10.5 x 10.5 " enclosure with the perforated metal panels.

Media Table Wall Support Bracket

Shall be used in peninsula applications for top sizes up to 48 x 60 for the 51 x 51 base or tops up to 60 x 72 with the 56 x 56 inch Ria or Keller Media base. Wall bracket must be secured to the wall studs with 5/16 diameter screws, dealer/installer shall provide the hardware.
Finish is Furniture White

Use the 33-7/8" long bracket for tops that are 42" - 48" where the top connects to the wall,
model **#OBMWB48, $350 list each**

Use the 50" long bracket for tops that are 54" - 60" where the top connects to the wall,
model **#OBMWB60, $450 list each**

base	base qty + dim.	stretchers	max top support	base set model no.	glides or casters	standard (**ME**) finish list	polished (**PO**) finish list
Keller Y with stretcher for use with a rectangular to							
27.75"H	(2) 17.5	(1) 40	24 x 60	BYKEL224060SDG	adj glides	1,070	2,110
	(2) 23	(1) 40	30 x 60	BYKEL230060SDG	adj glides	1,100	2,140
	(2) 29	(1) 34	36 x 60	BYKEL236060SDG	adj glides	1,260	2,300
	(2) 33.5	(1) 34	48 x 60	BYKEL248060SDG	adj glides	1,410	2,450
	(2) 17.5	(1) 50	24 x 72	BYKEL224072SDG	adj glides	1,110	2,150
	(2) 23	(1) 50	30 x 72	BYKEL230072SDG	adj glides	1,140	2,180
	(2) 29	(1) 40	36 x 72	BYKEL236072SDG	adj glides	1,280	2,320
	(2) 33.5	(1) 40	48 x 72	BYKEL248072SDG	adj glides	1,420	2,460
	(2) 29	(1) 50	36 x 84	BYKEL236084SDG	adj glides	1,340	2,380
	(2) 33.5	(1) 50	48 x 84	BYKEL248084SDG	adj glides	1,490	2,530
	(2) 29	(1) 58	36 x 96	BYKEL236096SDG	adj glides	1,380	2,420
	(2) 33.5	(1) 58	48 x 96	BYKEL248096SDG	adj glides	1,520	2,560
	(2) 17.5	(1) 40	24 x 60	BYKEL224060SDC	2" black hard casters	1,170	2,210
	(2) 23	(1) 40	30 x 60	BYKEL230060SDC	2" black hard casters	1,200	2,240
	(2) 29	(1) 34	36 x 60	BYKEL236060SDC	2" black hard casters	1,360	2,400
	(2) 33.5	(1) 34	48 x 60	BYKEL248060SDC	2" black hard casters	1,510	2,550
	(2) 17.5	(1) 50	24 x 72	BYKEL224072SDC	2" black hard casters	1,210	2,250
	(2) 23	(1) 50	30 x 72	BYKEL230072SDC	2" black hard casters	1,240	2,280
	(2) 29	(1) 40	36 x 72	BYKEL236072SDC	2" black hard casters	1,380	2,420
	(2) 33.5	(1) 40	48 x 72	BYKEL248072SDC	2" black hard casters	1,520	2,560
	(2) 29	(1) 50	36 x 84	BYKEL236084SDC	2" black hard casters	1,440	2,480
	(2) 33.5	(1) 50	48 x 84	BYKEL248084SDC	2" black hard casters	1,590	2,630
	(2) 29	(1) 58	36 x 96	BYKEL236096SDC	2" black hard casters	1,480	2,520
	(2) 33.5	(1) 58	48 x 96	BYKEL248096SDC	2" black hard casters	1,620	2,660
	(2) 17.5	(1) 40	24 x 60	BYKEL224060SDS	2" black soft casters	1,210	2,250
	(2) 23	(1) 40	30 x 60	BYKEL230060SDS	2" black soft casters	1,240	2,280
	(2) 29	(1) 34	36 x 60	BYKEL236060SDS	2" black soft casters	1,400	2,440
	(2) 33.5	(1) 34	48 x 60	BYKEL248060SDS	2" black soft casters	1,550	2,590
	(2) 17.5	(1) 50	24 x 72	BYKEL224072SDS	2" black soft casters	1,250	2,290
	(2) 23	(1) 50	30 x 72	BYKEL230072SDS	2" black soft casters	1,280	2,320
	(2) 29	(1) 40	36 x 72	BYKEL236072SDS	2" black soft casters	1,420	2,460
	(2) 33.5	(1) 40	48 x 72	BYKEL248072SDS	2" black soft casters	1,560	2,600
	(2) 29	(1) 50	36 x 84	BYKEL236084SDS	2" black soft casters	1,480	2,520
	(2) 33.5	(1) 50	48 x 84	BYKEL248084SDS	2" black soft casters	1,630	2,670
	(2) 29	(1) 58	36 x 96	BYKEL236096SDS	2" black soft casters	1,520	2,560
	(2) 33.5	(1) 58	48 x 96	BYKEL248096SDS	2" black soft casters	1,660	2,700
Keller Y with stretcher for use with a boat, half arced rectangle, half boat, bullet or racetrack to							
	(2) 33.5	(1) 34	48 x 72	BYKEL348072SDG	adj glides	1,410	2,450
	(2) 33.5	(1) 40	48 x 84	BYKEL348084SDG	adj glides	1,450	2,490
	(2) 33.5	(1) 50	48 x 96	BYKEL348096SDG	adj glides	1,490	2,530
	(2) 33.5	(1) 34	48 x 72	BYKEL348072SDC	2" black hard casters	1,510	2,550
	(2) 33.5	(1) 40	48 x 84	BYKEL348084SDC	2" black hard casters	1,550	2,590
	(2) 33.5	(1) 50	48 x 96	BYKEL348096SDC	2" black hard casters	1,590	2,630
	(2) 33.5	(1) 34	48 x 72	BYKEL348072SDS	2" black soft casters	1,550	2,590
	(2) 33.5	(1) 40	48 x 84	BYKEL348084SDS	2" black soft casters	1,590	2,630
	(2) 33.5	(1) 50	48 x 96	BYKEL348096SDS	2" black soft casters	1,630	2,670
Keller Y with stretcher for use with an oval to							
	(2) 33.5	(1) 34	48 x 84	BYKEL448084SDG	adj glides	1,410	2,450
	(2) 33.5	(1) 40	48 x 96	BYKEL448096SDG	adj glides	1,450	2,490
	(2) 33.5	(1) 34	48 x 84	BYKEL448084SDC	2" black hard casters	1,510	2,550
	(2) 33.5	(1) 40	48 x 96	BYKEL448096SDC	2" black hard casters	1,550	2,590
	(2) 33.5	(1) 34	48 x 84	BYKEL448084SDS	2" black soft casters	1,550	2,590
	(2) 33.5	(1) 40	48 x 96	BYKEL448096SDS	2" black soft casters	1,590	2,630

C casters
2" black dual wheel locking hard casters (for carpet)

S casters
2" black dual wheel locking soft casters (for hard floors)

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Flat Black, Furniture White, Medium Tone, Metallic Silver

premium metal powder coat finishes (PR):
Copper Glaze, Gold Bar, Inner Tone, Lakefront Blue, Light Tone, Matte Dark Bronze, Misty Blue, Sage Green, Triple Bronze

polished aluminum / chrome finish (PO)

For complete model number:
1. Insert height selection :
H custom higher height (specify height)
L custom lower height (specify height)

base	base qty + dim.	stretcher	max top support	base set model no.	glides or casters	standard (**ME**) finish list	polished (**PO**) finish list
Keller Y with stretcher for use with a rectangular to							
custom height	(2) 17.5	(1) 40	24 x 60	BYKEL224060S_G	adj glides	1,270	2,540
	(2) 23	(1) 40	30 x 60	BYKEL230060S_G	adj glides	1,300	2,570
	(2) 29	(1) 34	36 x 60	BYKEL236060S_G	adj glides	1,460	2,730
	(2) 33.5	(1) 34	48 x 60	BYKEL248060S_G	adj glides	1,610	2,880
	(2) 17.5	(1) 50	24 x 72	BYKEL224072S_G	adj glides	1,310	2,580
	(2) 23	(1) 50	30 x 72	BYKEL230072S_G	adj glides	1,340	2,610
	(2) 29	(1) 40	36 x 72	BYKEL236072S_G	adj glides	1,480	2,750
	(2) 33.5	(1) 40	48 x 72	BYKEL248072S_G	adj glides	1,620	2,890
	(2) 29	(1) 50	36 x 84	BYKEL236084S_G	adj glides	1,540	2,810
	(2) 33.5	(1) 50	48 x 84	BYKEL248084S_G	adj glides	1,690	2,960
	(2) 29	(1) 58	36 x 96	BYKEL236096S_G	adj glides	1,580	2,850
	(2) 33.5	(1) 58	48 x 96	BYKEL248096S_G	adj glides	1,720	2,990
	(2) 17.5	(1) 40	24 x 60	BYKEL224060S_C	2" black hard casters	1,370	2,640
	(2) 23	(1) 40	30 x 60	BYKEL230060S_C	2" black hard casters	1,400	2,670
	(2) 29	(1) 34	36 x 60	BYKEL236060S_C	2" black hard casters	1,560	2,830
	(2) 33.5	(1) 34	48 x 60	BYKEL248060S_C	2" black hard casters	1,710	2,980
	(2) 17.5	(1) 50	24 x 72	BYKEL224072S_C	2" black hard casters	1,410	2,680
	(2) 23	(1) 50	30 x 72	BYKEL230072S_C	2" black hard casters	1,440	2,710
	(2) 29	(1) 40	36 x 72	BYKEL236072S_C	2" black hard casters	1,580	2,850
	(2) 33.5	(1) 40	48 x 72	BYKEL248072S_C	2" black hard casters	1,720	2,990
	(2) 29	(1) 50	36 x 84	BYKEL236084S_C	2" black hard casters	1,640	2,910
	(2) 33.5	(1) 50	48 x 84	BYKEL248084S_C	2" black hard casters	1,790	3,060
	(2) 29	(1) 58	36 x 96	BYKEL236096S_C	2" black hard casters	1,680	2,950
	(2) 33.5	(1) 58	48 x 96	BYKEL248096S_C	2" black hard casters	1,820	3,090
	(2) 17.5	(1) 40	24 x 60	BYKEL224060S_S	2" black soft casters	1,410	2,680
	(2) 23	(1) 40	30 x 60	BYKEL230060S_S	2" black soft casters	1,440	2,710
	(2) 29	(1) 34	36 x 60	BYKEL236060S_S	2" black soft casters	1,600	2,870
	(2) 33.5	(1) 34	48 x 60	BYKEL248060S_S	2" black soft casters	1,750	3,020
	(2) 17.5	(1) 50	24 x 72	BYKEL224072S_S	2" black soft casters	1,450	2,720
	(2) 23	(1) 50	30 x 72	BYKEL230072S_S	2" black soft casters	1,480	2,750
	(2) 29	(1) 40	36 x 72	BYKEL236072S_S	2" black soft casters	1,620	2,890
	(2) 33.5	(1) 40	48 x 72	BYKEL248072S_S	2" black soft casters	1,760	3,030
	(2) 29	(1) 50	36 x 84	BYKEL236084S_S	2" black soft casters	1,680	2,950
	(2) 33.5	(1) 50	48 x 84	BYKEL248084S_S	2" black soft casters	1,830	3,100
	(2) 29	(1) 58	36 x 96	BYKEL236096S_S	2" black soft casters	1,720	2,990
	(2) 33.5	(1) 58	48 x 96	BYKEL248096S_S	2" black soft casters	1,860	3,130
Keller Y with stretcher for use with a boat, half boat, bullet or racetrack to							
	(2) 33.5	(1) 34	48 x 72	BYKEL348072S_G	adj glides	1,610	2,880
	(2) 33.5	(1) 40	48 x 84	BYKEL348084S_G	adj glides	1,650	2,920
	(2) 33.5	(1) 50	48 x 96	BYKEL348096S_G	adj glides	1,690	2,960
	(2) 33.5	(1) 34	48 x 72	BYKEL348072S_C	2" black hard casters	1,710	2,980
	(2) 33.5	(1) 40	48 x 84	BYKEL348084S_C	2" black hard casters	1,750	3,020
	(2) 33.5	(1) 50	48 x 96	BYKEL348096S_C	2" black hard casters	1,790	3,060
	(2) 33.5	(1) 34	48 x 72	BYKEL348072S_S	2" black soft casters	1,750	3,020
	(2) 33.5	(1) 40	48 x 84	BYKEL348084S_S	2" black soft casters	1,790	3,060
	(2) 33.5	(1) 50	48 x 96	BYKEL348096S_S	2" black soft casters	1,830	3,100
Keller Y with stretcher for use with an oval to							
	(2) 33.5	(1) 34	48 x 84	BYKEL448084S_G	adj glides	1,610	2,880
	(2) 33.5	(1) 40	48 x 96	BYKEL448096S_G	adj glides	1,650	2,920
	(2) 33.5	(1) 34	48 x 84	BYKEL448084S_C	2" black hard casters	1,710	2,980
	(2) 33.5	(1) 40	48 x 96	BYKEL448096S_C	2" black hard casters	1,750	3,020
	(2) 33.5	(1) 34	48 x 84	BYKEL448084S_S	2" black soft casters	1,750	3,020
	(2) 33.5	(1) 40	48 x 96	BYKEL448096S_S	2" black soft casters	1,790	3,060

C casters
2" black dual wheel locking hard casters (for carpet)

S casters
2" black dual wheel locking soft casters (for hard floors)

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Flat Black, Furniture White, Medium Tone, Metallic Silver

premium metal powder coat finishes (PR):
Copper Glaze, Gold Bar, Inner Tone, Lakefront Blue, Light Tone, Matte Dark Bronze, Misty Blue, Sage Green, Triple Bronze

polished aluminum / chrome finish (PO)

base	base qty + dim.	stretchers	max top support	base set model no.	glides or casters	standard (**ME**) finish list	polished (**PO**) finish list
Keller YY with stretchers for use with a boat, bullet media, half arced rectangle, half boat, or rectangle top							
27.75"H	(2) 32 YY	(2) 34	42-48 x 72	BYKEL548072SDG	adj glides	2,020	4,030
	(2) 38 YY	(2) 34	54-60 x 72	BYKEL560072SDG	adj glides	2,080	4,090
	(2) 32 YY	(2) 40	42-48 x 84	BYKEL548084SDG	adj glides	2,050	4,060
	(2) 38 YY	(2) 40	54-60 x 84	BYKEL560084SDG	adj glides	2,100	4,110
	(2) 32 YY	(2) 50	42-48 x 96	BYKEL548096SDG	adj glides	2,130	4,140
* top not included	(2) 38 YY	(2) 50	54-60 x 96	BYKEL560096SDG	adj glides	2,190	4,200
	(2) 32 YY	(2) 34	42-48 x 72	BYKEL548072SDC	2" black hard casters	2,120	4,130
	(2) 38 YY	(2) 34	54-60 x 72	BYKEL560072SDC	2" black hard casters	2,180	4,190
	(2) 32 YY	(2) 40	42-48 x 84	BYKEL548084SDC	2" black hard casters	2,150	4,160
	(2) 38 YY	(2) 40	54-60 x 84	BYKEL560084SDC	2" black hard casters	2,200	4,210
	(2) 32 YY	(2) 50	42-48 x 96	BYKEL548096SDC	2" black hard casters	2,230	4,240
	(2) 38 YY	(2) 50	54-60 x 96	BYKEL560096SDC	2" black hard casters	2,290	4,300
	(2) 32 YY	(2) 34	42-48 x 72	BYKEL548072SDS	2" black soft casters	2,160	4,170
	(2) 38 YY	(2) 34	54-60 x 72	BYKEL560072SDS	2" black soft casters	2,220	4,230
	(2) 32 YY	(2) 40	42-48 x 84	BYKEL548084SDS	2" black soft casters	2,190	4,200
	(2) 38 YY	(2) 40	54-60 x 84	BYKEL560084SDS	2" black soft casters	2,240	4,250
	(2) 32 YY	(2) 50	42-48 x 96	BYKEL548096SDS	2" black soft casters	2,270	4,280
	(2) 38 YY	(2) 50	54-60 x 96	BYKEL560096SDS	2" black soft casters	2,330	4,340
Keller YY with stretchers for use with a racetrack top							
	(2) 32 YY	(2) 34	42-48 x 72	BYKEL648072SDG	adj glides	2,020	4,030
	(2) 32 YY	(2) 40	42-48 x 84	BYKEL648084SDG	adj glides	2,050	4,060
	(2) 38 YY	(2) 40	54-60 x 84	BYKEL660084SDG	adj glides	2,100	4,110
	(2) 32 YY	(2) 50	42-48 x 96	BYKEL648096SDG	adj glides	2,130	4,140
	(2) 38 YY	(2) 50	54-60 x 96	BYKEL660096SDG	adj glides	2,190	4,200
	(2) 32 YY	(2) 34	42-48 x 72	BYKEL648072SDC	2" black hard casters	2,120	4,130
	(2) 32 YY	(2) 40	42-48 x 84	BYKEL648084SDC	2" black hard casters	2,150	4,160
	(2) 38 YY	(2) 40	54-60 x 84	BYKEL660084SDC	2" black hard casters	2,200	4,210
	(2) 32 YY	(2) 50	42-48 x 96	BYKEL648096SDC	2" black hard casters	2,230	4,240
	(2) 38 YY	(2) 50	54-60 x 96	BYKEL660096SDC	2" black hard casters	2,290	4,300
	(2) 32 YY	(2) 34	42-48 x 72	BYKEL648072SDS	2" black soft casters	2,160	4,170
	(2) 32 YY	(2) 40	42-48 x 84	BYKEL648084SDS	2" black soft casters	2,190	4,200
	(2) 38 YY	(2) 40	54-60 x 84	BYKEL660084SDS	2" black soft casters	2,240	4,250
	(2) 32 YY	(2) 50	42-48 x 96	BYKEL648096SDS	2" black soft casters	2,270	4,280
	(2) 38 YY	(2) 50	54-60 x 96	BYKEL660096SDS	2" black soft casters	2,330	4,340
Keller YY with stretchers for use with an oval top							
	(2) 32 YY	(2) 34	48 x 84	BYKEL748084SDG	adj glides	2,020	4,030
	(2) 38 YY	(2) 34	54-60 x 84	BYKEL760084SDG	adj glides	2,080	4,090
	(2) 32 YY	(2) 40	42-48 x 96	BYKEL748096SDG	adj glides	2,050	4,060
	(2) 38 YY	(2) 40	54-60 x 96	BYKEL760096SDG	adj glides	2,100	4,110
	(2) 32 YY	(2) 34	48 x 84	BYKEL748084SDC	2" black hard casters	2,120	4,130
	(2) 38 YY	(2) 34	54-60 x 84	BYKEL760084SDC	2" black hard casters	2,180	4,190
	(2) 32 YY	(2) 40	42-48 x 96	BYKEL748096SDC	2" black hard casters	2,150	4,160
	(2) 38 YY	(2) 40	54-60 x 96	BYKEL760096SDC	2" black hard casters	2,200	4,210
	(2) 32 YY	(2) 34	48 x 84	BYKEL748084SDS	2" black soft casters	2,160	4,170
	(2) 38 YY	(2) 34	54-60 x 84	BYKEL760084SDS	2" black soft casters	2,220	4,230
	(2) 32 YY	(2) 40	42-48 x 96	BYKEL748096SDS	2" black soft casters	2,190	4,200
	(2) 38 YY	(2) 40	54-60 x 96	BYKEL760096SDS	2" black soft casters	2,240	4,250

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

polished aluminum / chrome finish (PO)

Note that the YY bases with 34 inch stretchers will not fit under a 54 x 72 or 60 x 72 racetrack top. Contact service@symphonytables.com for custom stretcher pricing.

The Keller YY bases with stretchers for the KEL5 category for boat, bullet media, half arced rectangle, half boat or rectangle tops will fit under trapezoid media tops with the exception of 42" deep tops with a 30" small end, increase the small end to 32 inches and the bases will fit. This is a non-standard top shape for us so please notate this cleary on your order.

bases
Keller YY bases with stretchers

For complete model number:
1. Insert height selection :
H custom higher height (specify height)
L custom lower height (specify height)



base	base qty + dim.	stretchers	max top support	base set model no.	glides or casters	standard (**ME**) finish list	polished (**PO**) finish list
Keller YY with stretchers for use with a boat, bullet media, half arced rectangle, half boat, or rectangle top							
	(2) 32 YY	(2) 34	42-48 x 72	BYKEL548072S_G	adj glides	2,420	4,880
	(2) 38 YY	(2) 34	54-60 x 72	BYKEL560072S_G	adj glides	2,480	4,940
	(2) 32 YY	(2) 40	42-48 x 84	BYKEL548084S_G	adj glides	2,450	4,910
	(2) 38 YY	(2) 40	54-60 x 84	BYKEL560084S_G	adj glides	2,500	4,960
	(2) 32 YY	(2) 50	42-48 x 96	BYKEL548096S_G	adj glides	2,530	4,990
* top not included	(2) 38 YY	(2) 50	54-60 x 96	BYKEL560096S_G	adj glides	2,590	5,050
	(2) 32 YY	(2) 34	42-48 x 72	BYKEL548072S_C	2" black hard casters	2,520	4,980
	(2) 38 YY	(2) 34	54-60 x 72	BYKEL560072S_C	2" black hard casters	2,580	5,040
	(2) 32 YY	(2) 40	42-48 x 84	BYKEL548084S_C	2" black hard casters	2,550	5,010
	(2) 38 YY	(2) 40	54-60 x 84	BYKEL560084S_C	2" black hard casters	2,600	5,060
	(2) 32 YY	(2) 50	42-48 x 96	BYKEL548096S_C	2" black hard casters	2,630	5,090
	(2) 38 YY	(2) 50	54-60 x 96	BYKEL560096S_C	2" black hard casters	2,690	5,150
	(2) 32 YY	(2) 34	42-48 x 72	BYKEL548072S_S	2" black soft casters	2,560	5,020
	(2) 38 YY	(2) 34	54-60 x 72	BYKEL560072S_S	2" black soft casters	2,620	5,080
	(2) 32 YY	(2) 40	42-48 x 84	BYKEL548084S_S	2" black soft casters	2,590	5,050
	(2) 38 YY	(2) 40	54-60 x 84	BYKEL560084S_S	2" black soft casters	2,640	5,100
	(2) 32 YY	(2) 50	42-48 x 96	BYKEL548096S_S	2" black soft casters	2,670	5,130
	(2) 38 YY	(2) 50	54-60 x 96	BYKEL560096S_S	2" black soft casters	2,730	5,190
Keller YY with stretchers for use with a racetrack top							
	(2) 32 YY	(2) 34	42-48 x 72	BYKEL648072S_G	adj glides	2,420	4,880
	(2) 32 YY	(2) 40	42-48 x 84	BYKEL648084S_G	adj glides	2,450	4,910
	(2) 38 YY	(2) 40	54-60 x 84	BYKEL660084S_G	adj glides	2,500	4,960
	(2) 32 YY	(2) 50	42-48 x 96	BYKEL648096S_G	adj glides	2,530	4,990
	(2) 38 YY	(2) 50	54-60 x 96	BYKEL660096S_G	adj glides	2,590	5,050
	(2) 32 YY	(2) 34	42-48 x 72	BYKEL648072S_C	2" black hard casters	2,520	4,980
	(2) 32 YY	(2) 40	42-48 x 84	BYKEL648084S_C	2" black hard casters	2,550	5,010
	(2) 38 YY	(2) 40	54-60 x 84	BYKEL660084S_C	2" black hard casters	2,600	5,060
	(2) 32 YY	(2) 50	42-48 x 96	BYKEL648096S_C	2" black hard casters	2,630	5,090
	(2) 38 YY	(2) 50	54-60 x 96	BYKEL660096S_C	2" black hard casters	2,690	5,150
	(2) 32 YY	(2) 34	42-48 x 72	BYKEL648072S_S	2" black soft casters	2,560	5,020
	(2) 32 YY	(2) 40	42-48 x 84	BYKEL648084S_S	2" black soft casters	2,590	5,050
	(2) 38 YY	(2) 40	54-60 x 84	BYKEL660084S_S	2" black soft casters	2,640	5,100
	(2) 32 YY	(2) 50	42-48 x 96	BYKEL648096S_S	2" black soft casters	2,670	5,130
	(2) 38 YY	(2) 50	54-60 x 96	BYKEL660096S_S	2" black soft casters	2,730	5,190
Keller YY with stretchers for use with a oval top							
	(2) 32 YY	(2) 34	48 x 84	BYKEL748084S_G	adj glides	2,420	4,880
	(2) 38 YY	(2) 34	54-60 x 84	BYKEL760084S_G	adj glides	2,480	4,940
	(2) 32 YY	(2) 40	42-48 x 96	BYKEL748096S_G	adj glides	2,450	4,910
	(2) 38 YY	(2) 40	54-60 x 96	BYKEL760096S_G	adj glides	2,500	4,960
	(2) 32 YY	(2) 34	48 x 84	BYKEL748084S_C	2" black hard casters	2,520	4,980
	(2) 38 YY	(2) 34	54-60 x 84	BYKEL760084S_C	2" black hard casters	2,580	5,040
	(2) 32 YY	(2) 40	42-48 x 96	BYKEL748096S_C	2" black hard casters	2,550	5,010
	(2) 38 YY	(2) 40	54-60 x 96	BYKEL760096S_C	2" black hard casters	2,600	5,060
	(2) 32 YY	(2) 34	48 x 84	BYKEL748084S_S	2" black soft casters	2,560	5,020
	(2) 38 YY	(2) 34	54-60 x 84	BYKEL760084S_S	2" black soft casters	2,620	5,080
	(2) 32 YY	(2) 40	42-48 x 96	BYKEL748096S_S	2" black soft casters	2,590	5,050
	(2) 38 YY	(2) 40	54-60 x 96	BYKEL760096S_S	2" black soft casters	2,640	5,100

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

polished aluminum / chrome finish (PO)

Note that the YY bases with 34 inch stretchers will not fit under a 54 x 72 or 60 x 72 racetrack top. Contact service@symphonytables.com for custom stretcher pricing.

The Keller YY bases with stretchers for the KEL5 category for boat, bullet media, half arced rectangle, half boat or rectangle tops will fit under trapezoid media tops with the exception of 42" deep tops with a 30" small end, increase the small end to 32 inches and the bases will fit. This is a non-standard top shape for us so please notate this cleary on your order.

bases

Keller YY + TT base(s) with stretchers

base	base qty + dim.	stretchers	max top support	base set model no.	standard (**ME**) finish list	polished (**PO**) finish list
Keller YY w/ TT base(s) and stretchers for use with a **rectangular** top (see chart on the opposite page for other shapes)						
27.75'H adjustable glides	(2) 32YY (1) 34TT	(4) 34	42-48 x 108	BYKEL848108SDG	3,300	6,410
	(2) 38YY (1) 40TT	(4) 34	54-60 x 108	BYKEL860108SDG	3,380	6,490
	(2) 32YY (1) 34TT	(4) 40	42-48 x 120	BYKEL848120SDG	3,350	6,460
	(2) 38YY (1) 40TT	(4) 40	54-60 x 120	BYKEL860120SDG	3,430	6,540
	(2) 32YY (1) 34TT	(4) 50	42-48 x 132-144	BYKEL848144SDG	3,520	6,630
	(2) 38YY (1) 40TT	(4) 50	54-60 x 132-144	BYKEL860144SDG	3,600	6,710
	(2) 32YY (2) 34TT	(6) 40	42-48 x 156-168	BYKEL848168SDG	4,570	8,840
	(2) 38YY (2) 40TT	(6) 40	54-60 x 156-168	BYKEL860168SDG	4,670	8,940
	(2) 32YY (2) 34TT	(6) 50	42-48 x 192	BYKEL848192SDG	4,820	9,090
	(2) 38YY (2) 40TT	(6) 50	54-60 x 192	BYKEL860192SDG	4,930	9,200

* tops are not included in the pricing on this page. The chart shall be utilized as a reference for which bases will fit under the top sizes.

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

polished aluminum / chrome finish (PO)

bases

Keller YY + TT base(s) with stretchers

base set model no.	The base sizes for the model #'s in the same row on the opposite page will fit the top shapes/sizes indicated in the below chart:						
	 boat	 bullet media	 half arc rectangle	 half boat	 racetrack	 trapezoid media	 oval
BYKEL848108SDG	42-48x108	42-48x108	42-48x108	48x108	42-48x108	48x108	48x132
BYKEL860108SDG	54-60x108	-	54-60x108	54-60x108	-	54-60x108	60x132
BYKEL848120SDG	42-48x120	42-48x120	42-48x120	48x120	42-48x120	48x120	48x144-156
BYKEL860120SDG	54-60x120	-	54-60x120	54-60x120	-	54-60x120	60x144-156
BYKEL848144SDG	48x132, 42-48x144	42-48x144	42-48x132-144	48x132-144	42-48x144	48x144	48x168
BYKEL860144SDG	54-60x132-144	54-60x144	54-60x144	54-60x132-144	54-60x144	54-60x132-144	60x168
BYKEL848168SDG	48x156, 42-48x168	42-48x156-168	42-48x156-168	48x156-168	42-48x168	48x156-168	-
BYKEL860168SDG	54-60x156-168	54-60x168	54-60x156-168	54-60x156-168	54-60x168	54-60x156-168	60x192
BYKEL848192SDG	48x180, 48x192	42-48x192	42-48x192	48x180-192	42-48x192	42-48x192	-
BYKEL860192SDG	54-60x192	54-60x192	54-60x192	54-60x192	-	54-60x192	-

base	base qty + dim.	stretchers	max top support	base set model no.	glides or casters	standard (ME) finish list	polished (PO) finish list
Ria Y with stretcher for use with a rectangular top							
27.75"H	(2) 17.5	(1) 40	24 x 60	BYRIA224060SDG	adj glides	950	1,990
	(2) 23	(1) 40	30 x 60	BYRIA230060SDG	adj glides	990	2,030
	(2) 29	(1) 34	36 x 60	BYRIA236060SDG	adj glides	1,150	2,190
	(2) 33.5	(1) 34	48 x 60	BYRIA248060SDG	adj glides	1,300	2,340
	(2) 17.5	(1) 50	24 x 72	BYRIA224072SDG	adj glides	980	2,020
	(2) 23	(1) 50	30 x 72	BYRIA230072SDG	adj glides	1,010	2,050
	(2) 29	(1) 40	36 x 72	BYRIA236072SDG	adj glides	1,160	2,200
	(2) 33.5	(1) 40	48 x 72	BYRIA248072SDG	adj glides	1,310	2,350
	(2) 29	(1) 50	36 x 84	BYRIA236084SDG	adj glides	1,210	2,250
	(2) 33.5	(1) 50	48 x 84	BYRIA248084SDG	adj glides	1,360	2,400
	(2) 29	(1) 58	36 x 96	BYRIA236096SDG	adj glides	1,250	2,290
	(2) 33.5	(1) 58	48 x 96	BYRIA248096SDG	adj glides	1,410	2,450
	(2) 17.5	(1) 40	24 x 60	BYRIA224060SDC	2" black hard casters	1,050	2,090
	(2) 23	(1) 40	30 x 60	BYRIA230060SDC	2" black hard casters	1,090	2,130
	(2) 29	(1) 34	36 x 60	BYRIA236060SDC	2" black hard casters	1,250	2,290
	(2) 33.5	(1) 34	48 x 60	BYRIA248060SDC	2" black hard casters	1,400	2,440
	(2) 17.5	(1) 50	24 x 72	BYRIA224072SDC	2" black hard casters	1,080	2,120
	(2) 23	(1) 50	30 x 72	BYRIA230072SDC	2" black hard casters	1,110	2,150
	(2) 29	(1) 40	36 x 72	BYRIA236072SDC	2" black hard casters	1,260	2,300
	(2) 33.5	(1) 40	48 x 72	BYRIA248072SDC	2" black hard casters	1,410	2,450
	(2) 29	(1) 50	36 x 84	BYRIA236084SDC	2" black hard casters	1,310	2,350
	(2) 33.5	(1) 50	48 x 84	BYRIA248084SDC	2" black hard casters	1,460	2,500
	(2) 29	(1) 58	36 x 96	BYRIA236096SDC	2" black hard casters	1,350	2,390
	(2) 33.5	(1) 58	48 x 96	BYRIA248096SDC	2" black hard casters	1,510	2,550
	(2) 17.5	(1) 40	24 x 60	BYRIA224060SDS	2" black soft casters	1,090	2,130
	(2) 23	(1) 40	30 x 60	BYRIA230060SDS	2" black soft casters	1,130	2,170
	(2) 29	(1) 34	36 x 60	BYRIA236060SDS	2" black soft casters	1,290	2,330
	(2) 33.5	(1) 34	48 x 60	BYRIA248060SDS	2" black soft casters	1,440	2,480
	(2) 17.5	(1) 50	24 x 72	BYRIA224072SDS	2" black soft casters	1,120	2,160
	(2) 23	(1) 50	30 x 72	BYRIA230072SDS	2" black soft casters	1,150	2,190
	(2) 29	(1) 40	36 x 72	BYRIA236072SDS	2" black soft casters	1,300	2,340
	(2) 33.5	(1) 40	48 x 72	BYRIA248072SDS	2" black soft casters	1,450	2,490
	(2) 29	(1) 50	36 x 84	BYRIA236084SDS	2" black soft casters	1,350	2,390
	(2) 33.5	(1) 50	48 x 84	BYRIA248084SDS	2" black soft casters	1,500	2,540
	(2) 29	(1) 58	36 x 96	BYRIA236096SDS	2" black soft casters	1,390	2,430
	(2) 33.5	(1) 58	48 x 96	BYRIA248096SDS	2" black soft casters	1,550	2,590
Ria Y with stretcher for use with a boat, half arced rectangle, half boat, bullet or racetrack top							
	(2) 33.5	(1) 34	48 x 72	BYRIA348072SDG	adj glides	1,300	2,340
	(2) 33.5	(1) 40	48 x 84	BYRIA348084SDG	adj glides	1,330	2,370
	(2) 33.5	(1) 50	48 x 96	BYRIA348096SDG	adj glides	1,360	2,400
	(2) 33.5	(1) 34	48 x 72	BYRIA348072SDC	2" black hard casters	1,400	2,440
	(2) 33.5	(1) 40	48 x 84	BYRIA348084SDC	2" black hard casters	1,430	2,470
	(2) 33.5	(1) 50	48 x 96	BYRIA348096SDC	2" black hard casters	1,460	2,500
	(2) 33.5	(1) 34	48 x 72	BYRIA348072SDS	2" black soft casters	1,440	2,480
	(2) 33.5	(1) 40	48 x 84	BYRIA348084SDS	2" black soft casters	1,470	2,510
	(2) 33.5	(1) 50	48 x 96	BYRIA348096SDS	2" black soft casters	1,500	2,540
Ria Y with stretcher for use with an oval top							
	(2) 33.5	(1) 34	48 x 84	BYRIA448084SDG	adj glides	1,300	2,340
	(2) 33.5	(1) 40	48 x 96	BYRIA448096SDG	adj glides	1,330	2,370
	(2) 33.5	(1) 34	48 x 84	BYRIA448084SDC	2" black hard casters	1,400	2,440
	(2) 33.5	(1) 40	48 x 96	BYRIA448096SDC	2" black hard casters	1,430	2,470
	(2) 33.5	(1) 34	48 x 84	BYRIA448084SDS	2" black soft casters	1,440	2,480
	(2) 33.5	(1) 40	48 x 96	BYRIA448096SDS	2" black soft casters	1,470	2,510

C casters
2" black dual wheel locking hard casters (for carpet)

S casters
2" black dual wheel locking soft casters (for hard floors)

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

polished aluminum / chrome finish (PO)

For complete model number:
1. Insert height selection :
H custom higher height (specify height)
L custom lower height (specify height)

base	base qty + dim.	stretchers	max top support	base set model no.	glides or casters	standard (ME) finish list	polished (PO) finish list
Ria Y with stretcher for use with a rectangular top							
custom height	(2) 17.5	(1) 40	24 x 60	BYRIA224060S_G	adj glides	1,150	2,450
	(2) 23	(1) 40	30 x 60	BYRIA230060S_G	adj glides	1,190	2,490
	(2) 29	(1) 34	36 x 60	BYRIA236060S_G	adj glides	1,350	2,650
	(2) 33.5	(1) 34	48 x 60	BYRIA248060S_G	adj glides	1,500	2,800
	(2) 17.5	(1) 50	24 x 72	BYRIA224072S_G	adj glides	1,180	2,480
	(2) 23	(1) 50	30 x 72	BYRIA230072S_G	adj glides	1,210	2,510
	(2) 29	(1) 40	36 x 72	BYRIA236072S_G	adj glides	1,360	2,660
	(2) 33.5	(1) 40	48 x 72	BYRIA248072S_G	adj glides	1,510	2,810
	(2) 29	(1) 50	36 x 84	BYRIA236084S_G	adj glides	1,410	2,710
	(2) 33.5	(1) 50	48 x 84	BYRIA248084S_G	adj glides	1,560	2,860
	(2) 29	(1) 58	36 x 96	BYRIA236096S_G	adj glides	1,450	2,750
	(2) 33.5	(1) 58	48 x 96	BYRIA248096S_G	adj glides	1,610	2,910
	(2) 17.5	(1) 40	24 x 60	BYRIA224060S_C	2" black hard casters	1,250	2,550
	(2) 23	(1) 40	30 x 60	BYRIA230060S_C	2" black hard casters	1,290	2,590
	(2) 29	(1) 34	36 x 60	BYRIA236060S_C	2" black hard casters	1,450	2,750
	(2) 33.5	(1) 34	48 x 60	BYRIA248060S_C	2" black hard casters	1,600	2,900
	(2) 17.5	(1) 50	24 x 72	BYRIA224072S_C	2" black hard casters	1,280	2,580
	(2) 23	(1) 50	30 x 72	BYRIA230072S_C	2" black hard casters	1,310	2,610
	(2) 29	(1) 40	36 x 72	BYRIA236072S_C	2" black hard casters	1,460	2,760
	(2) 33.5	(1) 40	48 x 72	BYRIA248072S_C	2" black hard casters	1,610	2,910
	(2) 29	(1) 50	36 x 84	BYRIA236084S_C	2" black hard casters	1,510	2,810
	(2) 33.5	(1) 50	48 x 84	BYRIA248084S_C	2" black hard casters	1,660	2,960
	(2) 29	(1) 58	36 x 96	BYRIA236096S_C	2" black hard casters	1,550	2,850
	(2) 33.5	(1) 58	48 x 96	BYRIA248096S_C	2" black hard casters	1,710	3,010
	(2) 17.5	(1) 40	24 x 60	BYRIA224060S_S	2" black soft casters	1,290	2,590
	(2) 23	(1) 40	30 x 60	BYRIA230060S_S	2" black soft casters	1,330	2,630
	(2) 29	(1) 34	36 x 60	BYRIA236060S_S	2" black soft casters	1,490	2,790
	(2) 33.5	(1) 34	48 x 60	BYRIA248060S_S	2" black soft casters	1,640	2,940
	(2) 17.5	(1) 50	24 x 72	BYRIA224072S_S	2" black soft casters	1,320	2,620
	(2) 23	(1) 50	30 x 72	BYRIA230072S_S	2" black soft casters	1,350	2,650
	(2) 29	(1) 40	36 x 72	BYRIA236072S_S	2" black soft casters	1,500	2,800
	(2) 33.5	(1) 40	48 x 72	BYRIA248072S_S	2" black soft casters	1,650	2,950
	(2) 29	(1) 50	36 x 84	BYRIA236084S_S	2" black soft casters	1,550	2,850
	(2) 33.5	(1) 50	48 x 84	BYRIA248084S_S	2" black soft casters	1,700	3,000
	(2) 29	(1) 58	36 x 96	BYRIA236096S_S	2" black soft casters	1,590	2,890
	(2) 33.5	(1) 58	48 x 96	BYRIA248096S_S	2" black soft casters	1,750	3,050
Ria Y with stretcher for use with a boat, half boat, bullet or racetrack top							
	(2) 33.5	(1) 34	48 x 72	BYRIA348072S_G	adj glides	1,500	2,800
	(2) 33.5	(1) 40	48 x 84	BYRIA348084S_G	adj glides	1,530	2,830
	(2) 33.5	(1) 50	48 x 96	BYRIA348096S_G	adj glides	1,560	2,860
	(2) 33.5	(1) 34	48 x 72	BYRIA348072S_C	2" black hard casters	1,600	2,900
	(2) 33.5	(1) 40	48 x 84	BYRIA348084S_C	2" black hard casters	1,630	2,930
	(2) 33.5	(1) 50	48 x 96	BYRIA348096S_C	2" black hard casters	1,660	2,960
	(2) 33.5	(1) 34	48 x 72	BYRIA348072S_S	2" black soft casters	1,640	2,940
	(2) 33.5	(1) 40	48 x 84	BYRIA348084S_S	2" black soft casters	1,670	2,970
	(2) 33.5	(1) 50	48 x 96	BYRIA348096S_S	2" black soft casters	1,700	3,000
Ria Y with stretcher for use with an oval top							
	(2) 33.5	(1) 34	48 x 84	BYRIA448084S_G	adj glides	1,500	2,800
	(2) 33.5	(1) 40	48 x 96	BYRIA448096S_G	adj glides	1,530	2,830
	(2) 33.5	(1) 34	48 x 84	BYRIA448084S_C	2" black hard casters	1,600	2,900
	(2) 33.5	(1) 40	48 x 96	BYRIA448096S_C	2" black hard casters	1,630	2,930
	(2) 33.5	(1) 34	48 x 84	BYRIA448084S_S	2" black soft casters	1,640	2,940
	(2) 33.5	(1) 40	48 x 96	BYRIA448096S_S	2" black soft casters	1,670	2,970

C casters
2" black dual wheel locking hard casters (for carpet)

S casters
2" black dual wheel locking soft casters (for hard floors)

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

polished aluminum / chrome finish (PO)

Ria YY bases with stretchers

base	base qty + dim.	stretchers	max top support	base set model no.	glides or casters	standard (**ME**) finish list	polished (**PO**) finish list
Ria YY with stretchers for use with a boat, bullet media, half arced rectangle, half boat, or rectangle top							
	(2) 32 YY	(2) 34	42-48 x 72	BYRIA548072SDG	adj glides	1,950	3,890
	(2) 38 YY	(2) 34	54-60 x 72	BYRIA560072SDG	adj glides	2,000	3,940
	(2) 32 YY	(2) 40	42-48 x 84	BYRIA548084SDG	adj glides	1,970	3,910
	(2) 38 YY	(2) 40	54-60 x 84	BYRIA560084SDG	adj glides	2,030	3,970
	(2) 32 YY	(2) 50	42-48 x 96	BYRIA548096SDG	adj glides	2,030	3,970
* top not included	(2) 38 YY	(2) 50	54-60 x 96	BYRIA560096SDG	adj glides	2,090	4,030
	(2) 32 YY	(2) 34	42-48 x 72	BYRIA548072SDC	2" black hard casters	2,050	3,990
	(2) 38 YY	(2) 34	54-60 x 72	BYRIA560072SDC	2" black hard casters	2,100	4,040
	(2) 32 YY	(2) 40	42-48 x 84	BYRIA548084SDC	2" black hard casters	2,070	4,010
	(2) 38 YY	(2) 40	54-60 x 84	BYRIA560084SDC	2" black hard casters	2,130	4,070
	(2) 32 YY	(2) 50	42-48 x 96	BYRIA548096SDC	2" black hard casters	2,130	4,070
	(2) 38 YY	(2) 50	54-60 x 96	BYRIA560096SDC	2" black hard casters	2,190	4,130
	(2) 32 YY	(2) 34	42-48 x 72	BYRIA548072SDS	2" black soft casters	2,090	4,030
	(2) 38 YY	(2) 34	54-60 x 72	BYRIA560072SDS	2" black soft casters	2,140	4,080
	(2) 32 YY	(2) 40	42-48 x 84	BYRIA548084SDS	2" black soft casters	2,110	4,050
	(2) 38 YY	(2) 40	54-60 x 84	BYRIA560084SDS	2" black soft casters	2,170	4,110
	(2) 32 YY	(2) 50	42-48 x 96	BYRIA548096SDS	2" black soft casters	2,170	4,110
	(2) 38 YY	(2) 50	54-60 x 96	BYRIA560096SDS	2" black soft casters	2,230	4,170
Ria YY with stretchers for use with a racetrack top							
	(2) 32 YY	(2) 34	42-48 x 72	BYRIA648072SDG	adj glides	1,950	3,890
	(2) 32 YY	(2) 40	42-48 x 84	BYRIA648084SDG	adj glides	1,970	3,910
	(2) 38 YY	(2) 40	54-60 x 84	BYRIA660084SDG	adj glides	1,950	3,890
	(2) 32 YY	(2) 50	42-48 x 96	BYRIA648096SDG	adj glides	2,030	3,970
	(2) 38 YY	(2) 50	54-60 x 96	BYRIA660096SDG	adj glides	2,090	4,030
	(2) 32 YY	(2) 34	42-48 x 72	BYRIA648072SDC	2" black hard casters	2,050	3,990
	(2) 32 YY	(2) 40	42-48 x 84	BYRIA648084SDC	2" black hard casters	2,070	4,010
	(2) 38 YY	(2) 40	54-60 x 84	BYRIA660084SDC	2" black hard casters	2,050	3,990
	(2) 32 YY	(2) 50	42-48 x 96	BYRIA648096SDC	2" black hard casters	2,130	4,070
	(2) 38 YY	(2) 50	54-60 x 96	BYRIA660096SDC	2" black hard casters	2,190	4,130
	(2) 32 YY	(2) 34	42-48 x 72	BYRIA648072SDS	2" black soft casters	2,090	4,030
	(2) 32 YY	(2) 40	42-48 x 84	BYRIA648084SDS	2" black soft casters	2,110	4,050
	(2) 38 YY	(2) 40	54-60 x 84	BYRIA660084SDS	2" black soft casters	2,090	4,030
	(2) 32 YY	(2) 50	42-48 x 96	BYRIA648096SDS	2" black soft casters	2,170	4,110
	(2) 38 YY	(2) 50	54-60 x 96	BYRIA660096SDS	2" black soft casters	2,230	4,170
Ria YY with stretchers for use with an oval top							
	(2) 32 YY	(2) 34	48 x 84	BYRIA748084SDG	adj glides	1,950	3,890
	(2) 38 YY	(2) 34	54-60 x 84	BYRIA760084SDG	adj glides	2,000	3,940
	(2) 32 YY	(2) 40	42-48 x 96	BYRIA748096SDG	adj glides	1,970	3,910
	(2) 38 YY	(2) 40	54-60 x 96	BYRIA760096SDG	adj glides	2,030	3,970
	(2) 32 YY	(2) 34	48 x 84	BYRIA748084SDC	2" black hard casters	2,050	3,990
	(2) 38 YY	(2) 34	54-60 x 84	BYRIA760084SDC	2" black hard casters	2,100	4,040
	(2) 32 YY	(2) 40	42-48 x 96	BYRIA748096SDC	2" black hard casters	2,070	4,010
	(2) 38 YY	(2) 40	54-60 x 96	BYRIA760096SDC	2" black hard casters	2,130	4,070
	(2) 32 YY	(2) 34	48 x 84	BYRIA748084SDS	2" black soft casters	2,090	4,030
	(2) 38 YY	(2) 34	54-60 x 84	BYRIA760084SDS	2" black soft casters	2,140	4,080
	(2) 32 YY	(2) 40	42-48 x 96	BYRIA748096SDS	2" black soft casters	2,110	4,050
	(2) 38 YY	(2) 40	54-60 x 96	BYRIA760096SDS	2" black soft casters	2,170	4,110

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

polished aluminum / chrome finish (PO)

Note that the YY bases with 34 inch stretchers will not fit under a 54 x 72 or 60 x 72 racetrack top. Contact service@symphonytables.com for custom stretcher pricing.

The Ria YY bases with stretchers for the RIA5 category for boat, bullet media, half arced rectangle, half boat or rectangle tops will fit under trapezoid media tops with the exception of 42" deep tops with a 30" small end, increase the small end to 32 inches and the bases will fit. This is a non-standard top shape for us so please notate this cleary on your order.

bases

Ria YY bases with stretchers

For complete model number:
1. Insert height selection :
H custom higher height (specify height)
L custom lower height (specify height)

base	base qty + dim.	stretchers	max top support	base set model no.	glides or casters	standard (**ME**) finish list	polished (**PO**) finish list
Ria YY with stretchers for use with a boat, bullet media, half arced rectangle, half boat, or rectangle top							
	(2) 32 YY	(2) 34	42-48 x 72	BYRIA548072S_G	adj glides	2,260	4,650
	(2) 38 YY	(2) 34	54-60 x 72	BYRIA560072S_G	adj glides	2,310	4,700
	(2) 32 YY	(2) 40	42-48 x 84	BYRIA548084S_G	adj glides	2,280	4,670
	(2) 38 YY	(2) 40	54-60 x 84	BYRIA560084S_G	adj glides	2,340	4,730
	(2) 32 YY	(2) 50	42-48 x 96	BYRIA548096S_G	adj glides	2,340	4,730
* top not included	(2) 38 YY	(2) 50	54-60 x 96	BYRIA560096S_G	adj glides	2,390	4,780
	(2) 32 YY	(2) 34	42-48 x 72	BYRIA548072S_C	2" black hard casters	2,360	4,750
	(2) 38 YY	(2) 34	54-60 x 72	BYRIA560072S_C	2" black hard casters	2,410	4,800
	(2) 32 YY	(2) 40	42-48 x 84	BYRIA548084S_C	2" black hard casters	2,380	4,770
	(2) 38 YY	(2) 40	54-60 x 84	BYRIA560084S_C	2" black hard casters	2,440	4,830
	(2) 32 YY	(2) 50	42-48 x 96	BYRIA548096S_C	2" black hard casters	2,440	4,830
	(2) 38 YY	(2) 50	54-60 x 96	BYRIA560096S_C	2" black hard casters	2,490	4,880
	(2) 32 YY	(2) 34	42-48 x 72	BYRIA548072S_S	2" black soft casters	2,400	4,790
	(2) 38 YY	(2) 34	54-60 x 72	BYRIA560072S_S	2" black soft casters	2,450	4,840
	(2) 32 YY	(2) 40	42-48 x 84	BYRIA548084S_S	2" black soft casters	2,420	4,810
	(2) 38 YY	(2) 40	54-60 x 84	BYRIA560084S_S	2" black soft casters	2,480	4,870
	(2) 32 YY	(2) 50	42-48 x 96	BYRIA548096S_S	2" black soft casters	2,480	4,870
	(2) 38 YY	(2) 50	54-60 x 96	BYRIA560096S_S	2" black soft casters	2,530	4,920
Ria YY with stretchers for use with a racetrack top							
	(2) 32 YY	(2) 34	42-48 x 72	BYRIA648072S_G	adj glides	2,260	4,650
	(2) 32 YY	(2) 40	42-48 x 84	BYRIA648084S_G	adj glides	2,280	4,670
	(2) 38 YY	(2) 40	54-60 x 84	BYRIA660084S_G	adj glides	2,340	4,730
	(2) 32 YY	(2) 50	42-48 x 96	BYRIA648096S_G	adj glides	2,340	4,730
	(2) 38 YY	(2) 50	54-60 x 96	BYRIA660096S_G	adj glides	2,390	4,780
	(2) 32 YY	(2) 34	42-48 x 72	BYRIA648072S_C	2" black hard casters	2,360	4,750
	(2) 32 YY	(2) 40	42-48 x 84	BYRIA648084S_C	2" black hard casters	2,380	4,770
	(2) 38 YY	(2) 40	54-60 x 84	BYRIA660084S_C	2" black hard casters	2,440	4,830
	(2) 32 YY	(2) 50	42-48 x 96	BYRIA648096S_C	2" black hard casters	2,440	4,830
	(2) 38 YY	(2) 50	54-60 x 96	BYRIA660096S_C	2" black hard casters	2,490	4,880
	(2) 32 YY	(2) 34	42-48 x 72	BYRIA648072S_S	2" black soft casters	2,400	4,790
	(2) 32 YY	(2) 40	42-48 x 84	BYRIA648084S_S	2" black soft casters	2,420	4,810
	(2) 38 YY	(2) 40	54-60 x 84	BYRIA660084S_S	2" black soft casters	2,480	4,870
	(2) 32 YY	(2) 50	42-48 x 96	BYRIA648096S_S	2" black soft casters	2,480	4,870
	(2) 38 YY	(2) 50	54-60 x 96	BYRIA660096S_S	2" black soft casters	2,530	4,920
Ria YY with stretchers for use with a oval top							
	(2) 32 YY	(2) 34	48 x 84	BYRIA748084S_G	adj glides	2,260	4,650
	(2) 38 YY	(2) 34	54-60 x 84	BYRIA760084S_G	adj glides	2,310	4,700
	(2) 32 YY	(2) 40	42-48 x 96	BYRIA748096S_G	adj glides	2,280	4,670
	(2) 38 YY	(2) 40	54-60 x 96	BYRIA760096S_G	adj glides	2,340	4,730
	(2) 32 YY	(2) 34	48 x 84	BYRIA748084S_C	2" black hard casters	2,360	4,750
	(2) 38 YY	(2) 34	54-60 x 84	BYRIA760084S_C	2" black hard casters	2,410	4,800
	(2) 32 YY	(2) 40	42-48 x 96	BYRIA748096S_C	2" black hard casters	2,380	4,770
	(2) 38 YY	(2) 40	54-60 x 96	BYRIA760096S_C	2" black hard casters	2,440	4,830
	(2) 32 YY	(2) 34	48 x 84	BYRIA748084S_S	2" black soft casters	2,400	4,790
	(2) 38 YY	(2) 34	54-60 x 84	BYRIA760084S_S	2" black soft casters	2,450	4,840
	(2) 32 YY	(2) 40	42-48 x 96	BYRIA748096S_S	2" black soft casters	2,420	4,810
	(2) 38 YY	(2) 40	54-60 x 96	BYRIA760096S_S	2" black soft casters	2,480	4,870

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

polished aluminum / chrome finish (PO)

Note that the YY bases with 34 inch stretchers will not fit under a 54 x 72 or 60 x 72 racetrack top. Contact service@symphonytables.com for custom stretcher pricing.

The Ria YY bases with stretchers for the RIA5 category for boat, bullet media, half arced rectangle, half boat or rectangle tops will fit under trapezoid media tops with the exception of 42" deep tops with a 30" small end, increase the small end to 32 inches and the bases will fit. This is a non-standard top shape for us so please notate this cleary on your order.

bases

Ria YY + TT base(s) with stretchers

base	base qty + dim.	stretchers	max top support	base set model no.	standard (**ME**) finish list	polished (**PO**) finish list
Ria YY w/ TT base(s) and stretchers for use with a **rectangular** top (see chart on the opposite page for other shapes)						
27.75"H	(2) 32YY (1) 34TT	(4) 34	42-48 x 108	BYRIA848108SDG	3,090	6,180
adjustable glides	(2) 38YY (1) 40TT	(4) 34	54-60 x 108	BYRIA860108SDG	3,160	6,250
	(2) 32YY (1) 34TT	(4) 40	42-48 x 120	BYRIA848120SDG	3,130	6,220
	(2) 38YY (1) 40TT	(4) 40	54-60 x 120	BYRIA860120SDG	3,210	6,300
	(2) 32YY (1) 34TT	(4) 50	42-48 x 132-144	BYRIA848144SDG	3,260	6,350
	(2) 38YY (1) 40TT	(4) 50	54-60 x 132-144	BYRIA860144SDG	3,330	6,420
	(2) 32YY (2) 34TT	(6) 40	42-48 x 156-168	BYRIA848168SDG	4,250	8,500
	(2) 38YY (2) 40TT	(6) 40	54-60 x 156-168	BYRIA860168SDG	4,340	8,590
	(2) 32YY (2) 34TT	(6) 50	42-48 x 192	BYRIA848192SDG	4,440	8,690
	(2) 38YY (2) 40TT	(6) 50	54-60 x 192	BYRIA860192SDG	4,530	8,780



* tops are not included in the pricing on this page. The chart shall be utilized as a reference for which bases will fit under the top sizes.

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

polished aluminum / chrome finish (PO)

bases

Ria YY + TT base(s) with stretchers

base set model no.	The base sizes for the model #'s in the same row on the opposite page will fit the top shapes/sizes indicated in the below chart:						
	 boat	 bullet media	 half arc rectangle	 half boat	 racetrack	 trapezoid media	 oval
BYRIA848108SDG	42-48x108	42-48x108	42-48x108	48x108	42-48x108	48x108	48x132
BYRIA860108SDG	54-60x108	-	54-60x108	54-60x108	-	54-60x108	60x132
BYRIA848120SDG	42-48x120	42-48x120	42-48x120	48x120	42-48x120	48x120	48x144-156
BYRIA860120SDG	54-60x120	-	54-60x120	54-60x120	-	54-60x120	60x144-156
BYRIA848144SDG	48x132, 42-48x144	42-48x144	42-48x132-144	48x132-144	42-48x144	48x144	48x168
BYRIA860144SDG	54-60x132-144	54-60x144	54-60x144	54-60x132-144	54-60x144	54-60x132-144	60x168
BYRIA848168SDG	48x156, 42-48x168	42-48x156-168	42-48x156-168	48x156-168	42-48x168	48x156-168	-
BYRIA860168SDG	54-60x156-168	54-60x168	54-60x156-168	54-60x156-168	54-60x168	54-60x156-168	60x192
BYRIA848192SDG	48x180, 48x192	42-48x192	42-48x192	48x180-192	42-48x192	42-48x192	-
BYRIA860192SDG	54-60x192	54-60x192	54-60x192	54-60x192	-	54-60x192	-

bases

Borne & Bati post
Busto sawhorse

base	max top support	base description	mount plate	qty	model no.	list
Borne base sets (4)						
	48 x 48, 60 rd	2" dia column x 27.75"H, adj glides	4 x 4	4	BPBOR4S02RSDG	620
	48 x 48	2" dia column cust higher ht, adj glides	4 x 4	4	BPBOR4S02RSHG	950
	48 x 48, 60 rd	2" dia column cust shorter ht, adj glides	4 x 4	4	BPBOR4S02RSLG	860
	48 x 48	2" dia column x 27.75"H, 2" black casters	4 x 4	4	BPBOR4S02RSDC	720
	48 x 48	2" dia column cust higher ht, 2" black casters	4 x 4	4	BPBOR4S02RSHC	1,050
	48 x 48	2" dia column cust shorter ht, 2" black casters	4 x 4	4	BPBOR4S02RSLC	960
	48 x 48	2" dia column x 27.75"H, 2" silver/black casters	4 x 4	4	BPBOR4S02RSDP	760
	48 x 48	2" dia column higher ht, 2" silver/black casters	4 x 4	4	BPBOR4S02RSHP	1,090
	48 x 48	2" dia column shorter ht, 2" silver/black casters	4 x 4	4	BPBOR4S02RSLP	1,000
Borne single base (1)						
	n/a	2" dia column x 27.75"H, adj glide	4 x 4	1	BPBOR1S02RSDG	150
	n/a	2" dia column cust higher ht, adj glide	4 x 4	1	BPBOR1S02RSHG	240
	n/a	2" dia column cust lower ht, adj glide	4 x 4	1	BPBOR1S02RSLG	210
	n/a	2" dia column x 27.75"H, 2" black caster	4 x 4	1	BPBOR1S02RSDC	180
	n/a	2" dia column cust higher ht, 2" black caster	4 x 4	1	BPBOR1S02RSHC	260
	n/a	2" dia column cust lower ht, 2" black caster	4 x 4	1	BPBOR1S02RSLC	240
	n/a	2" dia column x 27.75"H, 2" silver/black caster	4 x 4	1	BPBOR1S02RSDP	190
	n/a	2" dia column cust higher ht, 2" silver/black caster	4 x 4	1	BPBOR1S02RSHP	280
	n/a	2" dia column cust lower ht, 2" silver/black caster	4 x 4	1	BPBOR1S02RSLP	250
Bati single base (1)						
	*	3" column diameter x 27.75"H	6 x 9	1	BPBAT1S3ODSDB	500
	*	3" column diameter cust higher height	6 x 9	1	BPBAT1S3ODSHB	630
	*	3" column diameter cust shorter height	6 x 9	1	BPBAT1S3ODSLB	570

*Bati post legs need to be placed at least every 48". 30" max top depth.
Bati is a surface mounted post base that is bolted to the floor, the base can be centered under the top or offset.
The cover for the floor plate is only avilable in black.
Customer shall supply (4) floor anchors or toggles per base -
-5/16" anchors required in cement
-3/8" toggles required in wood
Bati has a 2.5" wire access hole included in the floor plate.
To specify a 1.25" hole in the column use model number **OBPWMHBATI1 - $50 list per hole**

Busto					
 glides	24 x 48	23D x 27.75H fixed sawhorse base set (2) with 41 inch crossbar	BPBUS24048SDGME	900
	24 x 60	23D x 27.75H fixed sawhorse base set (2) with 50 inch crossbar	BPBUS24060SDGME	940
	30 x 48	27D x 27.75H fixed sawhorse base set (2) with 41 inch crossbar	BPBUS30048SDGME	920
	30 x 60	27D x 27.75H fixed sawhorse base set (2) with 50 inch crossbar	BPBUS30060SDGME	960
casters	24 x 48	23D x 27.75H fixed sawhorse base set (2) with 41 inch crossbar	BPBUS24048SDCME	1,000
	24 x 60	23D x 27.75H fixed sawhorse base set (2) with 50 inch crossbar	BPBUS24060SDCME	1,040
	30 x 48	27D x 27.75H fixed sawhorse base set (2) with 41 inch crossbar	BPBUS30048SDCME	1,020
	30 x 60	27D x 27.75H fixed sawhorse base set (2) with 50 inch crossbar	BPBUS30060SDCME	1,060
glides	30 x 48	26D x 40.75H fixed sawhorse base set (2) with 41 inch crossbar	BPBUS30048SBGME	980
	30 x 60	26D x 40.75H fixed sawhorse base set (2) with 50 inch crossbar	BPBUS30060SBGME	1,020
	36 x 48	34D x 40.75H fixed sawhorse base set (2) with 41 inch crossbar	BPBUS36048SBGME	1,050
* top not included	36 x 60	34D x 40.75H fixed sawhorse base set (2) with 50 inch crossbar	BPBUS36060SBGME	1,090

Borne & Bati standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze
Busto standard metal powder coat finishes: Champagne, Flat Black, Furniture White, Medium Tone, Metallic Silver

***Borne and Moto post legs need to be placed every 48"**

Corner mount plate option (Borne & Moto post bases):
Model number **OBPPCM4V** for a set of 4 post bases - **$180 list per set**
Model number **OBPPCM1V** for (1) post base - **$40 list per base**

Wire Management hole option (Borne post bases):
Model number **OBPWMHBOR** for 1.25" dia. wire management holes at the top and bottom of a Borne post base - **$60 list per base**

bases

Canty frame
Moto post

base	max top support	base description	mount plate	qty	model no.	list
Canty end base set (2)						
	20 x 72	18 x 1 x 2 x 27.75"H	1" x 2"	2	BFCAN20072SDG	860
	24 x 72	22 x 1 x 2 x 27.75"H	1" x 2"	2	BFCAN24072SDG	900
	30 x 72	28 x 1 x 2 x 27.75"H	1" x 2"	2	BFCAN30072SDG	980
	36 x 72	34 x 1 x 2 x 27.75"H	1" x 2"	2	BFCAN36072SDG	1,020
	42 x 72	40 x 1 x 2 x 27.75"H	1" x 2"	2	BFCAN42072SDG	1,070
	48 x 72	46 x 1 x 2 x 27.75"H	1" x 2"	2	BFCAN48072SDG	1,120

*Custom shorter or taller heights are available for Canty bases with a minimum quantity of 20 bases of the same size email service@symphonytables.com for more information and pricing. Wire management holes not available for the Canty bases.

Moto base sets (4)						
2 x 2 inch	48 x 48, 60 rd	2" sq column x 27.75"H, adj glides	6 x 6	4	BPMOT4S02SSDG	860
	48 x 48, 60 rd	2" sq column cust higher ht, adj glides	6 x 6	4	BPMOT4S02SSHG	1,290
	48 x 48, 60 rd	2" sq column cust lower ht, adj glides	6 x 6	4	BPMOT4S02SSLG	1,090
	48 x 48, 60 rd	2" sq column x 27.75"H, 2" black casters	6 x 6	4	BPMOT4S02SSDC	960
	48 x 48, 60 rd	2" sq column cust higher ht, 2" black casters	6 x 6	4	BPMOT4S02SSHC	1,390
	48 x 48, 60 rd	2" sq column x cust lower ht, 2" black casters	6 x 6	4	BPMOT4S02SSLC	1,190
	48 x 48, 60 rd	2" sq column x 27.75"H, 2" silver/black casters	6 x 6	4	BPMOT4S02SSDP	1,000
	48 x 48, 60 rd	2" sq column cust higher ht, 2" silver/black casters	6 x 6	4	BPMOT4S02SSHP	1,430
	48 x 48, 60 rd	2" sq column cust lower ht, 2" silver/black casters	6 x 6	4	BPMOT4S02SSLP	1,230
2.75 x 2.75 inch	48 x 48, 60 rd	2.75" sq column x 27.75"H, adj glides	8 x 8	4	BPMOT4S03SSDG	990
	48 x 48, 60 rd	2.75" sq column cust higher ht, adj glides	8 x 8	4	BPMOT4S03SSHG	1,520
	48 x 48, 60 rd	2.75" sq column cust lower ht, adj glides	8 x 8	4	BPMOT4S03SSLG	1,220
	48 x 48, 60 rd	2.75" sq column x 27.75"H, 2" black casters	8 x 8	4	BPMOT4S03SSDC	1,090
	48 x 48, 60 rd	2.75" sq column cust higher ht, 2" black casters	8 x 8	4	BPMOT4S03SSHC	1,620
	48 x 48, 60 rd	2.75" sq column cust lower ht, 2" black casters	8 x 8	4	BPMOT4S03SSLC	1,320
	48 x 48, 60 rd	2.75" sq column x 27.75"H, 2" silver/black casters	8 x 8	4	BPMOT4S03SSDP	1,130
	48 x 48, 60 rd	2.75" sq column cust higher ht, 2" silver/black casters	8 x 8	4	BPMOT4S03SSHP	1,660
	48 x 48, 60 rd	2.75" sq column cust lower ht, 2" silver/black casters	8 x 8	4	BPMOT4S03SSLP	1,380
Moto single base (1)						
2 x 2 inch	n/a	2" sq column x 27.75"H, adj glide	6 x 6	1	BPMOT1S02SSDG	210
	n/a	2" sq column cust higher ht, adj glide	6 x 6	1	BPMOT1S02SSHG	320
	n/a	2" sq column cust lower ht, adj glide	6 x 6	1	BPMOT1S02SSLG	280
	n/a	2" sq column x 27.75"H, 2" black caster	6 x 6	1	BPMOT1S02SSDC	240
	n/a	2" sq column cust higher ht, 2" black caster	6 x 6	1	BPMOT1S02SSHC	340
	n/a	2" sq column cust lower ht, 2" black caster	6 x 6	1	BPMOT1S02SSLC	300
	n/a	2" sq column x 27.75"H, 2" silver/black caster	6 x 6	1	BPMOT1S02SSDP	250
	n/a	2" sq column cust higher ht, 2" silver/black caster	6 x 6	1	BPMOT1S02SSHP	350
	n/a	2" sq column cust lower ht, 2" silver/black caster	6 x 6	1	BPMOT1S02SSLP	310
2.75 x 2.75 inch	n/a	2.75" sq column x 27.75"H, adj glide	8 x 8	1	BPMOT1S03SSDG	250
	n/a	2.75" sq column cust higher ht, adj glide	8 x 8	1	BPMOT1S03SSHG	390
	n/a	2.75" sq column cust lower ht, adj glide	8 x 8	1	BPMOT1S03SSLG	310
	n/a	2.75" sq column x 27.75"H, 2" black casters	8 x 8	1	BPMOT1S03SSDC	280
	n/a	2.75" sq column cust higher ht, 2" black casters	8 x 8	1	BPMOT1S03SSHC	410
	n/a	2.75" sq column cust lower ht, 2" black casters	8 x 8	1	BPMOT1S03SSLC	330
	n/a	2.75" sq column x 27.75"H, 2" silver/black casters	8 x 8	1	BPMOT1S03SSDP	290
	n/a	2.75" sq column cust higher ht, 2" silver/black casters	8 x 8	1	BPMOT1S03SSHP	420
	n/a	2.75" sq column cust lower ht, 2" silver / black casters	8 x 8	1	BPMOT1S03SSLP	340

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

***Borne and Moto post legs need to be placed every 48"**

Corner mount plate option (Borne & Moto post bases):
Model number **OBPPCM4V** for a set of 4 post bases - **$180 list per set**
Model number **OBPPCM1V** for (1) post base - **$40 list per base**

Wire Management hole option:
Model # **OBWMHMOTO-1.5** for 1.5" dia. wire management mouse holes (top & bottom) for one 3" sq base column - **$60 list per base**
Model # **OBWMHMOTO** - for 1.25" dia. wire management mouse holes (top & bottom) for one 2" sq base column - **$60 list per base**

Moto II Frame - no stretcher & single stretcher

For complete custom lower height or custom higher height base model number:
1. Insert height selection:
SD seated height (27.75"H)
SC counter height (34.75"H)
SB bar height (40.75"H)

base	outside base dimensions	top size with 1.5" overhang on each side	model no.	seated height (27.75"H) (**ME**) list	counter height (34.75"H) (**ME**) list	bar height (40.75"H) (**ME**) list
Moto II Frame - no stretcher with glides						
(2 x 2 inch tubing)	21 x 57	24 x 60	BFMO224060 __ G	1,290	1,390	1,470
	21 x 63	24 x 66	BFMO224066 __ G	1,300	1,410	1,480
	21 x 69	24 x 72	BFMO224072 __ G	1,320	1,430	1,500
	27 x 57	30 x 60	BFMO230060 __ G	1,320	1,430	1,500
	27 x 63	30 x 66	BFMO230066 __ G	1,340	1,450	1,520
	27 x 69	30 x 72	BFMO230072 __ G	1,350	1,460	1,530
	33 x 57	36 x 60	BFMO236060 __ G	1,360	1,460	1,530
	33 x 63	36 x 66	BFMO236066 __ G	1,370	1,480	1,550
	33 x 69	36 x 72	BFMO236072 __ G	1,390	1,490	1,570
Moto II Frame - no stretcher with 3.5" industrial black locking casters						
(2 x 2 inch tubing)	21 x 57	24 x 60	BFMO224060 __ C	1,710	1,810	1,890
	21 x 63	24 x 66	BFMO224066 __ C	1,720	1,830	1,900
	21 x 69	24 x 72	BFMO224072 __ C	1,740	1,850	1,920
	27 x 57	30 x 60	BFMO230060 __ C	1,740	1,850	1,920
	27 x 63	30 x 66	BFMO230066 __ C	1,760	1,870	1,940
	27 x 69	30 x 72	BFMO230072 __ C	1,770	1,880	1,950
	33 x 57	36 x 60	BFMO236060 __ C	1,780	1,880	1,950
	33 x 63	36 x 66	BFMO236066 __ C	1,790	1,900	1,970
	33 x 69	36 x 72	BFMO236072 __ C	1,810	1,910	1,990
Moto II Frame - single stretcher with glides						
(2 x 2 inch tubing)	21 x 57	24 x 60	BFMO324060 __ G	1,710	1,810	1,890
	21 x 63	24 x 66	BFMO324066 __ G	1,730	1,840	1,910
	21 x 69	24 x 72	BFMO324072 __ G	1,750	1,860	1,930
	21 x 81	24 x 84	BFMO324084 __ G	1,940	2,040	2,120
	21 x 93	24 x 96	BFMO324096 __ G	2,040	2,140	2,210
	27 x 57	30 x 60	BFMO330060 __ G	1,750	1,860	1,930
	27 x 63	30 x 66	BFMO330066 __ G	1,780	1,890	1,960
	27 x 69	30 x 72	BFMO330072 __ G	1,790	1,900	1,970
	27 x 81	30 x 84	BFMO330084 __ G	1,980	2,090	2,160
	27 x 93	30 x 96	BFMO330096 __ G	2,080	2,180	2,260
	33 x 57	36 x 60	BFMO336060 __ G	1,800	1,900	1,980
	33 x 63	36 x 66	BFMO336066 __ G	1,820	1,930	2,000
	33 x 69	36 x 72	BFMO336072 __ G	1,840	1,940	2,020
	33 x 81	36 x 84	BFMO336084 __ G	2,030	2,140	2,210
	33 x 93	36 x 96	BFMO336096 __ G	2,120	2,230	2,300
Moto II Frame - single stretcher with 3.5" industrial black locking casters						
(2 x 2 inch tubing)	21 x 57	24 x 60	BFMO324060 __ C	2,100	2,210	2,280
	21 x 63	24 x 66	BFMO324066 __ C	2,120	2,230	2,300
	21 x 69	24 x 72	BFMO324072 __ C	2,150	2,250	2,320
	21 x 81	24 x 84	BFMO324084 __ C	2,330	2,440	2,510
	21 x 93	24 x 96	BFMO324096 __ C	2,430	2,540	2,610
	27 x 57	30 x 60	BFMO330060 __ C	2,150	2,250	2,330
	27 x 63	30 x 66	BFMO330066 __ C	2,170	2,280	2,350
	27 x 69	30 x 72	BFMO330072 __ C	2,190	2,290	2,360
	27 x 81	30 x 84	BFMO330084 __ C	2,370	2,480	2,550
	27 x 93	30 x 96	BFMO330096 __ C	2,470	2,580	2,650
	33 x 57	36 x 60	BFMO336060 __ C	2,190	2,300	2,370
	33 x 63	36 x 66	BFMO336066 __ C	2,210	2,320	2,390
	33 x 69	36 x 72	BFMO336072 __ C	2,230	2,340	2,410
	33 x 81	36 x 84	BFMO336084 __ C	2,420	2,530	2,600
	33 x 93	36 x 96	BFMO336096 __ C	2,510	2,620	2,690

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

Wire Management hole option:
Model number **OBWMHMOTO** for 1.25" dia. wire management holes at the top and bottom of a MotoII Frame base - **$60 list per base**



Moto magnetic wire manager:
Model number **OBWMMM18 - $120 list per base**

Moto II Frame - double stretcher

For complete custom lower height or custom higher height base model number:
1. Insert height selection:
SD seated height (27.75"H)
SC counter height (34.75"H)
SB bar height (40.75"H)

base	outside base dimensions	top size with 1.5" overhang on each side	model no.	seated height (27.75"H) (**ME**) list	counter height (34.75"H) (**ME**) list	bar height (40.75"H) (**ME**) list
Moto II Frame - dual stretcher with glides						
(2 x 2 inch tubing)	39 x 57	42 x 60	BFMO342060 __ G	2,210	2,290	2,370
	39 x 63	42 x 66	BFMO342066 __ G	2,240	2,330	2,400
	39 x 69	42 x 72	BFMO342072 __ G	2,290	2,370	2,450
	39 x 81	42 x 84	BFMO342084 __ G	2,330	2,410	2,490
	39 x 93	42 x 96	BFMO342096 __ G	2,610	2,700	2,770
	45 x 57	48 x 60	BFMO348060 __ G	2,250	2,340	2,410
	45 x 63	48 x 66	BFMO348066 __ G	2,280	2,360	2,440
	45 x 69	48 x 72	BFMO348072 __ G	2,310	2,390	2,470
	45 x 81	48 x 84	BFMO348084 __ G	2,340	2,420	2,500
	45 x 93	48 x 96	BFMO348096 __ G	2,630	2,720	2,790
Moto III Frame - dual stretcher with 3.5" industrial black locking casters						
(2 x 2 inch tubing)	39 x 57	42 x 60	BFMO342060 __ C	2,600	2,690	2,760
	39 x 63	42 x 66	BFMO342066 __ C	2,640	2,720	2,800
	39 x 69	42 x 72	BFMO342072 __ C	2,680	2,770	2,840
	39 x 81	42 x 84	BFMO342084 __ C	2,720	2,810	2,880
	39 x 93	42 x 96	BFMO342096 __ C	3,000	3,090	3,170
	45 x 57	48 x 60	BFMO348060 __ C	2,640	2,730	2,810
	45 x 63	48 x 66	BFMO348066 __ C	2,670	2,760	2,840
	45 x 69	48 x 72	BFMO348072 __ C	2,700	2,790	2,860
	45 x 81	48 x 84	BFMO348084 __ C	2,730	2,820	2,890
	45 x 93	48 x 96	BFMO348096 __ C	3,020	3,110	3,180

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

Wire Management hole option:
Model number **OBWMHMOTO** for 1.25" dia. wire management holes at the top and bottom of a MotoII Frame base - **$60 list per base**



Moto magnetic wire manager:
Model number **OBWMMM18 - $120 list per base**

base	angle	base description	mount plate	Qty	model no.	list for (1) post base
Krauss						
	22 degrees	2" x 2" x 16.75"H angled column	6 x 6	1	BPKRA12022SOGME	260
	22 degrees	2" x 2" x 27.75"H angled column	6 x 6	1	BPKRA12022SDGME	260
	22 degrees	2.75" x 2.75" x 16.75"H angled column	8 x 8	1	BPKRA13022SOGME	290
	22 degrees	2.75" x 2.75" x 27.75"H angled column	8 x 8	1	BPKRA13022SDGME	290
	30 degrees	**2.75" x 2.75" x 27.75"H angled column***	8 x 8	1	BPKRA13030SDGME	290


***2.75" 30 degree angle base shall be used with 42" or 48" deep rectangle tops**

standard metal powder coat finishes (ME):
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

* The above pricing for the **Krauss series angled post base** is for a single base. Due to the versatility of this base, please email service@symphonytables.com to verify how many bases you will need and quantity of bases required to support your top.

Note that the height of the base as well as the degree angle of the base will determine the top size that it will support. We encourage you to contact our support team to obtain a drawing to verify that the bases will fit under the intended top size.





Picture above shows two column legs in V Formation. Multiple variations can be used with this column. Pricing is done per column.




rectangle table with (4) Krauss 2.00 x 2.00 legs




rectangle table with (4) Krauss 2.75 x 2.75 legs


bases
post
Krauss




Suggested Max Top size of 42″ x 60″



Suggested Max Top size of 42″ x 60″



Suggested Max Top size of 48″ dia.



Suggested Max Top size of 60″ dia.

bases
post
Pyra


base	base description	base height	qty	model no.	list
Pyra					
	tapered angled post base with wire management in base, adj glides	27.75	4	BPPYR4STASDGME	1,030
	tapered angled post base with wire management in base, adj glides	34.75	4	BPPYR4STASCGME	1,170
	tapered angled post base with wire management in base, adj glides	40.75	4	BPPYR4STASBGME	1,320

reference illustrations to view the minumum and maximum top sizes for each base overall base height (27.75"H, 34.75"H, 40.75"H bases)
weight capacity is 200 lbs including the top for a set of 4 bases

Pyra Standard metal powder coat finishes :
Champagne, Flat Black, Furniture White, Medium Tone, Metallic Silver

Note that the maximum table top diameter that 4 bases will hold is 60" round


ILLUSTRATION A



ROUND TOP CENTER CONFIGURATION

42"H legs	**36**" H legs	**29**" H legs
X: 8.75"	X: 6.8125"	X: 4.75"
Y: 48" *(minimum table top size)*	Y: 46" *(minimum table top size)*	Y: 40" *(minimum table top size)*

ILLUSTRATION B



SQUARE TOP CENTER CONFIGURATION


42"	**36**"	**29**"
X: 8.75"	X: 6.8125"	X: 4.75"
Y: 48" *(minimum table top size)*	Y: 46" *(minimum table top size)*	Y: 40" *(minimum table top size)*








ILLUSTRATION C



SQUARE TOP CORNER CONFIGURATION

42"H legs	**36**" H legs	**29**"H legs
X: 11.5"	X: 9.5"	X: 7.375"
Y: 38" *minimum table top size*	Y: 36" *minimum table top size*	Y: 32" *minimum table top size*

Maximum tabletop diameter is 60".



MOUNTING PLATE

* top size range: 42 x 42 up to 60 x 60


power/data
+ wire mangement

power supply location chart
long ways on top

Our main focus is integrating technology into tables for learning and meeting environments. We invite you to email service@symphonytables.com for help with specifying your project. For the additional resources, please visit www.symphonytables.com.

Please specify the power supply location cut out on your PO:

POWER MODULE LOCATIONS FOR UNITS RUNNING LONG WAYS ON THE TOP:



PFCC (1 front center)

PFLL (1 front left)

PFRR (1 front right)

PFLR (1 front left & 1 front right)

PFC2 (1 front left center & 1 front right center)

PCCC (1 center)

PFLC (1 front left center)

PFRC (1 front right center)

PCLC (1 left center)

PCLR (1 left center & 1 right


PCRC (1 right center)

Note that power supplies cannot be placed over metal base plates, contact service@symphonytables.com to ensure that the power supply location will work with your base placement and all of the other options / accessories specified on the table.


power supply location chart
short ways on top

Please specify the power supply location cut out on your PO:


POWER MODULE LOCATIONS FOR UNITS RUNNING SHORT WAYS ON THE TOP:




PC3L (1 CENTERED ON THE TOP RUNNING SHORT WAYS - 3" AWAY FROM LEFT SIDE OF TOP)




PC3R (1 CENTERED ON THE TOP RUNNING SHORT WAYS - 3" AWAY FROM RIGHT SIDE OF TOP)




PCS2 (1 LEFT CENTERED AND 1 RIGHT CENTER ON THE TOP RUNNING SHORT WAYS)



PCSL (1 CENTERED ON THE LEFT SIDE OF THE TOP RUNNING SHORT WAYS)



PCCS (1 CENTERED ON THE TOP RUNNING SHORT WAYS)



PCSR (1 CENTERED ON THE RIGHT SIDE OF THE TOP RUNNING SHORT WAYS)


Note that power supplies cannot be placed over metal base plates, contact service@symphonytables.com to ensure that the power supply location will work with your base placement and all of the other options / accessories specified on the table.

power/data modules


Ariba in surface

module		description	# of ports	model no.	6 ft. cord list	10 ft. cord list
Ariba in surface single-sided unit		For complete model number: 1. Insert cord length selection : 06 6 ft. cord 10 10 ft. cord 2. Insert finish selection : GW - Gloss White plastic finish GB - Gloss Black plastic finish GS - Gloss Storm plastic finish				
	2 port	2 power 3"D x 4.5"W table top cut out, specify location cut out shall have 1/4" radius corners	2	OPPARI2P0A0D__ __	290	310
		1 power, 1 USB-4C 3"D x 4.5"W table top cut out, specify location cut out shall have 1/4" radius corners	2	OPPARI1P4C0D__ __	570	590
		1 power, 1 USB-A+C 3"D x 4.5"W table top cut out, specify location cut out shall have 1/4" radius corners	2	OPPARI1PAC0D__ __	440	460
		1 power, 1 dual C+A 3"D x 4.5"W table top cut out, specify location cut out shall have 1/4" radius corners	2	OPPARI1P2C1A__ __	570	590
	4 port	3 power, 1 open data 3"D x 6-15/16"W table top cut out, specify location cut out shall have 3/8" radius corners	4	OPPARI3P0A1D__ __	410	430
		3 power, 1 USB-A+C 3"D x 6-15/16"W table top cut out, specify location cut out shall have 3/8" radius corners	4	OPPARI3PAC0D__ __	560	580
		2 power, 1 USB-A+C, 1 open data 3"D x 6-15/16"W table top cut out, specify location cut out shall have 3/8" radius corners	4	OPPARI2PAC1D__ __	540	560
		2 power, 1 USB-A+C, 1 HDMI 3"D x 6-15/16"W table top cut out, specify location cut out shall have 3/8" radius corners	4	OPPARI2PAC1H__ __	600	620

Ariba 2 port in surface cut out information:



Ariba 4 port in surface cut out information:



ARIBA SERIES FINISH CODE LEGEND:

GW - Gloss White plastic finish, white cord


GB - Gloss Black plastic finish, black cord

GS - Gloss Storm plastic finish, black cord

power/data modules

Asti and Asti II in surface
Asti undermount

module	description	model no.	grommet finish	module finish	list
Asti in surface					
	2 power, 1 convenience outlet below the worksurface, 108 inch black cord 2 open data ports for RJ45 Cat 6 data (data jacks not included) 3"D x 5.25"W table top cut out size - specify placement	OPPAST2P0UDR91SB OPPAST2P0UDR91BB OPPAST2P0UDR91WW OPPAST2P0UDR91AB OPPAST2P0UDR91ST	silver black white brushed aluminum stainless steel	silver black white black black	470 470 470 560 560
	2 power, 1 USB-A+C, 1 convenience outlet below the worksurface, 108 inch black cord 2 open data ports for RJ45 Cat 6 data (data jacks not included) 3"D x 5.25"W table top cut out size - specify placement	OPPAST2PACDR91SB OPPAST2PACDR91BB OPPAST2PACDR91WW OPPAST2PACDR91AB OPPAST2PACDR91ST	silver black white brushed aluminum stainless steel	silver black white black black	670 670 670 760 760





ASTI SERIES FINISH CODE LEGEND:

BB - Black grommet, black module, black cord

WW - White grommet, white module, black cord

AB - Brushed Aluminum grommet, black module, black cord

ST - Stainless Steel grommet, black module, black cord

Asti undermount	2 power, 1 convenience outlet under surface mount power unit, 108" black cord, no cut out required	OPPASU3P0U0D9BB OPPASU3P0U0D9SB	n/a n/a	black silver	330 330

** You can daisy chain up to (4) Asti units with a 20 amp single circuit outlet

*** Ariba and Asti modules have many different configurations available within the family offering, including hardwired solutions, email service@symphonytables.com for assistance if you are looking for additional power/data/USB features for your project.

power/data modules


Aya

in surface

module	description	# of ports	model no.	6 ft. cord list	10 ft. cord list
Aya in surface - all units feature spill-proof technology that protects against electrical damage	For complete model number: 1. Insert cord length selection : 06 6 ft. cord 10 10 ft. cord 2. Insert finish selection : MS Matte Storm MW Matte White MB Matte Black				
	2 power, 1 USB A+C 2"D x 5.25"W table top cut out, specify location	3	OPPAYA2PAC0D__ __	550	570
	2 power, 1 USB-A+C, 1 open data 2"D x 6.75"W table top cut out, specify location	4	OPPAYA2PAC1D__ __	570	590
	2 power, 2 open data 2"D x 6.75"W table top cut out, specify location	4	OPPAYA2P0A2D__ __	570	590
	2 power, 1 USB-A+C, 1 HDMI 2"D x 6.75"W table top cut out, specify location	4	OPPAYA2PAC1H__ __	670	690
	2 power, 1 USB-A+C, 1 dual USB-C 45W 2"D x 6.75"W table top cut out, specify location	4	OPPAYA2PAC1C__ __	820	840
	3 power, 1 open data 2"D x 6.75"W table top cut out, specify location	4	OPPAYA3P0A1D__ __	410	430
Aya F (freestanding) 	2 power, 1 USB-A+C	3	OPPAYF2PAC0D__ __	550	570
Aya H (horizontal clamp mount) 	2 power, 1 USB-A+C	3	OPPAYH2PAC0D__ __	550	570

Aya in surface cut out information:

# of ports	"X" Dim.
4	6.75"W



AYA SERIES FINISH CODE LEGEND:



MS - Matte storm plastic faceplate, clear anodized aluminum housing, black cord



MW - Matte white plastic faceplate, clear anodized aluminum housing, white cord



MB - Matte black plastic faceplate, clear anodized aluminum housing, black cord

** Aya modules have many different configurations available within the family offering, including hardwired solutions, email service@symphonytables.com for assistance if you are looking for additional power/data/USB features for your project.

This page was intentionally left blank.

power/data modules

Beni in surface
single-sided unit

module	description	# of ports	model no.	6 ft. cord list	10 ft. cord list
Beni in surface single-sided unit	For complete model number: 1. Insert cord length selection : 06 6 ft. cord 10 10 ft. cord 2. Insert finish selection : SS - Silver anodized aluminum case finish, silver trim finish, black simplex finish, black cord SW - Silver anodized aluminum case finish, white trim finish, white simplex finish, white cord SB - Silver anodized aluminum case finish, black trim finish, black simplex finish, black cord				
	2 power 4"D x 5"W table top cut out, specify location	2	OPPBEN2P0A0D__ __	560	580
	2 power, 1 USB-A+C 4"D x 6.5"W table top cut out, specify location	3	OPPBEN2PAC0D__ __	800	820
	2 power, 1 USB-A+C, 1 dual USB-C 45w 4"D x 8"W table top cut out, specify location	4	OPPBEN2P1A1C__ __	1,020	1,040
	2 power, 1 USB-A+C, 1 HDMI 4"D x 8"W table top cut out, specify location	4	OPPBEN2P1A1H__ __	840	860
	2 power, 1 USB-A+C, 1 open data 4"D x 8"W table top cut out, specify location	4	OPPBEN2PAC1D__ __	720	740
	2 power, 2 open data ports 4"D x 8"W table top cut out, specify location	4	OPPBEN2P0A2D__ __	580	600
	2 power, 1 USB-A+C, 3 open data 4"D x 11"W table top cut out, specify location	6	OPPBEN2P1A3D__ __	880	900
	3 power, 3 open data ports 4"D x 11"W table top cut out, specify location	6	OPPBEN3P0A3D__ __	670	690



BENI SERIES FINISH CODE LEGEND:


SS - Silver anodized aluminum case finish, silver trim finish, black simplex finish, black cord

SW - Silver anodized aluminum case finish, white trim finish, white simplex finish, white cord

SB - Silver anodized aluminum case finish, black trim finish, black simplex finish, black cord

Beni in surface single-sided cut out information:

# of ports.	"X" Dim.
2	5.0"
3	6.5"
4	8.0"
6	11.0"



** Beni has many different configurations available within the family offering, including a hardwired solution, shared media solutions and upgraded equipment that will allow the units to daisy chain (for an upcharge), email service@symphonytables.com for assistance if you are looking for additional power/data/USB features for your project.


power/data modules

Beni in surface
back -to-back and side-to-side

module	description	# of ports	model no.	6 ft. cord list	10 ft. cord list
Beni in surface back-to-back unit (2 cords standard per unit)	For complete model number: 1. Insert cord length selection : 06 6 ft. cord 10 10 ft. cord 2. Insert finish selection : SS - Silver anodized aluminum case finish, silver trim finish, black simplex finish, black cord SW - Silver anodized aluminum case finish, white trim finish, white simplex finish, white cord SB - Silver anodized aluminum case finish, black trim finish, black simplex finish, black cord				
	Each side contains: 2 power, 1 USB-A+C, 1 open data total of 4 power, 2 USB-A+C, 2 open data per unit 7-11/16"D x 8"W table top cut out, specify location	8 (4/side)	OPPBEB4P2AC2D__ __	1,530	1,550
	Each side contains: 2 power, 2 open data ports total of 4 power, 4 open data ports per unit 7-11/16"D x 8"W table top cut out, specify location	8 (4/side)	OPPBEB4P0A4D__ __	1,210	1,230
	Each side contains: 2 power, 1 USB-A+C, 1 dual USB-C 45w total of 4 power, 2 USB-A+C, 2 USB-C 45w per unit 7-11/16"D x 8"W table top cut out, specify location	8 (4/side)	OPPBEB4P2AC2C__ __	2,140	2,160
	Side 1 contains: 2 power, 1 USB-A+C, 1 HDMI Side 2 contains: 2 power, 1 USB-A+C, 1 open data total of 4 power, 2 USB-A+C, 1 HDMI, 1 open data per unit 7-11/16"D x 8"W table top cut out, specify location	8 (4/side)	OPPBEB4P2AC1H1D__ __	1,630	1,650

Beni Back-To-Back cut out information:

# of ports.	"X" Dim.
8 (4 ports / side)	8"





BENI SERIES FINISH CODE LEGEND:

SS - Silver anodized aluminum case finish, silver trim finish, black simplex finish, black cord

SW - Silver anodized aluminum case finish, white trim finish, white simplex finish, white cord

SB - Silver anodized aluminum case finish, black trim finish, black simplex finish, black cord

*Beni back-to-back units are also available with a single circuit breaker cord instead of 2 cords per unit, please email service@symphonytables.com for pricing.


** Beni has many different configurations available within the family offering, including a hardwired solution, shared media solutions and upgraded equipment that will allow the units to daisy chain (for an upcharge), email service@symphonytables.com for assistance if you are looking for additional power/data/USB features for your project.

power/data modules

Circo in surface

module	description	# of ports	model no.	6 ft. cord list	10 ft. cord list
	For complete model number: 1. Insert cord length selection : 06 6 ft. cord 10 10 ft. cord 2. Insert finish selection : MF Matte Fog MS Matte Storm MW Matte White MB Matte Black				
Circo in surface					
	2 power 3" diameter cut out, specify location	2	OPPCIR2P0A0D__ __	290	310
	1 power, 1 USB-A+C 3" diameter cut out, specify location	2	OPPCIR1PAC0D__ __	430	450
Circo in surface with convenience outlet					
	2 power, 1 convenience outlet 3" diameter cut out, specify location	2	OPPCIR2P0A0D1__ __	310	330
	1 power, 1 USB-A+C, 1 convenience outlet 3" diameter cut out, specify location	2	OPPCIR1PAC0D1__ __	450	470

Circo in surface cut out information:



CIRCO SERIES FINISH CODE LEGEND:



MF - Matte Fog powdercoat finish, fog simplex finish, black cord

MS - Matte Storm powdercoat finish, storm simplex finish, black cord



MW - Matte White powdercoat finish, white simplex finish, white cord (black portion shown in image will screw in under the table top)




MB - Matte Black powdercoat finish, black simplex finish, black cord

power/data modules

Felino in surface, Fyx freestanding, Gazzo freestanding

module	description	# of ports	model no.	cord length	finish code	list
Felino in Surface						
	3 power 4.5" diameter cut out required, specify location	3	OPPFEL3P0A0D06FF	6 ft.	FF	390
			OPPFEL3P0A0D06SS	6 ft.	SS	390
			OPPFEL3P0A0D06WW	6 ft.	WW	390
			OPPFEL3P0A0D06BB	6 ft.	BB	390
			OPPFEL3P0A0D10FF	10 ft.	FF	410
			OPPFEL3P0A0D10SS	10 ft.	SS	410
			OPPFEL3P0A0D10WW	10 ft.	WW	410
			OPPFEL3P0A0D10BB	10 ft.	BB	410
	2 power, 1 USB-A+C 4.5" diameter cut out required, specify location	3	OPPFEL2PAC0D06FF	6 ft.	FF	480
			OPPFEL2PAC0D06SS	6 ft.	SS	480
			OPPFEL2PAC0D06WW	6 ft.	WW	480
			OPPFEL2PAC0D06BB	6 ft.	BB	480
			OPPFEL2PAC0D10FF	10 ft.	FF	500
			OPPFEL2PAC0D10SS	10 ft.	SS	500
			OPPFEL2PAC0D10WW	10 ft.	WW	500
			OPPFEL2PAC0D10BB	10 ft.	BB	500

Felino in surface cut out information:



FELINO SERIES FINISH CODE LEGEND:



FF - Soft touch fog plastic finish, white cord



SS - Soft touch storm plastic finish, black cord



WW - Soft touch white plastic finish, white cord



BB - Soft touch black plastic finish, black cord

Fyx Freestanding						
	6 power, 48" long unit clear anodized aluminum/white finish	6	OPPFYX6P0A0D06SW	6 ft.	SW	800
			OPPFYX6P0A0D10SW	10 ft.	SW	820
	6 power, 48" long unit clear anodized aluminum/black finish	6	OPPFYX6P0A0D06SB	6 ft.	SB	800
			OPPFYX6P0A0D10SB	10 ft.	SB	820
Gazzo Freestanding portable battery powered charger						
	2 USB-A single ports, 1 USB-C	3	OPPGAZ0P2A1CWW	n/a	WW	950
	2 USB-A single ports, 1 USB-C	3	OPPGAZ0P2A1CBB	n/a	BB	950

GAZZO SERIES FINISH CODE LEGEND:



WW - White



BB - Black


power/data modules

Kita single-sided in surface

module	description	# of ports	model no.	6 ft. cord list	10 ft. cord list
Kita in surface single-sided unit	For complete model number: 1. Insert cord length selection : 06 6 ft. cord 10 10 ft. cord 2. Insert finish selection : ST - Silver anodized aluminum case finish, storm trim and simplex finish SW - Silver anodized aluminum case finish, white trim and simplex finish SB - Silver anodized aluminum case finish, black trim and simplex finish				
	2 power, 1 USB-A+C, 1 open data port 5"D x 8"W table top cut out, specify location	4	OPPKIT2PAC1D__ __	810	830
	2 power, 1 USB-A+C, 1 HDMI 5"D x 8"W table top cut out, specify location	4	OPPKIT2PAC1H__ __	940	960
	3 power, 1 open data port 5"D x 8"W table top cut out, specify location	4	OPPKIT3P0A1D__ __	650	670
	2 power, 2 open data ports 5"D x 8"W table top cut out, specify location	4	OPPKIT2P0A2D__ __	640	660
	3 power, 3 open data ports 5"D x 11"W table top cut out, specify location	6	OPPKIT3P0A3D__ __	690	710
	2 power, 1 USB-A+C, 1 dual USB-C 45w, 2 open data ports 5"D x 11"W table top cut out, specify location	6	OPPKIT2PAC1C2D__ __	1,140	1,160

Kita SINGLE SIDED cut out information:

# of ports.	"X" Dim.
4	8"W
6	11"W





KITA SERIES FINISH CODE LEGEND:



ST - Silver anodized aluminum case finish, storm trim and simplex finish, black cord



SW - Silver anodized aluminum case finish, white trim and simplex finish, black cord



SB - Silver anodized aluminum case finish, black trim and simplex finish, black cord

** Kita has many different configurations available within the family offering, including a hardwired solution, shared media solutions and upgraded equipment that will allow the units to daisy chain (for an upcharge), email service@symphonytables.com for assistance if you are looking for additional power/data/USB features for your project.

power/data modules

Kita in surface back-to-back

module	description	# of ports	model no.	6 ft. cord list	10 ft. cord list
Kita back-to-back unit (there are 2 cords standard per unit)	For complete model number: 1. Insert cord length selection : 06 6 ft. cord 10 10 ft. cord 2. Insert finish selection : ST - Silver anodized aluminum case finish, storm trim and simplex finish SW - Silver anodized aluminum case finish, white trim and simplex finish SB - Silver anodized aluminum case finish, black trim and simplex finish				
	Each side contains: 3 power, 1 open data port Total of 6 power, 2 open data ports per unit 9-13/16"D x 8"W table top cut out	8 (4/side)	OPPKIB6P0A2D__ __	1,080	1,100
	Each side contains: 2 power, 1 USB-A+C, 1 open data port Total of 4 power, 2 USB-A+C, 2 open data ports per unit 9-13/16"D x 8"W table top cut out	8 (4/side)	OPPKIB4P2AC2D__ __	1,380	1,400
	Each side contains: 2 power, 2 open data ports Total of 4 power, 4 open data ports per unit 9-13/16"D x 8"W table top cut out	8 (4/side)	OPPKIB4P0A4D__ __	1,060	1,080
	Side 1 contains: 2 power, 1 USB-A+C, 1 open data Side 2 contains: 2 power 1 USB-A+C, 1 HDMI Total of 4 power 2 USB-A+C, 1 open data, 1 HDMI per unit 9-13/16"D x 8"W table top cut out	8 (4/side)	OPPKIB4P2AC1D1H__ __	1,530	1,550
	Each side contains: 3 power, 3 open data ports Total of 6 power, 6 open data ports per unit 9-13/16"D x 11"W table top cut out	12 (6/side)	OPPKIB6P0A6D__ __	1,180	1,200
	Each side contains: 3 power, 1 USB-A+C, 2 open data ports Total of 6 power, 2 USB-A+C, 4 open data ports per unit 9-13/16"D x 11"W table top cut out	12 (6/side)	OPPKIB6P2AC4D__ __	1,570	1,590
	Each side contains: 2 power, 1 USB-A+C, 1 dual USB-C 45W, 2 open data ports Total of 4 power, 2 USB-A+C, 2 dual USB-C 45w, 4 open data 9-13/16"D x 11"W table top cut out	12 (6/side)	OPPKIB4P2AC2C4D__ __	2,060	2,080
	Side 1 contains: 3 power, 1 USB-A+C, 2 open data ports Side 2 contains: 3 power, 1 USB-A+C, 1 open data, 1 HDMI Total of 6 power, 2 USB-A+C, 3 open data ports, 1 HDMI 9-13/16"D x 11"W table top cut out	12 (6/side)	OPPKIB6P2AC3D1H__ __	1,650	1,670

Kita Back-To-Back cut out information:

# of ports.	"X" Dim.
8 (4 ports / side)	8"W
12 (6 ports / side)	11"W



KITA SERIES FINISH CODE LEGEND:



ST - Silver anodized aluminum case finish, storm trim and simplex finish, black cord



SW - Silver anodized aluminum case finish, white trim and simplex finish, black cord



SB - Silver anodized aluminum case finish, black trim and simplex finish, black cord

*Kita back-to-back units are also available with a single circuit breaker cord instead of 2 cords per unit, please email service@symphonytables.com for pricing.

** Kita has many different configurations available within the family offering, including a hardwired solution, shared media solutions and upgraded equipment that will allow the units to daisy chain (for an upcharge), email service@symphonytables.com for assistance if you are looking for additional power/data/USB features for your project.


power/data modules

Kita II single-sided in surface

module	description	# of ports	model no.	6 ft. cord list	10 ft. cord list
Kita II in surface single-sided unit	For complete model number: 1. Insert cord length selection : 06 6 ft. cord 10 10 ft. cord 2. Insert finish selection : MB Matte Black MF Matte Fog MS Matte Storm MW Matte White SD Gloss Sand*				
	2 power, 1 USB-A+C, 1 open data port 4-7/8"D x 7-7/8"W table top cut out, specify location	4	OPPKI22PAC1D__ __	690	710
	2 power, 1 USB-A+C, 1 HDMI 4-7/8"D x 7-7/8"W table top cut out, specify location	4	OPPKI22PAC1H__ __	790	810
	2 power, USB-A+C,1 dual USB-C 45w 4-7/8"D x 7-7/8"W table top cut out, specify location	4	OPPKI22PAC1C__ __	900	920
	3 power, 1 open data 4-7/8"D x 7-7/8"W table top cut out, specify location	4	OPPKI23P0U1D__ __	490	510
	3 power, 1 USB-A+C 4-7/8"D x 7-7/8"W table top cut out, specify location	4	OPPKI23PAC0D__ __	670	690
Kita II + WIRELESS in surface single-sided unit					
	2 power, 1 USB-A+C, 1 open data, 3 Qi coils 4-7/8" x 10-7/8" table top cut out, specify location Note that the wireless unit required a total of 6 ports	6	OPPKIW2PAC1D__ __	1,400	1,420
Kita II DEEP in surface single-sided unit *Gloss Sand finish is not available for Kita II DEEP					
	2 power, 1 USB-A+C, 1 open data 4-7/8" x 7-7/8" table top cut out, specify location	4	OPPKID2PAC1D__ __	820	840
	3 power, 1 USB-A+C 4-7/8" x 7-7/8" table top cut out, specify location *MacBook power brick will fit inside the unit with door closed	4	OPPKID2PAC1D__ __	820	840

Kita II, Kita II + Wireless, and Kita II DEEP cut out information:

# of ports.	"X" Dim.
4	7-7/8"W
6.	10-7/8"W



KITA II & KITA II BACK-TO-BACK SERIES FINISH CODE LEGEND:



MB - Matte Black powder coated aluminum with matte black powder coat simplexes, window frames and end caps, black faceplate, black cord.



MF - Matte Fog powder coated aluminum with matte fog powder coat simplexes, window frames and end caps, white faceplate, black cord.



MS - Matte Storm powder coated aluminum with matte storm powder coat simplexes, window frames and end caps, white faceplate, black cord.



MW - Matte White powder coated aluminum with matte white powder coat simplexes, window frames and end caps, white faceplate, black cord.



SD - Gloss Sand powder coated aluminum with matte black powder coat simplexes, window frames and end caps, white faceplate, black cord.
*Gloss Sand finish is not available on the Kita II DEEP or the Kita II DEEP back-to-back units


power/data modules

Kita II back-to-back in surface
Macht under surface mount

module	description	# of ports	model no.	6 ft. cord list	10 ft. cord list
Kita II back-to-back unit (there are 2 cords standard per unit)	For complete model number: 1. Insert cord length selection : 06 6 ft. cord 10 10 ft. cord 2. Insert finish selection : MB Matte Black MF Matte Fog MS Matte Storm MW Matte White SD Gloss Sand*				
	Each side contains: 3 power, 1 open data port Total of 6 power, 2 open data ports per unit 9-3/4"D x 7-7/8"W table top cut out	8 (4/side)	OPPK2B6P0A2D__ __	1,050	1,070
	Each side contains: 2 power, 1 USB-A+C, 1 open data port Total of 4 power, 2 USB-A+C, 2 open data ports per unit 9-3/4"D x 7-7/8"W table top cut out	8 (4/side)	OPPK2B4P2AC2D__ __	1,350	1,370
	Side 1 contains: 2 power, 1 USB-A+C, 1 HDMI Side 2 contains: 2 power, 1 USB-A+C, 1 open data port Total of 4 power, 2 USB-A+C, 1 open data, 1 HDMI per unit 9-3/4"D x 7-7/8"W table top cut out	8 (4/side)	OPPK2B4P2AC1D1H__ __	1,440	1,460
	Each side contains: 3 power, 3 open data port Total of 6 power, 6 open data ports per unit 9-3/4"D x 10-7/8"W table top cut out	12 (6/side)	OPPK2B6P0A6D__ __	1,130	1,150
	Each side contains: 3 power, 1 USB-A+C, 2 open data port Total of 6 power, 2 USB-A+C, 4 open data ports per unit 9-3/4"D x 7-7/8"W table top cut out	12 (6/side)	OPPK2B6P2AC4D__ __	1,450	1,470
Kita II DEEP back-to-back (there is 1 single cord standard per unit)					
	Each side contains: 2 power, 1 USB-A+C, 1 open data port Total of 4 power, 2 USB-A+C, 2 open data ports per unit 9-3/4"D x 7-7/8"W table top cut out *MacBook power brick will fit inside the unit with door closed	8 (4/side)	OPPK2D4P2AC2D__ __ *Gloss Sand finish is not available for Kita II DEEP	1,670	1,690
	Each side contains: 3 power, 1 USB-A+C, 1 HDMI, 1 open data port Total of 6 power, 2 USB-A+C, 2 HDMI, 2 open data ports per unit 9-3/4"D x 10-7/8"W table top cut out *MacBook power brick will fit inside the unit with door closed	12 (6/side)	OPPK2D6P2AC2H2D__ __ *Gloss Sand finish is not available for Kita II DEEP	2,110	2,130

Kita II & Kita II DEEP Back-To-Back cut out information:

# of ports.	"X" Dim.
8 (4 ports / side)	7-7/8"W
6 (6 ports / side)	10-7/8"W



KITA II & KITA II BACK-TO-BACK SERIES FINISH CODE LEGEND:



MB - Matte Black powder coated aluminum with matte black powder coat simplexes, window frames and end caps, black faceplate, black cord.



MF - Matte Fog powder coated aluminum with matte fog powder coat simplexes, window frames and end caps, white faceplate, black cord.




MS - Matte Storm powder coated aluminum with matte storm powder coat simplexes, window frames and end caps, white faceplate, black cord.



MW - Matte White powder coated aluminum with matte white powder coat simplexes, window frames and end caps, white faceplate, black cord.



SD - Gloss Sand powder coated aluminum with matte black powder coat simplexes, window frames and end caps, white faceplate, black cord.
*Gloss Sand finish is not available on the Kita II DEEP or the Kita II DEEP back-to-back units

Macht Under Surface Mount	For complete model number Insert cord length selection : 06 6 ft. cord 10 10 ft. cord			6 ft. cord list	10 ft. cord list
	6 power, black finish, circuit breaker cord, slide mount	6	OPPMAC6P0A0D__BK	300	320
	4 power, 2 open data, black finish, circuit breaker cord, slide mount	6	OPPMAC4P0A2D__BK	280	300

power/data modules
Mio single-sided in surface

module	description	# of ports	model no.	6 ft. cord list	10 ft. cord list
	For complete model number: 1. Insert cord length selection : 06 6 ft. cord 10 10 ft. cord 2. Insert finish selection : MB Matte Black MF Matte Fog MS Matte Storm MW Matte White GS Gloss SIlver SD Gloss Sand				
Mio in surface single-sided unit					
	3 power 4"D x 6.5"W table top cut out, specify location	3	OPPMIO3P0A0D__ __	450	470
	2 power, 1 USB-A+C 4"D x 6.5"W table top cut out, specify location	3	OPPMIO2PAC0D__ __	580	600
	3 power, 1 open data 4"D x 8"W table top cut out, specify location	4	OPPMIO3P0A1D__ __	460	480
	2 power, 1 USB-A+C, 1 open data 4"D x 8"W table top cut out, specify location	4	OPPMIO2PAC1D__ __	580	600
	2 power, 1 USB-A+C, 1 HDMI 4"D x 8"W table top cut out, specify location	4	OPPMIO2PAC1H__ __	700	720

MIO SERIES FINISH CODE LEGEND:



MB - Matte black powder coated aluminum with plastic black simplexes, window frames and end caps, black cord.

MF - Matte fog powder coated aluminum with plastic fog simplexes, window frames and end caps, black cord.

MS - Matte storm powder coated aluminum with plastic storm simplexes, window frames and end caps, black cord.

MW - Matte white powder coated aluminum with plastic white simplexes, window frames and end caps, black cord.

GS - Gloss Silver powder coated aluminum with plastic white simplexes, window frames and end caps, white cord.

SD - Gloss sand powder coated aluminum with plastic white simplexes, window frames and end caps, black cord

FINISH AREAS




Powder coated Aluminum

Plastic Simplex End caps, Window Frames

Mio single-sided cut out information:

# of ports.	"X" Dim
2	5"
3	6.5"
4	8"



power/data modules
Mio back-to-back in surface

module	description	# of ports	model no.	6 ft. cord list	10 ft. cord list
	For complete model number: 1. Insert cord length selection : 06 6 ft. cord 10 10 ft. cord 2. Insert finish selection : MB Matte Black MF Matte Fog MS Matte Storm MW Matte White SD Gloss Sand				
Mio in surface back-to-back unit (2 cords per unit)					
	Each side contains: 3 power, 1 open data Total of 6 power, 2 open data per unit 7-11/16"D x 8"L table top cut out, specify location	8 (4/side)	OPPMIB6P0A2D__ __	920	940
	Each side contains: 2 power, 1 USB-A+C, 1 open data Total of 4 power, 2 USB-A+C, 2 open data per unit 7-11/16"D x 8"L table top cut out, specify location	8 (4/side)	OPPMIB4P2AC2D__ __	1,230	1,250
	Each side contains: 2 power, 2 open data Total of 4 power, 2 open data per unit 7-11/16"D x 8"L table top cut out, specify location	8 (4/side)	OPPMIB4P0A4D__ __	920	940
	Each side contains: 2 power, 1 USB-A+C, 1 dual charging USB-C 45w Total of 4 power, 2 USB-A+C, 2 dual USB-C 45w per unit 7-11/16"D x 8"L table top cut out, specify location	8 (4/side)	OPPMIB4P2AC2C__ __	1,830	1,850

MIO SERIES FINISH CODE LEGEND:



MB - Matte black powder coated aluminum with plastic black simplexes, window frames and end caps, black cord.


MF - Matte fog powder coated aluminum with plastic fog simplexes, window frames and end caps, black cord.

MS - Matte storm powder coated aluminum with plastic storm simplexes, window frames and end caps, black cord.

MW - Matte white powder coated aluminum with plastic white simplexes, window frames and end caps, black cord.

SD - Gloss sand powder coated aluminum with plastic white simplexes, window frames and end caps, black cord

FINISH AREAS




Powder coated Aluminum

Plastic Simplex End caps, Window Frames

Mio Back-To-Back cut out information:

# of ports.	"X" Dim.
8 (4 ports / side)	8"




power/data modules

Neto clamp, in surface and under mount

module	description	# of ports	model no.	6 ft. cord list	10 ft. cord list
	For complete model number: 1. Insert cord length selection : 06 6 ft. cord 10 10 ft. cord 2. Insert finish selection : ST Storm SW White SB Black				
Neto edge mount with clamp					
	3 power	3	OPPNEE3P0A0D__ __	380	400
	2 power, 1 USB-A+C	3	OPPNEE2PAC0D__ __	510	530
	2 power, 1 dual USB-C 45w	3	OPPNEE2P0A1C__ __	640	660
Neto edge mount with clamp + wireless					
	2 power, 1 USB-A, 10W Qi wireless charging	3	OPPNEE2PQ1U__ __	770	790
Neto under mount					
	3 power	3	OPPNEU3P0A0D__ __	380	400
	2 power, 1 USB-A+C	3	OPPNEU2PAC0D__ __	510	530
	2 power, 1 dual USB-C 45w	3	OPPNEU2P0A1C__ __	640	660
Neto in surface					
	3 power 1-15/16" x 6-5/16" table top cut out, specify location	3	OPPNET3P0A0D__ __	380	400
	2 power, 1 USB-A+C 1-15/16" x 6-5/16" table top cut out, specify location	3	OPPNET2PAC0D__ __	510	530
	2 power, 1 dual USB-C 45w 1-15/16" x 6-5/16" table top cut out, specify location	3	OPPNET2P0A1C__ __	640	660

Neto in surface cut out information:

# of ports.	"X" Dim.
2	4-7/8"
3	6-5/16"



NETO FINISH CODE LEGEND:



ST - Storm molded plastic faceplate and endcaps, Silver anodized aluminum housing and mount, black cord



SW - White molded plastic faceplate and endcaps, Silver anodized aluminum housing and mount, white cord




SB - Black molded plastic faceplate and endcaps, Silver anodized aluminum housing and mount, black cord

power/data modules

Ocho

above surface clamp mount, in surface flush, in surface pop up , under surface

module	description	# of ports	model no.	6 ft. cord list	10 ft. cord list
	For complete model number: 1. Insert cord length selection : 06 6 ft. cord 10 10 ft. cord 2. Insert finish selection : B Black plastic face, black metal trim, black cord G Grey plastic face, silver metal trim, black cord S White plastic face, silver metal trim, white cord W White plastic face, white metal trim, white cord				
Ocho above surface clamp mount					
	1 power, 1 USB-A 2.4 amp, 1 USB-C 60w	2	OPPOCA1PAC__ _	490	510
	2 power, 1 USB-A 2.4 amp, 1 USB-C 60w	3	OPPOCA2PAC__ _	520	540
	3 power, 1 USB-A 2.4 amp, 1 USB-C 60w, 1 HDMI	5	OPPOCA3PACH__ _	590	610
*image shows blank insert instead of HDMI insert					
Ocho flush in surface					
	2 power, 1 USB-A 2.4 amp, 1 USB-C 60w 2.19" x 6" table top cut out, specify location	3	OPPOCF2PAC__ _	490	510
	3 power, 1 USB-A 2.4 amp, 1 USB-C 60w, 1 HDMI 2.19" x 8.5" table top cut out, specify location	5	OPPOCF3PACH__ _	560	580
*image shows blank insert instead of HDMI insert					
Ocho in surface pop-up					
	2 power 1 USB-A+C 4.746"D x 6.79"W table top cut out, specify location	3	OPPOCH2PAC__ _	570	590
Ocho under surface mount					
	2 power, 1 USB-A 2.4 amp, 1 USB-C 60w	3	OPPOCU2PAC__ _	520	540
	3 power, 1 USB-A 2.4 amp, 1 USB-C 60w, 1 HDMI	5	OPPOCU3PACH__ _	590	610
*image shows blank insert instead of HDMI insert					

OCHO SERIES FINISH CODE LEGEND:



B - Black plastic face, black metal trim, black cord



G - Grey plastic face, silver metal trim, black cord




S - White plastic face, silver metal trim, white cord




W - White plastic face, white metal trim, white cord


power/data modules

Ovi in surface

module	description	model no.	cord length	finish code	list
Ovi with convenience outlet(s) - all units feature spill-resistant technology that protects against electrical damage					
	2 power, 1 convenience outlet below the worksurface 2"D x 5.25"W table top cut out size - specify placement ** You can daisy chain up to (4) Ovi units with a 20 amp single circuit outlet	OPPOVI2P0U91SB OPPOVI2P0U91BB OPPOVI2P0U91GW OPPOVI2P0U91AB	9 ft. 9 ft. 9 ft. 9 ft.	SB BB GW AB	430 430 430 530
	2 power, 1 USB-A+C, 2 convenience outlets below the worksurface 2"D x 6.75"W table top cut out size - specify placement ** You can daisy chain up to (4) Ovi units with a 20 amp single circuit outlet	OPPOVI2PAC92SB OPPOVI2PAC92BB OPPOVI2PAC92GW OPPOVI2PAC92AB	9 ft. 9 ft. 9 ft. 9 ft.	SB BB GW AB	790 790 790 880



Ovi in surface cut out:



* REFERENCE THE CUT OUT SIZE UNDER EACH OVI POWER MODULE FOR THE VALUE OF "X"

OVI SERIES FINISH CODE LEGEND:

- SB - Silver powdercoat finish, black simplex finish
- BB - black powdercoat finish, black simplex finish
- GW - Gloss white powdercoat finish, white simplex finish
- AB - brushed aluminum finish, black simplex finish

power/data modules

Palla in surface, Pila freestanding, Power Strip

module	description	model no.	cord length	finish code	list
Palla					
	3 power 3" diameter table top cut out size, specify location	OPPPAL3P0A0D06SS OPPPAL3P0A0D06WW OPPPAL3P0A0D06BB OPPPAL3P0A0D10SS OPPPAL3P0A0D10WW OPPPAL3P0A0D10BB	6 ft. 6 ft. 6 ft. 10 ft. 10 ft. 10 ft.	SS WW BB SS WW BB	250 250 250 270 270 270
	2 power, 1 USB-A+C 3" diameter table top cut out size, specify location	OPPPAL2PAC0D06SS OPPPAL2PAC0D06WW OPPPAL2PAC0D06BB OPPPAL2PAC0D10SS OPPPAL2PAC0D10WW OPPPAL2PAC0D10BB	6 ft. 6 ft. 6 ft. 10 ft. 10 ft. 10 ft.	SS WW BB SS WW BB	380 380 380 400 400 400

PALLA SERIES FINISH CODE LEGEND:



- SS - Storm case, trim, and simplex finish, black cord
- WW - White case, trim, and simplex finish, white cord
- BB - Black case, trim, and simplex finish, black cord

module	description	model no.	cord length	finish code	list
Pila Freestanding					
	3 power, 2 USB-A, 1 USB-C 18W 12" diameter x 28-1/4"H	OPPPIL3P2A1C10SS OPPPIL3P2A1C10WW OPPPIL3P2A1C10BB	10 ft. 10 ft. 10 ft.	SS WW BB	1,790 1,790 1,790

PILA SERIES FINISH CODE LEGEND:



- SS - Storm trim in molded plastic, Storm base and neck in powder coated aluminum, black cord



- WW - White trim in molded plastic, White base and neck in powder coated aluminum, white cord



- BB - Black trim in molded plastic, Black base and neck in powder coated aluminum, black cord

module	description	model no.	cord length	finish code	list
Power strip (under mount)					
	6-outlet, UL tested/listed	OPPSTR6P0D06B OPPSTR6P0D15B OPPSTR6P0D06G OPPSTR6P0D15G	6 ft. 15 ft. 6 ft. 15 ft.	black black grey grey	120 200 120 200

power/data modules

Versie undermount & Versie in surface

Zig freestanding

module	description	model no.	cord length	finish code	list
Versie under mount					
	2 power	OPPVER2P0A0D06BK	6 ft.	BK	160
		OPPVER2P0A0D10BK	10 ft.	BK	180
	1 power, 1 USB-A+C	OPPVER1PAC0D06BK	6 ft.	BK	340
		OPPVER1PAC0D10BK	10 ft.	BK	360
	1 power, 1 open data	OPPVER1P0A1D06BK	6 ft.	BK	190
		OPPVER1P0A1D10BK	10 ft.	BK	210
Versie in surface					
	2 power	OPPVES2P0A0D06MS	6 ft.	MS	380
	2"D x 3.25"W table top cut out required,	OPPVES2P0A0D06MW	6 ft.	MW	380
	specify location	OPPVES2P0A0D06MB	6 ft.	MB	380
		OPPVES2P0A0D10MS	10 ft.	MS	400
		OPPVES2P0A0D10MW	10 ft.	MW	400
		OPPVES2P0A0D10MB	10 ft.	MB	400
	1 power, 1 USB-A+C	OPPVES1PAC0D06MS	6 ft.	MS	530
	2"D x 3.25"W table top cut out required,	OPPVES1PAC0D06MW	6 ft.	MW	530
	specify location	OPPVES1PAC0D06MB	6 ft.	MB	530
		OPPVES1PAC0D10MS	10 ft.	MS	550
		OPPVES1PAC0D10MW	10 ft.	MW	550
		OPPVES1PAC0D10MB	10 ft.	MB	550

VERSIE IN SURFACE SERIES FINISH CODE LEGEND:



MS- Matte Storm finish, black cord



MW - Matte White finish, black cord



MB - Matte Black finish, black cord

**these finishes are not available for the Versie undermount unit

Zig freestanding					
	1 power, 1 USB-A+C	OPPZIG1PAC0D09BW	9 ft.	BW	550
		OPPZIG1PAC0D09WB	9 ft.	WB	550
		OPPZIG1PAC0D09BB	9 ft.	BB	550

ZIG SERIES FINISH CODE LEGEND:



BW - Beech wood case, White trim/simplex finish, solid dusk braided cord




WB - Walnut wood case, Black trim/simplex finish, black and white pinstripe cord







BB - Black wood case, Black trim/simplex finish, black and white pinstripe cord

This page was intentionally left blank.

	description	model no.	list
	**Zoey wire management hole** the cord will route through the mouse hole and exit at the bottom of the column (1) 1.5" hole at the top / inside of 1 column for a single T or C type base (2) 1.5" holes at the top / inside of each column for a set of (2) T or C type bases (1) 1.25" hole at the top / inside of 1 column for Zoey TT, X, 4X, Y or YY bases (not available for adj ht bases)	 OBTWMH1Z OBTWMH2Z OBWMZCONF	 50 100 50
	**Ria / Keller wire mangement holes for one single column of a T, C, TT, or 4X base** wire management mouse holes (top & bottom) for one base Each hole is a 1.5" x 2.25" oval. Removeable grommets narrow the hole to 1.25" diameter Note that the wire management grommet cannot be made with the polished finish, specify black or white (not available for adj ht bases)	OBTWMH2RG	130
	**Ria / Keller wire management cone shaped top plate and WM hole** metal cone-shaped top plate conceals and protects center mounted power module in surface Concealed wires exit down inside the base column and out at the bottom of the base column Available for single column Ria and Keller X and Y bases Note that the cone cannot be made with the polished finish black or white paint is available for the cone with a polished base Circo in surface power unit can be used with this cone wire manager (not available for adj ht bases)	OBXWMPCC	350
	**Ria / Keller wire management box shaped top plate and WM hole** metal box-shaped top plate conceals and protects center mounted power module in surface Concealed wires exit down inside the base column and out at the bottom of the base column Available for single column Ria and Keller X and Y bases Note that the box cannot be made with the polished finish black or white paint is available for the box with a polished base Inside dimensions: 9.5" x 9.5" x 2.75"H, 1.75" access hole in top plate to column (not available for adj ht bases)	OBXWMPBB	470
	**Moto Magnetic wire manager for a square or rectangular column** standard dimensions: 17 3/4" length, 2" width, 1.06" depth large area for wire management of multiple power and cord sizes easy installation and reposition to any metal surface ** specify metal finish - not available in a polished or wrinkle finish	OBWMMM18	120
	Moto wire management holes for T, C, X, post or Moto II frame base 1.25" dia. wire management mouse holes (top & bottom) for one 2" sq base column 1.5" dia. wire management mouse holes (top & bottom) for one 3" sq base column (not available for adj ht bases or Moto Frame bases with 2.5 x 2.5 tubing)	 OBWMHMOTO OBWMHMOTO-1.5	 60 60
	Novi T or C type bases wire management holes for one single column Each hole is a 1.5" x 2.25" oval. Removeable grommets narrow the hole to 1.25" diameter Note that the wire management grommet cannot be made with the polished finish, specify black or white (not available for adj ht or polished chrome bases)	OBTWMNOVI	160
	**Nantes disc / Marius disc / Moto X / Novi X** power box mounting plate with (1) 1.25" mouse hole in the column near the bottom for the cord to exit to a wall or floor outlet away from the base -Power Box Dimensions 12" x 12", 3" high from top of the column to table top -Power Box Hole Dimensions: 2" dia. on a 3" column, 3 1/2" dia on a 4" column -Bottom Hole Dimensions: 1 1/2" dia. hole on a 3" column, 2" dia. hole on a 4" column	OBWMPD1H	140
	**Nantes / Marius** power box mounting plate with wire management hole centered under the disc base wire management hole in the center of a Nantes / Marius disc base for floor access -3" column has a 1 7/8" dia thru hole at bottom / center -4" column has a 2 1/4" dia thru hole at the bottom / center	OBDWMPDHCHF	230

***Please note that power supply units and cords vary in size and shape. Please email service@symphonytables.com to ensure that your power supply and cord will work with the table specifications and desired wire management options.**

wire management

	description	model no.	list
	**metal snap on** (not available for adjustable ht bases) easy to attach, access, or move metal finish to match base, SPECIFY FINISH (not available in a polished or wrinkle finish) 2" round column version 3" round column version ** Can be used with any base that has a 2" or 3" round column	 AWMRM2NB AWMRM3NB	 90 100
	**universal wire manager** black (B) 26" silver (S) 26" double stick tape is used to adhere the wire manager to the base	 OBTWMUPB OBTWMUPS	 60 60
	**J channel black nylon wire manager with double stick tape** 2.5" x 1" x 71" long 2.5" x 1" x 59" long 2.5" x 1" x 47" long 2.5" x 1" x 35" long 2.5" x 1" x 23" long	 AWMJCH72 AWMJCH60 AWMJCH48 AWMJCH36 AWMJCH24	 210 170 150 110 90
	**large J channel 72" wire manager with double stick tape** Black nylon 3 1/4" x 1" x 71" long additional lengths available	AWMJP72B	250
	**Metal J-style wire manager** **Standard metal powder coat finishes** Flat Black, Furniture White, Medium Tone, and Metallic Silver (not for use with flip nest tables)	36"W x 4.93"D x 6"H AWMMJCM36 47"W x 4.93"D x 6"H AWMMJCM47 59"W x 4.93"D x 6"H AWMMJCM59 71"W x 4.93"D x 6"H AWMMJCM71	260 290 300 360
	**36" wire management basket** sturdy basket made of high quality powder coated steel, black finish 36" long x 5.75"D x 3.5"H exterior dimensions	AWMWB36B	230
	**wire clip set** perfect for single power cord or small group of data cords cables easily installed or removed without removing clip .4" wide x 1.156" long with .50" cable bundle diameter natural nylon set of (10) includes (10) wood screws to attach under surface additional sizes available	AWMCL10N	40
	**Spiral wire manager** mounted under the worksurface for wire management to the floor, easy to install for use under fixed worksurface up to 30"H	 black finish AWMVSL-BK silver finish AWMVSL-S white finish AWMVSL-W	 180 180 180
	**Spine wire manager** mounted under the worksurface for wire management to the floor, conceals wires inside easy to install, 3 colors available, for fixed or adjustable height tables up to 51"H	 black finish AWMVSP-BK silver finish AWMVSP-S white finish AWMVSP-W	 230 230 230

round grommets




description	model no.	list
nylon 2" diameter, black	OTGRD2NB	60
nylon 2" diameter, white	OTGRD2NW	60
nylon 2" diameter, silver	OTGRD2NS	60



nylon 3" diameter, black	OTGRD3NB	60
nylon 3" diameter, white	OTGRD3NW	60
nylon 3" diameter, silver	OTGRD3NS	60


Specify the grommet location on your PO, note that the above pricing is for a single (1) grommet, if you specify a grommet location that shows (2) grommets then you will need to include 2 grommets per table on your PO.
Email service@symphonytables.com for assistance.


GROMMET LOCATIONS



GFCC (1 front center)



GFLL (1 front left)



GFRR (1 front right)


GFLR (1 front left & 1 front right)



GFC2 (1 front left center & 1 front right center)


GCCC (1 center)


GFLC (1 front left center)


GFRC (1 front right center)


GCLC (1 left center)


GCLR (1 left center & 1 right center)


GCRC (1 right center)

rectangular grommets




Asti metal 3.39" x 5.68" grommet with flush hinged door		list
flush hinged door, black finish	OTGRADMB	150
flush hinged door, silver finish	OTGRADMS	150
flush hinged door, white finish	OTGRADMW	150
flush hinged door, Brushed Aluminum finish	OTGRADBA	240
flushhinged door, Stainless Steel finish	OTGRADSS	240

3" x 5.25" cut out required


Specify the grommet location on your PO, note that the above pricing is for a single (1) grommet, if you specify a grommet location that shows (2) grommets then you will need to include 2 grommets per table on your PO.
Email service@symphonytables.com for assistance.



PFCC (1 front center)


PFLL (1 front left)


PFRR (1 front right)


PFLR (1 front left & 1 front right)



PFC2 (1 front left center & 1 front right center)



PCCC (1 center)


PFLC (1 front left center)


PFRC (1 front right center)


PCLC (1 left center)


PCLR (1 left center & 1 right


PCRC (1 right center)


PC3L (1 CENTERED ON THE TOP RUNNING SHORT WAYS - 3" AWAY FROM LEFT SIDE OF TOP)


PC3R (1 CENTERED ON THE TOP RUNNING SHORT WAYS - 3" AWAY FROM RIGHT SIDE OF TOP)



PCS2 (1 LEFT CENTERED AND 1 RIGHT CENTER ON THE TOP RUNNING SHORT WAYS)


PCSL (1 CENTERED ON THE LEFT SIDE OF THE TOP RUNNING SHORT WAYS)


PCCS (1 CENTERED ON THE TOP RUNNING SHORT WAYS)


PCSR (1 CENTERED ON THE RIGHT SIDE OF THE TOP RUNNING SHORT WAYS)

modesty panels
fixed

material	description	width	model no.	list
laminate fixed (LX)	**8" high fixed laminate modesty panel**			
	Select laminate and edge color			
	3/8" thick particle board laminated with 0.050" thick plastic	35.5	OMLX836	240
	available with PVC or laminate edge	41.5	OMLX842	310
	Attaches with "L" bracket fixed hardware	47.5	OMLX848	320
		53.5	OMLX854	430
		59.5	OMLX860	440
		65.5	OMLX866	510
		71.5	OMLX872	520
	**laminate fixed modesty wire channel**			list
	60" x 3" x 3" black	59.5	AWMLXWC5	230
	72" x 3" x 3" black	71.5	AWMLXWC6	250
	attaches to inside of laminate modesty with factory installed double sided tape			
	additional lengths available			
perforated metal fixed (MP)	**9" high perforated metal fixed modesty panel**	width	model no.	list
	Inside metal wire raceway included			
	20 gauge fabricated steel	35.75	OMMP936	610
		47.75	OMMP948	650
	standard metal powder coat finishes (ME):	59.75	OMMP960	720
	Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze	71.75	OMMP972	840
solid metal fixed (MS)	**9" high solid metal fixed modesty panel**	width	model no.	list
	Inside metal wire raceway included	35.75	OMMS936	600
	20 gauge fabricated steel	47.75	OMMS948	640
		59.75	OMMS960	710
	standard metal powder coat finishes (ME):	71.75	OMMS972	830
	Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze			
acrylic (ACR)	**12"H clear frosted acrylic modesty panel with hanging brackets**	width	model no.	list
for fixed, flip nest and adj ht				
 	37" long x 12"H for a 48 inch long top	37	OMACR1248	420
	49" long x 12"H for a 60 inch long top	49	OMACR1260	480
	61" long x 12"H for a 48 inch long top	61	OMACR1272	560

We recommend using tops with 90 degree corners to allow the modesty to be flush with the front (PVEA for example).
For tops with radiused corners, the modesty must be positioned back from the front edge.

*** Contact customer service to ensure that any power or accessories you plan to specify will work with this modesty panel and your base selection, email service@symphonytables.com**

modesty panels
for flip/nest tables

material	description	width	model no.	list
fabric hanging (FH)	**10" high fabric hanging modesty panel**			
	Black mesh fabric with black liner	35.75	OMFH1036	290
	Additional non-standard widths available up to 72" wide.	41.75	OMFH1042	300
	Steel rod frame	47.75	OMFH1048	320
	Pivot hardware allows modesty to swing & fold for easy storage	53.75	OMFH1054	330
	Hidden wire raceway on inside is secured with multiple Velcro strips.	59.75	OMFH1060	340
		65.75	OMFH1066	350
		71.75	OMFH1072	360
laminate hanging (LH)	**8" high hanging laminate modesty panel (Do not use with C bases)**	width	model no.	list
 	Select laminate and edge color			
	3/8" thick particle board laminated with 0.050" thick plastic laminate	35.5	OMLH836	450
	available with PVC or laminate edge	41.5	OMLH842	520
	attaches with Nester series hanging modesty panel bracket	47.5	OMLH848	530
		53.5	OMLH854	640
	**Do not use the laminate hanging modesty panel for Zoey or Keller flip nest tables over 24" deep, 24" deep tops are OK but any other size over 24" could result in the modesty panel hitting the legs when the table is in the nested position.	59.5	OMLH860	650
		65.5	OMLH866	720
*the modesty panel will flip "DOWN" (do not use with C type bases)		71.5	OMLH872	730
laminate reverse hinge (RH)	**8" high reverse hinge laminate modesty panel**	width	model no.	list
	**for Zoey / Keller over 24" deep or flip nest base table - the modesty panel shall flip "UP" when the table is in the nested position**	35.5	OMRH836	520
		41.5	OMRH842	590
	Select laminate and edge color	47.5	OMRH848	600
	3/8" thick particle board laminated with 0.050" thick plastic laminate	53.5	OMRH854	710
	available with PVC or laminate edge	59.5	OMRH860	720
	attaches with Reverse hinge modesty panel bracket	65.5	OMRH866	790
	For Zoey or Keller flip nest tables that are over 24" deep or ANY "C" type base flip / nest table so the modesty panel will flip up instead of down	71.5	OMRH872	800
* modesty panel will flip "UP"				
perforated metal for flip nest (PH)	**9" high perforated metal modesty panel**	width	model no.	list
 	.125 diameter holes on a 2 x 2 inch grid			
	reverse hinge modesty panel bracket			
		47-7/8	OMPH948	730
	(ME) Standard metal powder coat finishes :	59-7/8	OMPH960	780
	Flat Black (FB) or Metallic Silver (MS).	71-7/8	OMPH972	860
	**Additional powder coat metal finishes are available on orders with a quantity of 10+ modesty panels in the same size and finish			
* modesty panel will flip "UP"				

We recommend using tops with 90 degree corners to allow the modesty to be flush with the front (PVEA for example).
For tops with radiused corners, the modesty must be positioned back from the front edge.

*** Contact customer service to ensure that any power or accessories you plan to specify will work with this modesty panel and your base selection, email service@symphonytables.com**

locks
anti-sag bars

Table Locks, Plates & Brackets	description	model no.	list
	**Small Table Lock Set** 3" x 6" heavy-duty 11 gauge steel plate set includes 2 plates, 8 knobs (4 per plate), inserts for each seam plates retract and hide away when not in use Black finish	OTL2P8KB	290
	**Large Plate Lock** 4" x 12" heavy-duty 11 gauge steel plate includes 1 plate, 4 knobs, inserts for each seam one plate attaches tables up to 42" deep plates retract and hide away when not in use Black finish	OTL1P4KB	70
	**Clic Table Lock Set** twist and lock into place set includes four components (two locks) for each seam and (8) screws zinc finish 3.5" diameter	OTLCLICZ	150
	**Fixed Plate Set (set of 20 plates per box)** 3" x 6" heavy-duty 1/8" thick steel plates includes 20 plates and wood screws (no longer sold individually) Black finish	OTL2PWSB20	360


Typical Configurations



8 sets



5 sets



3 sets

	**Rectangular Tube with End Caps and screws**		
	42 inch rectangular tube (mounts under top) with end caps and screws	OTRT1E42	160
	54 inch rectangular tube (mounts under top) with end caps and screws	OTRT1E54	170
	70 inch rectangular tube (mounts under top) with end caps and screws	OTRT1E70	190
	83 inch rectangular tube (mounts under top) with end caps and screws	OTRT1E83	240

Email service@symphonytables.com to confirm that the table ganging devices, top stiffeners or brackets will fit on the top with all other components specified for the table.

anti-sag bars
brackets

Table Locks, Plates & Brackets	description	model no.	list
	**Anti-sag bars**		
	37 inch anti sag bar (mounts under top) with 14 black wood screws	OTAS1E37	130
	43 inch anti sag bar (mounts under top) with 18 black wood screws	OTAS1E43	130
	49 inch anti sag bar (mounts under top) with 30 black wood screws	OTAS1E49	140
	55 inch anti sag bar (mounts under top) with 22 black wood screws	OTAS1E55	170
	61 inch anti sag bar (mounts under top) with 22 black wood screws	OTAS1E61	180
	67 inch anti sag bar (mounts under top) with 26 black wood screws	OTAS1E67	190
	73 inch anti sag bar (mounts under top) with 26 black wood screws	OTAS1E73	220
	79 inch anti sag bar (mounts under top) with 30 black wood screws	OTAS1E79	230
	85 inch anti sag bar (mounts under top) with 30 black wood screws	OTAS1E85	240
	14-guage rectangular black steel bar mounted under the top All surfaces 54" or longer include top stiffeners with the top pricing.		

Note:
The pricing listed on this page for top stiffeners includes a broken carton charge due to quantities under 10. As a result, this list price is **higher than the cost calculated when stiffeners are included with the top pricing** in the Surfaces price list.

Please **do not use the prices on this page to determine deductions** for top stiffeners on surfaces that already include them.

	Brackets hardware to attach to wall not included. Black metal finish		
	Angle Mount Bracket (1) 10 inches long, 1.5 x 1.5 inch 16 gauge formed steel.	ASANGLEMB10	70
	Cantilever Wall Mount Bracket 15.25W x 21L x 15.25H supports tops up to 30W x 36L	ASCWMB1521	330
	Cantilever Wall Mount Bracket 15.25W x 29L x 15.25H supports tops up to 36W x 48L	ASCWMB1529	340
	Cantilever Wall Mount Bracket 15.25W x 47L x 15.25H supports tops up to 36W x 60L	ASCWMB1547	360

Email service@symphonytables.com to confirm that the table ganging devices, top stiffeners or brackets will fit on the top with all other components specified for the table.

For complete credenza model number, insert laminate grade selection:
1 grade 1 laminate (HPL)
2 grade 2 laminate (HPL)

credenza	dimensions	description	model no.	grade 1 list	grade 2 list
	24 x 36 x 30H	2 door, 1 adj shelves with silver bar pulls	ASCR243630__	5,660	6,560
	24 x 36 x 36H	2 door, 1 adj shelves with silver bar pulls	ASCR243636__	5,890	6,830
	24 x 36 x 36H	2 door, 2 drawer, 2 adj shelves with silver bar pulls	ASBC243636__	6,420	7,480
	24 x 48 x 30H	4 door, 2 adj shelves with silver bar pulls	ASCR244830__	6,210	7,220
	24 x 48 x 36H	4 door, 2 adj shelves with silver bar pulls	ASCR244836__	6,460	7,520
	24 x 48 x 36H	4 door, 4 drawer, 2 adj shelves with silver bar pulls	ASBC244836__	6,990	8,160
	24 x 60 x 30H	4 door, 2 adj shelves with silver bar pulls	ASCR246030__	7,470	8,690
	24 x 60 x 36H	4 door, 2 adj shelves with silver bar pulls	ASCR246036__	7,780	9,050
	24 x 60 x 36H	4 door, 4 drawer, 2 adj shelves with silver bar pulls	ASBC246036__	8,310	9,690
	24 x 72 x 30H	4 door, 2 adj shelves with silver bar pulls	ASCR247230__	8,420	9,820
	24 x 72 x 36H	4 door, 2 adj shelves with silver bar pulls	ASCR247236__	8,770	10,250
	24 x 72 x 36H	4 door, 4 drawer, 2 adj shelves with silver bar pulls	ASBC247236__	9,480	11,090
	24 x 84 x 30H	6 door, 3 adj shelves with silver bar pulls	ASCR248430__	11,000	12,870
	24 x 84 x 36H	6 door, 3 adj shelves with silver bar pulls	ASCR248436__	11,460	13,420
	24 x 84 x 36H	6 door, 6 drawer, 3 adj shelves with silver bar pulls	ASBC248436__	12,410	14,560
	24 x 96 x 30H	6 door, 3 adj shelves with silver bar pulls	ASCR249630__	11,040	12,920
	24 x 96 x 36H	6 door, 3 adj shelves with silver bar pulls	ASCR249636__	11,500	13,470
	24 x 96 x 36H	6 door, 6 drawer, 3 adj shelves with silver bar pulls	ASBC249636__	12,450	14,610

* credenzas come with silver lock cores


Formica HPL laminate finish grades listed on page 4-5. For additional laminate grades, contact Symphony

Credenza options:

Vent with black vent grills,
model number **OACREDVENT**, $60 list per vent


Grommet for wire management on the back of the credenza,
model number **OACREDGROM**, $40 list per grommet


* touch latch hardware and soft close hinges are available with an upcharge, contact service@symphonytables.com for pricing



credenzas


Credenza standard specifications






*Credenza without doors image reflects a 48 inch to 72" long version with 2 adjustable shelves


36" L credenza with 2 doors
*available in 30"H or 36"H




36" L credenza with
2 doors and 2 drawers, 36"H




48" - 72" L credenza with 4 doors
*available in 30"H or 36"H




48" - 72"L credenza with
4 doors and 4 drawers, 36"H



48" - 72" L credenza with 4 doors
*available in 30"H or 36"H





84" - 96"L credenza with
6 doors and 6 drawers, 36"H




lectern

lectern	Description	model no.	laminate grade	list
	laminate lectern	ALLS4SDC2424481	grade 1	4,660
	flat top surface	ALLS4SDC2424482	grade 2	5,360
	open shelf			
	two shelves behind locked hinded door			
	wire management holes			
	recessed black locking casters (4)			
	additional sizes, versions, options, configurations available			








Formica HPL laminate finish grades listed on page 4-5. For additional laminate grades, contact Symphony

study carrel and screens







Study carrels, laminate & acrylic sreens are available, contact Symphony for pricing and more information

general information

Terms of Sale

All prices listed are delivered pricing to the 48 contiguous states. Orders shipped to Hawaii, Alaska, and Puerto Rico ship to the port of embarkation. Product specifications and pricing is based on the information at time of publication. Symphony reserves the right to make changes at any time without notice regarding product specifications and pricing. Terms are Net 30 from the date of shipment (net 10, 1% discount). Prices are subject to change annually for changes in accordance with state contract regulations. All customer/nonstandard products are subject to a fifty percent (50%) advance deposit. There will be a service charge of 1 1/2% per month on all invoices past due. Symphony reserves the right to use its own or commercial carriers for the “best way” to ship, at its sole discretion.

Quality Standards
Symphony Furniture products meet or exceed applicable ANSI/BIFMA durability and safety standards when properly installed with appropriate size base.

Warranty
All Symphony products are guaranteed against defect for a period of ten (10) years. Electrical items and height adjustment mechanisms are guaranteed against defect for a period of five (5) years. Symphony will replace or repair (at our discretion) without cost to our customers any item found to be defective as a result of defective material or workmanship. This excludes any item which has been abused or subjected to any use other than that which was originally intended for our product. Any repairs by our customer must receive specific written authorization from Symphony before work is initiated. This warranty is given to the initial purchaser and is valid for as long as the product is owned by the initial purchaser. The warranty, which runs from the date of manufacture, covers defects in materials and craftsmanship found during normal usage of the products during the warranty period. If a product is defective, and if written notice of the defect is given to Symphony within the warranty period, Symphony at its discretion will either repair or replace the defective product with a comparable component or product, or provide a refund of the purchase price. In no event shall liability under this warranty exceed the original purchase price. Warranty on plastic laminates is not covered by Symphony but is covered by laminate manufacturers under their specific warranty only. There are no other warranties expressed or implied. This warranty does not apply to damage caused by a carrier, alterations to the product not expressly authorized by Symphony. Symphony does not warrant the matching of color, grain, or texture except to within commercially acceptable standards. A product will not be considered defective, and Symphony will not be obligated to replace it, if that product is subject to any of Symphony’s written planning, installation or user guides, and is not installed or used as recommended.
Please note that all Losa tables and conference/media tables should not be moved as a complete unit after the product has been assembled. If it is moved, then this could result in the tables being "racked" which could also disrupt the top plate and/ or cam lock routing and predrilled holes. This type of damage is not covered under warranty. In order to move a table, you must unassembled the table completely and re-assemble it in the new location.

Minimum order/Freight Charge
Zone 1 orders less than $5,000 list (U.S.) - $200 net
Zone 2 orders less than $5,000 list (U.S.) - $260 net

Sales Policy
Possession of this price list does not constitute authority to purchase and/or sell products contained herein. All orders are subject to acceptance by Symphony Furniture.
New Accounts
New accounts can only be established with:
Approval of Symphony sales representative
Valid purchase order
State Resale/Exemption Certificate or order will be charged the appropriate sales tax
Application & credit references
Payment in full (initial orders under $4,000 list) or 50% deposit in advance

terms and conditions

Taxes
Symphony requires a state Resale/Exemption Certificate on file in our main office. Sales made without a certificate will be charged the appropriate sales tax as required by law.

Freight Terms
Freight charges will be prepaid on all shipments unless special arrangements have been made. Normal delivery is dock to dock. Special requests, such as inside delivery, lift gate service; residential delivery, etc. are subject to additional charges. All accessorial charges not requested on purchase order will be the responsibility of the consignee. Symphony reserves the right to select the “best way” shipment method and means. Delivery date and times are at the discretion of the carrier within reasonable transit time unless special arrangements have been made between the customer and Symphony.

Acknowledgements
Every order is acknowledged. Orders will be manufactured and invoiced based upon the information on the acknowledgment. If there is any discrepancy, please notify Symphony immediately. Orders are accepted by Symphony per terms on the acknowledgment. All acknowledgements contain an estimated shipping date. Your order may actually ship earlier than the expected shipping date, depending on the backlog at the time. If you do not want the merchandise earlier than the specified date, please write “Do not ship for arrival before_____” on your purchase order.

Revised Orders
Orders requiring changes to the product or additional options will not incur additional costs unless orders have been processed. Orders revised after being manufactured are subject to additional charges.

Changes or Cancellations
Orders entered and acknowledged cannot be changed or cancelled without Symphony’s consent. The customer is responsible for all costs incurred, and a minimum cancellation or change charge of 25% will be invoiced if an order is cancelled or changed within 15 working days of shipment. Orders for nonstandard products are not cancelable.

Shipments on Hold
Any shipment placed on hold by customer’s request or due to balance owed, will be manufactured per the originally scheduled ship date. Storage charges will begin to accrue 7 days from that date. Any order held by our factory over 30 days will be billed and must be promptly paid even though shipment is held at factory at customer’s request.

Special or Additional Freight Charges
Symphony Furniture reserves the right to charge the following when incurring additional freight costs. Destination changes after product has shipped - $50.00 plus $2.00/mile after the first 10 miles. Wait time for delivery of greater then two hours - $130.00/hour. Trailer drop/switch delivery - $200.00/trailer. Deliveries Friday (after 3:00pm) through Sunday or Holidays - $600.00/day. Third party to pick up freight at the terminal - $200.00.

Redelivery of Freight
When redelivery of merchandise is required because customer is not ready to accept merchandise, and no notification of this fact is given to the factory at least two weeks prior to the scheduled ship date, the actual costs for freight, restocking and re-handling, plus 5% at the order value, will be billed to the customer.

Receipt of Order
1. Carefully inspect all incoming items
2. If an item is damaged, please note the damage on the delivery receipt.
3. Immediately contact the carrier to request an inspection and their freight claim form.
4. File the freight claim form with the carrier within five days of receipt.
5. If any item is missing or is not correct, please contact Symphony immediately.
Any concealed damages or shortage not reported with 5 business days from delivery shall be the sole responsibility of the customer.

terms and conditions

Shipment Damage Claims
Legal title of merchandise passes to the buyer upon acceptance of the carrier. All merchandise is packed to comply with carrier requirements. Shipments should be carefully inspected by the consignee before acceptance and the delivery carrier should be requested to record any damage or shortage. If further damage is found after delivery, immediate inspection by the delivering carrier should be requested. Notification of concealed damages must be made to the delivering carrier within 5 days after delivery of merchandise. Carrier liability ceases after this period. Damaged freight must be kept at the point of delivery in the original packing for inspection by the carrier. Please be advised that if the carrier obtains a clear receipt for shipment, they are no longer responsible for damage or shortages. Please note that electronically signing the carrier's tablet at the time of delivery means that you are accepting the delivery and no damages are being notated. If you see anything that indicates a shipment has been tampered with or shows signs of damage, then ask the driver to report it to the freight company and take pictures.

Shipment Shortage Claims
Shortage claims reported after 10 days beyond shipment date will not be honored.

Unopened Shipment Damage Claims
Neither Symphony nor the carrier is responsible for concealed damage claims if shipments are left unopened. Notification of concealed damages must be made to the delivering carrier within 5 days after delivery of merchandise. Refusal to accept an order from the carrier does not relieve you of the responsibility for payment, and may incur additional charges.

Lost Shipments
Symphony issues a bill of lading to consignee on the date of shipment. If shipment is not received within 20 days of shipment date, notify us. Symphony and the carrier do not assume obligation for lost or damaged shipment claims after 6 months of shipping date.

Title to Merchandise
Title to merchandise shall pass to the buyer upon delivery by Symphony to the carrier. For purposes of risk or loss, all shipments are F.O.B. factory. Buyer acknowledges that once Symphony delivers the goods to the carrier, title to the goods and risk of loss will pass to the buyer. If the goods are damaged by the carrier while in transit, the buyer has the sole obligation of seeking recourse from the carrier.

Returns
Symphony will not permit return of materials without written consent if materials shipped are as acknowledged. Return shipments when accepted are subject to a re-handling/restocking charge, in accordance with the state contract after the merchandise is received and inspected. All freight or express charges must be prepaid on return shipments; otherwise, they will not be accepted. Damaged materials and all items specially built to order cannot be returned under any conditions.

Repair and Replacement
Any labor charges for correcting a manufacturing problem must be submitted and approved before correction is undertaken, if the units are under warranty. Labor charges will not be paid if the estimate was not submitted and approved prior to labor being completed.

Contact Information
Symphony Furniture, 1720 Mars Hill Road, Suite 8-287, Acworth, GA 30101, GA 30318-1732
Phone: 866.507.7795
Fax: 888.683.0007
www.Symphonytables.com
Email: service@symphonytables.com

table care and maintenance

Table Care and Maintenance

Laminate Surfaces, Vinyl & PVC edges
High-pressure laminate is durable and requires minimal maintenance. To clean the surface, use a damp cloth or sponge and a mild soap or detergent. Rinse with clean, clear water. Wipe the entire surface, moving with the pattern and follow with a clean, dry, soft cloth. When a wood edge exists, follow "Wood Edge and Veneer" instructions.

Difficult "stains" such as coffee or tea can be removed using a mild household cleaner/detergent and a soft bristle brush, repeating as necessary. If stain persists, use a paste of baking soda & water and apply with a soft bristled brush. Light scrubbing for 10-20 strokes should remove most stains (excessive scrubbing or exerting too much force may damage the surface, especially gloss finish surfaces). Any remaining stains may require the use of undiluted household bleach or nail polish remover. Apply to stain and let stand no longer than two minutes. Rinse thoroughly with warm water & wipe dry. Step may be repeated. However, prolonged exposure of bleach to surface will cause discoloration.

Abrasive pads, scouring powders or cleansers may permanently dull & scratch the surface making the laminate susceptible to staining. Harsh chemicals such as oven, toilet or drain cleaners will etch & discolor laminates. If spills of these products occur, remove immediately, rinse thoroughly, and wipe dry.

High pressure laminates have high heat resistance, however exposure to temperatures greater than 135 degrees C (275 degrees F) is not recommended. Prolonged exposure to temperatures above 65 degrees C (150 degrees F) may result in separation of the laminate from the substrate. Protect the surface from heat generating appliances by using a trivet or insulating pad.

Do not use sharp objects directly on the laminate surface. A counter saver or chopping block is recommended.

HP laminate have excellent impact resistance. However, heavy objects dropped on the surface may chip or crack the laminate.

Powder Coated Metal
Clean with a mild soap solution and rinse with clean clear water. Wipe the entire surface and follow with a clean, dry cloth to buff dry.

Chromed Metal
Clean with a wet cloth or window cleaner. For scuff marks or heavy soiling, apply a non-abrasive automotive chrome polish as directed.

Mechanical Parts
Clean any lint or debris from the moving parts of the tilt or folding mechanisms. Do not apply any lubricant.

Symphony

phone: 866-507-7795
email: service@symphonytables.com

Specifications subject to change without prior notice.
Visit symphonytables.com/resources/pricing for the most current version of the Price List.