



KITA POWER / DATA MODULES

2023 PRICE LIST

version #083123

Minimum order / Freight charge


Orders for \$5,000 or more list (contiguous U.S.): freight and minimum order charges included

Orders less than \$5000 list (contiguous U.S.)

Zone 1 \$200 net

Zone 2 \$260 net

Orders only containing power supplies will have a reduced “small order” freight charge, please email service@symphonytables.com for a quote.




power supply location chart
running long ways on the top

Our main focus is integrating technology into tables for learning and meeting environments. We invite you to email service@symphonytables.com for help with specifying your project. For the additional resources, please visit www.symphonytables.com.

Please specify the power supply location cut out on your PO:

POWER MODULE LOCATIONS FOR UNITS RUNNING LONG WAYS ON THE TOP:




Note that power supplies cannot be placed over metal base plates, contact service@symphonytables.com to ensure that the power supply location will work with your base placement and all of the other options / accessories specified on the table.

power supply location chart
running short ways on the top







Please specify the power supply location cut out on your PO:

POWER MODULE LOCATIONS FOR UNITS RUNNING SHORT WAYS ON THE TOP:



Note that power supplies cannot be placed over metal base plates, contact service@symphonytables.com to ensure that the power supply location will work with your base placement and all of the other options / accessories specified on the table.

Kita single-sided unit

module	description	# of ports	model no.	cord length	finish code	list
Kita in surface single-sided unit						
	2 power, 1 USB-A+C, 1 open data port 5"D x 8"W table top cut out, specify location	4	OPPKIT2PAC1D06ST	6 ft.	ST	740
			OPPKIT2PAC1D06SW	6 ft.	SW	740
			OPPKIT2PAC1D06SB	6 ft.	SB	740
			OPPKIT2PAC1D10ST	10 ft.	ST	760
			OPPKIT2PAC1D10SW	10 ft.	SW	760
	2 power, 1 USB-A+C, 1 HDMI 5"D x 8"W table top cut out, specify location	4	OPPKIT2PAC1H06ST	6 ft.	ST	830
			OPPKIT2PAC1H06SW	6 ft.	SW	830
			OPPKIT2PAC1H06SB	6 ft.	SB	830
			OPPKIT2PAC1H10ST	10 ft.	ST	850
			OPPKIT2PAC1H10SW	10 ft.	SW	850
	3 power, 1 open data port 5"D x 8"W table top cut out, specify location	4	OPPKIT3P0A1D06ST	6 ft.	ST	600
			OPPKIT3P0A1D06SW	6 ft.	SW	600
			OPPKIT3P0A1D06SB	6 ft.	SB	600
			OPPKIT3P0A1D10ST	10 ft.	ST	620
			OPPKIT3P0A1D10SW	10 ft.	SW	620
	2 power, 2 open data ports 5"D x 8"W table top cut out, specify location	4	OPPKIT2P0A2D06ST	6 ft.	ST	620
			OPPKIT2P0A2D06SW	6 ft.	SW	620
			OPPKIT2P0A2D06SB	6 ft.	SB	620
			OPPKIT2P0A2D10ST	10 ft.	ST	640
			OPPKIT2P0A2D10SW	10 ft.	SW	640
	3 power, 3 open data ports 5"D x 11"W table top cut out, specify location	6	OPPKIT3P0A3D06ST	6 ft.	ST	650
			OPPKIT3P0A3D06SW	6 ft.	SW	650
			OPPKIT3P0A3D06SB	6 ft.	SB	650
			OPPKIT3P0A3D10ST	10 ft.	ST	670
			OPPKIT3P0A3D10SW	10 ft.	SW	670
	2 power, 1 USB-A+C, 1 dual USB-C 45w, 2 open data ports 5"D x 11"W table top cut out, specify location	6	OPPKIT2PAC1C2D06ST	6 ft.	ST	980
			OPPKIT2PAC1C2D06SW	6 ft.	SW	980
			OPPKIT2PAC1C2D06SB	6 ft.	SB	980
			OPPKIT2PAC1C2D10ST	10 ft.	ST	1,000
			OPPKIT2PAC1C2D10SW	10 ft.	SW	1,000

Kita SINGLE SIDED cut out information:

# of ports.	"X" Dim.
4	8"W
6	11"W



KITA SERIES FINISH CODE LEGEND:



ST - Silver anodized aluminum case finish, storm trim and simplex finish, black cord













SW - Silver anodized aluminum case finish, white trim and simplex finish, black cord



SB - Silver anodized aluminum case finish, black trim and simplex finish, black cord


** Kita has many different configurations available within the family offering, including a hardwired solution, shared media solutions and upgraded equipment that will allow the units to daisy chain (for an upcharge), email service@symphonytables.com for assistance if you are looking for additional power/data/USB features for your project.

Kita back-to-back


module	description	# of ports	model no.	cord length	finish code	list
Kita back-to-back unit (there are 2 cords standard per unit)						
	Each side contains: 3 power, 1 open data port	8 (4/side)	OPPKIB6P0A2D06ST	6 ft.	ST	1,060
			OPPKIB6P0A2D06SW	6 ft.	SW	1,060
			OPPKIB6P0A2D06SB	6 ft.	SB	1,060
	Total of 6 power, 2 open data ports per unit		OPPKIB6P0A2D10ST	10 ft.	ST	1,080
			OPPKIB6P0A2D10SW	10 ft.	SW	1,080
	9-13/16"D x 8"W table top cut out	8 (4/side)	OPPKIB6P0A2D10SB	10 ft.	SB	1,080
	Each side contains: 2 power, 1 USB-A+C, 1 open data port		OPPKIB4P2AC2D06ST	6 ft.	ST	1,300
			OPPKIB4P2AC2D06SW	6 ft.	SW	1,300
			OPPKIB4P2AC2D06SB	6 ft.	SB	1,300
	Total of 4 power, 2 USB-A+C, 2 open data ports per unit		OPPKIB4P2AC2D10ST	10 ft.	ST	1,320
	9-13/16"D x 8"W table top cut out	8 (4/side)	OPPKIB4P2AC2D10SW	10 ft.	SW	1,320
	Each side contains: 2 power, 2 open data ports		OPPKIB4P2AC2D10SB	10 ft.	SB	1,320
	Total of 4 power, 4 open data ports per unit		OPPKIB4P0A4D06ST	6 ft.	ST	1,060
			OPPKIB4P0A4D06SW	6 ft.	SW	1,060
			OPPKIB4P0A4D06SB	6 ft.	SB	1,060
	9-13/16"D x 8"W table top cut out	8 (4/side)	OPPKIB4P0A4D10ST	10 ft.	ST	1,080
	Side 1 contains: 2 power, 1 USB-A+C, 1 open data Side 2 contains: 2 power 1 USB-A+C, 1 HDMI		OPPKIB4P0A4D10SW	10 ft.	SW	1,080
			OPPKIB4P0A4D10SB	10 ft.	SB	1,080
	Total of 4 power 2 USB-A+C, 1 open data, 1 HDMI per unit		OPPKIB4P2AC1D1H06ST	6 ft.	ST	1,490
			OPPKIB4P2AC1D1H06SW	6 ft.	SW	1,490
	9-13/16"D x 8"W table top cut out	8 (4/side)	OPPKIB4P2AC1D1H10ST	10 ft.	ST	1,510
			OPPKIB4P2AC1D1H10SW	10 ft.	SW	1,510
			OPPKIB4P2AC1D1H10SB	10 ft.	SB	1,510
	Each side contains: 3 power, 3 open data ports		OPPKIB6P0A6D06ST	6 ft.	ST	1,180
			OPPKIB6P0A6D06SW	6 ft.	SW	1,180
	9-13/16"D x 11"W table top cut out	12 (6/side)	OPPKIB6P0A6D06SB	6 ft.	SB	1,180
	Total of 6 power, 6 open data ports per unit		OPPKIB6P0A6D10ST	10 ft.	ST	1,200
			OPPKIB6P0A6D10SW	10 ft.	SW	1,200
			OPPKIB6P0A6D10SB	10 ft.	SB	1,200
	Each side contains: 3 power, 1 USB-A+C, 2 open data ports		OPPKIB6P2AC4D06ST	6 ft.	ST	1,470
	9-13/16"D x 11"W table top cut out	12 (6/side)	OPPKIB6P2AC4D06SW	6 ft.	SW	1,470
	Total of 6 power, 2 USB-A+C, 4 open data ports per unit		OPPKIB6P2AC4D06SB	6 ft.	SB	1,470
			OPPKIB6P2AC4D10ST	10 ft.	ST	1,490
			OPPKIB6P2AC4D10SW	10 ft.	SW	1,490
			OPPKIB6P2AC4D10SB	10 ft.	SB	1,490
	9-13/16"D x 11"W table top cut out	12 (6/side)	OPPKIB4P2AC2C4D06ST	6 ft.	ST	1,850
	Each side contains: 2 power, 1 USB-A+C, 1 dual USB-C 45W, 2 open data ports		OPPKIB4P2AC2C4D06SW	6 ft.	SW	1,850
			OPPKIB4P2AC2C4D06SB	6 ft.	SB	1,850
	Total of 4 power, 2 USB-A+C, 2 dual USB-C 45w, 4 open per unit		OPPKIB4P2AC2C4D10ST	10 ft.	ST	1,870
			OPPKIB4P2AC2C4D10SW	10 ft.	SW	1,870
	9-13/16"D x 11"W table top cut out	12 (6/side)	OPPKIB4P2AC2C4D10SB	10 ft.	SB	1,870
	Side 1 contains: 3 power, 1 USB-A+C, 2 open data ports Side 2 contains: 3 power, 1 USB-A+C, 1 open data, 1 HDMI		OPPKIB6P2AC3D1H06ST	6 ft.	ST	1,550
			OPPKIB6P2AC3D1H06SW	6 ft.	SW	1,550
			OPPKIB6P2AC3D1H06SB	6 ft.	SB	1,550
	Total of 6 power, 2 USB-A+C, 3 open data ports, 1 HDMI per unit		OPPKIB6P2AC3D1H10ST	10 ft.	ST	1,570
	9-13/16"D x 11"W table top cut out	12 (6/side)	OPPKIB6P2AC3D1H10SW	10 ft.	SW	1,570
			OPPKIB6P2AC3D1H10SB	10 ft.	SB	1,570

Kita Back-To-Back cut out information:


# of ports.	"X" Dim.
8 (4 ports / side)	8"W
12 (6 ports / side)	11"W




KITA SERIES FINISH CODE LEGEND:



ST - Silver anodized aluminum case finish, storm trim and simplex finish, black cord



SW - Silver anodized aluminum case finish, white trim and simplex finish, black cord









SB - Silver anodized aluminum case finish, black trim and simplex finish, black cord

*Kita back-to-back units are also available with a single circuit breaker cord instead of 2 cords per unit, please email service@symphonytables.com for pricing.

** Kita has many different configurations available within the family offering, including a hardwired solution, shared media solutions and upgraded equipment that will allow the units to daisy chain (for an upcharge), email service@symphonytables.com for assistance if you are looking for additional power/data/USB features for your project.

Kita II

module	description	# of ports	model no.	cord length	finish code	list
Kita II in surface single-sided unit						
	2 power, 1 USB-A+C, 1 open data port 4-7/8"D x 7-7/8"W table top cut out, specify	4	OPPKI22PAC1D06MS	6 ft.	MS	610
			OPPKI22PAC1D06MW	6 ft.	MW	610
			OPPKI22PAC1D06MB	6 ft.	MB	610
			OPPKI22PAC1D10MS	10 ft.	MS	630
			OPPKI22PAC1D10MW	10 ft.	MW	630
	2 power, 1 USB-A+C, 1 HDMI 4-7/8"D x 7-7/8"W table top cut out, specify	4	OPPKI22PAC1H06MS	6 ft.	MS	700
			OPPKI22PAC1H06MW	6 ft.	MW	700
			OPPKI22PAC1H06MB	6 ft.	MB	700
			OPPKI22PAC1H10MS	10 ft.	MS	720
			OPPKI22PAC1H10MW	10 ft.	MW	720
	2 power, 1 USB-A+C, 1 dual USB-C 45w 4-7/8"D x 7-7/8"W table top cut out, specify	4	OPPKI22PAC1H10MB	10 ft.	MB	720
			OPPKI22PAC1C06MS	6 ft.	MS	830
			OPPKI22PAC1C06MW	6 ft.	MW	830
			OPPKI22PAC1C06MB	6 ft.	MB	830
			OPPKI22PAC1C10MS	10 ft.	MS	850
Kita II + WIRELESS in surface single-sided unit						
	3 power, 1 dual charging USB-A, 3 Qi coils 4-7/8" x 10-7/8" table top cut out, specify location Note that the wireless unit required a total of 6 ports	6	OPPKIW3P1A0D06MS	6 ft.	MS	1,120
			OPPKIW3P1A0D06MW	6 ft.	MW	1,120
			OPPKIW3P1A0D06MB	6 ft.	MB	1,120
			OPPKIW3P1A0D10MS	10 ft.	MS	1,140
			OPPKIW3P1A0D10MW	10 ft.	MW	1,140
	2 power, 1 USB-A+C, 1 open data port, 3 Qi coils 4-7/8" x 10-7/8" table top cut out, specify location Note that the wireless unit required a total of 6 ports	6	OPPKIW3P1A0D10MB	10 ft.	MB	1,140
			OPPKIW2PAC1D06MS	6 ft.	MS	1,110
			OPPKIW2PAC1D06MW	6 ft.	MW	1,110
			OPPKIW2PAC1D06MB	6 ft.	MB	1,110
			OPPKIW2PAC1D10MS	10 ft.	MS	1,130
Kita II DEEP in surface single-sided unit						
	2 power, 1 USB-A+C, 1 open data 4-7/8" x 7-7/8" table top cut out, specify location	4	OPPKIW2PAC1D10MW	10 ft.	MW	1,130
			OPPKIW2PAC1D10MB	10 ft.	MB	1,130
			OPPKID2PAC1D06MS	6 ft.	MS	740
			OPPKID2PAC1D06MW	6 ft.	MW	740
			OPPKID2PAC1D06MB	6 ft.	MB	740
			OPPKID2PAC1D10MS	10 ft.	MS	760
			OPPKID2PAC1D10MW	10 ft.	MW	760
			OPPKID2PAC1D10MB	10 ft.	MB	760

Kita II cut out information:









# of ports.	"X" Dim.
4	7-7/8"W
6.	10-7/8"W



KITA II SERIES FINISH CODE LEGEND:


	MS - Matte storm powder coated aluminum with matte storm powder coat simplexes, window frames and end cap, white faceplate, black cord.
	MW - Matte white powder coated aluminum with matte white powder coat simplexes, window frames and end cap, white faceplate, black cord.
	MB - Matte black powder coated aluminum with matte black powder coat simplexes, window frames and end cap, black faceplate, black cord.

Kita II back-to-back
Macht

module	description	# of ports	model no.	cord length	finish code	list
Kita II back-to-back unit (there are 2 cords standard per unit)						
	Each side contains: 3 power, 1 open data port Total of 6 power, 2 open data ports per unit 9-3/4"D x 7-7/8"W table top cut out	8 (4/side)	OPPK2B6P0A2D06MW	6 ft.	MW	1,030
			OPPK2B6P0A2D06MB	6 ft.	MB	1,030
			OPPK2B6P0A2D10MW	10 ft.	MW	1,050
			OPPK2B6P0A2D10MB	10 ft.	MB	1,050
	Each side contains: 2 power, 1 USB-A+C, 1 open data port Total of 4 power, 2 USB-A+C, 2 open data ports per unit 9-3/4"D x 7-7/8"W table top cut out	8 (4/side)	OPPK2B4P2AC2D06MW	6 ft.	MW	1,260
			OPPK2B4P2AC2D06MB	6 ft.	MB	1,260
			OPPK2B4P2AC2D10MW	10 ft.	MW	1,280
			OPPK2B4P2AC2D10MB	10 ft.	MB	1,280
	Each side contains: 2 power, 2 open data ports Total of 4 power, 4 open data ports per unit 9-3/4"D x 7-7/8"W table top cut out	8 (4/side)	OPPK2B4P0A4D06MW	6 ft.	MW	1,010
			OPPK2B4P0A4D06MB	6 ft.	MB	1,010
			OPPK2B4P0A4D10MW	10 ft.	MW	1,030
			OPPK2B4P0A4D10MB	10 ft.	MB	1,030
	Side 1 contains: 2 power, 1 USB-A+C, 1 open data Side 2 contains: 2 power 1 USB-A+C, 1 HDMI Total of 4 power 2 USB-A+C, 1 open data, 1 HDMI per unit 9-3/4"D x 7-7/8"W table top cut out	8 (4/side)	OPPK2B4P2AC1D1H06MW	6 ft.	MW	1,340
			OPPK2B4P2AC1D1H06MB	6 ft.	MB	1,340
			OPPK2B4P2AC1D1H10MW	10 ft.	MW	1,360
			OPPK2B4P2AC1D1H10MB	10 ft.	MB	1,360
	Each side contains: 3 power, 3 open data ports Total of 6 power, 6 open data ports per unit 9-3/4"D x 10-7/8"W table top cut out	12 (6/side)	OPPK2B6P0A6D06MW	6 ft.	MW	1,110
			OPPK2B6P0A6D06MB	6 ft.	MB	1,110
			OPPK2B6P0A6D10MW	10 ft.	MW	1,130
			OPPK2B6P0A6D10MB	10 ft.	MB	1,130
	Each side contains: 3 power, 1 USB-A+C, 2 open data ports Total of 6 power, 2 USB-A+C, 4 open data ports 9-3/4"D x 10-7/8"W table top cut out	12 (6/side)	OPPK2B6P2AC4D06MW	6 ft.	MW	1,370
			OPPK2B6P2AC4D06MB	6 ft.	MB	1,370
			OPPK2B6P2AC4D10MW	10 ft.	MW	1,390
			OPPK2B6P2AC4D10MB	10 ft.	MB	1,390
	Each side contains: 2 power, 1 USB-A+C, 1 dual USB-C 45W, 2 open data ports Total of 4 power, 2 USB-A+C, 2 dual USB-C 45w, 4 open 9-3/4"D x 10-7/8"W table top cut out	12 (6/side)	OPPK2B4P2AC2C4D06MW	6 ft.	MW	1,820
			OPPK2B4P2AC2C4D06MB	6 ft.	MB	1,820
			OPPK2B4P2AC2C4D10MW	10 ft.	MW	1,840
			OPPK2B4P2AC2C4D10MB	10 ft.	MB	1,840
	Side 1 contains: 3 power, 1 USB-A+C, 2 open data Side 2 contains: 3 power 1 USB-A+C, 1 open data, 1 HDMI Total of 6 power, 2 USB-A+C, 3 open data, 1 HDMI 9-3/4"D x 10-7/8"W table top cut out	12 (6/side)	OPPK2B6P2AC3D1H06MW	6 ft.	MW	1,450
			OPPK2B6P2AC3D1H06MB	6 ft.	MB	1,450
			OPPK2B6P2AC3D1H10MW	10 ft.	MW	1,470
			OPPK2B6P2AC3D1H10MB	10 ft.	MB	1,470

Kita II Back-To-Back cut out information:

# of ports.	"X" Dim.
8 (4 ports / side)	7-7/8"W
12 (6 ports / side)	10-7/8"W





KITA II BACK-TO-BACK SERIES FINISH CODE LEGEND:



MW - Matte white powder coated aluminum with matte white simplexes, window frames and end cap, white faceplate, black cord.



MB - Matte black powder coated aluminum with matte black simplexes, window frames and end cap, black faceplate, black cord.

Macht Under Surface Mount						
	6 power, black finish, 72" circuit breaker cord slide mount	6	OPPMAC6P0A0D06BK	6 ft.	BK	300
	4 power, 2 open data, black finish, 72" circuit breaker cord, slide mount	6	OPPMAC4P0A2D06BK	6 ft.	BK	280