

SYMPHONY®

KITA POWER / DATA MODULES

2025 PRICE LIST

version #050825

Minimum order / Freight charge


Orders for \$5,000 or more list (contiguous U.S.): freight and minimum order charges included

Orders less than \$5000 list (contiguous U.S.)

Zone 1 \$200 net

Zone 2 \$260 net

Orders only containing power supplies will have a reduced “small order” freight charge, please email service@symphonytables.com for a quote.




power supply location chart

running long ways on the top

Our main focus is integrating technology into tables for learning and meeting environments. We invite you to email service@symphonytables.com for help with specifying your project. For the additional resources, please visit www.symphonytables.com.

Please specify the power supply location cut out on your PO:

POWER MODULE LOCATIONS FOR UNITS RUNNING LONG WAYS ON THE TOP:




Note that power supplies cannot be placed over metal base plates, contact service@symphonytables.com to ensure that the power supply location will work with your base placement and all of the other options / accessories specified on the table.

power supply location chart

running short ways on the top

Please specify the power supply location cut out on your PO:

POWER MODULE LOCATIONS FOR UNITS RUNNING SHORT WAYS ON THE TOP:




Note that power supplies cannot be placed over metal base plates, contact service@symphonytables.com to ensure that the power supply location will work with your base placement and all of the other options / accessories specified on the table.

Kita single-sided units

module	description	# of ports	model no.	cord length	finish code	list
Kita in surface single-sided unit						
	2 power, 1 USB-A+C, 1 open data port 5"D x 8"W table top cut out, specify location	4	OPPKIT2PAC1D06ST	6 ft.	ST	810
			OPPKIT2PAC1D06SW	6 ft.	SW	810
			OPPKIT2PAC1D06SB	6 ft.	SB	810
			OPPKIT2PAC1D10ST	10 ft.	ST	830
			OPPKIT2PAC1D10SW	10 ft.	SW	830
			OPPKIT2PAC1D10SB	10 ft.	SB	830
	2 power, 1 USB-A+C, 1 HDMI 5"D x 8"W table top cut out, specify location	4	OPPKIT2PAC1H06ST	6 ft.	ST	940
			OPPKIT2PAC1H06SW	6 ft.	SW	940
			OPPKIT2PAC1H06SB	6 ft.	SB	940
			OPPKIT2PAC1H10ST	10 ft.	ST	960
			OPPKIT2PAC1H10SW	10 ft.	SW	960
			OPPKIT2PAC1H10SB	10 ft.	SB	960
	3 power, 1 open data port 5"D x 8"W table top cut out, specify location	4	OPPKIT3P0A1D06ST	6 ft.	ST	650
			OPPKIT3P0A1D06SW	6 ft.	SW	650
			OPPKIT3P0A1D06SB	6 ft.	SB	650
			OPPKIT3P0A1D10ST	10 ft.	ST	670
			OPPKIT3P0A1D10SW	10 ft.	SW	670
			OPPKIT3P0A1D10SB	10 ft.	SB	670
	2 power, 2 open data ports 5"D x 8"W table top cut out, specify location	4	OPPKIT2P0A2D06ST	6 ft.	ST	640
			OPPKIT2P0A2D06SW	6 ft.	SW	640
			OPPKIT2P0A2D06SB	6 ft.	SB	640
			OPPKIT2P0A2D10ST	10 ft.	ST	660
			OPPKIT2P0A2D10SW	10 ft.	SW	660
			OPPKIT2P0A2D10SB	10 ft.	SB	660
	3 power, 3 open data ports 5"D x 11"W table top cut out, specify location	6	OPPKIT3P0A3D06ST	6 ft.	ST	690
			OPPKIT3P0A3D06SW	6 ft.	SW	690
			OPPKIT3P0A3D06SB	6 ft.	SB	690
			OPPKIT3P0A3D10ST	10 ft.	ST	710
			OPPKIT3P0A3D10SW	10 ft.	SW	710
			OPPKIT3P0A3D10SB	10 ft.	SB	710
	2 power, 1 USB-A+C, 1 dual USB-C 45w, 2 open data ports 5"D x 11"W table top cut out, specify location	6	OPPKIT2PAC1C2D06ST	6 ft.	ST	1,140
			OPPKIT2PAC1C2D06SW	6 ft.	SW	1,140
			OPPKIT2PAC1C2D06SB	6 ft.	SB	1,140
			OPPKIT2PAC1C2D10ST	10 ft.	ST	1,160
			OPPKIT2PAC1C2D10SW	10 ft.	SW	1,160
			OPPKIT2PAC1C2D10SB	10 ft.	SB	1,160

Kita SINGLE SIDED cut out information:

# of ports	"X" Dim.
4	8"W
6	11"W



KITA SERIES FINISH CODE LEGEND:

- SI** - Silver anodized aluminum case finish, storm trim and simplex finish, black cord
- SW** - Silver anodized aluminum case finish, white trim and simplex finish, black cord
- SB** - Silver anodized aluminum case finish, black trim and simplex finish, black cord


** Kita has many different configurations available within the family offering, including a hardwired solution, shared media solutions and upgraded equipment that will allow the units to daisy chain (for an upcharge), email service@symphonytables.com for assistance if you are looking for additional power/data/USB features for your project.

Kita back-to-back

module	description	# of ports	model no.	cord length	finish code	list
Kita back-to-back unit (there are 2 cords standard per unit)						
	Each side contains: 3 power, 1 open data port Total of 6 power, 2 open data ports per unit 9-13/16"D x 8"W table top cut out	8 (4/side)	OPPKIB6P0A2D06ST	6 ft.	ST	1,170
			OPPKIB6P0A2D06SW	6 ft.	SW	1,170
			OPPKIB6P0A2D06SB	6 ft.	SB	1,170
			OPPKIB6P0A2D10ST	10 ft.	ST	1,190
			OPPKIB6P0A2D10SW	10 ft.	SW	1,190
			OPPKIB6P0A2D10SB	10 ft.	SB	1,190
	Each side contains: 2 power, 1 USB-A+C, 1 open data port Total of 4 power, 2 USB-A+C, 2 open data ports per unit 9-13/16"D x 8"W table top cut out	8 (4/side)	OPPKIB4P2AC2D06ST	6 ft.	ST	1,470
			OPPKIB4P2AC2D06SW	6 ft.	SW	1,470
			OPPKIB4P2AC2D06SB	6 ft.	SB	1,470
			OPPKIB4P2AC2D10ST	10 ft.	ST	1,490
			OPPKIB4P2AC2D10SW	10 ft.	SW	1,490
			OPPKIB4P2AC2D10SB	10 ft.	SB	1,490
	Each side contains: 2 power, 2 open data ports Total of 4 power, 4 open data ports per unit 9-13/16"D x 8"W table top cut out	8 (4/side)	OPPKIB4P0A4D06ST	6 ft.	ST	1,140
			OPPKIB4P0A4D06SW	6 ft.	SW	1,140
			OPPKIB4P0A4D06SB	6 ft.	SB	1,140
			OPPKIB4P0A4D10ST	10 ft.	ST	1,160
			OPPKIB4P0A4D10SW	10 ft.	SW	1,160
			OPPKIB4P0A4D10SB	10 ft.	SB	1,160
	Side 1 contains: 2 power, 1 USB-A+C, 1 open data Side 2 contains: 2 power 1 USB-A+C, 1 HDMI Total of 4 power 2 USB-A+C, 1 open data, 1 HDMI per unit 9-13/16"D x 8"W table top cut out	8 (4/side)	OPPKIB4P2AC1D1H06ST	6 ft.	ST	1,620
			OPPKIB4P2AC1D1H06SW	6 ft.	SW	1,620
			OPPKIB4P2AC1D1H06SB	6 ft.	SB	1,620
			OPPKIB4P2AC1D1H10ST	10 ft.	ST	1,640
			OPPKIB4P2AC1D1H10SW	10 ft.	SW	1,640
			OPPKIB4P2AC1D1H10SB	10 ft.	SB	1,640
	Each side contains: 3 power, 3 open data ports Total of 6 power, 6 open data ports per unit 9-13/16"D x 11"W table top cut out	12 (6/side)	OPPKIB6P0A6D06ST	6 ft.	ST	1,270
			OPPKIB6P0A6D06SW	6 ft.	SW	1,270
			OPPKIB6P0A6D06SB	6 ft.	SB	1,270
			OPPKIB6P0A6D10ST	10 ft.	ST	1,290
			OPPKIB6P0A6D10SW	10 ft.	SW	1,290
			OPPKIB6P0A6D10SB	10 ft.	SB	1,290
	Each side contains: 3 power, 1 USB-A+C, 2 open data ports Total of 6 power, 2 USB-A+C, 4 open data ports per unit 9-13/16"D x 11"W table top cut out	12 (6/side)	OPPKIB6P2AC4D06ST	6 ft.	ST	1,650
			OPPKIB6P2AC4D06SW	6 ft.	SW	1,650
			OPPKIB6P2AC4D06SB	6 ft.	SB	1,650
			OPPKIB6P2AC4D10ST	10 ft.	ST	1,670
			OPPKIB6P2AC4D10SW	10 ft.	SW	1,670
			OPPKIB6P2AC4D10SB	10 ft.	SB	1,670
	Each side contains: 2 power, 1 USB-A+C, 1 dual USB-C 45W, 2 open data ports Total of 4 power, 2 USB-A+C, 2 dual USB-C 45w, 4 open per unit 9-13/16"D x 11"W table top cut out	12 (6/side)	OPPKIB4P2AC2C4D06ST	6 ft.	ST	2,160
			OPPKIB4P2AC2C4D06SW	6 ft.	SW	2,160
			OPPKIB4P2AC2C4D06SB	6 ft.	SB	2,160
			OPPKIB4P2AC2C4D10ST	10 ft.	ST	2,180
			OPPKIB4P2AC2C4D10SW	10 ft.	SW	2,180
			OPPKIB4P2AC2C4D10SB	10 ft.	SB	2,180
	Side 1 contains: 3 power, 1 USB-A+C, 2 open data ports Side 2 contains: 3 power, 1 USB-A+C, 1 open data, 1 HDMI Total of 6 power, 2 USB-A+C, 3 open data ports, 1 HDMI per unit 9-13/16"D x 11"W table top cut out	12 (6/side)	OPPKIB6P2AC3D1H06ST	6 ft.	ST	1,750
			OPPKIB6P2AC3D1H06SW	6 ft.	SW	1,750
			OPPKIB6P2AC3D1H06SB	6 ft.	SB	1,750
			OPPKIB6P2AC3D1H10ST	10 ft.	ST	1,770
			OPPKIB6P2AC3D1H10SW	10 ft.	SW	1,770
			OPPKIB6P2AC3D1H10SB	10 ft.	SB	1,770

Kita Back-To-Back cut out information:

# of ports	"X" Dim.
8 (4 ports / side)	8"W
12 (6 ports / side)	11"W



KITA SERIES FINISH CODE LEGEND:

- SI** - Silver anodized aluminum case finish, storm trim and simplex finish, black cord
- SW** - Silver anodized aluminum case finish, white trim and simplex finish, black cord
- SB** - Silver anodized aluminum case finish, black trim and simplex finish, black cord


*Kita back-to-back units are also available with a single circuit breaker cord instead of 2 cords per unit, please email service@symphonytables.com for pricing.
 ** Kita has many different configurations available within the family offering, including a hardwired solution, shared media solutions and upgraded equipment that will allow the units to daisy chain (for an upcharge), email service@symphonytables.com for assistance if you are looking for additional power/data/USB features for your project.

Kita II single-sided units

module	description	# of ports	model no.	cord length	finish code	list
Kita II in surface single-sided unit						
	2 power, 1 USB-A+C, 1 open data port 4-7/8"D x 7-7/8"W table top cut out, specify	4	OPPKI22PAC1D06MF	6 ft.	MF	690
			OPPKI22PAC1D06MS	6 ft.	MS	690
			OPPKI22PAC1D06MW	6 ft.	MW	690
			OPPKI22PAC1D06MB	6 ft.	MB	690
			OPPKI22PAC1D10MF	10 ft.	MF	710
	2 power, 1 USB-A+C, 1 HDMI 4-7/8"D x 7-7/8"W table top cut out, specify	4	OPPKI22PAC1H06MF	6 ft.	MF	790
			OPPKI22PAC1H06MS	6 ft.	MS	790
			OPPKI22PAC1H06MW	6 ft.	MW	790
			OPPKI22PAC1H06MB	6 ft.	MB	790
			OPPKI22PAC1H10MF	10 ft.	MF	810
	3 power, 1 USB-A+C 4-7/8"D x 7-7/8"W table top cut out, specify	4	OPPKI23PAC0D06MF	6 ft.	MF	670
			OPPKI23PAC0D06MS	6 ft.	MS	670
			OPPKI23PAC0D06MW	6 ft.	MW	670
			OPPKI23PAC0D06MB	6 ft.	MB	670
			OPPKI23PAC0D10MF	10 ft.	MF	690
Kita II + WIRELESS in surface single-sided unit						
	3 power, 1 USB-A+C, 3 Qi coils 4-7/8" x 10-7/8" table top cut out, specify location Note that the wireless unit required a total of 6 ports	6	OPPKIW2PAC1D06MF	6 ft.	MF	1,260
			OPPKIW2PAC1D06MS	6 ft.	MS	1,260
			OPPKIW2PAC1D06MW	6 ft.	MW	1,260
			OPPKIW2PAC1D06MB	6 ft.	MB	1,260
			OPPKIW2PAC1D10MF	10 ft.	MF	1,280
	2 power, 1 USB-A+C, 1 open data 4-7/8" x 7-7/8" table top cut out, specify location	4	OPPKID2PAC1D06MF	6 ft.	MF	780
			OPPKID2PAC1D06MS	6 ft.	MS	780
			OPPKID2PAC1D06MW	6 ft.	MW	780
			OPPKID2PAC1D06MB	6 ft.	MB	780
			OPPKID2PAC1D10MF	10 ft.	MF	800
			OPPKID2PAC1D10MS	10 ft.	MS	800
			OPPKID2PAC1D10MW	10 ft.	MW	800
			OPPKID2PAC1D10MB	10 ft.	MB	800

Kita II cut out information:

# of ports.	"X" Dim.
4	7-7/8"W
6	10-7/8"W



KITA II & KITA II BACK-TO-BACK SERIES FINISH CODE LEGEND:


-  **ME** - Matte fog powder coated aluminum with matte fog powder coat simplexes, window frames and end cap, white faceplate, black cord.
-  **MS** - Matte storm powder coated aluminum with matte storm powder coat simplexes, window frames and end cap, white faceplate, black cord.
-  **MW** - Matte white powder coated aluminum with matte white powder coat simplexes, window frames and end cap, white faceplate, black cord.
-  **MB** - Matte black powder coated aluminum with matte black powder coat simplexes, window frames and end cap, black faceplate, black cord.

Kita II back-to-back





module	description	# of ports	model no.	cord length	finish code	list
Kita II back-to-back unit (there are 2 cords standard per unit)						
	Each side contains: 3 power, 1 open data port Total of 6 power, 2 open data ports per unit 9-3/4"D x 7-7/8"W table top cut out	8 (4/side)	OPPK2B6P0A2D06MF	6 ft.	MF	1,130
			OPPK2B6P0A2D06MS	6 ft.	MS	1,130
			OPPK2B6P0A2D06MW	6 ft.	MW	1,130
			OPPK2B6P0A2D06MB	6 ft.	MB	1,130
			OPPK2B6P0A2D10MF	10 ft.	MF	1,150
	Each side contains: 2 power, 1 USB-A+C, 1 open data port Total of 4 power, 2 USB-A+C, 2 open data ports per unit 9-3/4"D x 7-7/8"W table top cut out	8 (4/side)	OPPK2B4P2AC2D06MF	6 ft.	MW	1,570
			OPPK2B4P2AC2D06MS	6 ft.	MS	1,570
			OPPK2B4P2AC2D06MW	6 ft.	MW	1,570
			OPPK2B4P2AC2D06MB	6 ft.	MB	1,570
			OPPK2B4P2AC2D10MF	10 ft.	MF	1,590
Kita II DEEP back-to-back (there is 1 single cord standard per unit)						
	Each side contains: 2 power, 1 USB-A+C, 1 open data port Total of 4 power, 2 USB-A+C, 2 open data ports per unit 9-3/4"D x 7-7/8"W table top cut out	8 (4/side)	OPPK2D4P2AC2D06MF	6 ft.	MW	1,870
			OPPK2D4P2AC2D06MS	6 ft.	MS	1,870
			OPPK2D4P2AC2D06MW	6 ft.	MW	1,870
			OPPK2D4P2AC2D06MB	6 ft.	MB	1,870
			OPPK2D4P2AC2D10MF	10 ft.	MF	1,890
	Each side contains: 3 power, 1 USB-A+C, 1 HDMI, 1 open data port Total of 6 power, 2 USB-A+C, 2 HDMI, 2 open data ports per unit 9-3/4"D x 10-7/8"W table top cut out	12 (6/side)	OPPK2D6P2AC2H2D06MF	6 ft.	MW	2,400
			OPPK2D6P2AC2H2D06MS	6 ft.	MS	2,400
			OPPK2D6P2AC2H2D06MW	6 ft.	MW	2,400
			OPPK2D6P2AC2H2D06MB	6 ft.	MB	2,400
			OPPK2D6P2AC2H2D10MF	10 ft.	MF	2,420
			OPPK2D6P2AC2H2D10MS	10 ft.	MS	2,420
			OPPK2D6P2AC2H2D10MW	10 ft.	MW	2,420
			OPPK2D6P2AC2H2D10MB	10 ft.	MB	2,420

Kita II Back-To-Back cut out information:

# of ports.	"X" Dim.
8 (4 ports / side)	7-7/8"W
6 (6 ports / side)	10-7/8"W



KITA II BACK-TO-BACK SERIES FINISH CODE LEGEND:

-  **ME** - Matte fog powder coated aluminum with matte fog powder coat simplexes, window frames and end cap, white faceplate, black cord.
-  **MS** - Matte storm powder coated aluminum with matte storm powder coat simplexes, window frames and end cap, white faceplate, black cord.
-  **MW** - Matte white powder coated aluminum with matte white powder coat simplexes, window frames and end cap, white faceplate, black cord.
-  **MB** - Matte black powder coated aluminum with matte black powder coat simplexes, window frames and end cap, black faceplate, black cord.