

SYMPHONY®

MIO POWER / DATA MODULES

2025 PRICE LIST

version #050725

Minimum order / Freight charge


Orders for \$5,000 or more list (contiguous U.S.): freight and minimum order charges included

Orders less than \$5000 list (contiguous U.S.)

Zone 1 \$200 net

Zone 2 \$260 net

Orders only containing power supplies will have a reduced “small order” freight charge, please email service@symphonytables.com for a quote.




power supply location chart

running long ways on the top

Our main focus is integrating technology into tables for learning and meeting environments. We invite you to email service@symphonytables.com for help with specifying your project. For the additional resources, please visit www.symphonytables.com.

Please specify the power supply location cut out on your PO:

POWER MODULE LOCATIONS FOR UNITS RUNNING LONG WAYS ON THE TOP:




Note that power supplies cannot be placed over metal base plates, contact service@symphonytables.com to ensure that the power supply location will work with your base placement and all of the other options / accessories specified on the table.

power supply location chart

running short ways on the top

Please specify the power supply location cut out on your PO:

POWER MODULE LOCATIONS FOR UNITS RUNNING SHORT WAYS ON THE TOP:







Note that power supplies cannot be placed over metal base plates, contact service@symphonytables.com to ensure that the power supply location will work with your base placement and all of the other options / accessories specified on the table.

Mio in surface single-sided unit


module	description	# of ports	model no.	cord length	finish code	list
	3 power 4"D x 6.5"W table top cut out, specify location	3	OPPMIO3P0A0D06MS	6 ft.	MS	450
			OPPMIO3P0A0D06MW	6 ft.	MW	450
			OPPMIO3P0A0D06MB	6 ft.	MB	450
			OPPMIO3P0A0D06GS	6 ft.	GS	450
			OPPMIO3P0A0D10MS	10 ft.	MS	470
			OPPMIO3P0A0D10MW	10 ft.	MW	470
	2 power, 1 USB-A+C 4"D x 6.5"W table top cut out, specify location	3	OPPMIO2PAC0D06MS	6 ft.	MS	680
			OPPMIO2PAC0D06MW	6 ft.	MW	680
			OPPMIO2PAC0D06MB	6 ft.	MB	680
			OPPMIO2PAC0D06GS	6 ft.	GS	680
			OPPMIO2PAC0D10MS	10 ft.	MS	700
			OPPMIO2PAC0D10MW	10 ft.	MW	700
	3 power, 1 open data 4"D x 8"W table top cut out, specify location	4	OPPMIO3P0A1D06MS	6 ft.	MS	460
			OPPMIO3P0A1D06MW	6 ft.	MW	460
			OPPMIO3P0A1D06MB	6 ft.	MB	460
			OPPMIO3P0A1D06GS	6 ft.	GS	460
			OPPMIO3P0A1D10MS	10 ft.	MS	480
			OPPMIO3P0A1D10MW	10 ft.	MW	480
	2 power, 1 USB-A+C, 1 open data 4"D x 8"W table top cut out, specify location	4	OPPMIO2PAC1D06MS	6 ft.	MS	680
			OPPMIO2PAC1D06MW	6 ft.	MW	680
			OPPMIO2PAC1D06MB	6 ft.	MB	680
			OPPMIO2PAC1D06GS	6 ft.	GS	680
			OPPMIO2PAC1D10MS	10 ft.	MS	700
			OPPMIO2PAC1D10MW	10 ft.	MW	700
	2 power, 1 USB-A+C, 1 HDMI 4"D x 8"W table top cut out, specify location	4	OPPMIO2PAC1H06MS	6 ft.	MS	810
			OPPMIO2PAC1H06MW	6 ft.	MW	810
			OPPMIO2PAC1H06MB	6 ft.	MB	810
			OPPMIO2PAC1H06GS	6 ft.	GS	810
			OPPMIO2PAC1H10MS	10 ft.	MS	830
			OPPMIO2PAC1H10MW	10 ft.	MW	830
	OPPMIO2PAC1H10MB	10 ft.	MB	830		
	OPPMIO2PAC1H10GS	10 ft.	GS	830		

MIO SERIES FINISH CODE LEGEND:

-  **MS** - Matte storm powder coated aluminum with plastic storm simplexes, window frames and end cap, black cord.
-  **MW** - Matte white powder coated aluminum with plastic white simplexes, window frames and end cap, black cord.
-  **MB** - Matte black powder coated aluminum with plastic black simplexes, window frames and end cap, black cord.
-  **GS** - Gloss silver powder coated aluminum with plastic white simplexes, window frames and end cap, white cord.


FINISH AREAS







-  Powder coated Aluminum
-  Plastic Simplex End caps, Window Frames

Mio single-sided cut out information:




# of ports	"X" Dim
2	5"
3	6.5"
4	8"



Mio in surface back-to-back

module	description	# of ports	model no.	cord length	finish code	list
	Mio in surface back-to-back unit (2 cords per unit) Each side contains: 3 power, 1 open data Total of 6 power, 2 open data per unit	8 (4/side)	OPPMIB6P0A2D06MS	6 ft.	MS	950
			OPPMIB6P0A2D06MW	6 ft.	MW	950
			OPPMIB6P0A2D06MB	6 ft.	MB	950
			OPPMIB6P0A2D10MS	10 ft.	MS	970
			OPPMIB6P0A2D10MW	10 ft.	MW	970
			OPPMIB6P0A2D10MB	10 ft.	MB	970
	7-11/16"D x 8"L table top cut out, specify location Each side contains: 2 power, 1 USB-A+C, 1 open data Total of 4 power, 2 USB-A+C, 2 open data per unit	8 (4/side)	OPPMIB4P2AC2D06MS	6 ft.	MS	1,400
			OPPMIB4P2AC2D06MW	6 ft.	MW	1,400
			OPPMIB4P2AC2D06MB	6 ft.	MB	1,400
			OPPMIB4P2AC2D10MS	10 ft.	MS	1,420
			OPPMIB4P2AC2D10MW	10 ft.	MW	1,420
			OPPMIB4P2AC2D10MB	10 ft.	MB	1,420
	7-11/16"D x 8"L table top cut out, specify location Each side contains: 2 power, 2 open data Total of 4 power, 2 open data per unit	8 (4/side)	OPPMIB4P0A4D06MS	6 ft.	MS	940
			OPPMIB4P0A4D06MW	6 ft.	MW	940
			OPPMIB4P0A4D06MB	6 ft.	MB	940
			OPPMIB4P0A4D10MS	10 ft.	MS	960
			OPPMIB4P0A4D10MW	10 ft.	MW	960
			OPPMIB4P0A4D10MB	10 ft.	MB	960
	7-11/16"D x 8"L table top cut out, specify location Each side contains: 2 power, 1 USB-A+C, 1 dual charging USB-C 45w Total of 4 power, 2 USB-A+C, 2 dual USB-C 45w per unit	8 (4/side)	OPPMIB4P2AC2C06MS	6 ft.	MS	2,320
			OPPMIB4P2AC2C06MW	6 ft.	MW	2,320
			OPPMIB4P2AC2C06MB	6 ft.	MB	2,320
			OPPMIB4P2AC2C10MS	10 ft.	MS	2,340
			OPPMIB4P2AC2C10MW	10 ft.	MW	2,340
			OPPMIB4P2AC2C10MB	10 ft.	MB	2,340

MIO SERIES FINISH CODE LEGEND:

-  **MS** - Matte storm powder coated aluminum with plastic storm simplexes, window frames and end cap, black cord.
-  **MW** - Matte white powder coated aluminum with plastic white simplexes, window frames and end cap, black cord.
-  **MB** - Matte black powder coated aluminum with plastic black simplexes, window frames and end cap, black cord.

FINISH AREAS



-  Powder coated Aluminum
-  Plastic Simplex End caps, Window Frames

Mio Back-To-Back cut out information:

# of ports	"X" Dim.
8 (4 ports / side)	8"

