

# Symphony

## MOTO SERIES

2026 PRICE LIST

Version 03.12.26



# table of contents

<b>Essential Information</b>	<b>3</b>
<b>Moto Bases</b>	
T fixed, single column	4
double column T	5
single T and TT bases for media tables	5
nesting, single column	5
adjustable height	6
C fixed	10
nesting	10
adjustable height	11
X fixed	12
flip	12
adjustable height	13
post and frame bases	14
<b>General Information</b>	
Terms & Conditions	18
Table Care and Maintenance	21

# essential information


## Minimum order / Freight charge

Orders for \$5,000 or more list (contiguous U.S.): freight and minimum order charges included

Orders less than \$5000 list (contiguous U.S.)

Zone 1 \$200 net

Zone 2 \$260 net



## Special Charges

Custom metal finish: contact [service@symphonytables.com](mailto:service@symphonytables.com) for a quote

## Lead Time

varies - please email [service@symphonytables.com](mailto:service@symphonytables.com) to confirm lead time

**Please send purchase orders to [service@symphonytables.com](mailto:service@symphonytables.com)**

## Symphony Contact Information

phone 866-507-7795

fax 888-683-0007


[service@symphonytables.com](mailto:service@symphonytables.com)

[www.SymphonyTables.com](http://www.SymphonyTables.com)

# Moto bases

## fixed T

base	base dim.	max top support	base set qty	base set model no.	glide/caster	list		
Moto fixed T (3" column)	27.75"H	18	24 x 96	2	BTMOT24096SDGME	adj glides	780	
		22	30 x 96	2	BTMOT30096SDGME	adj glides	840	
		26	36 x 96	2	BTMOT36096SDGME	adj glides	890	
		18	24 x 96	2	BTMOT24096SDCME	2" black locking casters	880	
		22	30 x 96	2	BTMOT30096SDCME	2" black locking casters	940	
		26	36 x 96	2	BTMOT36096SDCME	2" black locking casters	990	
	custom higher height (specify height)	27.75"H	18	24 x 96	2	BTMOT24096SDPME	2" premium locking casters	920
			22	30 x 96	2	BTMOT30096SDPME	2" premium locking casters	980
			26	36 x 96	2	BTMOT36096SDPME	2" premium locking casters	1,030
		specify height	18	24 x 72	2	BTMOT24072SHGME	adj glides	980
			22	30 x 72	2	BTMOT30072SHGME	adj glides	1,040
			26	36 x 72	2	BTMOT36072SHGME	adj glides	1,090
	custom lower height (specify height)	27.75"H	18	24 x 72	2	BTMOT24072SHCME	2" black locking casters	1,080
			22	30 x 72	2	BTMOT30072SHCME	2" black locking casters	1,140
			26	36 x 72	2	BTMOT36072SHCME	2" black locking casters	1,190
		specify height	18	24 x 72	2	BTMOT24072SHPME	2" premium locking casters	1,120
			22	30 x 72	2	BTMOT30072SHPME	2" premium locking casters	1,180
			26	36 x 72	2	BTMOT36072SHPME	2" premium locking casters	1,230
Moto 2 fixed T (2" column)	27.75"H	18	24 x 96	2	BTMO224096SDGME	adj glides	620	
		22	30 x 96	2	BTMO230096SDGME	adj glides	640	
		26	36 x 96	2	BTMO236096SDGME	adj glides	690	
		18	24 x 96	2	BTMO224096SDCME	2" black locking casters	720	
		22	30 x 96	2	BTMO230096SDCME	2" black locking casters	740	
		26	36 x 96	2	BTMO236096SDCME	2" black locking casters	790	
	custom higher height (specify height)	27.75"H	18	24 x 96	2	BTMO224096SDPME	2" premium locking casters	760
			22	30 x 96	2	BTMO230096SDPME	2" premium locking casters	780
			26	36 x 96	2	BTMO236096SDPME	2" premium locking casters	830
		specify height	18	24 x 72	2	BTMO224072SHGME	adj glides	820
			22	30 x 72	2	BTMO230072SHGME	adj glides	840
			26	36 x 72	2	BTMO236072SHGME	adj glides	890
	custom lower height (specify height)	27.75"H	18	24 x 72	2	BTMO224072SHCME	2" black locking casters	920
			22	30 x 72	2	BTMO230072SHCME	2" black locking casters	940
			26	36 x 72	2	BTMO236072SHCME	2" black locking casters	990
		specify height	18	24 x 72	2	BTMO224072SHPME	2" premium locking casters	960
			22	30 x 72	2	BTMO230072SHPME	2" premium locking casters	980
			26	36 x 72	2	BTMO236072SHPME	2" premium locking casters	1,030
without beam for tops up to 54" long	27.75"H	18	24 x 72	2	BTMO224072SLGME	adj glides	820	
		22	30 x 72	2	BTMO230072SLGME	adj glides	840	
		26	36 x 72	2	BTMO236072SLGME	adj glides	890	
	specify height	18	24 x 72	2	BTMO224072SLCME	2" black locking casters	920	
		22	30 x 72	2	BTMO230072SLCME	2" black locking casters	940	
		26	36 x 72	2	BTMO236072SLCME	2" black locking casters	990	
with beam	27.75"H	18	24 x 72	2	BTMO224072SLPME	2" premium locking casters	960	
		22	30 x 72	2	BTMO230072SLPME	2" premium locking casters	980	
		26	36 x 72	2	BTMO236072SLPME	2" premium locking casters	1,030	
	specify height	18	24 x 72	2	BTMO224072SLGME	adj glides	820	
		22	30 x 72	2	BTMO230072SLGME	adj glides	840	
		26	36 x 72	2	BTMO236072SLGME	adj glides	890	



**standard metal powder coat finishes (ME):**  
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

Note that the bases cannot be spread more than 52" apart at center.

# Symphony


2026 MOTO PRICE LIST

# Moto bases

## double column T

## flip nest T

base	base dim.	max top support	base set qty	base set model no.	glide/caster	list			
Moto double column T (3" column)	27.75"H	26	36 x 96	2	BTMOT360962DGME	adj glides	1,250		
		26	36 x 144	3	BTMOT361442DGME	adj glides	1,890		
		32	42 x 96	2	BTMOT420962DGME	adj glides	1,330		
		32	42 x 144	3	BTMOT421442DGME	adj glides	1,990		
		32	42 x 192	4	BTMOT421922DGME	adj glides	2,660		
		36	48 x 96	2	BTMOT480962DGME	adj glides	1,430		
		36	48 x 144	3	BTMOT481442DGME	adj glides	2,130		
		36	48 x 192	4	BTMOT481922DGME	adj glides	2,850		
		THE FOLLOWING SINGLE (1) MOTO T BASES CAN BE USED WITH A MEDIA WALL OR MEDIA BASE AND TOPS UP TO 72" LONG:							
		Moto 3" single column T	27.75"H	26	36D up to 72L	1	BTMOT36000SDG	adj glides	450
26	36D up to 72L			1	BTMOT36000SHG	adj glides	550		
THE FOLLOWING SINGLE (1) MOTO TT BASES CAN BE USED WITH A MEDIA WALL OR MEDIA BASE AND TOPS UP TO 72" LONG:									
Moto 3" double column T	27.75"H	26	36D up to 72L	1	BTMOT360002DGME	adj glides	630		
		32	42D up to 72L	1	BTMOT420002DGME	adj glides	660		
		36	48D up to 72L	1	BTMOT480002DGME	adj glides	720		
		26	36D up to 72L	1	BTMOT360002HGME	adj glides	830		
custom higher height (specify height)	specify height	32	42D up to 72L	1	BTMOT420002HGME	adj glides	860		
		36	48D up to 72L	1	BTMOT480002HGME	adj glides	920		
Moto 2 flip nest with 2" column	27.75"H	with beam		18	24 x 60	2	BTMO224060NBGME	adj glides	1,380
		22	30 x 60	2	BTMO230060NBGME	adj glides	1,390		
		26	36 x 60	2	BTMO236060NBGME	adj glides	1,450		
		18	24 x 66	2	BTMO224066NBGME	adj glides	1,500		
		22	30 x 66	2	BTMO230066NBGME	adj glides	1,520		
		26	36 x 66	2	BTMO236066NBGME	adj glides	1,570		
		18	24 x 72	2	BTMO224072NBGME	adj glides	1,420		
		22	30 x 72	2	BTMO230072NBGME	adj glides	1,430		
		26	36 x 72	2	BTMO236072NBGME	adj glides	1,490		
		18	24 x 60	2	BTMO224060NBCME	2" black locking casters	1,480		
		22	30 x 60	2	BTMO230060NBCME	2" black locking casters	1,490		
		26	36 x 60	2	BTMO236060NBCME	2" black locking casters	1,550		
		18	24 x 66	2	BTMO224066NBCME	2" black locking casters	1,600		
		22	30 x 66	2	BTMO230066NBCME	2" black locking casters	1,620		
		26	36 x 66	2	BTMO236066NBCME	2" black locking casters	1,670		
		18	24 x 72	2	BTMO224072NBCME	2" black locking casters	1,520		
		22	30 x 72	2	BTMO230072NBCME	2" black locking casters	1,530		
		26	36 x 72	2	BTMO236072NBCME	2" black locking casters	1,590		
		18	24 x 60	2	BTMO224060NBPME	2" premium locking casters	1,520		
		22	30 x 60	2	BTMO230060NBPME	2" premium locking casters	1,530		
		26	36 x 60	2	BTMO236060NBPME	2" premium locking casters	1,590		
		18	24 x 66	2	BTMO224066NBPME	2" premium locking casters	1,640		
		22	30 x 66	2	BTMO230066NBPME	2" premium locking casters	1,660		
		26	36 x 66	2	BTMO236066NBPME	2" premium locking casters	1,710		
		18	24 x 72	2	BTMO224072NBPME	2" premium locking casters	1,560		
		22	30 x 72	2	BTMO230072NBPME	2" premium locking casters	1,570		
		26	36 x 72	2	BTMO236072NBPME	2" premium locking casters	1,630		
		without beam for tops up to 54" long		18	24 x 54	2	BTMO224054NEGME	adj glides	1,210
		22	30 x 54	2	BTMO230054NEGME	adj glides	1,230		
		18	24 x 54	2	BTMO224054NECME	2" black locking casters	1,310		
		22	30 x 54	2	BTMO230054NECME	2" black locking casters	1,330		
		18	24 x 54	2	BTMO224054NEPME	2" premium locking casters	1,350		
		22	30 x 54	2	BTMO230054NEPME	2" premium locking casters	1,370		



**standard metal powder coat finishes (ME):**  
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze


Note that the bases cannot be spread more than 52" apart at center.

# Symphony

2026 MOTO PRICE LIST

# Moto bases

## ratchet and crank adjustable height T

base	base dim.	max top support	base set qty	base set model no.	list	glides or casters		
<b>Moto (3" column)</b>								
	ratchet	18	24 x 72	2	BTMOT24072SRGME	1,170	adj glides	
		22	30 x 72	2	BTMOT30072SRGME	1,190	adj glides	
		26	36 x 72	2	BTMOT36072SRGME	1,230	adj glides	
			18	24 x 72	2	BTMOT24072SRCME	1,270	2" black locking casters
			22	30 x 72	2	BTMOT30072SRCME	1,290	2" black locking casters
			26	36 x 72	2	BTMOT36072SRCME	1,330	2" black locking casters
			18	24 x 72	2	BTMOT24072SRPME	1,310	2" premium locking casters
			22	30 x 72	2	BTMOT30072SRPME	1,330	2" premium locking casters
			26	36 x 72	2	BTMOT36072SRPME	1,370	2" premium locking casters
extended range crank		18	24 x 72	2	BTMOT24072SCEGME	1,530	adj glides	
		22	30 x 72	2	BTMOT30072SCEGME	1,540	adj glides	
		26	36 x 72	2	BTMOT36072SCEGME	1,600	adj glides	
			18	24 x 72	2	BTMOT24072SCECME	1,630	2" black locking casters
			22	30 x 72	2	BTMOT30072SCECME	1,640	2" black locking casters
			26	36 x 72	2	BTMOT36072SCECME	1,700	2" black locking casters
			18	24 x 72	2	BTMOT24072SCEPME	1,670	2" premium locking casters
			22	30 x 72	2	BTMOT30072SCEPME	1,680	2" premium locking casters
			26	36 x 72	2	BTMOT36072SCEPME	1,740	2" premium locking casters
middle range crank		18	24 x 72	2	BTMOT24072SCMGME	1,530	adj glides	
		22	30 x 72	2	BTMOT30072SCMGME	1,540	adj glides	
		26	36 x 72	2	BTMOT36072SCMGME	1,600	adj glides	
			18	24 x 72	2	BTMOT24072SCMCME	1,630	2" black locking casters
			22	30 x 72	2	BTMOT30072SCMCME	1,640	2" black locking casters
			26	36 x 72	2	BTMOT36072SCMCME	1,700	2" black locking casters
			18	24 x 72	2	BTMOT24072SCMPME	1,670	2" premium locking casters
			22	30 x 72	2	BTMOT30072SCMPME	1,680	2" premium locking casters
			26	36 x 72	2	BTMOT36072SCMPME	1,740	2" premium locking casters
short range crank		18	24 x 72	2	BTMOT24072SCSGME	1,530	adj glides	
		22	30 x 72	2	BTMOT30072SCSGME	1,540	adj glides	
		26	36 x 72	2	BTMOT36072SCSGME	1,600	adj glides	
			18	24 x 72	2	BTMOT24072SCSCME	1,630	2" black locking casters
			22	30 x 72	2	BTMOT30072SCSCME	1,640	2" black locking casters
			26	36 x 72	2	BTMOT36072SCSCME	1,700	2" black locking casters
			18	24 x 72	2	BTMOT24072SCSPME	1,670	2" premium locking casters
			22	30 x 72	2	BTMOT30072SCSPME	1,680	2" premium locking casters
			26	36 x 72	2	BTMOT36072SCSPME	1,740	2" premium locking casters

**C casters**  
2" black dual wheel locking

**P premium casters**  
2" silver/black dual wheel locking

**Moto adjustable height- metal powder coat finishes:**  
Flat Black, Moto White\*\*, and Metallic Silver

\*\* Note that Moto White is a shade off and a little creamier than Furniture White.

**Note that the bases without a beam cannot be spread more than 50" apart at center.**

Contact [service@symphonytables.com](mailto:service@symphonytables.com) for complete ordering instructions. Height adjustable bases require a higher level of product understanding and installation.







**R Ratchet height adjustment**  
base height range with glides 26" - 35.5" (9.45" range)  
base height range with casters 28" - 37.5"  
13 positions in 0.78 inch increments  
Change positions by manually lifting the table top  
Resets to lowest position when lifted to upper stop

**C Crank adjustment**  
extended range: 26" - 43.75" (casters add 2")  
middle range: 23.25" - 37" with glides (casters add 2")  
short range: 19.75" - 30.5" with glides (casters add 2")  
-screw thread adjustment with infinite stop positions  
-adjust with manual crank handle which slides under table when not in use  
-maximum lifting load 225 lbs for two columns (T base set)



# Moto bases

## pneumatic counter balance adjustable height T

base	base dim.	frame width	top support	base set qty	base set model no.	list	glides or casters	
<b>Moto (3" column)</b>								
	pneumatic counter balance	18	40.4	24 x 42-48	2	BTMOT24048SNGME	2,710	adj glides
		18	48.27	24 x 54	2	BTMOT24054SNGME	2,730	adj glides
		18	56.14	24 x 60	2	BTMOT24060SNGME	2,740	adj glides
		18	64.02	24 x 66	2	BTMOT24066SNGME	2,770	adj glides
		18	71.89	24 x 72	2	BTMOT24072SNGME	2,790	adj glides
		18	40.4	24 x 42-48	2	BTMOT24048SNCME	2,810	2" black locking casters
		18	48.27	24 x 54	2	BTMOT24054SNCME	2,830	2" black locking casters
		18	56.14	24 x 60	2	BTMOT24060SNCME	2,840	2" black locking casters
		18	64.02	24 x 66	2	BTMOT24066SNCME	2,870	2" black locking casters
		18	71.89	24 x 72	2	BTMOT24072SNCME	2,890	2" black locking casters
		18	40.4	24 x 42-48	2	BTMOT24048SNPME	2,850	2" premium locking casters
		18	48.27	24 x 54	2	BTMOT24054SNPME	2,870	2" premium locking casters
		18	56.14	24 x 60	2	BTMOT24060SNPME	2,880	2" premium locking casters
		18	64.02	24 x 66	2	BTMOT24066SNPME	2,910	2" premium locking casters
		18	71.89	24 x 72	2	BTMOT24072SNPME	2,930	2" premium locking casters
		22	40.4	30 x 42-48	2	BTMOT30048SNGME	2,730	adj glides
		22	48.27	30 x 54	2	BTMOT30054SNGME	2,760	adj glides
		22	56.14	30 x 60	2	BTMOT30060SNGME	2,770	adj glides
		22	64.02	30 x 66	2	BTMOT30066SNGME	2,790	adj glides
		22	71.89	30 x 72	2	BTMOT30072SNGME	2,810	adj glides
		22	40.4	30 x 42-48	2	BTMOT30048SNCME	2,830	2" black locking casters
		22	48.27	30 x 54	2	BTMOT30054SNCME	2,860	2" black locking casters
		22	56.14	30 x 60	2	BTMOT30060SNCME	2,870	2" black locking casters
		22	64.02	30 x 66	2	BTMOT30066SNCME	2,890	2" black locking casters
		22	71.89	30 x 72	2	BTMOT30072SNCME	2,910	2" black locking casters
		22	40.4	30 x 42-48	2	BTMOT30048SNPME	2,870	2" premium locking casters
		22	48.27	30 x 54	2	BTMOT30054SNPME	2,900	2" premium locking casters
		22	56.14	30 x 60	2	BTMOT30060SNPME	2,910	2" premium locking casters
		22	64.02	30 x 66	2	BTMOT30066SNPME	2,930	2" premium locking casters
		22	71.89	30 x 72	2	BTMOT30072SNPME	2,950	2" premium locking casters
		26	40.4	36 x 42-48	2	BTMOT36048SNGME	2,790	adj glides
		26	48.27	36 x 54	2	BTMOT36054SNGME	2,810	adj glides
		26	56.14	36 x 60	2	BTMOT36060SNGME	2,830	adj glides
		26	64.02	36 x 66	2	BTMOT36066SNGME	2,840	adj glides
		26	71.89	36 x 72	2	BTMOT36072SNGME	2,860	adj glides
		26	40.4	36 x 42-48	2	BTMOT36048SNCME	2,890	2" black locking casters
		26	48.27	36 x 54	2	BTMOT36054SNCME	2,910	2" black locking casters
		26	56.14	36 x 60	2	BTMOT36060SNCME	2,930	2" black locking casters
		26	64.02	36 x 66	2	BTMOT36066SNCME	2,940	2" black locking casters
		26	71.89	36 x 72	2	BTMOT36072SNCME	2,960	2" black locking casters
		26	40.4	36 x 42-48	2	BTMOT36048SNPME	2,930	2" premium locking casters
		26	48.27	36 x 54	2	BTMOT36054SNPME	2,950	2" premium locking casters
		26	56.14	36 x 60	2	BTMOT36060SNPME	2,970	2" premium locking casters
		26	64.02	36 x 66	2	BTMOT36066SNPME	2,980	2" premium locking casters
		26	71.89	36 x 72	2	BTMOT36072SNPME	3,000	2" premium locking casters

**C casters**  
2" black dual wheel locking

**P premium casters**  
2" silver/black dual wheel locking

**Moto adjustable height - metal powder coat finishes:**  
Flat Black, Moto White\*\*, and Metallic Silver

\*\* Note that Moto White is a shade off and a little creamier than Furniture White.

**P Pneumatic counter balance**  
base height range with glides 26" - 45.5" (19.5" range)  
base height range with casters 28" - 47.5"  
-Frame widths will accommodate tops from 42" - 72" long and 24" - 36" deep. We cannot modify the frame to fit tops that are any other size due to the components used to make the pneumatic counter balance adjustable bases.  
-Must specify the weight of the top and all accessories that will be used on the bases so that the lift capacity can be set properly.  
Note that there is a minimum weight of 30 pounds for the counterbalance mechanism to work and a max weight of 183 lbs lift capacity for all items including the top.

Contact [service@symphonytables.com](mailto:service@symphonytables.com) for complete ordering instructions. Height adjustable bases require a higher level of product understanding and installation.

# Moto bases

## nesting crank adjustable height T

base	base dim.	max top support	base placement (on center) with beam	base set qty	base set model no.	list	glides or casters
Moto nesting/crank retractable handle 3" column	18	24 x 48	30" O.C.	2	BTMOT24048NCGME	2,190	adj glides
	18	24 x 54	36" O.C.	2	BTMOT24054NCGME	2,190	adj glides
	18	24 x 60	42" O.C.	2	BTMOT24060NCGME	2,190	adj glides
	18	24 x 66	48" O.C.	2	BTMOT24066NCGME	2,190	adj glides
	18	24 x 72	54" O.C.	2	BTMOT24072NCGME	2,190	adj glides
	22	30 x 48	30" O.C.	2	BTMOT30048NCGME	2,220	adj glides
	22	30 x 54	36" O.C.	2	BTMOT30054NCGME	2,220	adj glides
	22	30 x 60	42" O.C.	2	BTMOT30060NCGME	2,220	adj glides
	22	30 x 66	48" O.C.	2	BTMOT30066NCGME	2,220	adj glides
	22	30 x 72	54" O.C.	2	BTMOT30072NCGME	2,220	adj glides
* top not included	26	36 x 48	30" O.C.	2	BTMOT36048NCGME	2,240	adj glides
	26	36 x 54	36" O.C.	2	BTMOT36054NCGME	2,240	adj glides
	26	36 x 60	42" O.C.	2	BTMOT36060NCGME	2,240	adj glides
	26	36 x 66	48" O.C.	2	BTMOT36066NCGME	2,240	adj glides
	26	36 x 72	54" O.C.	2	BTMOT36072NCGME	2,240	adj glides
	18	24 x 48	30" O.C.	2	BTMOT24048NCCME	2,290	2" black locking casters
	18	24 x 54	36" O.C.	2	BTMOT24054NCCME	2,290	2" black locking casters
	18	24 x 60	42" O.C.	2	BTMOT24060NCCME	2,290	2" black locking casters
	18	24 x 66	48" O.C.	2	BTMOT24066NCCME	2,290	2" black locking casters
	18	24 x 72	54" O.C.	2	BTMOT24072NCCME	2,290	2" black locking casters
	22	30 x 48	30" O.C.	2	BTMOT30048NCCME	2,320	2" black locking casters
	22	30 x 54	36" O.C.	2	BTMOT30054NCCME	2,320	2" black locking casters
	22	30 x 60	42" O.C.	2	BTMOT30060NCCME	2,320	2" black locking casters
	22	30 x 66	48" O.C.	2	BTMOT30066NCCME	2,320	2" black locking casters
	22	30 x 72	54" O.C.	2	BTMOT30072NCCME	2,320	2" black locking casters
	26	36 x 48	30" O.C.	2	BTMOT36048NCCME	2,340	2" black locking casters
	26	36 x 54	36" O.C.	2	BTMOT36054NCCME	2,340	2" black locking casters
	26	36 x 60	42" O.C.	2	BTMOT36060NCCME	2,340	2" black locking casters
	26	36 x 66	48" O.C.	2	BTMOT36066NCCME	2,340	2" black locking casters
	26	36 x 72	54" O.C.	2	BTMOT36072NCCME	2,340	2" black locking casters
	18	24 x 48	30" O.C.	2	BTMOT24048NCPME	2,330	2" premium locking casters
	18	24 x 54	36" O.C.	2	BTMOT24054NCPME	2,330	2" premium locking casters
	18	24 x 60	42" O.C.	2	BTMOT24060NCPME	2,330	2" premium locking casters
	18	24 x 66	48" O.C.	2	BTMOT24066NCPME	2,330	2" premium locking casters
	18	24 x 72	54" O.C.	2	BTMOT24072NCPME	2,330	2" premium locking casters
	22	30 x 48	30" O.C.	2	BTMOT30072NCPME	2,360	2" premium locking casters
	22	30 x 54	36" O.C.	2	BTMOT30072NCPME	2,360	2" premium locking casters
	22	30 x 60	42" O.C.	2	BTMOT30072NCPME	2,360	2" premium locking casters
	22	30 x 66	48" O.C.	2	BTMOT30072NCPME	2,360	2" premium locking casters
	22	30 x 72	54" O.C.	2	BTMOT30072NCPME	2,360	2" premium locking casters
	26	36 x 72	30" O.C.	2	BTMOT36072NCPME	2,380	2" premium locking casters
	26	36 x 72	36" O.C.	2	BTMOT36072NCPME	2,380	2" premium locking casters
	26	36 x 72	42" O.C.	2	BTMOT36072NCPME	2,380	2" premium locking casters
	26	36 x 72	48" O.C.	2	BTMOT36072NCPME	2,380	2" premium locking casters
	26	36 x 72	54" O.C.	2	BTMOT36072NCPME	2,380	2" premium locking casters

**C casters**  
2" black dual wheel locking

**P premium casters (Moto)**  
2" black/silver dual wheel locking

**NC nesting crank height adjustment**  
retractable handle  
24" - 38" height range with glides  
26" - 40" height range with casters  
Columns inset 9" on center from edge of table top.

**Moto adjustable height - metal powder coat finishes:**  
Flat Black, Moto White\*\*, and Metallic Silver

\*\* Note that Moto White is a shade off and a little creamier than Furniture White.

This page was intentionally left blank.

Symphony




2026 MOTO PRICE LIST


Symphony

2026 MOTO PRICE LIST

# Moto bases

## fixed and flip nest C

base	base dim.	max top support	base set qty	base set model no.	glides or casters	list
	<b>Moto fixed C (3" column)</b>					
	18	24 x 96	2	BCMOT24096SDGME	adj glides	830
	22	30 x 96	2	BCMOT30096SDGME	adj glides	870
	26	36 x 96	2	BCMOT36096SDGME	adj glides	910
	18	24 x 96	2	BCMOT24096SDCME	2" black locking casters	930
	22	30 x 96	2	BCMOT30096SDCME	2" black locking casters	970
	26	36 x 96	2	BCMOT36096SDCME	2" black locking casters	1,010
	18	24 x 96	2	BCMOT24096SDPME	2" premium locking casters	970
	22	30 x 96	2	BCMOT30096SDPME	2" premium locking casters	1,010
26	36 x 96	2	BCMOT36096SDPME	2" premium locking casters	1,050	
	<b>Moto2 fixed C (2" column)</b>					
	18	24 x 96	2	BCMO224096SDGME	adj glides	680
	22	30 x 96	2	BCMO230096SDGME	adj glides	720
	26	36 x 96	2	BCMO236096SDGME	adj glides	750
	18	24 x 96	2	BCMO224096SDCME	2" black locking casters	780
	22	30 x 96	2	BCMO230096SDCME	2" black locking casters	820
	26	36 x 96	2	BCMO236096SDCME	2" black locking casters	850
	18	24 x 96	2	BCMO224096SDPME	2" premium locking casters	820
	22	30 x 96	2	BCMO230096SDPME	2" premium locking casters	860
26	36 x 96	2	BCMO236096SDPME	2" premium locking casters	890	
	<b>Moto2 flip nest C w/ beam (2" column)</b>					
	18	24 x 60	2	BCMO224060NBGME	adj glides	1,550
	18	24 x 66	2	BCMO224066NBGME	adj glides	1,590
	18	24 x 72	2	BCMO224072NBGME	adj glides	1,580
	22	30 x 60	2	BCMO230060NBGME	adj glides	1,580
	22	30 x 66	2	BCMO230066NBGME	adj glides	1,630
	22	30 x 72	2	BCMO230072NBGME	adj glides	1,590
	18	24 x 60	2	BCMO224060NBCME	2" black locking casters	1,650
	18	24 x 66	2	BCMO224066NBCME	2" black locking casters	1,690
	18	24 x 72	2	BCMO224072NBCME	2" black locking casters	1,680
	22	30 x 60	2	BCMO230060NBCME	2" black locking casters	1,680
	22	30 x 66	2	BCMO230066NBCME	2" black locking casters	1,730
	22	30 x 72	2	BCMO230072NBCME	2" black locking casters	1,690
	18	24 x 60	2	BCMO224060NBPME	2" premium locking casters	1,690
	18	24 x 66	2	BCMO224066NBPME	2" premium locking casters	1,730
18	24 x 72	2	BCMO224072NBPME	2" premium locking casters	1,720	
22	30 x 60	2	BCMO230060NBPME	2" premium locking casters	1,720	
22	30 x 66	2	BCMO230066NBPME	2" premium locking casters	1,770	
22	30 x 72	2	BCMO230072NBPME	2" premium locking casters	1,730	





**standard metal powder coat finishes (ME):**  
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

Note that the bases cannot be spread more than 52" apart at center.

# Moto bases

## crank adjustable height C

base	base dim.	max top support	base set qty	base set model no.	list	glides or casters
	<b>Moto crank C (3" column)</b>					
	<b>extended range</b>					
	18	24 x 72	2	BCMOT24072SCEGME	1,530	adj glides
	22	30 x 72	2	BCMOT30072SCEGME	1,540	adj glides
	26	36 x 72	2	BCMOT36072SCEGME	1,600	adj glides
	18	24 x 72	2	BCMOT24072SCECME	1,630	2" black locking casters
	22	30 x 72	2	BCMOT30072SCECME	1,640	2" black locking casters
	26	36 x 72	2	BCMOT36072SCECME	1,700	2" black locking casters
	18	24 x 72	2	BCMOT24072SCEPME	1,670	2" premium locking casters
	22	30 x 72	2	BCMOT30072SCEPME	1,680	2" premium locking casters
	26	36 x 72	2	BCMOT36072SCEPME	1,740	2" premium locking casters
	<b>middle range</b>					
	18	24 x 72	2	BCMOT24072SCMGME	1,530	adj glides
	22	30 x 72	2	BCMOT30072SCMGME	1,540	adj glides
	26	36 x 72	2	BCMOT36072SCMGME	1,600	adj glides
	18	24 x 72	2	BCMOT24072SCMCME	1,630	2" black locking casters
	22	30 x 72	2	BCMOT30072SCMCME	1,640	2" black locking casters
	26	36 x 72	2	BCMOT36072SCMCME	1,700	2" black locking casters
	18	24 x 72	2	BCMOT24072SCMPME	1,670	2" premium locking casters
	22	30 x 72	2	BCMOT30072SCMPME	1,680	2" premium locking casters
	26	36 x 72	2	BCMOT36072SCMPME	1,740	2" premium locking casters
	<b>short range</b>					
	18	24 x 72	2	BCMOT24072SCSGME	1,530	adj glides
	22	30 x 72	2	BCMOT30072SCSGME	1,540	adj glides
26	36 x 72	2	BCMOT36072SCSGME	1,600	adj glides	
18	24 x 72	2	BCMOT24072SCSCME	1,630	2" black locking casters	
22	30 x 72	2	BCMOT30072SCSCME	1,640	2" black locking casters	
26	36 x 72	2	BCMOT36072SCSCME	1,700	2" black locking casters	
18	24 x 72	2	BCMOT24072SCSPME	1,670	2" premium locking casters	
22	30 x 72	2	BCMOT30072SCSPME	1,680	2" premium locking casters	
26	36 x 72	2	BCMOT36072SCSPME	1,740	2" premium locking casters	





**C Crank adjustment**  
extended range: 26" - 43.75" (casters add 2")  
middle range: 23.25" - 37" with glides (casters add 2")  
short range: 19.75" - 30.5" with glides (casters add 2")  
-screw thread adjustment with infinite stop positions  
-adjust with manual crank handle which slides under table when not in use  
-maximum lifting load 225 lbs for two columns (T base set)



**Moto adjustable height - metal powder coat finishes:**  
Flat Black, Moto White\*\*, and Metallic Silver

\*\* Note that Moto White is a shade off and a little creamier than Furniture White.

# Moto bases

fixed and flip X

base	base dim.	max top support	base qty	base model no.	glides or casters	list			
Moto fixed X 	27.75"H	22 x 22	24 x 24, 30 rd	1	BXMOT24024SDGME	adj glides	660		
		26 x 26	30 x 30, 36 rd	1	BXMOT30030SDGME	adj glides	700		
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SDGME	adj glides	760		
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SDGME	adj glides	780		
	40.75"H	22 x 22	24 x 24, 30 rd	1	BXMOT24024SDCME	2" black locking casters	760		
			26 x 26	30 x 30, 36 rd	1	BXMOT30030SDCME	2" black locking casters	800	
			32 x 32	36 x 36, 42 rd	1	BXMOT36036SDCME	2" black locking casters	860	
			36 x 36	42 x 42, 48 rd	1	BXMOT42042SDCME	2" black locking casters	880	
		26 x 26	24 x 24, 30 rd	1	BXMOT24024SDPME	2" premium locking casters	800		
			30 x 30, 36 rd	1	BXMOT30030SDPME	2" premium locking casters	840		
			36 x 36, 42 rd	1	BXMOT36036SDPME	2" premium locking casters	900		
			42 x 42, 48 rd	1	BXMOT42042SDPME	2" premium locking casters	920		
		custom higher height (specify height)	22 x 22	24 x 24, 30 rd	1	BXMOT24024SBGME	adj glides	760	
				26 x 26	30 x 30, 36 rd	1	BXMOT30030SBGME	adj glides	800
				32 x 32	36 x 36, 42 rd	1	BXMOT36036SBGME	adj glides	860
				36 x 36	42 x 42, 48 rd	1	BXMOT42042SBGME	adj glides	880
			26 x 26	24 x 24, 30 rd	1	BXMOT24024SBCME	2" black locking casters	860	
				30 x 30, 36 rd	1	BXMOT30030SBCME	2" black locking casters	900	
				32 x 32	36 x 36, 42 rd	1	BXMOT36036SBCME	2" black locking casters	960
				36 x 36	42 x 42, 48 rd	1	BXMOT42042SBCME	2" black locking casters	980
			26 x 26	24 x 24, 30 rd	1	BXMOT24024SBPME	2" premium locking casters	900	
				30 x 30, 36 rd	1	BXMOT30030SBPME	2" premium locking casters	940	
				32 x 32	36 x 36, 42 rd	1	BXMOT36036SBPME	2" premium locking casters	1,000
				36 x 36	42 x 42, 48 rd	1	BXMOT42042SBPME	2" premium locking casters	1,020
custom lower height X (specify height)	22 x 22	24 x 24, 30 rd	1	BXMOT24024SHGME	adj glides	760			
		26 x 26	30 x 30, 36 rd	1	BXMOT30030SHGME	adj glides	800		
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SHGME	adj glides	860		
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SHGME	adj glides	880		
	26 x 26	24 x 24, 30 rd	1	BXMOT24024SHCME	2" black locking casters	860			
		30 x 30, 36 rd	1	BXMOT30030SHCME	2" black locking casters	900			
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SHCME	2" black locking casters	960		
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SHCME	2" black locking casters	980		
	26 x 26	24 x 24, 30 rd	1	BXMOT24024SHPME	2" premium locking casters	900			
		30 x 30, 36 rd	1	BXMOT30030SHPME	2" premium locking casters	940			
		32 x 32	36 x 36, 42 rd	1	BXMOT36036SHPME	2" premium locking casters	1,000		
		36 x 36	42 x 42, 48 rd	1	BXMOT42042SHPME	2" premium locking casters	1,020		
Moto flip X 	22 x 22	24 x 24, 30 rd	1	BXMOT24024FDGME	adj glides	920			
		26 x 26	30 x 30, 36 rd	1	BXMOT30030FDGME	adj glides	980		
		32 x 32	36 x 36, 42 rd	1	BXMOT36036FDGME	adj glides	1,020		
		36 x 36	42 x 42, 48 rd	1	BXMOT42042FDGME	adj glides	1,020		
	26 x 26	24 x 24, 30 rd	1	BXMOT24024FDCME	2" black locking casters	1,020			
		30 x 30, 36 rd	1	BXMOT30030FDCME	2" black locking casters	1,080			
		32 x 32	36 x 36, 42 rd	1	BXMOT36036FDCME	2" black locking casters	1,120		
		36 x 36	42 x 42, 48 rd	1	BXMOT42042FDCME	2" black locking casters	1,120		
	26 x 26	24 x 24, 30 rd	1	BXMOT24024FDPME	2" premium locking casters	1,060			
		30 x 30, 36 rd	1	BXMOT30030FDPME	2" premium locking casters	1,120			
		32 x 32	36 x 36, 42 rd	1	BXMOT36036FDPME	2" premium locking casters	1,160		
		36 x 36	42 x 42, 48 rd	1	BXMOT42042FDPME	2" premium locking casters	1,160		

-  **C casters**  
2" black dual wheel locking
-  **P premium casters**  
2" silver/black dual wheel locking



**standard metal powder coat finishes (ME):**  
Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

# Symphony


2026 MOTO PRICE LIST


# Moto bases

ratchet, crank and pneumatic adjustable height X

base	base dim.	max top support	base qty	base model no.	list	glides or casters	
Moto 	ratchet X	22	24 x 24, 30 rd	1	BXMOT24024SRGME	960	adj glides
		26	30 x 30, 36 rd	1	BXMOT30030SRGME	1,000	adj glides
		22	24 x 24, 30 rd	1	BXMOT24024SRCME	1,060	2" black locking casters
		26	30 x 30, 36 rd	1	BXMOT30030SRCME	1,100	2" black locking casters
		22	24 x 24, 30 rd	1	BXMOT24024SRPME	1,100	2" premium locking casters
		26	30 x 30, 36 rd	1	BXMOT30030SRPME	1,140	2" premium locking casters
	crank X 	22	24 x 24, 30 rd	1	BXMOT24024SCGME	1,100	adj glides
		26	30 x 30, 36 rd	1	BXMOT30030SCGME	1,160	adj glides
		22	24 x 24, 30 rd	1	BXMOT24024SCCME	1,200	2" black locking casters
		26	30 x 30, 36 rd	1	BXMOT30030SCCME	1,260	2" black locking casters
		22	24 x 24, 30 rd	1	BXMOT24024SCPME	1,240	2" premium locking casters
		26	30 x 30, 36 rd	1	BXMOT30030SCPME	1,300	2" premium locking casters



For complete model number- specify height range:  
1. Insert adjustable height range selection:  
**EP** extended height range (26" - 43.7" with glides or 28" - 45.7" with casters)  
**LP** lower height range (17.5" - 27.25" with glides or 19.25" - 29.25" with casters)

base	base dim.	max top support	base qty	base model no.	list	glides or casters	
Moto pneumatic counter balance X 	22 x 22	24 x 24, 30 rd	1	BXMOT24024S_GME	1,310	adj glides	
		26 x 26	30 x 30, 36 rd	1	BXMOT30030S_GME	1,350	adj glides
		32 x 32	36 x 36, 42 rd	1	BXMOT36036S_GME	1,390	adj glides
		36 x 36	42 x 42, 48 rd	1	BXMOT42042S_GME	1,430	adj glides
	26 x 26	24 x 24, 30 rd	1	BXMOT24024S_CME	1,410	2" black locking casters	
		30 x 30, 36 rd	1	BXMOT30030S_CME	1,450	2" black locking casters	
		32 x 32	36 x 36, 42 rd	1	BXMOT36036S_CME	1,490	2" black locking casters
		36 x 36	42 x 42, 48 rd	1	BXMOT42042S_CME	1,530	2" black locking casters
	26 x 26	24 x 24, 30 rd	1	BXMOT24024S_PME	1,450	2" premium locking casters	
		30 x 30, 36 rd	1	BXMOT30030S_PME	1,490	2" premium locking casters	
		32 x 32	36 x 36, 42 rd	1	BXMOT36036S_PME	1,530	2" premium locking casters
		36 x 36	42 x 42, 48 rd	1	BXMOT42042S_PME	1,570	2" premium locking casters

base	base dim.	max top support	base qty	base model no.	list	glides or casters	
Moto pneumatic counter balance flip top X 	22 x 22	24 x 24, 30 rd	1	BXMOT24024_DGME	1,550	adj glides	
		26 x 26	30 x 30, 36 rd	1	BXMOT30030_DGME	1,590	adj glides
		32 x 32	36 x 36, 42 rd	1	BXMOT36036_DGME	1,630	adj glides
	26 x 26	24 x 24, 30 rd	1	BXMOT24024_DCME	1,650	2" black locking casters	
		30 x 30, 36 rd	1	BXMOT30030_DCME	1,690	2" black locking casters	
		32 x 32	36 x 36, 42 rd	1	BXMOT36036_DCME	1,730	2" black locking casters
	26 x 26	24 x 24, 30 rd	1	BXMOT24024_DPME	1,690	2" premium locking casters	
		30 x 30, 36 rd	1	BXMOT30030_DPME	1,730	2" premium locking casters	
		32 x 32	36 x 36, 42 rd	1	BXMOT36036_DPME	1,770	2" premium locking casters

**Moto adjustable height - metal powder coat finishes:**  
Flat Black, Moto White\*\*, and Metallic Silver

\*\* Note that Moto White is a shade off and a little creamier than Furniture White.

-  **Casters (C):**  
2" black dual wheel locking (Moto)
-  **Premium Casters (P):**  
2" silver/black dual wheel locking (Moto)

**R Ratchet height adjustment (Moto)**  
26" - 35.5" base height range with glides  
28" - 37.5" base height range with casters  
13 positions in 0.78 inch increments  
change positions by manually lifting the table top  
resets to lowest position when lifted to upper stop

**C Crank adjustment (Moto)**  
base height range with glides 26" - 43.75"  
base height range with casters 28" - 45.75"  
-screw thread adjustment with infinite stop positions  
-adjust with manual crank handle which slides under table when not in use

**EP Extended Pneumatic counter balance (Moto)**  
base height range with glides 26" - 43.7"  
base height range with casters 28" - 45.7"  
-Must specify the weight of the top and all accessories that will be used on the bases so that the lift capacity can be set properly - see below chart.

**LP Lower Pneumatic counter balance (Moto)**  
base height range with glides 17.5" - 27.25"  
base height range with casters 19.25" - 29.25"  
-Must specify the weight of the top and all accessories that will be used on the bases so that the lift capacity can be set properly - see below chart

Specify	Pound Equivalent	Lift Range
150N	33 lbs.	1-44 lbs.
200N	44 lbs.	15-55 lbs.
250N	55 lbs.	26-66 lbs.
300N	66 lbs.	37-77 lbs.

# Symphony

2026 MOTO PRICE LIST

# Moto Post bases

2 x 2 inch square

2.75 x 2.75 inch square

base	max top support	base description	mount plate	qty	model no.	list
<b>Moto base sets (4)</b>						
2 x 2 inch	48 x 48, 60 rd	2" sq column x 27.75"H, adj glides	6 x 6	4	BPMOT4S02SSDGME	860
	48 x 48, 60 rd	2" sq column cust higher ht, adj glides	6 x 6	4	BPMOT4S02SSHGME	1,290
	48 x 48, 60 rd	2" sq column cust lower ht, adj glides	6 x 6	4	BPMOT4S02SSLGME	1,090
2.75 x 2.75 inch	48 x 48, 60 rd	2" sq column x 27.75"H, 2" black casters	6 x 6	4	BPMOT4S02SSDCME	960
	48 x 48, 60 rd	2" sq column cust higher ht, 2" black casters	6 x 6	4	BPMOT4S02SSHCME	1,390
	48 x 48, 60 rd	2" sq column x cust lower ht, 2" black casters	6 x 6	4	BPMOT4S02SSLCME	1,190
2.75 x 2.75 inch	48 x 48, 60 rd	2" sq column x 27.75"H, 2" silver/black casters	6 x 6	4	BPMOT4S02SSDPME	1,000
	48 x 48, 60 rd	2" sq column cust higher ht, 2" silver/black casters	6 x 6	4	BPMOT4S02SSHPME	1,430
	48 x 48, 60 rd	2" sq column cust lower ht, 2" silver/black casters	6 x 6	4	BPMOT4S02SSLPME	1,230
2.75 x 2.75 inch	48 x 48, 60 rd	2.75" sq column x 27.75"H, adj glides	8 x 8	4	BPMOT4S03SSDGME	990
	48 x 48, 60 rd	2.75" sq column cust higher ht, adj glides	8 x 8	4	BPMOT4S03SSHGME	1,520
	48 x 48, 60 rd	2.75" sq column cust lower ht, adj glides	8 x 8	4	BPMOT4S03SSLGME	1,220
2.75 x 2.75 inch	48 x 48, 60 rd	2.75" sq column x 27.75"H, 2" black casters	8 x 8	4	BPMOT4S03SSDCME	1,090
	48 x 48, 60 rd	2.75" sq column cust higher ht, 2" black casters	8 x 8	4	BPMOT4S03SSHCME	1,620
	48 x 48, 60 rd	2.75" sq column cust lower ht, 2" black casters	8 x 8	4	BPMOT4S03SSLCME	1,320
2.75 x 2.75 inch	48 x 48, 60 rd	2.75" sq column x 27.75"H, 2" silver/black casters	8 x 8	4	BPMOT4S03SSDPME	1,130
	48 x 48, 60 rd	2.75" sq column cust higher ht, 2" silver/black casters	8 x 8	4	BPMOT4S03SSHPME	1,660
	48 x 48, 60 rd	2.75" sq column cust lower ht, 2" silver/black casters	8 x 8	4	BPMOT4S03SSLPME	1,380
<b>Moto single base (1)</b>						
2 x 2 inch	n/a	2" sq column x 27.75"H, adj glide	6 x 6	1	BPMOT1S02SSDGME	210
	n/a	2" sq column cust higher ht, adj glide	6 x 6	1	BPMOT1S02SSHGME	320
	n/a	2" sq column cust lower ht, adj glide	6 x 6	1	BPMOT1S02SSLGME	280
2.75 x 2.75 inch	n/a	2" sq column x 27.75"H, 2" black caster	6 x 6	1	BPMOT1S02SSDCME	240
	n/a	2" sq column cust higher ht, 2" black caster	6 x 6	1	BPMOT1S02SSHCME	340
	n/a	2" sq column cust lower ht, 2" black caster	6 x 6	1	BPMOT1S02SSLCME	300
2.75 x 2.75 inch	n/a	2" sq column x 27.75"H, 2" silver/black caster	6 x 6	1	BPMOT1S02SSDPME	250
	n/a	2" sq column cust higher ht, 2" silver/black caster	6 x 6	1	BPMOT1S02SSHPME	350
	n/a	2" sq column cust lower ht, 2" silver/black caster	6 x 6	1	BPMOT1S02SSLPME	310
2.75 x 2.75 inch	n/a	2.75" sq column x 27.75"H, adj glide	8 x 8	1	BPMOT1S03SSDGME	250
	n/a	2.75" sq column cust higher ht, adj glide	8 x 8	1	BPMOT1S03SSHGME	390
	n/a	2.75" sq column cust lower ht, adj glide	8 x 8	1	BPMOT1S03SSLGME	310
2.75 x 2.75 inch	n/a	2.75" sq column x 27.75"H, 2" black casters	8 x 8	1	BPMOT1S03SSDCME	280
	n/a	2.75" sq column cust higher ht, 2" black casters	8 x 8	1	BPMOT1S03SSHCME	410
	n/a	2.75" sq column cust lower ht, 2" black casters	8 x 8	1	BPMOT1S03SSLCME	330
2.75 x 2.75 inch	n/a	2.75" sq column x 27.75"H, 2" silver/black casters	8 x 8	1	BPMOT1S03SSDPME	290
	n/a	2.75" sq column cust higher ht, 2" silver/black casters	8 x 8	1	BPMOT1S03SSHPME	420
	n/a	2.75" sq column cust lower ht, 2" silver / black casters	8 x 8	1	BPMOT1S03SSLPME	340

**standard metal powder coat finishes (ME):**

Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

**\*Moto post legs need to be placed every 48"**

**Corner mount plate option:**

Model number **OBPPCM4V** for a set of 4 post bases - **\$180 list per set**  
 Model number **OBPPCM1V** for (1) post base - **\$40 list per base**

**Wire Management hole option:**

Model # **OBWMHMOTO-1.5** for 1.5" dia. wire management mouse holes (top & bottom) for one 3" sq base column - **\$60 list per base**  
 Model # **OBWMHMOTO** - for 1.25" dia. wire management mouse holes (top & bottom) for one 2" sq base column - **\$60 list per base**

Symphony

2026 MOTO PRICE LIST





# Moto Frame bases

no stretcher & single stretcher

2 x 2 inch tubing

For complete model number insert height selection:

**SD** seated height (27.75"H)  
**SC** counter height (34.75"H)  
**SB** bar height (40.75"H)

base	outside base dimensions	top size with 1.5" overhang on each side	model no.	seated height (27.75"H) list	counter height (34.75"H) list	bar height (40.75"H) list	
<b>Moto II Frame - no stretcher with glides (2 x 2 inch tubing)</b>							
	21 x 57	24 x 60	BFMO224060_GME	1,290	1,390	1,470	
	21 x 63	24 x 66	BFMO224066_GME	1,300	1,410	1,480	
	21 x 69	24 x 72	BFMO224072_GME	1,320	1,430	1,500	
	27 x 57	30 x 60	BFMO230060_GME	1,320	1,430	1,500	
	27 x 63	30 x 66	BFMO230066_GME	1,340	1,450	1,520	
	27 x 69	30 x 72	BFMO230072_GME	1,350	1,460	1,530	
	33 x 57	36 x 60	BFMO236060_GME	1,360	1,460	1,530	
	33 x 63	36 x 66	BFMO236066_GME	1,370	1,480	1,550	
	33 x 69	36 x 72	BFMO236072_GME	1,390	1,490	1,570	
	<b>Moto II Frame - no stretcher with 3.5" industrial black locking casters (2 x 2 inch tubing)</b>						
		21 x 57	24 x 60	BFMO224060_CME	1,710	1,810	1,890
		21 x 63	24 x 66	BFMO224066_CME	1,720	1,830	1,900
21 x 69		24 x 72	BFMO224072_CME	1,740	1,850	1,920	
27 x 57		30 x 60	BFMO230060_CME	1,740	1,850	1,920	
27 x 63		30 x 66	BFMO230066_CME	1,760	1,870	1,940	
27 x 69		30 x 72	BFMO230072_CME	1,770	1,880	1,950	
33 x 57		36 x 60	BFMO236060_CME	1,780	1,880	1,950	
33 x 63		36 x 66	BFMO236066_CME	1,790	1,900	1,970	
33 x 69		36 x 72	BFMO236072_CME	1,810	1,910	1,990	
<b>Moto II Frame - single stretcher with glides (2 x 2 inch tubing)</b>							
		21 x 57	24 x 60	BFMO324060_GME	1,710	1,810	1,890
		21 x 63	24 x 66	BFMO324066_GME	1,730	1,840	1,910
	21 x 69	24 x 72	BFMO324072_GME	1,750	1,860	1,930	
	21 x 81	24 x 84	BFMO324084_GME	1,940	2,040	2,120	
	21 x 93	24 x 96	BFMO324096_GME	2,040	2,140	2,210	
	27 x 57	30 x 60	BFMO330060_GME	1,750	1,860	1,930	
	27 x 63	30 x 66	BFMO330066_GME	1,780	1,890	1,960	
	27 x 69	30 x 72	BFMO330072_GME	1,790	1,900	1,970	
	27 x 81	30 x 84	BFMO330084_GME	1,980	2,090	2,160	
	27 x 93	30 x 96	BFMO330096_GME	2,080	2,180	2,260	
	33 x 57	36 x 60	BFMO336060_GME	1,800	1,900	1,980	
	33 x 63	36 x 66	BFMO336066_GME	1,820	1,930	2,000	
33 x 69	36 x 72	BFMO336072_GME	1,840	1,940	2,020		
33 x 81	36 x 84	BFMO336084_GME	2,030	2,140	2,210		
33 x 93	36 x 96	BFMO336096_GME	2,120	2,230	2,300		
<b>Moto II Frame - single stretcher with 3.5" industrial black locking casters (2 x 2 inch tubing)</b>							
	21 x 57	24 x 60	BFMO324060_CME	2,100	2,210	2,280	
	21 x 63	24 x 66	BFMO324066_CME	2,120	2,230	2,300	
	21 x 69	24 x 72	BFMO324072_CME	2,150	2,250	2,320	
	21 x 81	24 x 84	BFMO324084_CME	2,330	2,440	2,510	
	21 x 93	24 x 96	BFMO324096_CME	2,430	2,540	2,610	
	27 x 57	30 x 60	BFMO330060_CME	2,150	2,250	2,330	
	27 x 63	30 x 66	BFMO330066_CME	2,170	2,280	2,350	
	27 x 69	30 x 72	BFMO330072_CME	2,190	2,290	2,360	
	27 x 81	30 x 84	BFMO330084_CME	2,370	2,480	2,550	
	27 x 93	30 x 96	BFMO330096_CME	2,470	2,580	2,650	
	33 x 57	36 x 60	BFMO336060_CME	2,190	2,300	2,370	
	33 x 63	36 x 66	BFMO336066_CME	2,210	2,320	2,390	
33 x 69	36 x 72	BFMO336072_CME	2,230	2,340	2,410		
33 x 81	36 x 84	BFMO336084_CME	2,420	2,530	2,600		
33 x 93	36 x 96	BFMO336096_CME	2,510	2,620	2,690		

**standard metal powder coat finishes (ME):**

Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

**Wire Management hole option:**

Model number **OBWMHMOTO** for 1.25" dia. wire management holes at the top and bottom of a Motoll Frame base - **\$60 list per base**



**Moto magnetic wire manager:**  
 Model number **OBWMMM18** - **\$120 list per base**

Symphony



2026 MOTO PRICE LIST

# Moto II Frame bases

## double stretcher, 2 x 2 inch tubing

For complete model number insert height selection:

- SD** seated height (27.75"H)
- SC** counter height (34.75"H)
- SB** bar height (40.75"H)

base	outside base dimensions	top size with 1.5" overhang on each side	model no.	seated height (27.75"H) (ME) list	counter height (34.75"H) (ME) list	bar height (40.75"H) (ME) list
<b>Moto II Frame - dual stretcher with glides</b>						
(2 x 2 inch tubing)						
	39 x 57	42 x 60	BFMO342060 ___ G ___	2,210	2,290	2,370
	39 x 63	42 x 66	BFMO342066 ___ G ___	2,240	2,330	2,400
	39 x 69	42 x 72	BFMO342072 ___ G ___	2,290	2,370	2,450
	39 x 81	42 x 84	BFMO342084 ___ G ___	2,330	2,410	2,490
	39 x 93	42 x 96	BFMO342096 ___ G ___	2,610	2,700	2,770
	45 x 57	48 x 60	BFMO348060 ___ G ___	2,250	2,340	2,410
	45 x 63	48 x 66	BFMO348066 ___ G ___	2,280	2,360	2,440
	45 x 69	48 x 72	BFMO348072 ___ G ___	2,310	2,390	2,470
	45 x 81	48 x 84	BFMO348084 ___ G ___	2,340	2,420	2,500
	45 x 93	48 x 96	BFMO348096 ___ G ___	2,630	2,720	2,790
<b>Moto III Frame - dual stretcher with 3.5" industrial black locking casters</b>						
(2 x 2 inch tubing)						
	39 x 57	42 x 60	BFMO342060 ___ C ___	2,600	2,690	2,760
	39 x 63	42 x 66	BFMO342066 ___ C ___	2,640	2,720	2,800
	39 x 69	42 x 72	BFMO342072 ___ C ___	2,680	2,770	2,840
	39 x 81	42 x 84	BFMO342084 ___ C ___	2,720	2,810	2,880
	39 x 93	42 x 96	BFMO342096 ___ C ___	3,000	3,090	3,170
	45 x 57	48 x 60	BFMO348060 ___ C ___	2,640	2,730	2,810
	45 x 63	48 x 66	BFMO348066 ___ C ___	2,670	2,760	2,840
	45 x 69	48 x 72	BFMO348072 ___ C ___	2,700	2,790	2,860
	45 x 81	48 x 84	BFMO348084 ___ C ___	2,730	2,820	2,890
	45 x 93	48 x 96	BFMO348096 ___ C ___	3,020	3,110	3,180

**standard metal powder coat finishes (ME):**

Black Wrinkle, Champagne, Copper Glaze, Flat Black, Furniture White, Gold Bar, Lakefront Blue, Matte Dark Bronze, Medium Tone, Metallic Silver, Misty Blue, Sage Green, Triple Bronze

**Wire Management hole option:**

Model number **OBWMHMOTO** for 1.25" dia. wire management holes at the top and bottom of a MotoII Frame base - **\$60 list per base**



**Moto magnetic wire manager:**

Model number **OBWMMM18** - **\$120 list per base**

This page was intentionally left blank.

## Terms of Sale

All prices listed are delivered pricing to the 48 contiguous states. Orders shipped to Hawaii, Alaska, and Puerto Rico ship to the port of embarkation. Product specifications and pricing is based on the information at time of publication. Symphony reserves the right to make changes at any time without notice regarding product specifications and pricing. Terms are Net 30 from the date of shipment (net 10, 1% discount). Prices are subject to change annually for changes in accordance with state contract regulations. All customer/nonstandard products are subject to a fifty percent (50%) advance deposit. There will be a service charge of 1 1/2% per month on all invoices past due. Symphony reserves the right to use its own or commercial carriers for the "best way" to ship, at its sole discretion.

## Quality Standards

Symphony Furniture products meet or exceed applicable ANSI/BIFMA durability and safety standards when properly installed with appropriate size base.

## Warranty

All Symphony products are guaranteed against defect for a period of ten (10) years. Electrical items and height adjustment mechanisms are guaranteed against defect for a period of five (5) years. Symphony will replace or repair (at our discretion) without cost to our customers any item found to be defective as a result of defective material or workmanship. This excludes any item which has been abused or subjected to any use other than that which was originally intended for our product. Any repairs by our customer must receive specific written authorization from Symphony before work is initiated. This warranty is given to the initial purchaser and is valid for as long as the product is owned by the initial purchaser. The warranty, which runs from the date of manufacture, covers defects in materials and craftsmanship found during normal usage of the products during the warranty period. If a product is defective, and if written notice of the defect is given to Symphony within the warranty period, Symphony at its discretion will either repair or replace the defective product with a comparable component or product, or provide a refund of the purchase price. In no event shall liability under this warranty exceed the original purchase price. Warranty on plastic laminates is not covered by Symphony but is covered by laminate manufacturers under their specific warranty only. There are no other warranties expressed or implied. This warranty does not apply to damage caused by a carrier, alterations to the product not expressly authorized by Symphony. Symphony does not warrant the matching of color, grain, or texture except to within commercially acceptable standards. A product will not be considered defective, and Symphony will not be obligated to replace it, if that product is subject to any of Symphony's written planning, installation or user guides, and is not installed or used as recommended.

Please note that all Lora tables and conference/media tables should not be moved as a complete unit after the product has been assembled. If it is moved, then this could result in the tables being "racked" which could also disrupt the top plate and/ or cam lock routing and predrilled holes. This type of damage is not covered under warranty. In order to move a table, you must unassembled the table completely and re-assemble it in the new location.

## Minimum order/Freight Charge

Zone 1 orders less than \$5,000 list (U.S.) - \$200 net  
Zone 2 orders less than \$5,000 list (U.S.) - \$260 net

## Sales Policy

Possession of this price list does not constitute authority to purchase and/or sell products contained herein. All orders are subject to acceptance by Symphony Furniture.

## New Accounts

New accounts can only be established with:

Approval of Symphony sales representative  
Valid purchase order

State Resale/Exemption Certificate or order will be charged the appropriate sales tax

Application & credit references

Payment in full (initial orders under \$4,000 list) or 50% deposit in advance

## Taxes

Symphony requires a state Resale/Exemption Certificate on file in our main office. Sales made without a certificate will be charged the appropriate sales tax as required by law.

## Freight Terms

Freight charges will be prepaid on all shipments unless special arrangements have been made. Normal delivery is dock to dock. Special requests, such as inside delivery, lift gate service; residential delivery, etc. are subject to additional charges. All accessorial charges not requested on purchase order will be the responsibility of the consignee. Symphony reserves the right to select the "best way" shipment method and means. Delivery date and times are at the discretion of the carrier within reasonable transit time unless special arrangements have been made between the customer and Symphony.

## Acknowledgements

Every order is acknowledged. Orders will be manufactured and invoiced based upon the information on the acknowledgment. If there is any discrepancy, please notify Symphony immediately. Orders are accepted by Symphony per terms on the acknowledgment. All acknowledgements contain an estimated shipping date. Your order may actually ship earlier than the expected shipping date, depending on the backlog at the time. If you do not want the merchandise earlier than the specified date, please write "Do not ship for arrival before \_\_\_\_\_" on your purchase order.

## Revised Orders

Orders requiring changes to the product or additional options will not incur additional costs unless orders have been processed. Orders revised after being manufactured are subject to additional charges.

## Changes or Cancellations

Orders entered and acknowledged cannot be changed or cancelled without Symphony's consent. The customer is responsible for all costs incurred, and a minimum cancellation or change charge of 25% will be invoiced if an order is cancelled or changed within 15 working days of shipment. Orders for nonstandard products are not cancelable.

## Shipments on Hold

Any shipment placed on hold by customer's request or due to balance owed, will be manufactured per the originally scheduled ship date. Storage charges will begin to accrue 7 days from that date. Any order held by our factory over 30 days will be billed and must be promptly paid even though shipment is held at factory at customer's request.

## Special or Additional Freight Charges

Symphony Furniture reserves the right to charge the following when incurring additional freight costs. Destination changes after product has shipped - \$50.00 plus \$2.00/mile after the first 10 miles. Wait time for delivery of greater than two hours - \$130.00/hour. Trailer drop/switch delivery - \$200.00/trailer. Deliveries Friday (after 3:00pm) through Sunday or Holidays - \$600.00/day. Third party to pick up freight at the terminal - \$200.00.

## Redelivery of Freight

When redelivery of merchandise is required because customer is not ready to accept merchandise, and no notification of this fact is given to the factory at least two weeks prior to the scheduled ship date, the actual costs for freight, restocking and re-handling, plus 5% at the order value, will be billed to the customer.

## Receipt of Order

1. Carefully inspect all incoming items
2. If an item is damaged, please note the damage on the delivery receipt.
3. Immediately contact the carrier to request an inspection and their freight claim form.
4. File the freight claim form with the carrier within five days of receipt.
5. If any item is missing or is not correct, please contact Symphony immediately.

Any concealed damages or shortage not reported with 5 business days from delivery shall be the sole responsibility of the customer.

# terms and conditions

## Shipment Damage Claims

Legal title of merchandise passes to the buyer upon acceptance of the carrier. All merchandise is packed to comply with carrier requirements. Shipments should be carefully inspected by the consignee before acceptance and the delivery carrier should be requested to record any damage or shortage. If further damage is found after delivery, immediate inspection by the delivering carrier should be requested. Notification of concealed damages must be made to the delivering carrier within 5 days after delivery of merchandise. Carrier liability ceases after this period. Damaged freight must be kept at the point of delivery in the original packing for inspection by the carrier. Please be advised that if the carrier obtains a clear receipt for shipment, they are no longer responsible for damage or shortages. Please note that electronically signing the carrier's tablet at the time of delivery means that you are accepting the delivery and no damages are being notated. If you see anything that indicates a shipment has been tampered with or shows signs of damage, then ask the driver to report it to the freight company and take pictures.

## Shipment Shortage Claims

Shortage claims reported after 10 days beyond shipment date will not be honored.

## Unopened Shipment Damage Claims

Neither Symphony nor the carrier is responsible for concealed damage claims if shipments are left unopened. Notification of concealed damages must be made to the delivering carrier within 5 days after delivery of merchandise. Refusal to accept an order from the carrier does not relieve you of the responsibility for payment, and may incur additional charges.

## Lost Shipments

Symphony issues a bill of lading to consignee on the date of shipment. If shipment is not received within 20 days of shipment date, notify us. Symphony and the carrier do not assume obligation for lost or damaged shipment claims after 6 months of shipping date.

## Title to Merchandise

Title to merchandise shall pass to the buyer upon delivery by Symphony to the carrier. For purposes of risk or loss, all shipments are F.O.B. factory. Buyer acknowledges that once Symphony delivers the goods to the carrier, title to the goods and risk of loss will pass to the buyer. If the goods are damaged by the carrier while in transit, the buyer has the sole obligation of seeking recourse from the carrier.

## Returns

Symphony will not permit return of materials without written consent if materials shipped are as acknowledged. Return shipments when accepted are subject to a re-handling/restocking charge, in accordance with the state contract after the merchandise is received and inspected. All freight or express charges must be prepaid on return shipments; otherwise, they will not be accepted. Damaged materials and all items specially built to order cannot be returned under any conditions.

## Repair and Replacement

Any labor charges for correcting a manufacturing problem must be submitted and approved before correction is undertaken, if the units are under warranty. Labor charges will not be paid if the estimate was not submitted and approved prior to labor being completed.

## Contact Information

Symphony Furniture, 1720 Mars Hill Road, Suite 8-287, Acworth, GA 30101, GA 30318-1732

Phone: 866.507.7795

Fax: 888.683.0007

[www.Symphonytables.com](http://www.Symphonytables.com)

Email: [service@symphonytables.com](mailto:service@symphonytables.com)

# table care and maintenance

## Table Care and Maintenance

### Laminate Surfaces, Vinyl & PVC edges

High-pressure laminate is durable and requires minimal maintenance. To clean the surface, use a damp cloth or sponge and a mild soap or detergent. Rinse with clean, clear water. Wipe the entire surface, moving with the pattern and follow with a clean, dry, soft cloth. When a wood edge exists, follow "Wood Edge and Veneer" instructions.

Difficult "stains" such as coffee or tea can be removed using a mild household cleaner/detergent and a soft bristle brush, repeating as necessary. If stain persists, use a paste of baking soda & water and apply with a soft bristled brush. Light scrubbing for 10-20 strokes should remove most stains (excessive scrubbing or exerting too much force may damage the surface, especially gloss finish surfaces). Any remaining stains may require the use of undiluted household bleach or nail polish remover. Apply to stain and let stand no longer than two minutes. Rinse thoroughly with warm water & wipe dry. Step may be repeated. However, prolonged exposure of bleach to surface will cause discoloration.

Abrasive pads, scouring powders or cleansers may permanently dull & scratch the surface making the laminate susceptible to staining. Harsh chemicals such as oven, toilet or drain cleaners will etch & discolor laminates. If spills of these products occur, remove immediately, rinse thoroughly, and wipe dry.

High pressure laminates have high heat resistance, however exposure to temperatures greater than 135 degrees C (275 degrees F) is not recommended. Prolonged exposure to temperatures above 65 degrees C (150 degrees F) may result in separation of the laminate from the substrate. Protect the surface from heat generating appliances by using a trivet or insulating pad.

Do not use sharp objects directly on the laminate surface. A counter saver or chopping block is recommended.

HP laminate have excellent impact resistance. However, heavy objects dropped on the surface may chip or crack the laminate.

### Powder Coated Metal

Clean with a mild soap solution and rinse with clean clear water. Wipe the entire surface and follow with a clean, dry cloth to buff dry.

### Chromed Metal

Clean with a wet cloth or window cleaner. For scuff marks or heavy soiling, apply a non-abrasive automotive chrome polish as directed.

### Mechanical Parts

Clean any lint or debris from the moving parts of the tilt or folding mechanisms. Do not apply any lubricant.

# Symphony

phone: 866-507-7795

email: [service@symphonytables.com](mailto:service@symphonytables.com)

Specifications subject to change without prior notice.  
Visit [symphonytables.com/resources/pricing](https://www.symphonytables.com/resources/pricing) for the most current version of the Price List.